





1



2

What is OSH program?

The OSH program is the employer's method for preventing injuries and illnesses to employees. The OSH program is an outline of activities to promote consciousness among management and workers in workplaces in-order to eliminate or minimize accidents and/or illnesses to the lowest reducible level.

3

Development OSH Program

It has been found that effective management of worker is due to OSH program:

- Reduces the extent and severity of work related injuries and illnesses
- Improves employee morale and productivity
- Reduces workers' compensation costs

4

An Effective OSH Program

- Includes provisions for systematic identification, evaluation and prevention or control of hazards
- Goes beyond specific requirements of the legislations to address all hazards

5

Elements of OSH Program

An effective occupational safety and health program will include the following four element.

- Management commitment and employee involvement;
 - ✓ OSH Policy
 - ✓ OSH Committee
- Worksite analysis
- Hazard prevention and control
- Safety and health training

6

Management Commitment And Employee Involvement

- develop and communicate a safety and health policy to all employees.
- demonstrate management commitment by:
 - instilling accountability for safety and health
 - obeying safety rules and reviewing accident reports
- conduct regular safety and health meetings involving employees, managers and supervisors
- assign responsible person(s) to coordinate safety and health activities and provide resources to accomplish the program goals.
- integrate safety and health into business practices (e.g., purchases, contracts, design and development).
- involve employees in safety and health related activities (e.g., self-inspections, accident investigations and developing safe practices).
- recognize employees for safe and healthful work practices

7

Management Commitment And Employee Involvement

osh policy and osh committee

- written committee procedure
- committee goals & objectives
- members training
- meeting minutes & follow-up
- submit reports to DOLE-RO
- member incentives/recognition

8

Functions of OSH Committee

- plans and develops accident prevention program;
- directs the accident prevention efforts;
- provides necessary assistance to government inspecting authorities;
- initiates and supervises safety trainings for employees;
- develops and maintains a disaster contingency plan;
- review reports of safety and health inspection, accident investigations;
- initiate and supervise the conduct of brief safety meetings or toolbox meetings everyday.

9

Worksite Analysis

- worksite analysis involves a variety of worksite examinations, to identify not only existing hazards, but also conditions and operations where changes might occur to create hazards.
- effective management actively analyzes the work and the worksite to anticipate and prevent harmful occurrences

Recommended Actions:

- Conduct comprehensive baseline and periodic surveys for safety and health
- Analyze planned and new facilities, processes, materials, and equipment
- Perform routine job hazard analyses

10

Worksite Analysis

Recommended Actions:

- Provide for regular site safety and health inspections
- Provide a reliable system for employees, without fear of reprisal, to notify management about apparent hazardous conditions and to receive timely and appropriate responses
- Provide for investigation of accidents and “near miss” incidents, so that their causes and means for prevention are identified
- Analyze injury and illness trends over time, so that patterns with common causes can be identified and prevented

11

Hazard Prevention and Control

- Triggered by a determination that a hazard or potential hazard exists • Where feasible, prevent hazards by effective design of job or job site • Where elimination is not feasible, control hazards to prevent unsafe and unhealthful exposure
- Elimination or control must be accomplished in a timely manner

Recommended Actions:

Establish procedures for timely correction or control of hazards, including:

- Engineering techniques, where feasible and appropriate
- Procedures for safe work which are understood and followed because of training, positive reinforcement, correction of unsafe performance, and enforcement

12

Hazard Prevention and Control

Recommended Actions:

Establish procedures for timely correction or control of hazards, including:

- Provision of personal protective equipment
- Administrative controls
- Provide for facility and equipment maintenance
- Plan and prepare for emergencies (training and drills, as needed)
- Establish a medical program (First aid on site and physician and emergency care nearby)

13

OSH Training (Safety and Health Training)

- Addresses the safety and health responsibilities of all personnel, whether salaried or hourly
- Most effective when incorporated into other training about performance requirements and job practices
- Complexity depends on size and complexity of worksite and nature of hazards

Recommended Actions:

- Ensure that all employees understand the hazards to which they may be exposed and how to prevent harm to themselves and others from exposure to these hazards

14

OSH Training (Safety and Health Training)

Recommended Actions:

- Ensure that supervisors carry out their safety and health responsibilities, including
 - ✓ Analyzing the work under their supervision to identify unrecognized potential hazards
 - ✓ Maintaining physical protections in work areas
 - ✓ Reinforcing employee training through continual performance feedback and, if needed, enforcement of safe work practices
- Ensure that managers understand their safety and health responsibilities, as described under the Management Commitment and Employee Involvement element of the guidelines

15

References

- Occupational Safety and Health Standards by the Department of Labor and Employment
- PSA
- Basic Occupational Safety and Health Training Manual – QSAFE Industrial Safety Ent.
- DOLE Department Order No. 16, (Series Of 2001)
- <https://www.osha.gov/>

16