

# Indirect Evidence of Network Effects in a System of Cities

Journal Title  
XX(X):1–3  
©The Author(s) 2016  
Reprints and permission:  
sagepub.co.uk/journalsPermissions.nav  
DOI: 10.1177/ToBeAssigned  
www.sagepub.com/



Juste Raimbault<sup>12</sup>

## Abstract

This paper is the application of a theoretical paper developing a theory of co-evolutive networked territorial systems. We apply simple models of urban growth for systems of cities, which include in particular the role of physical networks.

## Keywords

Urban Systems, Urban Growth, Spatial Interactions

## Introduction

We propose to support our hypothesis that *physical transportation networks are necessary to explain the morphogenesis of territorial systems* (aka *Network Necessity*) by showing on a relatively simple case that the integration of physical networks into some models effectively increase their explanative power (being careful on the precise definition of model improvement to avoid overfitting). We work on simple territorial systems that are country-wide city systems, and more particularly French cities, on a time scale corresponding to that spatial scale, i.e. two last centuries. Taking into account physical networks can improve the understanding of city growth within that system in two ways : a qualitative one, for which the extended model would exhibit qualitative features corresponding to stylized facts empirically observed but that more basic models do not manage to reproduce, and a quantitative way, in the sense that model extension improves explained variance further than the mechanic improvement due to the introduction of supplementary degrees of freedom. If at least one of these is unveiled in our particular case, the evidence will support the theory at these scale and in this context.

? already proposed a spatial extension of the Gibrat model. Later, ? developed a more refined extension with economic cycles and innovation waves, yielding a system dynamics version of the core of Simpop models.

## Model Description

*From Gibrat to Marius : the dilemma of formulation*

### Model description

We choose to work on a deterministic extension of the Gibrat model, what is equivalent to consider only expectancies in time as detailed before. Let  $\vec{P}(t) = (P_i(t))_i$  be the population of cities in time. Under Gibrat independence assumptions, we have  $\text{Cov}[P_i(t), P_j(t)] = 0$ . If  $\vec{P}(t+1) = \mathbf{R} \cdot \vec{P}(t)$  where  $\mathbf{R}$  is also independent, then  $\mathbb{E}[\vec{P}(t+1)] =$

$\mathbf{R} \cdot \mathbb{E}[\vec{P}](t)$ . With  $\vec{\mu}(t) = \mathbb{E}[\vec{P}(t)]$ , we generalize this approach by taking  $\vec{\mu}(t+1) = f(\vec{\mu}(t))$ . In our case, we take

$$f(\vec{\mu}) = r_0 \cdot \mathbf{Id} \cdot \vec{\mu} + \mathbf{G} \cdot \mathbf{1} + \mathbf{N}.$$

with

- $G_{ij} = w_G \cdot \frac{V_{ij}}{\langle V_{ij} \rangle}$  and  $V_{ij} = \left( \frac{\mu_i \mu_j}{\sum \mu_k^2} \right)^{\gamma_G} \exp(-d_{ij}/d_G)$
- $N_i = w_N \cdot \sum_{kl} \left( \frac{\mu_k \mu_l}{\sum \mu} \right)^{\gamma_N} \exp(-d_{kl,i}/d_N)$  where  $d_{kl,i}$  is distance to shortest path between  $k, l$  computed with slope impedance ( $Z = (1 + \alpha/\alpha_0)^{n_0}$  with  $\alpha_0 \simeq 3$ )

The first component is the pure Gibrat model, that we obtain by setting the weights  $w_G = w_N = 0$ . The second component captures interdependencies between

## Results

### Data

#### Population data

**Physical flows** As stated above, this modeling exercise focuses on exploring the role of physical flows, whatever the effective shape of the network. We do not need for this reason network data which is furthermore not easily available at different time periods, and physical flows are assumed to take the geographical shortest path that include terrain slope (to avoid geographical absurdities such as cities with a difficult access having an overestimated growth rate). Using the 1km resolution Digital Elevation Model openly available from IGN, we construct an impedance field of the form

$$Z = \left( 1 + \frac{\alpha}{\alpha_0} \right)^{n_0}$$

<sup>1</sup>UMR CNRS 8504 Géographie-cités, Paris, France

<sup>2</sup>UMR-T IFSTTAR 9403 LVMT, Champs-sur-Marne, France

### Corresponding author:

Juste Raimbault, UMR CNRS 8504 Géographie-cités 13 rue du Four, 75006 Paris, France.

Email: [juste.raimbault@polytechnique.edu](mailto:juste.raimbault@polytechnique.edu)

We took fixed parameter values  $\alpha_0 = 3$  (corresponding to approximatively a 5% slope).

### Implementation

Data preprocessing, result processing and models profiling are implemented in R. For performances reasons and an easier integration into the OpenMole software for model exploration ?, a scala version was also developed. The typical question of trade-off between implementation performance and interoperability appeared quickly as an issue, as a blind exploration and calibration can difficultly provide useful thematic conclusions for that kind of model. Finding an improvement in model fit among one parameter dimension is significant if the geographical situation is visualized and the improvement is confirmed as reasonable and not an absurdity.

### Model Exploration

### Model Calibration

### Remarks

- (i) In `\runninghead` use ‘*et al.*’ if there are three or more authors.
- (ii) For multiple author papers please note the use of `\affilnum` to link names and affiliations. The corresponding author details need to be included using the `\corrauth` and `\email` commands.
- (iii) For submitting a double-spaced manuscript, add `double space` as an option to the `documentclass` line.
- (iv) The abstract should be capable of standing by itself, in the absence of the body of the article and of the bibliography. Therefore, it must not contain any reference citations.
- (v) Keywords are separated by commas.
- (vi) If you are submitting to a *SAGE* journal that requires numbered sections (for example, *IJRR*), please add the command `\setcounter{secnumdepth}{3}` just above the `\begin{document}` line.

## The body of the article

### Mathematics

`sagej.cls` makes the full functionality of  $\mathcal{A}\mathcal{M}\mathcal{S}\mathcal{T}\mathcal{E}\mathcal{X}$  available. We encourage the use of the `align`, `gather` and `multline` environments for displayed mathematics. `amsthm` is used for setting theorem-like and proof environments. The usual `\newtheorem` command needs to be used to set up the environments for your particular document.

### Figures and tables

`sagej.cls` includes the `graphicx` package for handling figures.

Figures are called in as follows:

```
\begin{figure}
\centering
\includegraphics{<figure name>}
\caption{<Figure caption>}
\end{figure}
```

```
\begin{table}
\small\sf\centering
\caption{<Table caption.>}
\begin{tabular}{<table alignment>}
\toprule
<column headings>\\\
\midrule
<table entries
(separated by & as usual)>\\
<table entries>\\
.
.
.\\\
\bottomrule
\end{tabular}
\end{table}
```

**Figure 1.** Example table layout.

For further details on how to size figures, etc., with the `graphicx` package see, for example, [Kopka and Daly \(2003\)](#) or [Mittelbach and Goossens \(2004\)](#).

The standard coding for a table is shown in [Figure 1](#).

### Cross-referencing

The use of the  $\mathcal{L}\mathcal{A}\mathcal{T}\mathcal{E}\mathcal{X}$  cross-reference system for figures, tables, equations, etc., is encouraged (using `\ref{<name>}` and `\label{<name>}`).

### End of paper special sections

Depending on the requirements of the journal that you are submitting to, there are macros defined to typeset various special sections.

The commands available are:

```
\begin{acks}
To typeset an
  "Acknowledgements" section.
\end{acks}

\begin{biog}
To typeset an
  "Author biography" section.
\end{biog}

\begin{biogs}
To typeset an
  "Author Biographies" section.
\end{biogs}

\begin{dci}
To typeset a "Declaration of
  conflicting interests" section.
\end{dci}

\begin{funding}
To typeset a "Funding" section.
\end{funding}

\begin{sm}
To typeset a
  "Supplemental material" section.
\end{sm}
```

## Endnotes

Most *SAGE* journals use endnotes rather than footnotes, so any notes should be coded as `\endnote{<Text>}`. Place the command `\theendnotes` just above the Reference section to typeset the endnotes.

To avoid any confusion for papers that use Vancouver style references, footnotes/endnotes should be edited into the text.

## References

Please note that the files `SageH.bst` and `SageV.bst` are included with the class file for those authors using `BIBTEX`. For APA style references please use `mslapa.bst` which should be part of most modern `TEX` distributions.

See the above instructions regarding choosing the correct reference option.

## Copyright statement

Please be aware that the use of this  $\LaTeX 2_{\epsilon}$  class file is governed by the following conditions.

### Copyright

Copyright © 2016 SAGE Publications Ltd, 1 Oliver's Yard, 55 City Road, London, EC1Y 1SP, UK. All rights reserved.

### Rules of use

This class file is made available for use by authors who wish to prepare an article for publication in a *SAGE Publications* journal. The user may not exploit any part of the class file commercially.

This class file is provided on an *as is* basis, without warranties of any kind, either express or implied, including but not limited to warranties of title, or implied warranties of merchantability or fitness for a particular purpose. There will be no duty on the author[s] of the software or SAGE Publications Ltd to correct any errors or defects in the software. Any statutory rights you may have remain unaffected by your acceptance of these rules of use.

## Acknowledgements

This class file was developed by Sunrise Setting Ltd, Paignton, Devon, UK. Website:

<http://www.sunrise-setting.co.uk>

## References

Kopka H and Daly PW (2003) *A Guide to L<sup>A</sup>T<sub>E</sub>X*, 4th edn. Addison-Wesley.

Lamport L (1994) *L<sup>A</sup>T<sub>E</sub>X: a Document Preparation System*, 2nd edn. Addison-Wesley.

Mittelbach F and Goossens M (2004) *The L<sup>A</sup>T<sub>E</sub>X Companion*, 2nd edn. Addison-Wesley.