

# Calibration of a Spatialized Urban Growth Model - Submission to PLOS Journals

Raimbault Juste<sup>1</sup>

**1 UMR CNRS 8504 Géographie-cités, Université Paris 7, Paris, France**

\* [juste.raimbault@etu.univ-paris-diderot.fr](mailto:juste.raimbault@etu.univ-paris-diderot.fr)

## Abstract

## Introduction

Urban Systems are complex socio-technical objects

## Materials and Methods

### The urban growth model

### Indicators

As our model is only density-based, we propose to quantify its outputs through spatial morphology, i.e. characteristics of density spatial distribution. We need therefore quantities having a certain level of robustness and invariance. For example, two polycentric cities should be classified as morphologically close whereas a direct comparison of distributions (Earth Mover Distance e.g.) could give a very high distance between configurations depending on center positions. To tackle this issue, we refer to the Urban Morphology Analysis literature which proposes an extensive set of indicators to describe urban form [1]. The number of dimensions can be reduced to obtain a robust description with relatively independant indicators [2]. For the choice of indicators, we follow the analysis done in [3] where a typology of large european cities is obtained in consistence with qualitative knowledge. Let denote  $(P_i)_{1 \leq i \leq N}$  the population of cells, sorted in decreasing order, and  $d_{ij}$  the distance between cells  $i, j$ . The indicators are the following :

1. Rank-size slope, expressing the degree of hierarchy in the distribution
2. Distribution Entropy

$$\mathcal{E} = \sum_{i=1}^N P_i$$

## Results

The model was implemented in NetLogo [4] for profiling, computation of indicators being delegated for performance reasons to a R script using the dedicated **raster** package [].

Generation of urban patterns.

25

## Model Behavior

26

In the study of such a computational model of simulation, the lack of analytical tractability must be balanced by an extensive knowledge

27

28

Convergence

29

Exploration of parameter space

30

Statistical analysis.

31

## Model Calibration

32

**Real Data** We use the population density grid provided openly by

33

Calibration Process

34

## Discussion

35

Integration into a multi-scale growth model

36

## Conclusion

37

## Supporting Information

38

S1 Figure

39

**Bold the first sentence.**

40

## Acknowledgments

41

## References

1. Tsai YH. Quantifying urban form: compactness versus 'sprawl'. *Urban studies*. 2005;42(1):141–161.
2. Schwarz N. Urban form revisited—Selecting indicators for characterising European cities. *Landscape and Urban Planning*. 2010;96(1):29 – 47. Available from: <http://www.sciencedirect.com/science/article/pii/S0169204610000320>.
3. Le Néchet F. De la forme urbaine à la structure métropolitaine: une typologie de la configuration interne des densités pour les principales métropoles européennes de l'Audit Urbain. *Cybergeo: European Journal of Geography*. 2015;.
4. Wilensky U. NetLogo. 1999;.