

Bibliography for Tropical Forest Carbon Database (TropForC-db)

Citation: Anderson-Teixeira, K.J. et al. 2016. Carbon dynamics of mature and regrowth tropical forests derived from a pantropical database (TropForC). *Global Change Biology*.

DATA SOURCES	1
METHODOLOGY REFERENCES	12
ALLOMETRY REFERENCES	15

DATA SOURCES

- Adachi, M., Bekku, Y. S., Rashidah, W., Okuda, T., & Koizumi, H. (2006). Differences in soil respiration between different tropical ecosystems. *Applied Soil Ecology*, 34(2-3), 258–265. <http://doi.org/10.1016/j.apsoil.2006.01.006>
- Aide, T. M., Zimmerman, J. K., Herrera, L., Rosario, M., & Serrano, M. (1995). Forest recovery in abandoned tropical pastures in Puerto Rico. *Forest Ecology and Management*, 77(1-3), 77–86. [http://doi.org/10.1016/0378-1127\(95\)03576-V](http://doi.org/10.1016/0378-1127(95)03576-V)
- Alves, D., Soares, J. V., Amaral, S., Mello, E., Almeida, S., Da Silva, O. F., & Silveira, A. (1997). Biomass of primary and secondary vegetation in Rondonia, Western Brazilian Amazon. *Global Change Biology*, 3(5), 451–461. <http://doi.org/10.1046/j.1365-2486.1997.00081.x>
- Anderson, K. J., Allen, A. P., Gillooly, J. F., & Brown, J. H. (2006). Temperature-dependence of biomass accumulation rates during secondary succession. *Ecology Letters*, 9(6), 673–682.
- Aragão, L. E. O. C., Malhi, Y., Metcalfe, D. B., Silva-Espejo, J. E., Jiménez, E., Navarrete, D., ... Vásquez, R. (2009). Above- and below-ground net primary productivity across ten Amazonian forests on contrasting soils. *Biogeosciences Discussions*. <http://doi.org/10.5194/bgd-6-2441-2009>
- Araújo, A. C. (2002). Comparative measurements of carbon dioxide fluxes from two nearby towers in a central Amazonian rainforest: The Manaus LBA site. *Journal of Geophysical Research*. <http://doi.org/10.1029/2001JD000676>
- Araujo-Murakami, A., Doughty, C. E., Metcalfe, D. B., Silva-Espejo, J. E., Arroyo, L., Heredia, J. P., ... Malhi, Y. (2014). The productivity, allocation and cycling of carbon in forests at the dry margin of the Amazon forest in Bolivia. *Plant Ecology & Diversity*, 7(1-2), 55–69. <http://doi.org/10.1080/17550874.2013.798364>
- Aththorick, T. A., Setiadi, D., Purwanto, Y., & Guhardja, E. D. I. (2012). Vegetation stands structure and aboveground biomass after the shifting cultivation practices of Karo People in Leuser Ecosystem, North Sumatra. *Biodiversitas*, 13(2), 92–97. Retrieved from <http://biodiversitas.mipa.uns.ac.id/D/D1302/D130200aaALL.pdf#page=42>
- Baker, T. R., Phillips, O. L., Malhi, Y., Almeida, S., Arroyo, L., Di Fiore, A., ... Vasquez Martinez, R. (2004). Increasing biomass in Amazonian forest plots. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 359(1443), 353–365. <http://doi.org/10.1098/rstb.2003.1422>
- Baldocchi, D. (2008). TURNER REVIEW No. 15. “Breathing” of the terrestrial biosphere: lessons learned from a global network of carbon dioxide flux measurement systems. *Australian Journal of Botany*, 56(1), 1–26.
- Bartholomew, W. V., Meyer, J., & Laudelout, H. (1953). Mineral nutrient immobilization under forest and grass fallow in the Yangambi (Belgian Congo) region. *Publications de L'Institut National Pour L'Etude Agronomique Du Congo Belge Serie Scientifique*, 57, 1–27. Retrieved from <http://www.cabdirect.org/abstracts/19540700160.html>

- Becknell, J. M., & Powers, J. S. (2014). Stand age and soils as drivers of plant functional traits and aboveground biomass in secondary tropical dry forest. *Canadian Journal of Forest Research*, 44(6), 604–613. <http://doi.org/10.1139/cjfr-2013-0331>
- Behera, N., Joshi, S. K., & Pati, D. P. (1990). Root contribution to total soil metabolism in a tropical forest soil from Orissa, India. *Forest Ecology and Management*. [http://doi.org/10.1016/0378-1127\(90\)90020-C](http://doi.org/10.1016/0378-1127(90)90020-C)
- Beringer, J., Hutley, L. B., Tapper, N. J., & Cernusak, L. A. (2007). Savanna fires and their impact on net ecosystem productivity in North Australia. *Global Change Biology*, 13(5), 990–1004. <http://doi.org/10.1111/j.1365-2486.2007.01334.x>
- Bongers, F., Engelen, D., & Klinge, H. (1985). Phytomass structure of natural plant communities on spodosols in southern Venezuela: the Bana woodland. *Vegetatio*, 63(1), 13–34. <http://doi.org/10.1007/BF00032183>
- Broadbent, E. N., Almeyda Zambrano, A. M., Asner, G. P., Soriano, M., Field, C. B., de Souza, H. R., ... Giles, L. (2014). Integrating Stand and Soil Properties to Understand Foliar Nutrient Dynamics during Forest Succession Following Slash-and-Burn Agriculture in the Bolivian Amazon. *PLoS ONE*, 9(2), e86042. <http://doi.org/10.1371/journal.pone.0086042>
- Brown, I. F., Martinelli, L. A., Thomas, W. W., Moreira, M. Z., Cid Ferreira, C. A., & Victoria, R. A. (1995). Uncertainty in the biomass of Amazonian forests: An example from Rondônia, Brazil. *Forest Ecology and Management*, 75(1-3), 175–189. [http://doi.org/10.1016/0378-1127\(94\)03512-U](http://doi.org/10.1016/0378-1127(94)03512-U)
- Carswell, F. E., Costa, A. L., Palheta, M., Malhi, Y., Meir, P., Costa, J. D. P. R., ... Grace, J. (2002). Seasonality in CO₂ and H₂O flux at an eastern Amazonian rain forest. *Journal of Geophysical Research D: Atmospheres*, 107(20). <http://doi.org/10.1029/2000JD000284>
- Chambers, J. Q., Santos, J. dos, Ribeiro, R. J., & Higuchi, N. (2001). Tree damage, allometric relationships, and above-ground net primary production in central Amazon forest. *Forest Ecology and Management*, 152(1-3), 73–84. [http://doi.org/10.1016/S0378-1127\(00\)00591-0](http://doi.org/10.1016/S0378-1127(00)00591-0)
- Chambers, J. Q., Tribuzy, E. S., Toledo, L. C., Crispim, B. F., Higuchi, N., Dos Santos, J., ... Trumbore, S. E. (2004). Respiration from a tropical forest ecosystem: Partitioning of sources and low carbon use efficiency. *Ecological Applications*, 14(4 SUPPL.). <http://doi.org/10.1890/01-6012>
- Chan, N., Takeda, S., Suzuki, R., & Yamamoto, S. (2013). Establishment of allometric models and estimation of biomass recovery of swidden cultivation fallows in mixed deciduous forests of the Bago Mountains, Myanmar. *Forest Ecology and Management*, 304, 427–436. <http://doi.org/10.1016/j.foreco.2013.05.038>
- Chave, J., Riera, B., & Dubois, M.-A. (2001). Estimation of biomass in a neotropical forest of French Guiana: spatial and temporal variability. *Journal of Tropical Ecology*, 17(1), S0266467401001055. <http://doi.org/10.1017/S0266467401001055>
- Chen, D. (2010). *Dynamics and controls of carbon exchange of a tropical montane forest at Jianfengling, China*. Chinese Academy of Forestry.
- Chen, D., Li, Y., Liu, H., Xu, H., Xiao, W., Luo, T., ... Lin, M. (2010). Biomass and carbon dynamics of a tropical mountain rain forest in China. *Science China Life Sciences*, 53(7), 798–810. <http://doi.org/10.1007/s11427-010-4024-2>
- Chen, X., Hutley, L. B., & Eamus, D. (2003). Carbon balance of a tropical savanna of northern Australia. *Oecologia*, 137(3), 405–416. <http://doi.org/10.1007/s00442-003-1358-5>
- Chen, Z., Zhang, H., Wang, B., & Zhang, Z. (1993). Studies on biomass and its allocation of the evergreen broad-leaved forest in Heishiding, Guangdong. *Acta Phytoecologica et Geobotanica Sinica*, 17(4), 289–298. [in Chinese].
- Clark, D. ., & Clark, D. . (2000). Landscape-scale variation in forest structure and biomass in a tropical rain forest. *Forest Ecology and Management*, 137(1-3), 185–198. [http://doi.org/10.1016/S0378-1127\(99\)00327-8](http://doi.org/10.1016/S0378-1127(99)00327-8)
- Clark, D. A. (2013). NPP Tropical Forest: La Selva, Costa Rica, 1975-1994, R1. Data set. Available online [<http://daac.ornl.gov>] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, USA. doi:10.3334/ORNLDAAAC/218.

- <http://doi.org/10.3334/ORNLDAAAC/218>
- Clark, D. A., Brown, S., Kicklighter, D. W., Chambers, J. Q., Thomlinson, J. R., Ni, J., & Holland, E. A. (2001). Net primary production in tropical forests: An evaluation and synthesis of existing field data. *Ecological Applications*. [http://doi.org/10.1890/1051-0761\(2001\)011\[0371:NPPITF\]2.0.CO;2](http://doi.org/10.1890/1051-0761(2001)011[0371:NPPITF]2.0.CO;2)
- Clark, D. A., Brown, S., Kicklighter, D. W., Chambers, J. Q., Thomlinson, J. R., Ni, J., & Holland, E. A. (2013). NPP Tropical Forest: Consistent Worldwide Site Estimates, 1967-1999, R1. Data set. Available on-line [<http://daac.ornl.gov>] from the Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, USA. doi:10.3334/ORNLDAAAC/616.
- Cleveland, C. C., & Townsend, A. R. (2006). Nutrient additions to a tropical rain forest drive substantial soil carbon dioxide losses to the atmosphere. *Proceedings of the National Academy of Sciences of the United States of America*, 103(27), 10316–10321. <http://doi.org/10.1073/pnas.0600989103>
- Crow, T. R. (1980). A Rainforest Chronicle: A 30-Year Record of Change in Structure and Composition at El Verde, Puerto Rico. *Biotropica*, 12(1), 42–55. <http://doi.org/10.2307/2387772>
- da Costa, A. C. L., Metcalfe, D. B., Doughty, C. E., de Oliveira, A. A. R., Neto, G. F. C., da Costa, M. C., ... Malhi, Y. (2014). Ecosystem respiration and net primary productivity after 8–10 years of experimental through-fall reduction in an eastern Amazon forest. *Plant Ecology & Diversity*, 7(1-2), 7–24. <http://doi.org/10.1080/17550874.2013.798366>
- Dang, C., & Wu, Z. (1992). Studies on the biomass for Castanopsis Echdnocarpa community of monsoon evergreen broad-leaved forest. *Journal of Yunnan University (Natural Sciences)*, 14, 95–107. [in Chinese].
- Davidson, E. A., Reis de Carvalho, C. J., Vieira, I. C. G., Figueiredo, R. de O., Moutinho, P., Yoko Ishida, F., ... Tuma Sabá, R. (2004). Nitrogen and phosphorus limitation of biomass growth in a tropical secondary forest. *Ecological Applications*, 14(sp4), 150–163. <http://doi.org/10.1890/01-6006>
- Davidson, E. A., Savage, K., Bolstad, P., Clark, D. A., Curtis, P. S., Ellsworth, D. S., ... Zak, D. (2002). Belowground carbon allocation in forests estimated from litterfall and IRGA-based soil respiration measurements. *Agricultural and Forest Meteorology*, 113(1-4), 39–51. [http://doi.org/10.1016/S0168-1923\(02\)00101-6](http://doi.org/10.1016/S0168-1923(02)00101-6)
- DeAngelis, D. L., Gardner, R. H., & Shugart, H. H. (1981). Productivity of forest ecosystems studied during the IBP: the woodlands data set. In D. E. Reichle (Ed.), *Dynamic Properties of Forest Ecosystems* (pp. 567–672). Cambridge: Cambridge University Press.
- del Aguila-Pasquel, J., Doughty, C. E., Metcalfe, D. B., Silva-Espejo, J. E., Girardin, C. A. J., Chung Gutierrez, J. A., ... Malhi, Y. (2014). The seasonal cycle of productivity, metabolism and carbon dynamics in a wet aseasonal forest in north-west Amazonia (Iquitos, Peru). *Plant Ecology & Diversity*, 7(1-2), 71–83. <http://doi.org/10.1080/17550874.2013.798365>
- Delaney, M., Brown, S., Lugo, A. E., Torres-Lezama, A., & Quintero, N. B. (1997). The distribution of organic carbon in major components of forests located in five life zones of Venezuela. *Journal of Tropical Ecology*, 13(05), 697. <http://doi.org/10.1017/S0266467400010877>
- Doughty, C. E., Metcalfe, D. B., da Costa, M. C., de Oliveira, A. A. R., Neto, G. F. C., Silva, J. A., ... Malhi, Y. (2014). The production, allocation and cycling of carbon in a forest on fertile terra preta soil in eastern Amazonia compared with a forest on adjacent infertile soil. *Plant Ecology & Diversity*, 7(1-2), 41–53. <http://doi.org/10.1080/17550874.2013.798367>
- Edwards, P. J., & Grubb, P. J. (1977). Studies of Mineral Cycling in a Montane Rain Forest in New Guinea: I. The Distribution of Organic Matter in the Vegetation and Soil. *The Journal of Ecology*, 65(3), 943. <http://doi.org/10.2307/2259387>
- Egunjobi, J. K., & Bada, S. O. (1979). Biomass and Nutrient Distribution in Stands of Pinus caribea L. in the Dry Forest Zone of Nigeria. *Biotropica*, 11(2), 130. <http://doi.org/10.2307/2387790>
- Epron, D., Nouvellon, Y., Deleporte, P., Ifo, S., Kazotti, G., Thongo M'Bou, A., ... Hamel, O. (2006). Soil carbon balance in a clonal Eucalyptus plantation in Congo: Effects of logging on carbon inputs and soil CO₂ efflux. *Global Change Biology*, 12(6), 1021–1031. <http://doi.org/10.1111/j.1365-2486.2006.01146.x>

- Esser, G., Lieth, H. F. H., Scurlock, J. M. O., & Olson, R. J. (1997). *Worldwide Estimates and Bibliography of Net Primary Productivity derived from Pre-1982* (No. Technical Memorandum TM-13485).
- Ewel, J. J. (1971). Biomass changes in early tropical forest succession. *Turrialba*, 21(1), 110–112.
- Falge, E., Baldocchi, D., Tenhunen, J., Aubinet, M., Bakwin, P., Berbigier, P., ... Wofsy, S. (2002). Seasonality of ecosystem respiration and gross primary production as derived from FLUXNET measurements. *Agricultural and Forest Meteorology*, 113(1-4), 53–74. [http://doi.org/10.1016/S0168-1923\(02\)00102-8](http://doi.org/10.1016/S0168-1923(02)00102-8)
- Fang, Y., Mo, J., Peng, S., & Li, D. (2003). Role of forest succession on carbon sequestration of forest ecosystems in lower subtropical China. *Acta Ecologica Sinica*, 23(9), 1685–1694. [in Chinese].
- Fehse, J., Hofstede, R., Aguirre, N., Paladines, C., Kooijman, A., & Sevink, J. (2002). High altitude tropical secondary forests: a competitive carbon sink? *Forest Ecology and Management*, 163(1-3), 9–25. [http://doi.org/10.1016/S0378-1127\(01\)00535-7](http://doi.org/10.1016/S0378-1127(01)00535-7)
- Feldpausch, T. R., Rondon, M. A., Fernandes, E. C. M., Riha, S. J., & Wandelli, E. (2004). Carbon and nutrient accumulation in secondary forests regenerating on pastures in central Amazonia. *Ecological Applications*, 14(sp4), 164–176. <http://doi.org/10.1890/01-6015>
- Folster, H., de las Salas, G., & Khanna, P. (1976). A tropical evergreen forest site with perched water table, Magdalena valley, Columbia Biomass and bioelement inventory of primary and secondary vegetation. *Oecologia Plantarum*, 11, 297–320.
- Fonseca, W., Rey Benayas, J. M., & Alice, F. E. (2011). Carbon accumulation in the biomass and soil of different aged secondary forests in the humid tropics of Costa Rica. *Forest Ecology and Management*, 262(8), 1400–1408. <http://doi.org/10.1016/j.foreco.2011.06.036>
- Frangi, J. L., & Lugo, A. E. (1985). Ecosystem Dynamics of a Subtropical Floodplain Forest. *Ecological Monographs*, 55(3), 351. <http://doi.org/10.2307/1942582>
- Gehring, C., Denich, M., Kanashiro, M., & Vlek, P. L. G. (1999). Response of secondary vegetation in Eastern Amazonia to relaxed nutrient availability constraints. *Biogeochemistry*, 45(3), 223–241. <http://doi.org/10.1023/A:1006138815453>
- Gehring, C., Denich, M., & Vlek, P. L. G. (2005). Resilience of secondary forest regrowth after slash-and-burn agriculture in central Amazonia. *Journal of Tropical Ecology*, 21(5), 519–527. <http://doi.org/10.1017/S0266467405002543>
- Giardina, C. P., Binkley, D., Ryan, M. G., Fownes, J. H., & Senock, R. S. (2004). Belowground carbon cycling in a humid tropical forest decreases with fertilization. *Oecologia*, 139(4), 545–550. <http://doi.org/10.1007/s00442-004-1552-0>
- Giardina, C. P., Ryan, M. G., Binkley, D., & Fownes, J. H. (2003). Primary production and carbon allocation in relation to nutrient supply in a tropical experimental forest. *Global Change Biology*, 9(10), 1438–1450. <http://doi.org/10.1046/j.1365-2486.2003.00558.x>
- Girardin, C. A. J., Malhi, Y., Aragão, L. E. O. C., Mamani, M., Huaraca Huasco, W., Durand, L., ... WHITTAKER, R. J. (2010). Net primary productivity allocation and cycling of carbon along a tropical forest elevational transect in the Peruvian Andes. *Global Change Biology*, 16(12), 3176–3192. <http://doi.org/10.1111/j.1365-2486.2010.02235.x>
- Golley, F. B. (1975). *Mineral Cycling in a Tropical Moist Forest Ecosystem*. University of Georgia Press. Retrieved from https://books.google.com/books/about/Mineral_Cycling_in_a_Tropical_Moist_Fore.html?id=xFhgA AAAMAAJ&pgis=1
- Grimm, U., & Fassbender, H. W. (1999). NPP Tropical Forest: San Eusebio, Venezuela, 1970-1971. Retrieved from <http://daac.ornl.gov>
- Guimaraes, W. (1993). *Liberacao de carbono e mudancas nos estoques dos nutrientes contidos na biomassa aerea e no solo resultante de queimadas de florestas secundarias em areas de pastagens abandonadas, em Altamira, Para*. Instituto Nacional de Pesquisas da Amazonia/ Fundacao Universidade do Amazonas, Manaus. Retrieved from http://philip.inpa.gov.br/publ_livres/Teses e dissertacoes orientadas/Liberação de Carbono e mudanças... (TESE de Mestrado da Walba M

- Guimarães, 1993).pdf
- Harmand, J.-M., Njiti, C. F., Bernhard-Reversat, F., & Puig, H. (2004). Aboveground and belowground biomass, productivity and nutrient accumulation in tree improved fallows in the dry tropics of Cameroon. *Forest Ecology and Management*, 188(1-3), 249–265. <http://doi.org/10.1016/j.foreco.2003.07.026>
- Hirano, T., Jauhiainen, J., Inoue, T., & Takahashi, H. (2009). Controls on the Carbon Balance of Tropical Peatlands. *Ecosystems*, 12(6), 873–887. <http://doi.org/10.1007/s10021-008-9209-1>
- Hirano, T., Segah, H., Harada, T., Limin, S., JUNE, T., HIRATA, R., & OSAKI, M. (2007). Carbon dioxide balance of a tropical peat swamp forest in Kalimantan, Indonesia. *Global Change Biology*, 13(2), 412–425. <http://doi.org/10.1111/j.1365-2486.2006.01301.x>
- Hirata, R., Saigusa, N., Yamamoto, S., Ohtani, Y., Ide, R., Asanuma, J., ... Wang, H. (2008). Spatial distribution of carbon balance in forest ecosystems across East Asia. *Agricultural and Forest Meteorology*, 148(5), 761–775. <http://doi.org/10.1016/j.agrformet.2007.11.016>
- Hoshizaki, K., Niyama, K., Kimura, K., Yamashita, T., Bekku, Y., Okuda, T., ... Noor, N. S. M. (2004). Temporal and spatial variation of forest biomass in relation to stand dynamics in a mature, lowland tropical rainforest, Malaysia. *Ecological Research*, 19(3), 357–363. <http://doi.org/10.1111/j.1440-1703.2004.00645.x>
- Hozumi, K., Yoda, K., Kokawa, S., & Kira, T. (n.d.). Production ecology of tropical rain forests in southwestern Cambodia : I. Plant biomass. Retrieved from <http://publikationen.uni-frankfurt.de/frontdoor/index/index/docId/27798>
- Hughes, R. F., Kauffman, J. B., & Cummings, D. L. (2002). Dynamics of Aboveground and Soil Carbon and Nitrogen Stocks and Cycling of Available Nitrogen along a Land-use Gradient in Rondônia, Brazil. *Ecosystems*, 5(3), 244–259. <http://doi.org/10.1007/s10021-001-0069-1>
- Hughes, R. F., Kauffman, J. B., & Jaramillo, V. J. (1999). Biomass, carbon, and nutrient dynamics of secondary forests in a humid tropical region of Mexico. *Ecology*, 80(6), 1892–1907. [http://doi.org/10.1890/0012-9658\(1999\)080\[1892:BCANDO\]2.0.CO;2](http://doi.org/10.1890/0012-9658(1999)080[1892:BCANDO]2.0.CO;2)
- Hughes, R. F., Kauffman, J. B., & Jaramillo, V. J. (2000). Ecosystem-scale impacts of deforestation and land use in a humid tropical region of Mexico. *Ecological Applications*, 10(2), 515–527. [http://doi.org/10.1890/1051-0761\(2000\)010\[0515:ESIODA\]2.0.CO;2](http://doi.org/10.1890/1051-0761(2000)010[0515:ESIODA]2.0.CO;2)
- Hutley, L. B., Leuning, R., Beringer, J., & Cleugh, H. A. (2005). The utility of the eddy covariance techniques as a tool in carbon accounting: tropical savanna as a case study. *Australian Journal of Botany*, 53(7), 663. <http://doi.org/10.1071/BT04147>
- Hutyra, L. R., Munger, J. W., Saleska, S. R., Gottlieb, E., Daube, B. C., Dunn, A. L., ... Wofsy, S. C. (2007). Seasonal controls on the exchange of carbon and water in an Amazonian rain forest. *Journal of Geophysical Research*, 112(G3), G03008. <http://doi.org/10.1029/2006JG000365>
- IPCC. (2003). LUCF Sector Good Practice Guidance. In D. K. Jim Penman, Michael Gytarsky, Taka Hiraishi, Thelma Krug, T. N. Riitta Pipatti, Leandro Buendia, Kyoko Miwa, & K. T. and F. Wagner (Eds.), *IPCC Good Practice Guidance for Land Use, Land-Use Change and Forestry*. Hayama, Japan: Institute for Global Environmental Strategies (IGES).
- IPCC. (2006). Agriculture, Forestry, and Other Land Use. In S. Eggleston, L. Buendia, K. Miwa, T. Ngara, & K. Tanabe (Eds.), *2006 IPCC Guidelines for National Greenhouse Gas Inventories*. Hayama, Japan: Institute for Global Environmental Strategies.
- Ito, A., & Oikawa, T. (2002). A simulation model of the carbon cycle in land ecosystems (Sim-CYCLE): a description based on dry-matter production theory and plot-scale validation. *Ecological Modelling*, 151(2-3), 143–176. [http://doi.org/10.1016/S0304-3800\(01\)00473-2](http://doi.org/10.1016/S0304-3800(01)00473-2)
- Jepsen, M. R. (2006). Above-ground carbon stocks in tropical fallows, Sarawak, Malaysia. *Forest Ecology and Management*, 225(1-3), 287–295. <http://doi.org/10.1016/j.foreco.2006.01.005>
- Jordan, C. F., Cuevas, E., & Medina, E. (1999). NPP Tropical Forest: San Carlos de Rio Negro, Venezuela, 1975-1984. Retrieved from <http://daac.ornl.gov>
- Kadeba, O. (1991). Above-ground biomass production and nutrient accumulation in an age sequence of *Pinus caribaea* stands. *Forest Ecology and Management*, 41(3-4), 237–248.

- [http://doi.org/10.1016/0378-1127\(91\)90106-6](http://doi.org/10.1016/0378-1127(91)90106-6)
- Kato, T., & Tang, Y. (2008). Spatial variability and major controlling factors of CO₂ sink strength in Asian terrestrial ecosystems: evidence from eddy covariance data. *Global Change Biology*, 14(10), 2333–2348. <http://doi.org/10.1111/j.1365-2486.2008.01646.x>
- Keller, M., Palace, M., Asner, G. P., Pereira, R., & Silva, J. N. M. (2004). Coarse woody debris in undisturbed and logged forests in the eastern Brazilian Amazon. *Global Change Biology*, 10(5), 784–795. <http://doi.org/10.1111/j.1529-8817.2003.00770.x>
- Keller, M., Palace, M., & Hurr, G. (2001). Biomass estimation in the Tapajos National Forest, Brazil: examination of sampling and allometric uncertainties. *Forest Ecology and Management*, 154(3), 371–382. [http://doi.org/10.1016/S0378-1127\(01\)00509-6](http://doi.org/10.1016/S0378-1127(01)00509-6)
- Kenzo, T., Ichie, T., Hattori, D., Kendawang, J. J., Sakurai, K., & Ninomiya, I. (2010). Changes in above- and belowground biomass in early successional tropical secondary forests after shifting cultivation in Sarawak, Malaysia. *Forest Ecology and Management*, 260(5), 875–882. <http://doi.org/10.1016/j.foreco.2010.06.006>
- Kira, T. (1998). NPP Tropical Forest: Khao Chong, Thailand, 1962–1965. Retrieved from <http://daac.ornl.gov>
- Klinge, H., & Herrera, R. (1983). Phytomass structure of natural plant communities on spodosols in southern Venezuela: The tall Amazon Caatinga forest. *Vegetatio*, 53(2), 65–84. <http://doi.org/10.1007/BF00043025>
- Klinge, H., Rodrigues, W. A., Brunig, E., & Fittkau, E. J. (1975). Biomass and Structure in a Central Amazonian Rain Forest. In F. B. Golley & E. Medina (Eds.), *Tropical Ecological Systems: Trends in Terrestrial and Aquatic Research* (pp. 115–122). Berlin, Heidelberg, New York: Springer-Verlag. http://doi.org/10.1007/978-3-642-88533-4_9
- Kosugi, Y., Takanashi, S., Ohkubo, S., Matsuo, N., Tani, M., Mitani, T., ... Nik, A. R. (2008). CO₂ exchange of a tropical rainforest at Pasoh in Peninsular Malaysia. *Agricultural and Forest Meteorology*, 148(3), 439–452. <http://doi.org/10.1016/j.agrformet.2007.10.007>
- Kraenzel, M., Castillo, A., Moore, T., & Potvin, C. (2003). Carbon storage of harvest-age teak (*Tectona grandis*) plantations, Panama. *Forest Ecology and Management*, 173(1–3), 213–225. [http://doi.org/10.1016/S0378-1127\(02\)00002-6](http://doi.org/10.1016/S0378-1127(02)00002-6)
- Kunstadter, P., Chapman, E. C., & Sabhasri, S. (1978). Farmers in the forest: economic development and marginal agriculture in Northern Thailand. *Farmers in the Forest: Economic Development and Marginal Agriculture in Northern Thailand*. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-0018205994&partnerID=40&md5=6ff7073d63fb22240a11a461a8e12125>
- Laclau, J.-P., Bouillet, J.-P., & Ranger, J. (2000). Dynamics of biomass and nutrient accumulation in a clonal plantation of Eucalyptus in Congo. *Forest Ecology and Management*, 128(3), 181–196. [http://doi.org/10.1016/S0378-1127\(99\)00146-2](http://doi.org/10.1016/S0378-1127(99)00146-2)
- Letcher, S. G., & Chazdon, R. L. (2009). Rapid Recovery of Biomass, Species Richness, and Species Composition in a Forest Chronosequence in Northeastern Costa Rica. *Biotropica*, 41(5), 608–617. <http://doi.org/10.1111/j.1744-7429.2009.00517.x>
- Leuning, R., Cleugh, H. A., Ziegler, S. J., & Hughes, D. (2005). Carbon and water fluxes over a temperate Eucalyptus forest and a tropical wet/dry savanna in Australia: measurements and comparison with MODIS remote sensing estimates. *Agricultural and Forest Meteorology*, 129(3–4), 151–173. <http://doi.org/10.1016/j.agrformet.2004.12.004>
- Lewis, S. L., Lopez-Gonzalez, G., Sonké, B., Affum-Baffoe, K., Baker, T. R. T. R., Ojo, L. O. L. O., ... Woll, H. (2009). Increasing carbon storage in intact African tropical forests. *Nature*, 457(7232), 1003–1006. <http://doi.org/10.1038/nature07771>
- Li, Y., Xu, M., Sun, O. J., & Cui, W. (2004). Effects of root and litter exclusion on soil CO₂ efflux and microbial biomass in wet tropical forests. *Soil Biology and Biochemistry*, 36(12), 2111–2114. <http://doi.org/10.1016/j.soilbio.2004.06.003>
- Litton, C. M., Raich, J. W., & Ryan, M. G. (2007). Carbon allocation in forest ecosystems. *Global*

- Change Biology*, 13(10), 2089–2109. <http://doi.org/10.1111/j.1365-2486.2007.01420.x>
- Liu, Y., Yu, G., Wang, Q., & Zhang, Y. (2014). How temperature, precipitation and stand age control the biomass carbon density of global mature forests: Controls on biomass carbon density of global mature forests. *Global Ecology and Biogeography*, 23(3), 323–333. <http://doi.org/10.1111/geb.12113>
- Loescher, H. W., Oberbauer, S. F., Gholz, H. L., & Clark, D. B. (2003). Environmental controls on net ecosystem-level carbon exchange and productivity in a Central American tropical wet forest. *Global Change Biology*, 9(3), 396–412. <http://doi.org/10.1046/j.1365-2486.2003.00599.x>
- Lucas, R. M., Honzák, M., Amaral, I. Do, Curran, P. J., & Foody, G. M. (1998). Avaliação da composição florística, biomassa e estrutura de floresta tropical em regeneração: a contribuição do sensoriamento remoto. In C. Gascon & P. Moutinho (Eds.), *Floresta Amazônica: dinâmica, regeneração e manejo* (pp. 61–82). Ministério da Ciência e Tecnologia, Instituto Nacional de Pesquisa da Amazônia. Retrieved from https://books.google.com/books/about/Floresta_Amaz%C3%B4nica.html?id=ZCIIAAAAYAAJ&pgis=1
- Lucas, R. M., Honzák, M., Amaral, I. Do, Curran, P. J., & Foody, G. M. (2002). Forest regeneration on abandoned clearances in central Amazonia. *International Journal of Remote Sensing*, 23(5), 965–988. <http://doi.org/10.1080/01431160110069791>
- Lugo, A. E. (1992). Comparison of Tropical Tree Plantations with Secondary Forests of Similar Age. *Ecological Monographs*, 62(1), 1. <http://doi.org/10.2307/2937169>
- Lugo, A. E., Wang, D., & Herbert Bormann, F. (1990). A comparative analysis of biomass production in five tropical tree species. *Forest Ecology and Management*, 31(3), 153–166. [http://doi.org/10.1016/0378-1127\(90\)90158-8](http://doi.org/10.1016/0378-1127(90)90158-8)
- Luo, T.-X. (1996). *Patterns of net primary productivity for Chinese major forest types and their mathematical models*. Chinese Academy of Sciences, Beijing, China.
- Luyssaert, S., Inglima, I., Jung, M., Richardson, A. D., REICHSTEIN, M., PAPALE, D., ... JANSSENS, I. A. (2007). CO₂ balance of boreal, temperate, and tropical forests derived from a global database. *Global Change Biology*, 13(12), 2509–2537. <http://doi.org/10.1111/j.1365-2486.2007.01439.x>
- Luyssaert, S., Inglima, I., Jung, M., Richardson, A. D., Reichstein, M., Papale, D., ... JANSSENS, I. A. (2007). CO₂ balance of boreal, temperate, and tropical forests derived from a global database. *Global Change Biology*, 13(12), 2509–2537. <http://doi.org/10.1111/j.1365-2486.2007.01439.x>
- Maass, M., & Martinez-Yrizar, A. (2001). NPP Tropical Forest: Chamela, Mexico, 1982-1995. Retrieved from <http://daac.ornl.gov>
- Malhi, Y., Baker, T. R., Phillips, O. L., Almeida, S., Alvarez, E., Arroyo, L., ... Lloyd, J. (2004). The above-ground coarse wood productivity of 104 Neotropical forest plots. *Global Change Biology*, 10(5), 563–591. <http://doi.org/10.1111/j.1529-8817.2003.00778.x>
- Malhi, Y., Baldocchi, D., & Jarvis, P. G. (1999). The carbon balance of tropical, temperate and boreal forests. *Plant, Cell and Environment*, 22(6), 715–740. <http://doi.org/10.1046/j.1365-3040.1999.00453.x>
- Malhi, Y., Nobre, A. D., Grace, J., Kruijt, B., Pereira, M. G. P., Culf, A., & Scott, S. (1998). Carbon dioxide transfer over a Central Amazonian rain forest. *Journal of Geophysical Research*, 103(D24), 31593. <http://doi.org/10.1029/98JD02647>
- Marín-Spiotta, E., Silver, W. L., & Ostertag, R. (2007). Long-term patterns in tropical reforestation: plant community composition and aboveground biomass accumulation. *Ecological Applications*, 17(3), 828–839. <http://doi.org/10.1890/06-1268>
- Martin, P. A., Newton, A. C., & Bullock, J. M. (2013). Carbon pools recover more quickly than plant biodiversity in tropical secondary forests. *Proceedings of the Royal Society B: Biological Sciences*, 280(1773), 20132236. <http://doi.org/10.1098/rspb.2013.2236>
- Mascaro, J., Asner, G. P., Dent, D. H., DeWalt, S. J., & Denslow, J. S. (2012). Scale-dependence of aboveground carbon accumulation in secondary forests of Panama: A test of the intermediate peak hypothesis. *Forest Ecology and Management*, 276, 62–70.

- <http://doi.org/10.1016/j.foreco.2012.03.032>
- Mialet-Serra, I., Clement, A., Sonderegger, N., Rounsard, O., Jourdan, C., Labouisse, J.-P., & Dingkuhn, M. (2005). Assimilate storage in vegetative organs of coconut (*Cocos nucifera*). *Experimental Agriculture*, 41(2), 161–174. <http://doi.org/10.1017/S0014479704002467>
- Miller, S. D., Goulden, M. L., Menton, M. C., da Rocha, H. R., de Freitas, H. C., Figueira, A. M. e S., & Dias de Sousa, C. A. (2004). Biometric and micrometeorological measurements of tropical forest carbon balance. *Ecological Applications*, 14(sp4), 114–126. <http://doi.org/10.1890/02-6005>
- Montagnini, F. (2000). Accumulation in above-ground biomass and soil storage of mineral nutrients in pure and mixed plantations in a humid tropical lowland. *Forest Ecology and Management*, 134(1-3), 257–270. [http://doi.org/10.1016/S0378-1127\(99\)00262-5](http://doi.org/10.1016/S0378-1127(99)00262-5)
- Moser, G., Leuschner, C., Hertel, D., Graefe, S., Soethe, N., & Iost, S. (2011). Elevation effects on the carbon budget of tropical mountain forests (S Ecuador): the role of the belowground compartment. *Global Change Biology*, 17(6), 2211–2226. <http://doi.org/10.1111/j.1365-2486.2010.02367.x>
- Nakane, K. (1980). Comparative studies of cycling of soil organic carbon in three primeval moist forests. *Japanese Journal of Ecology*, 30, 155–172.
- Navarro, M. N. V., Jourdan, C., Sileye, T., Braconnier, S., Mialet-Serra, I., Saint-Andre, L., ... Rounsard, O. (2008). Fruit development, not GPP, drives seasonal variation in NPP in a tropical palm plantation. *Tree Physiology*, 28(11), 1661–1674. <http://doi.org/10.1093/treephys/28.11.1661>
- Nye, P. H., & Greenland, D. J. (1998). NPP Tropical Forest: Kade, Ghana, 1957-1972. Retrieved from <http://daac.ornl.gov>
- Nygård, R., Sawadogo, L., & Elfving, B. (2004). Wood-fuel yields in short-rotation coppice growth in the north Sudan savanna in Burkina Faso. *Forest Ecology and Management*, 189(1-3), 77–85. <http://doi.org/10.1016/j.foreco.2003.07.030>
- Ogawa, H., Yoda, K., Ogino, K., & Kira, T. (1965). Comparative ecological studies on three main types of forest vegetation in Thailand. II. Plant biomass. In T. Kira & K. Iwata (Eds.), *Nature and Life in Southeast Asia Vol. I* (pp. 49–80). Kyoto: Fauna and Flora Research Society.
- Olson, D. M., Dinerstein, E., Wikramanayake, E. D., Burgess, N. D., Powell, G. V. N., Underwood, E. C., ... Kassem, K. R. (2001). Terrestrial Ecoregions of the World: A New Map of Life on Earth. *BioScience*, 51(11), 933. [http://doi.org/10.1641/0006-3568\(2001\)051\[0933:TEOTWA\]2.0.CO;2](http://doi.org/10.1641/0006-3568(2001)051[0933:TEOTWA]2.0.CO;2)
- Onyekwelu, J. (2007). Growth, biomass yield and biomass functions for plantation-grown *Nauclea diderrichii* (de wild) in the humid tropical rainforest zone of south-western Nigeria. *Bioresource Technology*, 98(14), 2679–2687. <http://doi.org/10.1016/j.biortech.2006.09.023>
- Onyekwelu, J. C. (2004). Above-ground biomass production and biomass equations for even-aged *Gmelina arborea* (ROXB) plantations in south-western Nigeria. *Biomass and Bioenergy*, 26(1), 39–46. [http://doi.org/10.1016/S0961-9534\(03\)00100-4](http://doi.org/10.1016/S0961-9534(03)00100-4)
- Orihuela-Belmonte, D. E., de Jong, B. H. J., Mendoza-Vega, J., Van der Wal, J., Paz-Pellat, F., Soto-Pinto, L., & Flamenco-Sandoval, A. (2013). Carbon stocks and accumulation rates in tropical secondary forests at the scale of community, landscape and forest type. *Agriculture, Ecosystems & Environment*, 171, 72–84. <http://doi.org/10.1016/j.agee.2013.03.012>
- Overman, J. P. M., Witte, H. J. L., & Saldarriaga, J. G. (1994). Evaluation of regression models for above-ground biomass determination in Amazon rainforest. *Journal of Tropical Ecology*, 10(02), 207. <http://doi.org/10.1017/S0266467400007859>
- Palace, M., Keller, M., Asner, G. P., Silva, J. N. M., & Passos, C. (2007). Necromass in undisturbed and logged forests in the Brazilian Amazon. *Forest Ecology and Management*, 238(1-3), 309–318. <http://doi.org/10.1016/j.foreco.2006.10.026>
- Parrotta, J. A. (1999). Productivity, nutrient cycling, and succession in single- and mixed-species plantations of *Casuarina equisetifolia*, *Eucalyptus robusta*, and *Leucaena leucocephala* in Puerto Rico. *Forest Ecology and Management*, 124(1), 45–77. [http://doi.org/10.1016/S0378-1127\(99\)00049-3](http://doi.org/10.1016/S0378-1127(99)00049-3)
- Peng, S., & Zhang, Z. (1994). Biomass, productivity and efficiency of radiation utilization of a typical vegetation in Dinghushan. *Science In China (Series B) / Scientia Sinica Chimica*, 24(5), 497–502.

- [in Chinese].
- Pinard, M. A., & Putz, F. E. (1996). Retaining Forest Biomass by Reducing Logging Damage. *Biotropica*, 28(3), 278–295. <http://doi.org/10.2307/2389193>
- Proctor, J. (2013). NPP Tropical Forest: Gunung Mulu, Malaysia, 1977-1978, R1. Data set. Available online [<http://www.daac.ornl.gov>] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A. doi:10.3334/ORNLDAAAC/474.
- Ramachandran, A., & Byrappa Gowdu Viswanathan, M. (2009). A new species of *Gymnema* (Asclepiadaceae) from the Kolli hills in Peninsular India. *Adansonia*, 31(2), 407–411. <http://doi.org/10.5252/a2009n2a10>
- Read, L., & Lawrence, D. (2003). Recovery of biomass following shifting cultivation in dry tropical forests of the Yucatan. *Ecological Applications*, 13(1), 85–97. [http://doi.org/10.1890/1051-0761\(2003\)013\[0085:ROBFSC\]2.0.CO;2](http://doi.org/10.1890/1051-0761(2003)013[0085:ROBFSC]2.0.CO;2)
- Rice, A. H., Pyle, E. H., Saleska, S. R., Hutrya, L., Palace, M., Keller, M., ... Wofsy, S. C. (2004). Carbon balance and vegetation dynamics in an old-growth Amazonian forest. *Ecological Applications*, 14(sp4), 55–71. <http://doi.org/10.1890/02-6006>
- Rocha, W., Metcalfe, D. B., Doughty, C. E., Brando, P., Silvério, D., Halladay, K., ... Malhi, Y. (2014). Ecosystem productivity and carbon cycling in intact and annually burnt forest at the dry southern limit of the Amazon rainforest (Mato Grosso, Brazil). *Plant Ecology & Diversity*, 7(1-2), 25–40. <http://doi.org/10.1080/17550874.2013.798368>
- Roupsard, O., Bonnefond, J.-M., Irvine, M., Berbigier, P., Nouvellon, Y., Dauzat, J., ... Bouillet, J.-P. (2006). Partitioning energy and evapo-transpiration above and below a tropical palm canopy. *Agricultural and Forest Meteorology*, 139(3-4), 252–268. <http://doi.org/10.1016/j.agrformet.2006.07.006>
- Ryan, M. G., Binkley, D., Fownes, J. H., Giardina, C. P., & Senock, R. S. (2004). An experimental test of the causes of forest growth decline with stand age. *Ecological Monographs*, 74(3), 393–414. <http://doi.org/10.1890/03-4037>
- Saldarriaga, J. G., West, D. C., Tharp, M. L., & Uhl, C. (1988). Long-Term Chronosequence of Forest Succession in the Upper Rio Negro of Colombia and Venezuela. *The Journal of Ecology*, 76(4), 938. <http://doi.org/10.2307/2260625>
- Saleska, S. R. (2003). Carbon in Amazon Forests: Unexpected Seasonal Fluxes and Disturbance-Induced Losses. *Science*, 302(5650), 1554–1557. <http://doi.org/10.1126/science.1091165>
- Salomão, R. de P. (1994). *Estimativas de biomassa e avaliação do estoque de carbono da vegetação de florestas primárias e secundárias de diversas idades (capoeiras) na Amazônia Oriental, município de Peixe-boi, Pará*. Universidade Federal do Pará / Museu Paraense Emílio Goeldi, Belém. Retrieved from <http://hdl.handle.net/123456789/757>
- Santos, A. J. B., Silva, G. T. D. A., Miranda, H. S., Miranda, A. C., & Lloyd, J. (2003). Effects of fire on surface carbon, energy and water vapour fluxes over campo sujo savanna in central Brazil. *Functional Ecology*, 17(6), 711–719. <http://doi.org/10.1111/j.1365-2435.2003.00790.x>
- Schöngart, J., & Wittmann, F. (2010). Biomass and Net Primary Production of Central Amazonian Floodplain Forests (pp. 347–388). http://doi.org/10.1007/978-90-481-8725-6_18
- Schuur, E. A. G. (2005). NPP Tropical Forest: Maui, Hawaii, U.S.A., 1996-1997. Retrieved from <http://daac.ornl.gov>
- Scott, G. (1977). The importance of old-field succession biomass increments to shifting cultivation. *Lains- Rocky Mountain Geographical Journal*, 6, 318–327.
- Sierra, C. A., del Valle, J. I., Orrego, S. A., Moreno, F. H., Harmon, M. E., Zapata, M., ... Benjumea, J. F. (2007). Total carbon stocks in a tropical forest landscape of the Porce region, Colombia. *Forest Ecology and Management*, 243(2-3), 299–309. <http://doi.org/10.1016/j.foreco.2007.03.026>
- Sierra, C. A., del Valle, J. I., & Restrepo, H. I. (2012). Total carbon accumulation in a tropical forest landscape. *Carbon Balance and Management*, 7(1), 12. <http://doi.org/10.1186/1750-0680-7-12>
- Sierra, C. A., Harmon, M. E., Moreno, F. H., Orrego, S. A., & del Valle, J. I. (2007). Spatial and temporal variability of net ecosystem production in a tropical forest: testing the hypothesis of a

- significant carbon sink. *Global Change Biology*, 13(4), 838–853. <http://doi.org/10.1111/j.1365-2486.2007.01336.x>
- Silver, W. L., Kueppers, L. M., Lugo, A. E., Ostertag, R., & Matzek, V. (2004). Carbon sequestration and plant community dynamics following reforestation of tropical pasture. *Ecological Applications*, 14(4), 1115–1127. <http://doi.org/10.1890/03-5123>
- Snedaker, S. C. (1970). *Ecological Studies on Tropical Moist Forest Succession in Eastern Lowland Guatemala*. University of Florida, Gainesville. Retrieved from https://books.google.com/books/about/Ecological_Studies_on_Tropical_Moist_For.html?id=XTednQEACAAJ&pgis=1
- Sorrensen, C. L. (2000). Linking smallholder land use and fire activity: examining biomass burning in the Brazilian Lower Amazon. *Forest Ecology and Management*, 128(1-2), 11–25. [http://doi.org/10.1016/S0378-1127\(99\)00283-2](http://doi.org/10.1016/S0378-1127(99)00283-2)
- Stape, J. ., Binkley, D., & Ryan, M. G. (2004). Eucalyptus production and the supply, use and efficiency of use of water, light and nitrogen across a geographic gradient in Brazil. *Forest Ecology and Management*, 193(1-2), 17–31. <http://doi.org/10.1016/j.foreco.2004.01.020>
- Steininger, M. K. (2000). Secondary forest structure and biomass following short and extended land-use in central and southern Amazonia. *Journal of Tropical Ecology*. <http://doi.org/10.1017/S0266467400001656>
- Stocker, G. C. (2013). NPP Tropical Forest: Atherton, Australia, 1974-1985, R1. Data set. Available on-line [<http://daac.ornl.gov>] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, USA. doi:10.3334/ORNLDAAAC/577. <http://doi.org/10.3334/ORNLDAAAC/577>
- Swamy, S. L., Kushwaha, S. K., & Puri, S. (2004). Tree growth, biomass, allometry and nutrient distribution in Gmelina arborea stands grown in red lateritic soils of Central India. *Biomass and Bioenergy*, 26(4), 305–317. <http://doi.org/10.1016/j.biombioe.2003.08.007>
- Szott, L. T., Palm, C. A., & Davey, C. B. (1994). Biomass and litter accumulation under managed and natural tropical fallows. *Forest Ecology and Management*, 67(1-3), 177–190. [http://doi.org/10.1016/0378-1127\(94\)90015-9](http://doi.org/10.1016/0378-1127(94)90015-9)
- Tanner, E. V. J. (1980). Studies on the Biomass and Productivity in a Series of Montane Rain Forests in Jamaica. *The Journal of Ecology*, 68(2), 573–588. <http://doi.org/10.2307/2259423>
- Terakunpisut, J., Gajaseni, N., & Ruankawe, N. (2007). Carbon sequestration potential in aboveground biomass of Thong Pha Phum National Forest, Thailand. *Applied Ecology and Environmental Research*, 5(2), 93–102.
- Trumbore, S., Da Costa, E. S., Nepstad, D. C., Barbosa De Camargo, P., Martinelli, L. A., Ray, D., ... Silver, W. (2006). Dynamics of fine root carbon in Amazonian tropical ecosystems and the contribution of roots to soil respiration. *Global Change Biology*, 12(2), 217–229. <http://doi.org/10.1111/j.1365-2486.2005.001063.x>
- Uhl, C. (1987). Factors Controlling Succession Following Slash-and-Burn Agriculture in Amazonia. *The Journal of Ecology*, 75(2), 377. <http://doi.org/10.2307/2260425>
- Uhl, C., & Jordan, C. F. (1984). Succession and Nutrient Dynamics Following Forest Cutting and Burning in Amazonia. *Ecology*, 65(5), 1476. <http://doi.org/10.2307/1939128>
- Van Do, T., Osawa, A., & Thang, N. T. (2010). Recovery process of a mountain forest after shifting cultivation in Northwestern Vietnam. *Forest Ecology and Management*, 259(8), 1650–1659. <http://doi.org/10.1016/j.foreco.2010.01.043>
- Vargas, R., Allen, M. F., & Allen, E. B. (2008). Biomass and carbon accumulation in a fire chronosequence of a seasonally dry tropical forest. *Global Change Biology*, 14(1), 109–124. <http://doi.org/10.1111/j.1365-2486.2007.01462.x>
- Veenendaal, E. M., Kolle, O., & Lloyd, J. (2004). Seasonal variation in energy fluxes and carbon dioxide exchange for a broad-leaved semi-arid savanna (Mopane woodland) in Southern Africa. *Global Change Biology*, 10(3), 318–328. <http://doi.org/10.1111/j.1365-2486.2003.00699.x>
- Vieira, S., Trumbore, S., Camargo, P. B., Selhorst, D., Chambers, J. Q., Higuchi, N., & Martinelli, L. A.

- (2005). Slow growth rates of Amazonian trees: Consequences for carbon cycling. *Proceedings of the National Academy of Sciences*, 102(51), 18502–18507. <http://doi.org/10.1073/pnas.0505966102>
- Vourlitis, G. L., Priante Filho, N., Hayashi, M. M. S., Nogueira, J. de S., Raiter, F., Hoegel, W., & Campelo, Jr, J. H. (2004). Effects of meteorological variations on the CO₂ exchange of a Brazilian transitional tropical forest. *Ecological Applications*, 14(sp4), 89–100. <http://doi.org/10.1890/01-6005>
- Weaver, P. L. (2001). NPP Tropical Forest: Cinnamon Bay, U.S. Virgin Islands, 1982-1993, R1. Data set. Available on-line [<http://www.daac.ornl.gov>] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A. doi:10.3334/ORNLDAAAC/473. <http://doi.org/10.3334/ORNLDAAAC/473>
- Webb, E. L., & Fa'aumu, S. (1999). Diversity and structure of tropical rain forest of Tutuila, American Samoa: effects of site age and substrate. *Plant Ecology*, 144(2), 257–274. <http://doi.org/10.1023/a:1009862618250>
- Wen, D., Wei, P., Kong, G., Zhang, Q., Huang, Z. (1997). Biomass study of the community of *Castanopsis chinensis*, *Cryptocarya concinna*, *Schima superb* in a southern China Reserve. *Acta Ecologica Sinica*, 17(5), 497–504. [in Chinese].
- Wen, D., Wei, P., Zhang, Q., Kong, G. (1999). s on biomass of the lower subtropical evergreen broad-leaved forests in a MAB Reserve of south China. *Acta Phytoecologica Sinica*, 23, 11–21. [in Chinese].
- Williams-Linera, G. (1983). Biomass and Nutrient Content in Two Successional Stages of Tropical Wet Forest in Uxpanapa, Mexico. *Biotropica*, 15(4), 275. <http://doi.org/10.2307/2387652>
- Yamakura, T., Hagihara, A., Sukardjo, S., & Ogawa, H. (1986). Aboveground biomass of tropical rain forest stands in Indonesian Borneo. *Vegetatio*, 68(2), 71–82. <http://doi.org/10.1007/BF00045057>
- Yamakura, T., Hagihara, A., Sukardjo, S., & Ogawa, H. (1986). Tree size in a mature dipterocarp forest stand in Sebulu, East Kalimantan, Indonesia. *Southeast Asian Studies*, 23(4), 452–478. Retrieved from <http://repository.kulib.kyoto-u.ac.jp/dspace/handle/2433/56227>
- Yan, J., Wang, Y., Zhou, G., & Zhang, D. (2006). Estimates of soil respiration and net primary production of three forests at different succession stages in South China. *Global Change Biology*, 12(5), 810–821. <http://doi.org/10.1111/j.1365-2486.2006.01141.x>
- Yi, W., Zhang, Z., Ding, M., Wang, B. (2000). Biomass and efficiency of radiation utilization in *Erythrophleum fordii* community. *Acta Ecologica Sinica*, 20(2), 397–403. [in Chinese].
- Yu, G., Chen, Z., Piao, S., Peng, C., Ciais, P., Wang, Q., ... Zhu, X. (2014). High carbon dioxide uptake by subtropical forest ecosystems in the East Asian monsoon region. *Proceedings of the National Academy of Sciences*, 111(13), 4910–4915. <http://doi.org/10.1073/pnas.1317065111>
- Yu, G.-R., Zhu, X.-J., Fu, Y.-L., He, H.-L., Wang, Q.-F., Wen, X.-F., ... Tong, C.-L. (2013). Spatial patterns and climate drivers of carbon fluxes in terrestrial ecosystems of China. *Global Change Biology*, 19(3), 798–810. <http://doi.org/10.1111/gcb.12079>
- Zarin, D. J., Ducey, M. J., Tucker, J. M., & Salas, W. A. (2001). Potential Biomass Accumulation in Amazonian Regrowth Forests. *Ecosystems*, 4(7), 658–668. <http://doi.org/10.1007/s10021-001-0035-y>
- Zhang, Y., Tan, Z., Song, Q., Yu, G., & Sun, X. (2010). Respiration controls the unexpected seasonal pattern of carbon flux in an Asian tropical rain forest. *Atmospheric Environment*, 44(32), 3886–3893. <http://doi.org/10.1016/j.atmosenv.2010.07.027>
- Zhang, Z., & Ding, M. (1996). Biomass and efficiency of radiation utilization in monsoon evergreen broadleaved forest in Dinghushan Biosphere Reserve. *Acta Ecologica Sinica*, 16(5), 525–534. [in Chinese].

METHODOLOGY REFERENCES

- Adachi M, Bekku YS, Rashidah W, Okuda T, Koizumi H (2006) Differences in soil respiration between different tropical ecosystems. *Applied Soil Ecology*, **34**, 258–265.
- del Aguila-Pasquel J, Doughty CE, Metcalfe DB et al. (2014) The seasonal cycle of productivity, metabolism and carbon dynamics in a wet aseasonal forest in north-west Amazonia (Iquitos, Peru). *Plant Ecology & Diversity*, **7**, 71–83.
- Aide TM, Zimmerman JK, Herrera L, Rosario M, Serrano M (1995) Forest recovery in abandoned tropical pastures in Puerto Rico. *Forest Ecology and Management*, **77**, 77–86.
- Alves D, Soares JV, Amaral S, Mello E, Almeida S, Da Silva OF, Silveira A (1997) Biomass of primary and secondary vegetation in Rondonia, Western Brazilian Amazon. *Global Change Biology*, **3**, 451–461.
- Aragão LEOC, Malhi Y, Metcalfe DB et al. (2009) Above- and below-ground net primary productivity across ten Amazonian forests on contrasting soils. *Biogeosciences Discussions*, **6**, 2441–2488.
- Araujo-Murakami A, Doughty CE, Metcalfe DB et al. (2014) The productivity, allocation and cycling of carbon in forests at the dry margin of the Amazon forest in Bolivia. *Plant Ecology & Diversity*, **7**, 55–69.
- Baker TR, Phillips OL, Malhi Y et al. (2004) Increasing biomass in Amazonian forest plots. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **359**, 353–365.
- Becknell JM, Powers JS (2014) Stand age and soils as drivers of plant functional traits and aboveground biomass in secondary tropical dry forest. *Canadian Journal of Forest Research*, **44**, 604–613.
- Behera N, Joshi SK, Pati DP (1990) Root contribution to total soil metabolism in a tropical forest soil from Orissa, India. *Forest Ecology and Management*, **36**, 125–134.
- Broadbent EN, Almeyda Zambrano AM, Asner GP et al. (2014) Integrating Stand and Soil Properties to Understand Foliar Nutrient Dynamics during Forest Succession Following Slash-and-Burn Agriculture in the Bolivian Amazon (ed Bernacchi CJ). *PLoS ONE*, **9**, e86042.
- Buchmann N (2000) Biotic and abiotic factors controlling soil respiration rates in *Picea abies* stands. *Soil Biology and Biochemistry*, **32**, 1625–1635.
- Chambers JQ, Tribuzy ES, Toledo LC et al. (2004) Respiration from a tropical forest ecosystem: Partitioning of sources and low carbon use efficiency. *Ecological Applications*, **14**.
- Chan N, Takeda S, Suzuki R, Yamamoto S (2013) Establishment of allometric models and estimation of biomass recovery of swidden cultivation fallows in mixed deciduous forests of the Bago Mountains, Myanmar. *Forest Ecology and Management*, **304**, 427–436.
- Clark DA, Brown S, Kicklighter DW, Chambers JQ, Thomlinson JR, Ni J, Holland EA (2001) Net primary production in tropical forests: An evaluation and synthesis of existing field data. *Ecological Applications*, **11**, 371–384.
- Clark DA, Brown S, Kicklighter DW, Chambers JQ, Thomlinson JR, Ni J, Holland EA (2013) NPP Tropical Forest: Consistent Worldwide Site Estimates, 1967-1999, R1. Data set. Available on-line [<http://daac.ornl.gov>] from the Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, USA. doi:10.3334/ORNLDAAAC/616.
- Cleveland CC, Townsend AR (2006) Nutrient additions to a tropical rain forest drive substantial soil carbon dioxide losses to the atmosphere. *Proceedings of the National Academy of Sciences of the United States of America*, **103**, 10316–10321.
- da Costa ACL, Metcalfe DB, Doughty CE et al. (2014) Ecosystem respiration and net primary productivity after 8–10 years of experimental through-fall reduction in an eastern Amazon forest. *Plant Ecology & Diversity*, **7**, 7–24.
- Davidson EA, Savage K, Bolstad P et al. (2002) Belowground carbon allocation in forests estimated from litterfall and IRGA-based soil respiration measurements. *Agricultural and Forest Meteorology*, **113**, 39–51.
- Delaney M, Brown S, Lugo AE, Torres-Lezama A, Quintero NB (1997) The distribution of organic carbon in major components of forests located in five life zones of Venezuela. *Journal of Tropical Ecology*, **13**, 697.

- Doughty CE, Metcalfe DB, da Costa MC et al. (2014) The production, allocation and cycling of carbon in a forest on fertile terra preta soil in eastern Amazonia compared with a forest on adjacent infertile soil. *Plant Ecology & Diversity*, **7**, 41–53.
- Egunjobi JK, Bada SO (1979) Biomass and Nutrient Distribution in Stands of *Pinus caribea* L. in the Dry Forest Zone of Nigeria. *Biotropica*, **11**, 130.
- Epron D, Nouvellon Y, Deleporte P et al. (2006) Soil carbon balance in a clonal Eucalyptus plantation in Congo: Effects of logging on carbon inputs and soil CO₂ efflux. *Global Change Biology*, **12**, 1021–1031.
- Gehring C, Denich M, Kanashiro M, Vlek PLG (1999) Response of secondary vegetation in Eastern Amazonia to relaxed nutrient availability constraints. *Biogeochemistry*, **45**, 223–241.
- Gehring C, Denich M, Vlek PLG (2005) Resilience of secondary forest regrowth after slash-and-burn agriculture in central Amazonia. *Journal of Tropical Ecology*, **21**, 519–527.
- Giardina CP, Ryan MG, Binkley D, Fownes JH (2003) Primary production and carbon allocation in relation to nutrient supply in a tropical experimental forest. *Global Change Biology*, **9**, 1438–1450.
- Grimm U, Fassbender HW (1999) NPP Tropical Forest: San Eusebio, Venezuela, 1970-1971. *Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A.*
- Hughes RF, Kauffman JB, Jaramillo VJ (1999) Biomass, carbon, and nutrient dynamics of secondary forests in a humid tropical region of Mexico. *Ecology*, **80**, 1892–1907.
- Kadeba O (1991) Above-ground biomass production and nutrient accumulation in an age sequence of *Pinus caribaea* stands. *Forest Ecology and Management*, **41**, 237–248.
- Kira T (1978) Community architecture and organic matter dynamics in tropical lowland rain forests of Southeast Asia with special reference to Pasoh Forest, West Malaysia. In: *Tropical trees as living systems* (eds Tomlinson PB, Zimmerman MH), pp. 561–590. Cambridge University Press, New York, USA.
- Kira T (1998) NPP Tropical Forest: Khao Chong, Thailand, 1962-1965. *Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A.*
- Letcher SG, Chazdon RL (2009) Rapid Recovery of Biomass, Species Richness, and Species Composition in a Forest Chronosequence in Northeastern Costa Rica. *Biotropica*, **41**, 608–617.
- Lewis SL, Lopez-Gonzalez G, Sonké B et al. (2009) Increasing carbon storage in intact African tropical forests. *Nature*, **457**, 1003–1006.
- Li Y, Xu M, Sun OJ, Cui W (2004) Effects of root and litter exclusion on soil CO₂ efflux and microbial biomass in wet tropical forests. *Soil Biology and Biochemistry*, **36**, 2111–2114.
- Lugo AE (1992) Comparison of Tropical Tree Plantations with Secondary Forests of Similar Age. *Ecological Monographs*, **62**, 1.
- Maass M, Martinez-Yrizar A (2001) NPP Tropical Forest: Chamela, Mexico, 1982-1995. *Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A.*
- Malhi Y, Baker TR, Phillips OL et al. (2004) The above-ground coarse wood productivity of 104 Neotropical forest plots. *Global Change Biology*, **10**, 563–591.
- Malhi Y, Farfán Amézquita F, Doughty CE et al. (2014) The productivity, metabolism and carbon cycle of two lowland tropical forest plots in south-western Amazonia, Peru. *Plant Ecology & Diversity*, **7**, 85–105.
- Martinez-Yrizar A, Sarukhan J, Perez-Jimenez A, Rincon E, Maass JM, Solis-Magallanes A, Cervantes L (1992) Above-ground phytomass of a tropical deciduous forest on the coast of Jalisco, México. *Journal of Tropical Ecology*, **8**, 87.
- Martinez-Yrizar A, Maass JM, Perez-Jimenez LA, Sarukhan J (1996) Net primary productivity of a tropical deciduous forest ecosystem in western Mexico. *Journal of Tropical Ecology*, **12**, 169.
- Montagnini F (2000) Accumulation in above-ground biomass and soil storage of mineral nutrients in pure and mixed plantations in a humid tropical lowland. *Forest Ecology and Management*, **134**, 257–270.
- Moser G, Leuschner C, Hertel D, Graefe S, Soethe N, Iost S (2011) Elevation effects on the carbon budget of tropical mountain forests (S Ecuador): the role of the belowground compartment. *Global Change Biology*, **17**, 2211–2226.

- Navarro MN V, Jourdan C, Sileye T et al. (2008) Fruit development, not GPP, drives seasonal variation in NPP in a tropical palm plantation. *Tree physiology*, **28**, 1661–1674.
- Rocha W, Metcalfe DB, Doughty CE et al. (2014) Ecosystem productivity and carbon cycling in intact and annually burnt forest at the dry southern limit of the Amazon rainforest (Mato Grosso, Brazil). *Plant Ecology & Diversity*, **7**, 25–40.
- Roupsard O, Bonnefond J-M, Irvine M et al. (2006) Partitioning energy and evapo-transpiration above and below a tropical palm canopy. *Agricultural and Forest Meteorology*, **139**, 252–268.
- Saldarriaga JG, West DC, Tharp ML, Uhl C (1988) Long-Term Chronosequence of Forest Succession in the Upper Rio Negro of Colombia and Venezuela. *The Journal of Ecology*, **76**, 938.
- Schuur EAG (2005) NPP Tropical Forest: Maui, Hawaii, U.S.A., 1996-1997. *Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A.*
- Sierra CA, del Valle JI, Orrego SA et al. (2007) Total carbon stocks in a tropical forest landscape of the Porce region, Colombia. *Forest Ecology and Management*, **243**, 299–309.
- Sierra CA, del Valle JI, Restrepo HI (2012) Total carbon accumulation in a tropical forest landscape. *Carbon Balance and Management*, **7**, 12.
- Steininger MK (2000) Secondary forest structure and biomass following short and extended land-use in central and southern Amazonia. *Journal of Tropical Ecology*, **16**, 689–708.
- Uhl C (1987) Factors Controlling Succession Following Slash-and-Burn Agriculture in Amazonia. *The Journal of Ecology*, **75**, 377.
- Uhl C, Jordan CF (1984) Succession and Nutrient Dynamics Following Forest Cutting and Burning in Amazonia. *Ecology*, **65**, 1476.
- Uhl C, Buschbacher R, Serrao EAS (1988) Abandoned Pastures in Eastern Amazonia. I. Patterns of Plant Succession. *The Journal of Ecology*, **76**, 663.
- Valentini R, Matteucci G, Dolman AJ et al. (2000) Respiration as the main determinant of carbon balance in European forests. *Nature*, **404**, 861–865.
- Weaver PL (2001) NPP Tropical Forest: Cinnamon Bay, U.S. Virgin Islands, 1982-1993, R1. Data set. Available on-line [<http://www.daac.ornl.gov>] from Oak Ridge National Laboratory Distributed Active Archive Center, Oak Ridge, Tennessee, U.S.A. doi:10.3334/ORNLDAAAC/473.
- Weaver PL, Murphy PG (1990) Forest Structure and Productivity in Puerto Rico's Luquillo Mountains. *Biotropica*, **22**, 69.
- Williams M, Rastetter EB, Fernandes DN, Goulden ML, Shaver GR, Johnson LC (1997) Predicting Gross Primary Productivity in Terrestrial Ecosystems. *Ecological Applications*, **7**, 882.
- Yan J, Wang Y, Zhou G, Zhang D (2006) Estimates of soil respiration and net primary production of three forests at different succession stages in South China. *Global Change Biology*, **12**, 810–821.
- Zarin DJ, Ducey MJ, Tucker JM, Salas WA (2001) Potential Biomass Accumulation in Amazonian Regrowth Forests. *Ecosystems*, **4**, 658–668.

ALLOMETRY REFERENCES

- Baker TR, Phillips OL, Malhi Y et al. (2004a) Increasing biomass in Amazonian forest plots. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **359**, 353–365.
- Baker TR, Phillips OL, Malhi Y et al. (2004b) Variation in wood density determines spatial patterns in Amazonian forest biomass. *Global Change Biology*, **10**, 545–562.
- van Breugel M, Ransijn J, Craven D, Bongers F, Hall JS (2011) Estimating carbon stock in secondary forests: Decisions and uncertainties associated with allometric biomass models. *Forest Ecology and Management*, **262**, 1648–1657.
- Brown S (1997) *Estimating Biomass and Biomass Change of Tropical Forests: a Primer*. (FAO Forestry Paper - 134). Food and Agriculture Organization of the United Nations, Urbana, Illinois, USA, 55 pp.
- Brown S, Gillespie AJR, Lugo AE (1989) Biomass estimation methods for tropical forests with applications to forest inventory data. *Forest Science*.
- Chan N, Takeda S, Suzuki R, Yamamoto S (2013) Establishment of allometric models and estimation of biomass recovery of swidden cultivation fallows in mixed deciduous forests of the Bago Mountains, Myanmar. *Forest Ecology and Management*, **304**, 427–436.
- Chave J, Andalo C, Brown S et al. (2005) Tree allometry and improved estimation of carbon stocks and balance in tropical forests. *Oecologia*, **145**, 87–99.
- Feldpausch TR, Banin L, Phillips OL et al. (2011) Height-diameter allometry of tropical forest trees. *Biogeosciences*, **8**, 1081–1106.
- Frangi JL, Lugo AE (1985) Ecosystem Dynamics of a Subtropical Floodplain Forest. *Ecological Monographs*, **55**, 351.
- Gehring C, Park S, Denich M (2004) Liana allometric biomass equations for Amazonian primary and secondary forest. *Forest Ecology and Management*, **195**, 69–83.
- Hughes RF, Kauffman JB, Jaramillo VJ (1999) Biomass, carbon, and nutrient dynamics of secondary forests in a humid tropical region of Mexico. *Ecology*, **80**, 1892–1907.
- Lugo AE (1992) Comparison of Tropical Tree Plantations with Secondary Forests of Similar Age. *Ecological Monographs*, **62**, 1.
- Nelson BW, Mesquita R, Pereira JL., Garcia Aquino de Souza S, Teixeira Batista G, Bovino Couto L (1999) Allometric regressions for improved estimate of secondary forest biomass in the central Amazon. *Forest Ecology and Management*, **117**, 149–167.
- Overman JPM, Witte HJL, Saldarriaga JG (1994) Evaluation of regression models for above-ground biomass determination in Amazon rainforest. *Journal of Tropical Ecology*, **10**, 207–218.
- Ovington JD, Olson JS (1970) Biomass and chemical content of El Verde lower montane rain forest plants. *Odum, H. T. Tropical rain forest*.
- Saldarriaga JG, West DC, Tharp ML, Uhl C (1988) Long-Term Chronosequence of Forest Succession in the Upper Rio Negro of Colombia and Venezuela. *The Journal of Ecology*, **76**, 938.
- Sierra CA, del Valle JL, Orrego SA et al. (2007) Total carbon stocks in a tropical forest landscape of the Porce region, Colombia. *Forest Ecology and Management*, **243**, 299–309.
- Steininger MK (2000) Secondary forest structure and biomass following short and extended land-use in central and southern Amazonia. *Journal of Tropical Ecology*, **16**, 689–708.
- Uhl C (1987) Factors Controlling Succession Following Slash-and-Burn Agriculture in Amazonia. *The Journal of Ecology*, **75**, 377.
- Uhl C, Jordan CF (1984) Succession and Nutrient Dynamics Following Forest Cutting and Burning in Amazonia. *Ecology*, **65**, 1476.
- Uhl C, Buschbacher R, Serrao EAS (1988) Abandoned Pastures in Eastern Amazonia. I. Patterns of Plant Succession. *The Journal of Ecology*, **76**, 663.
- Weaver PL, Gillespie AJR (1992) Tree biomass equations for the forests of the Luquillo Mountains, Puerto Rico. *Commonwealth Forestry Review*, **71**, 35–39.
- Zarin DJ, Ducey MJ, Tucker JM, Salas WA (2001) Potential Biomass Accumulation in Amazonian Regrowth Forests. *Ecosystems*, **4**, 658–668.