

Main Interface Description

Required Parameters


Enter the pixel coordinates where time series data will be obtained

Enter the H and V for the ARD-tile that contains the entered pixel coordinates

Enter the full path to the location of the ARD-tile cache files.

Enter the full path to the location of the ARD-tile .json files

Enter the full path to the directory where plot figures and shapefiles will be saved



The PyCCD Plotting Tool interface is a window with a title bar and standard window controls. It is divided into several sections:

- Paste coordinates directly from ArcMap:** A text input field with a blue arrow icon on the left.
- h** and **v**: Two small text input fields for horizontal and vertical coordinates.
- Full path to cache folder:** A text input field with a blue arrow icon and a browse button (three dots).
- Full path to JSON folder:** A text input field with a blue arrow icon and a browse button (three dots).
- Output directory to save plots:** A text input field with a blue arrow icon and a browse button (three dots).
- Create Point Shapefile on Plot:** A radio button option.
- Model Results:** A large empty rectangular area for displaying model results.
- Selected Observations:** A large empty rectangular area for displaying selected observations.
- Band Selection List:** A list box containing the following items: All Bands and Indices, All Bands, All Indices, Blue, Green, Red, NIR, SWIR-1, and SWIR-2. It has scroll arrows at the top and bottom.
- Buttons:** Four buttons at the bottom: Plot, Save Figure, Clear, and Close.

Main Interface Description

Required Parameters

Enter the pixel coordinates where time series data will be obtained

Enter the H and V for the ARD-tile that contains the entered pixel coordinates

Enter the full path to the location of the ARD-tile cache files.

Enter the full path to the location of the ARD-tile .json files

Enter the full path to the directory where plot figures and shapefiles will be saved

Additional Options

Toggle on/off to create an ESRI point shapefile each time "Plot" is clicked

Select which bands and indices to plot "All Bands and Indices" is default option

The screenshot shows the PyCCD Plotting Tool window. It has a title bar with standard window controls. The interface is divided into several sections:

- Paste coordinates directly from ArcMap:** A text input field with a blue arrow icon pointing to it.
- h** and **v**: Two small text input fields for horizontal and vertical coordinates.
- Full path to cache folder:** A text input field with a blue arrow icon and a browse button (three dots).
- Full path to JSON folder:** A text input field with a blue arrow icon and a browse button (three dots).
- Output directory to save plots:** A text input field with a blue arrow icon and a browse button (three dots).
- Model Results:** A large empty rectangular area for displaying results.
- Selected Observations:** A large empty rectangular area for displaying selected observations.
- Options:** A radio button labeled "Create Point Shapefile on Plot" is selected.
- Bands and Indices List:** A list box containing the following items: "All Bands and Indices", "All Bands", "All Indices", "Blue", "Green", "Red", "NIR", "SWIR-1", and "SWIR-2". "All Bands and Indices" is selected.
- Buttons:** At the bottom, there are four buttons: "Plot", "Save Figure", "Clear", and "Close".

Blue arrows point from the text descriptions in the "Required Parameters" and "Additional Options" sections to the corresponding input fields and controls in the software interface.

Main Interface Description

Required Parameters

Enter the pixel coordinates where time series data will be obtained

Enter the H and V for the ARD-tile that contains the entered pixel coordinates

Enter the full path to the location of the ARD-tile cache files.

Enter the full path to the location of the ARD-tile .json files

Enter the full path to the directory where plot figures and shapefiles will be saved

Additional Options

Toggle on/off to create an ESRI point shapefile each time "Plot" is clicked

Select which bands and indices to plot "All Bands and Indices" is default option

The screenshot shows the PyCCD Plotting Tool interface. It features a title bar with standard window controls. The main area is divided into several sections: 'Paste coordinates directly from ArcMap:' with a text input field; 'h' and 'v' input fields for ARD-tile coordinates; 'Full path to cache folder:', 'Full path to JSON folder:', and 'Output directory to save plots:' each with a text input field and a browse button (...); a radio button labeled 'Create Point Shapefile on Plot'; a list box containing 'All Bands and Indices', 'All Bands', 'All Indices', 'Blue', 'Green', 'Red', 'NIR', 'SWIR-1', and 'SWIR-2'; a 'Model Results:' area with a large empty box; and a 'Selected Observations:' area with a large empty box. At the bottom, there are four buttons: 'Plot', 'Save Figure', 'Clear', and 'Close'. Blue lines with dots at the end point from descriptive text on the left to specific UI elements: from 'Required Parameters' to the coordinate and path inputs; from 'Additional Options' to the shapefile toggle and band list; and from the bottom text to the 'Plot', 'Save Figure', 'Clear', and 'Close' buttons.

Controls

Plot: Activate the plotting and display the interactive plot figure. Closes the current figure if one is open.

Save Figure: Save the current figure to a .png

Clear: Clear the selected observations

Close: Exit out of the GUI and close the plot figure if it is open

Main Interface Description

Required Parameters

Enter the pixel coordinates where time series data will be obtained

Enter the H and V for the ARD-tile that contains the entered pixel coordinates

Enter the full path to the location of the ARD-tile cache files.

Enter the full path to the location of the ARD-tile .json files

Enter the full path to the directory where plot figures and shapefiles will be saved

Additional Options

Toggle on/off to create an ESRI point shapefile each time "Plot" is clicked

Select which bands and indices to plot "All Bands and Indices" is default option

Plot: Activate the plotting and display the interactive plot figure. Closes the current figure if one is open.

Save Figure: Save the current figure to a .png

Clear: Clear the selected observations

Close: Exit out of the GUI and close the plot figure if it is open

The screenshot shows the PyCCD Plotting Tool interface. It features a title bar with standard window controls. The main area is divided into several sections: a 'Paste coordinates directly from ArcMap:' text box; two input boxes for 'h' and 'v'; four text boxes for file paths ('Full path to cache folder:', 'Full path to JSON folder:', 'Output directory to save plots:') each with a browse button; a radio button for 'Create Point Shapefile on Plot'; a list box for selecting bands and indices; a 'Model Results:' text area; and a 'Selected Observations:' text area. At the bottom are four buttons: 'Plot', 'Save Figure', 'Clear', and 'Close'. Blue arrows point from descriptive text blocks to specific UI elements: from 'Required Parameters' to the coordinate and path inputs; from 'Additional Options' to the shapefile toggle and band list; from 'Output' to the results and observations text areas; and from the bottom text blocks to the 'Plot', 'Save Figure', 'Clear', and 'Close' buttons.

Output

Model Results: Parameters for each of the time-series segments at the given coordinate are displayed


Selected Observations: Each observation point clicked on the plot figure will be displayed here along with its band or index value, date of acquisition, and scene identifier

Plotting Window Description

ARD Observations

Click observations to display acquisition date, scene identifier, and band/index value in the GUI.

Hover the mouse cursor in any subplot to display x/y plot values.




Plotting Window Description

ARD Observations

Click observations to display acquisition date, scene identifier, and band/index value in the GUI.

Hover the mouse cursor in any subplot to display x/y plot values.



Built-in Plotting Controls

