

50 common species	
裳鳳蝶 Common Birdwing (Troides helena)	-Forewings are mainly black while hindwings are golden yellow
金裳鳳蝶 Golden Birdwing (Troides aeacus)	-Forewings are mainly black while hindwings are golden yellow
玉帶鳳蝶 Common Mormon (Papilio polytes)	-Hindwings have a white band made up of white spots
玉斑鳳蝶 Red Helen (Papilio Helenus)	-Upperside of the wings are mainly black with a large patch of white scales
美鳳蝶 Great Mormon (Papilio memnon)	-Basal areas are marked with red colour
藍鳳蝶 Spangle (Papilio protenor)	-Mainly black in males and while lighter colour in females
碧鳳蝶 Chinese Peacock (Papilio bianor)	-Wing tails present
青鳳蝶 Common Bluebottle (Graphium Sarpedon)	-Mainly black in colour
木蘭青鳳蝶 Common Jay (Graphium doson)	-3 stripes of turquoise wing markings
統帥青鳳蝶 Tailed Jay (Graphium Agamemnon)	-Wings are speckled with fine green spots
巴黎翠鳳蝶 Paris Peacock (Papilio paris)	-Hindwings are characterized by patches of metallic blues (paris blue) scales
柑橘鳳蝶 Swallowtail (Papilio xuthus)	-Mainly creamy white in colour
遷粉蝶 Lemon Emigrant (Catopsilia pomona)	-Wings are broadly white on both sides in males, with the upperside dusted yellow near the base
梨花遷粉蝶 Mottled Emigrant (Catopsilia pyranthe)	-Underside is yellow with a dusty brown wave patterns
寬邊黃粉蝶 Common Grass Yellow (Eurema hecabe)	-Underside radial cells of forewings are marked by not more than 2 black spots
報喜斑粉蝶 Red-base Jezebel (Delias pasithoe)	-Hindwings have yellow and red patterns on the underside
東方菜粉蝶 Indian Cabbage White (Pieris canidia)	-One coastal black spot and several black marginal spots on hindwings
鶴頂粉蝶 Great Orange Tip (Hebomoia glaucippe)	-Mainly white in colour, with a large orange patch on the forewings
波蛺蝶 Punchinello (Zemeros)	-Wings are reddish brown

flegyas)	
蛇目褐蛱蝶 Plum Judy (Abisara echerius)	-Wings are dark brown
沾邊裙弄蝶 Water Snow Flat (Tagiades litigiousus)	-Forewings are marked by more than 10 whit specks
窄紋袖弄蝶 Banded Demon (Notocrypta paralysos)	-White patches on forewings extend to margins
薑弄蝶 Grass Demon (Udaspes folus)	-Some white spots of varied sizes on forewings
秣弄蝶 Formosan Swift (Borbo cinnara)	-The forewing radial cells are plain
鉤翅眼蛱蝶 Chocolate Pansy (Junonia iphita)	-Hook-like forewings apex
散紋盛蛱蝶 Common Jester (Symbrenthia lilaea)	-Upperside is marked by 3 horizontal orange bands, and each forewing apex features a diagonal orange band
白帶螯蛱蝶 Tawny Rajah (Charaxes Bernardus)	-Have 3 forms that feature different colours in the middle section of their wings: white, tawny and brown
黃襟蛱蝶 Rustic (Cupha erymanthis)	-3 layers of colours: black, yellow, brown
網絲蛱蝶 Common Mapwing (Cyrestis thyodamas)	-Wings are white hatched with irregular black lines
幻紫斑蛱蝶 Great Eggfly (Hypolimnas bolina)	-Male: Upperside is black, both forewings and hindwings feature metallic blue scales in the centre
中環蛱蝶 Common Sailer (Neptis hylas)	-The white speckled margins are lined by fine black lines
蛇眼蛱蝶 Lemon Pansy (Junonia lemonias)	-Forewings and hindwings are marked by orange eye-spots
珂環蛱蝶 Southern Sullied Sailer (Neptis clinia)	-White stripes without black border
睇暮眼蝶 Dark Evening Brown (Melanitis phedima)	-Eye-spots in underside are not conspicuous
小眉眼蝶 Dark-brand Bush Brown (Mycalesis mineus)	-A light coloured band across the underside of forewings and hindwings
翠袖鋸眼蝶 Common Palmfly (Elymnias hypermnestra)	-Underside is also brown with grey triangular costal marks on forewings
矍眼蝶 Common Five-ring (Ypthima baldus)	-One eye-spot on forewing and 6 submarginal eye-spots on underside of hindwings

金斑蝶 Plain Tiger (<i>Danaus chrysippus</i>)	-Margins and forewing apexes are black with a diagonal white band
虎斑蝶 Common Tiger (<i>Danaus genutia</i>)	-Wing veins, margins and forewings apexes are black
青斑蝶 Blue Tiger (Tirumala limniace)	-Wings are marked with blue stripes
擬旖斑蝶 Ceylon Blue Glassy Tiger (<i>Ideopsis similis</i>)	-Light blue V-shape stripe in the basal area of forewings
藍點紫斑蝶 Blue-spotted Crow (<i>Euploea midamus</i>)	-Metallic purplish blue scales on forewings
幻紫斑蝶 Common Indian Crow (<i>Euploea core</i>)	-The forewings upperside purplish blue scales are vague
異型紫斑蝶 Striped Blue Crow (<i>Euploea Mulciber</i>)	-Forewings upperside are conspicuous metallic purplish blue extend to margins
百娜灰蝶 Rounded 6-line Blue (<i>Nacaduba Berenice</i>)	-Greyish brown underside with white arc dashes
疑波灰蝶 Tailless Line Blue (<i>Prosotas dubiosa</i>)	-Greyish brown underside with white arc dashes
雅灰蝶 Dark Cerulean (<i>Jamides bochus</i>)	-Greyish brown underside with white arc dashes
咖灰蝶 Forget-me-not (<i>Catochrysops Strabo</i>)	-There are 2 costal black spots on the underside of each hindwing
亮灰蝶 Long-tailed Blue (<i>Lampides boeticus</i>)	-A broad submarginal white band
酢漿灰蝶 Pale Grass Blue (<i>Zizeeria maha</i>)	-Black dots on underside of hindwings formed "D" shape
長腹灰蝶 Tiny Grass Blue (<i>Zizula hylax</i>)	-A V-shaped stripe submarginal stripe

Reference

- 香港野外觀蝶圖冊(第二版)
- Hong Kong Butterfly Identification Guide

For more information, please purchase the books from Fung Yuen Butterfly Reserve

*<https://www.fungyuen.org/%E9%B3%B3%E5%9C%92%E6%9B%B8%E7%B1%8D>