Requirements final form
Events

1. Announcements (Bodrogean Andrei-Darius)

1.1 View Announcements (REQ-ANN-01)
1.2 Create Announcement (REQ-ANN-02)
1.3 Edit Announcement (REQ-ANN-03)
1.4 Delete Announcement (REQ-ANN-04)
1.5 Pin Announcement (REQ-ANN-05)
1.6 Read/Unread Indicator (REQ-ANN-06)
1.7 Announcement Read Receipts (REQ-ANN-07)
1.8 Announcement Reactions (REQ-ANN-08)

2. Discussions (Bodrogean Andrei-Darius)

2.1 View Discussion History (REQ-DIS-01)
2.2 Post a Discussion Message (REQ-DIS-02)
2.3 Delete a Discussion Message (REQ-DIS-03)
2.4 Reply to a Message (REQ-DIS-04)
2.5 React to a Message (REQ-DIS-05)
2.6 Mention a User (REQ-DIS-06)
2.7 Slow Mode (REQ-DIS-07)
2.8 Mute Participant (REQ-DIS-8)

3. Quests (Amorăriței Alexandra)

3.1 View Quests
3.2 Admin View Quests
3.3 Submit a quest
3.4 Approving or denying quests
3.5 Deleting quests
3.6 Admin Deleting quests
3.7 Creating and adding quests
3.8 Quests Locking System
3.9 Quests Locking System User

4. Memories (Aloman Denisa-Maria)

4.1 View Memories
4.2 Add Memories
4.3 Delete Memories
4.4 Memory Gallery
4.5 Quest Integration
4.6 Liking a Memory

5. My Events (Berințan Natanael)

5.1 View Joined Events
5.2 Search for an Event
5.3 Sorting Events
5.4 Archive an Event
5.5 Favourite Events
5.6 Upcoming Events Indication
5.7 Leaving an Event
5.8 View Events in Common

6. Create Event (Ana Rebeca)
6.1 Visual I
6.2 Visual II
6.3 Visual III
7. Events Listing View(Amalia Antici)
7.1 General Presentation
7.2. Filtering and searching
8. Event Details
9. Event Reputation & Achievement System (A.R.)
9.1 Reputation Points (RP) Accumulation
9.2 RP Penalties
9.4 Achievements
9.5 View Tier and RP and Achievements
10. Statistics and Analytics for EventAdmin
10.1 Participant overview:
10.2 Engagement breakdown:
10.3 Participant Leaderboard:
10.4 Quest Analytics:
11. Notifications
8. Game Challenge
5.9 Event Alarm Notification
2.9 Automatic Inactive Discussion Notice (REQ-DIS-9)
2.10 Message Reporting (REQ-DIS-10)

1. Announcements (Bodrogean Andrei-Darius)

The user data is taken from TSO group

1.1 **View Announcements** (REQ-ANN-01)

Description: Any joined user shall be able to view all announcements for an event as a scrollable list in reverse chronological order. Each announcement shall appear collapsed by default, showing only its opening text, author name, and timestamp. Clicking an announcement expands it to reveal the full content and its reactions. Expanding an announcement marks it as read and removes its unread badge. The pinned announcement, if one exists, shall always appear at the top regardless of date. Users without the EventAdmin role shall not see controls for creating, editing, deleting, or pinning announcements.

1.2 **Create Announcement** (REQ-ANN-02)

Description: The system shall allow an EventAdmin to create an announcement with a non-empty text body. The first line shall serve as the collapsed preview visible to all

participants without expanding. The full content is visible only when expanded. The timestamp shall be set automatically on posting. The announcement shall appear immediately at the top of the list and read tracking shall begin from the moment of creation. Users without the EventAdmin role shall not access this functionality.

1.3 **Edit Announcement** (REQ-ANN-03)

Description: The system shall allow an EventAdmin to edit the text content of an existing announcement. The updated text must be non-empty. The original creation timestamp shall be preserved and an edited indicator shall be shown. Existing reactions and read records shall not be reset. Users without the EventAdmin role shall not edit any announcement.

1.4 **Delete Announcement** (REQ-ANN-04)

Description: The system shall allow an EventAdmin to permanently delete an announcement after confirming a dialog. Upon deletion the announcement and all its associated read records and reactions shall be removed immediately. If the deleted announcement was pinned the pin shall be cleared automatically. Users without the EventAdmin role shall not delete any announcement.

1.5 **Pin Announcement** (REQ-ANN-05)

Description: The system shall allow an EventAdmin to pin at most one announcement at a time. The pinned announcement shall always appear at the top of the list regardless of date and shall carry a distinct visual indicator. Pinning a new announcement shall automatically unpin the previous one. Users without the EventAdmin role shall not pin or unpin announcements.

1.6 **Read/Unread Indicator** (REQ-ANN-06)

Description: The system shall track which announcements each user has opened. Unopened announcements shall display an unread badge that disappears upon expansion. The event card in My Events shall show the total unread announcement count for that event.

1.7 Announcement Read Receipts (REQ-ANN-07)

Description: The system shall show each EventAdmin how many participants have read each announcement as a count and percentage. Selecting the count shall reveal the full list of readers and non-readers. This data shall update automatically as participants open announcements.

1.8 Announcement Reactions (REQ-ANN-08)

Description: Any participant shall be able to react to an announcement with an emoji. Each user may place at most one reaction per announcement and may change or remove it at any time. The system shall enforce this rule and display the total count per reaction type to all participants.

2. Discussions (Bodrogean Andrei-Darius)

2.1 **View Discussion History** (REQ-DIS-01)

Description: Any joined user shall be able to view the full discussion history for an event in chronological order. Each message shall display the author name, content, any attached media, and timestamp. Edited messages shall show an edited label. The view shall automatically scroll to the most recent message upon opening.

2.2 **Post a Discussion Message** (REQ-DIS-02)

Description: Any joined user shall be able to post a message containing a non-empty text body, at least one media attachment, or both. Empty messages shall be rejected. If the user is muted the system shall block posting. If slow mode is active the system shall enforce the configured wait period and inform the user of the remaining time. The timestamp shall be set automatically and the message shall appear immediately at the bottom of the history.

2.3 **Delete a Discussion Message** (REQ-DIS-03)

Description: A user shall be able to delete their own messages. An EventAdmin shall be able to delete any message in their event. A confirmation dialog shall be shown before deletion. Upon confirmation the message and its associated reactions shall be removed immediately. Any replies referencing the deleted message shall remain visible but their reference shall be replaced with a deleted message indicator.

2.4 Reply to a Message (REQ-DIS-04)

Description: Any participant shall be able to reply to a specific message. The reply shall appear in chronological order and display a visual reference showing the original author's name and a shortened preview of the original content. Selecting the reference shall scroll the view to the original message.

2.5 React to a Message (REQ-DIS-05)

Description: Any participant shall be able to react to a message with an emoji. Each user may place at most one reaction per message and may change or remove it at any time. The total count per reaction type shall be displayed below the message and visible to all participants.

2.6 Mention a User (REQ-DIS-06)

Description: Any participant shall be able to mention another participant using the @ symbol followed by their name. The mention shall appear visually highlighted in

the sent message. The system shall send one in-app notification to the mentioned user per message regardless of how many times they are mentioned in it.

2.7 Slow Mode (REQ-DIS-07)

Description: The system shall allow an EventAdmin to enable slow mode with a configurable wait period between messages per user. The system shall reject any post made before the wait period has elapsed and inform the user of the remaining time. EventAdmins shall be exempt from this restriction.

2.8 Mute Participant (REQ-DIS-8)

Description: The system shall allow an EventAdmin to mute a participant for 1 hour, 24 hours, a custom duration, or permanently. A muted participant may read but not post. Temporary mutes shall be lifted automatically on expiry. The muted participant shall see they are muted when they try to post a message. An EventAdmin may lift any mute early at any time.

3. Quests (Amorăriței Alexandra)

3.1 **View Quests**

Description: The user shall be able to view all available quests for an event. A quest consists of a name, its description, and its difficulty. The quest difficulty should be a natural number between 1 and 5. They may choose to see only the quests they submitted, those they completed, those that they did not do, or all together (the default).

3.2 **Admin View Quests**

Description: The system shall allow an admin to view the quests created for an event and to also view the added proofs, those that the users are allowed to submit to each quest..

3.3 **Submit a quest**

Description: The system shall allow a user who has confirmed attendance to submit proof of having done a quest. This proof consists of at least one of the following: a photo (at most 10 MB) and some text. If there is no text or it is blank, the photo is mandatory. If there is no photo, the text is mandatory. When a quest is submitted, it will automatically be brought to the memories section, among other quests and memories.

3.4 **Approving or denying quests**

Description: An admin will receive all submitted proofs. In order for the quests to be marked as complete for the user, the admin must approve the submitted quest. The admin may also deny the proof, in which case the user is made aware that the quest failed or was not completed successfully.

3.5 **Deleting quests**

Description: The system shall allow users to delete their own submitted quests. This means they only delete their proofs and not the quest itself. They may also delete their completed or denied quests.

3.6 **Admin Deleting quests**

Description: An admin may delete submitted (including completed or denied) quest proofs. They may, also, delete any quest they want, in which case users cannot see that quest anymore, and therefore, they cannot submit proofs for it. An admin may also choose to 'delete' a preset quest, meaning to remove it from that particular event's quests. Since it is a preset, its information (name, description, difficulty) will not be lost; the quest can be added again later on from the presets.

3.7 **Creating and adding quests**

Description: The system shall allow an admin to add preset quests or custom quests to the event for users to see. If the admin chooses to add a custom quest, they will have to provide the information for a new quest to be created.
A quest must have a non-empty title, non-empty description, and difficulty. Upon creation, the quest is automatically added to the quests the user can see and submit proofs to.

3.8 **Quests Locking System**

Description: When an admin makes a quest he may have the option to configure another quest as a prerequisite, that must be completed by a user before the new quest may become available to that user.

3.9 **Quests Locking System User**

Description: Users may not see the contents of quests not available to them yet. A quest becomes available the moment they solve the previous required quest. Quests that are not yet available may still be shown, however, they will be marked as unknown. The user should be able to easily see, for any quest that has a prerequisite, what that prerequisite quest is, and should be able to easily access it.

4. Memories (Aloman Denisa-Maria)

4.1 **View Memories**

Description: The system shall allow users to view all memories for a selected event. Each memory has a creation date, a number of likes and may include a photo and text. Users will be able to order memories by the date when they were added. Users can choose to see only memories added by them. Proofs for quests, be they only submitted or completed or denied are also considered memories.

4.2 **Add Memories**

Description: The system shall allow users who has confirmed attendance to create a memory by including at least one of the following: a photo or text. Each memory will be automatically assigned the current date and time as the creation date. Users shall be able to add memories without submitting quests.

4.3 **Delete Memories**

Description: The system shall allow administrators to delete any memory. Non-administrator users can delete only the memories they created. The system shall not allow updating existing memories.

4.4 **Memory Gallery**

Description: The system shall display a gallery of all photos from memories and submitted quests.

4.5 **Quest Integration**

Description: The system shall automatically create a memory for each quest submitted by a user. Each memory created from a submitted quest shall include the photo and/or text submitted as proof. Memories generated from submitted quests shall appear in the gallery and memory list alongside user-added memories.

4.6 **Liking a Memory**

Description: The system shall allow users to like memories that do not belong to them. A user can like a memory only once. This action will increase the memory owner's reputation by 1RP. Removing the like decreases the memory owner's reputation by 1 RP.

5. My Events (Berințan Natanael)

5.1 **View Joined Events**

The user should be able to view all the events that they have joined, with essential information about the events being shown, such as the title, category and the start date and end date. The user should be able to easily access more information about events they have joined.

5.2 **Search for an Event**

The user should be able to search for a specific event, by specifying the event title, and should be able to see all the events they are enrolled in containing the given title. The user should also be able to select a category and see all the events they are enrolled in from that category.

5.3 **Sorting Events**

The user should be able to see the list of events they attend in a sorted manner. The user should have multiple options of sorting, at least including: Sorting alphabetically by event title, sorting alphabetically by category title, sorting by start date and end date.

5.4 **Archive an Event**

The user should be able to archive an event they have enrolled in and shall be able to easily view all of their archived events, separately from the non-archived events, as well as be able to unarchive an event.

5.5 **Favourite Events**

The user should be able to mark and unmark an event as favourite and should be able to view separately all the events they have marked as favourite. When the default ordering is active, then all the favourite events that match the search criteria, if there is one, should be displayed before events not marked as favourite.

5.6 **Upcoming Events Indication**

Upcoming events that will start soon, such as in 24 or 48 hours should have a visual indicator for the user to see. The visual should automatically disappear after the event has started.

5.7 **Leaving an Event**

The user should be able to easily leave an event, in which case the event will not be displayed further in the list of attended events.

5.8 **View Events in Common**

The user should be able to view all the events they have in common, i.e. they have both enrolled in, with a user they are friends with. The user should be able to search for friends by their name, and should be able to only select one from the available friends, which will be compared with.

6. Create Event (Ana Rebeca)

6.1 Visual I

Description: Upon accessing it, the user will be provided with a form consisting of the mandatory fields such as: event name, location, time and date, as well as an option to have the event be public or private. From this visual, the user will be given the option to go next (navigate to visual II) or cancel the process. In the case that the user doesn't complete the mandatory fields and tries to proceed, the event will not be created and instead an error message will be shown to guide the user through the process. If the user cancels, even after editing some fields, the changes will not be saved, the event will not be created and the visual will instead close.

6.2 Visual II

Description: This view consists of the event's details, less important (not mandatory) fields for the event. Here, the user will be able to fill out: the event's description (default being 'no description yet' or similar), the maximum number of attendees (default being no limit) and there will also be an option for the user to select an image that will be used as the event's banner. In the case that the user wishes to navigate back to Visual I, there will be an option for that, even after editing some fields. Same as before, from here the user will be able to navigate to another visual of a similar form, this time without any form of validation, as the empty fields will simply take their default values.

6.3 Visual III

Description: This visual is strictly for quest configuration. Here the user will be provided with a scrollable interface of possibilities for the quests their event could have. The user can select as many quests as they want for their event and can even add their very own quest ideas. These custom quests will only be visible to the specific event, not being saved in the preset of available quests for any new event. Also, the user can, at any point, choose to go back to the previous view, cancel the process, in which case the event will not be created and the visual will close, or create the event, exiting the view.

7. Events Listing View(Amalia Antici)

7.1 General Presentation

The Event Listing View displays all active and public events available in the application. An event is considered active if its scheduled date and time are in the future or if the event is currently ongoing. An event is considered public if every user on the platform can join it. Each event is created by a user and it automatically becomes the administrator of his created event.

All of the events shown on this view are sorted chronologically by their date. The ones that are about to be in the near future are shown first.

A user should be able to enroll in any listed event, as long as the number of people attending the event is strictly smaller than the total capacity of the event. If that is not the case, a clear indication that the event is full should be displayed, and the user should not be able to enroll in the event.

If a user tries to enroll in an event, but the event overlaps with another event they have already joined, i.e. this event will not be finished, before the other event will start, a warning message should be displayed, and the user should be asked to confirm they want to enroll in the event, or to cancel. If the user confirms, they are enrolled in the event, otherwise, nothing should happen.

From this view the user has also the possibility to create an event and is redirected into another view. More about this at the Create Event.

Each event will show briefly the date and time, location, maximum capacity and announced participants so far along with a photo for the event. From this section the user has the possibility to join events. More about this at My Events Section.

If the user selects an event, he is redirected to the Event's Details Section.

7.2. Filtering and searching

Searching and filtering functionalities are provided so the user can see specific events.

The search lets the user find events by a substring of their title.

The filtering offers 3 possibilities: filter by category, by location and/or by date. The location filtering offers the user the capability to find an event in a location he inputs. The filtering by category provides a list of predefined categories which contains NATURE, FITNESS, MUSIC, SOCIAL, ART, PETS, TECH, FUN to choose from. On the date filter, the user can choose only a date (ex. March 30 2026) or a range of

days (ex. March 28-March 30 2026). If multiple filtering is used, the events given back to the user must meet all criteria.

For both the filtering and searching if no event is found with the options provided, a specific message is shown.

8. Event Details

The user shall be able to view, for an event, more details about it, including things like the event title, the event description, date, location and number of enrolled participants. From this visual, the user should be able to easily enroll in the event, as well as navigate to the event announcements, discussions, and memories.

9. Event Reputation & Achievement System (A.R.)

9.1 Reputation Points (RP) Accumulation

Description: The system shall track and update a user's reputation score based on their activity across all events. The score is a cumulative integer that can increase or decrease, yes even into the negatives but only up to -1000. The following actions will influence your RP: Creating an event +5RP, One of your events reaching 10 or more participants +20RP (awarded once per event when the threshold is first crossed),Submitting a quest +6RP, Having quest submission approved +10RP, Adding a memory that includes a photo +4RP (plain text memories, no matter how impressive, will receive 1RP), Posting a message in an event's discussion +1RP per message, Having a quest submission denied -4RP, Cancelling an event (as EventAdmin) -20RP, Having your message be removed from discussion -10RP per message. The system will ensure that RP changes are applied automatically and that a user's total score is always displayed in the specific field part of MyEvents.

9.2 RP Penalties

Description: Certain negative scores will entail proper punishments for the user, such as: at -300RP the user will no longer be allowed to post memories, at -500RP the user will not longer be able to post messages in discussions, at -700RP the user will no longer be allowed to create events and finally at -1000RP this problematic user will not even be permitted to mark attendance to events.

9.3 RP Thresholds

Description: Each user may belong to a single tier that is unlocked automatically based on the number of RP. If a user has between 0-49 points they are in the Newcomer tier, if they have between 50-199 RP they are a Contributor. Between 200-499 is the Organizer tier, between 500-999 is the Community Leader tier and

anything above 1000 is the Event Master tier. When a user's score crosses a threshold into a new tier, the system shall automatically update it.

9.4 Achievements

Description: The system will award users with achievements for meeting specific tasks goals. These achievements are persistent and, once earned, will not be lost. (Users can unlock different achievements). At least the following achievement exist:
First Steps :unlocked on confirming for the first time event attendance
Proper Host: unlocked when user creates 3 events
Distinguished gentleperson: unlocked when user creates 10 events
Quest Solver: unlocked when user completes 25 approved quests
Quest Master: unlocked when user completes 75 approved quests
Quest Champion: unlocked when user completes 150 approved quests
Memory Keeper: unblocked when user 50 memories with photos
Social Butterfly: unblocked when user posts 100 discussion messages
Event Veteran: unblocked when user attends 10 different events
Perfectionist: unblocked when user achieves 100% quest completion in an event

9.5 View Tier and RP and Achievements

The user will be able to see their own reputation points as a numerical value, their current tier title and their achievements in a dedicated visual with a brief description of the unlock condition.

10. Statistics and Analytics for EventAdmin

General presentation:
This section is dedicated to the admin of each event and is visible only by them. On this view different statistics are shown based on the created event.

10.1 Participant overview:

This statistic presents the following information: total number of participants - the number of users who joined the event, active participants - users who have posted at least 1 message, memory, or quest submission and engagement rate which is computed as (active_participants/total_participants) x 100.

10.2 Engagement breakdown:

This statistic presents the following information: total discussion messages - a count of all discussions messages, total memories - count of all memories uploaded to his event, total quests submissions - a count of quests proof submitted and an approved vs denied quests rate - this rate is computed as:
approved_quests_rate=(approved_quests/total_submitted_quests)x100;
denied_quests_rate=100%-approved_quests_rate.

10.3 Participant Leaderboard:

A leaderboard of participants ranked by total score calculated from their activity will be displayed. The total score is calculated with the following formula: messages count + (memories count * 2) + (quests completed count * 3). The leaderboard will contain: user name, user tier, messages count, memories count, quests completed, and total score. The leaderboard shows users sorted descending by total score. At max, the first 100 users with the highest score should be displayed.

10.4 Quest Analytics:

This part will provide analytics for quests to visualize quest performance. For each quest, the quest name, as well as the number of people who completed the quest, should be displayed.

11. Notifications

The user shall be able to view all their received notifications and may delete their own notifications. A notification consists of a title (e.g. “Achievement unlocked!”, “Quest results back!”, “New announcement”) and description. For example, the user shall receive notifications when an event they are attending posts a new announcement, when a submitted quest is approved or denied by the admin, when a user is mentioned, and when a new achievement is reached.