HKN CS61B Midterm 1 Review

Anthony Sutardja Harry Wallace Riyaz Faizullabhoy

```
class Ref1{
    public static void main(String[] args){
        int lol = 5;
        int wat = 10;
        lol = wat;
        lol = lol + 1;

        System.out.println(wat);
    }
}
```

What does the main method print out?

10

```
class Ref2{
   public static void main(String[] args){
      String a = "Cookies";
      String b = "Pizza rolls";
      String c = a;
      a = b;

      System.out.println(c);
   }
}
```

What does the main method print out?

Cookies

```
Burrito yum = new Burrito();
Food f = yum;
boolean check = (f == yum);
System.out.println(check);
```

What does the following print?

true

```
class Stack{
    public static void change1(int[] i){
        change2(i);
        i[0] = i[0] + 100;
    public static void change2(int[] i){
        int[] j = {0, 0, 0};
        i = j;
    public static void main(String[] args){
        int[] arr = {1, 2, 3};
        change1(arr);
        System.out.println(arr[0]);
```

What does the main method print out? 101

Doubly Linked Lists!

```
public class DList {
  protected DListNode head;
  protected DListNode tail;

  public void moveToEnd() {
    // Moves the first node of the list to the end
    /* YOUR CODE HERE */
  }
}
```

Fill in moveToEnd(), a method to move the head of the DList to its tail.

Assume you have access to next and prev attributes.

Doubly Linked Lists!

```
public class DList {
 protected DListNode head;
 protected DListNode tail;
  public void moveToEnd() {
   // Moves the first node of the list to the end
    if(head != null) {
      tail.next = head;
      head.prev = tail;
      tail = head;
      head = head.next;
      tail.next = null;
      head.prev = null;
```

Try drawing the pointers!

```
public void trim(int min, int max, SList list) {
   /* YOUR CODE HERE */
}
```

Write a method trim that will **destructively** remove elements from the input singly-linked list which have a value less than min or greater than max.

You can assume the input list is not null, and is comprised of SListNode's

You can also assume the head attribute in SList, and the next and value attributes in SListNode

```
public void trim(int min, int max, SList list) {
 SListNode curr = list.head.next;
  SListNode prev = list.head;
 while (curr != null) {
    if ((curr.value < min) || (curr.value > max)) {
      prev.next = curr.next;
      curr = curr.next;
    } else {
      prev = curr;
      curr = curr.next;
  }
  if ((list.head.value < min) | (list.head.value > max)) {
    list.head = list.head.next;
             Try drawing the pointers!
```

Write a method to return a **new** singly-linked list that only contains the odd elements of the input list.

```
public SList odd_list(SList list) {
   /* YOUR CODE HERE */
}
```

You can assume the input list is not null, and is comprised of SListNode's

You can also assume the head attribute in SList, and the next and value attributes in SListNode

```
public SList odd_list(SList list) {
 SList oddList = new SList();
 boolean addedHead = false;
 SListNode curr = list.head;
 SListNode newHead = newSListNode();
 SListNode prev;
 while (curr != null) {
    if (curr.value % 2 == 1) {
      if (!addedHead) {
           newHead.value = curr.value;
           oddList.head = newHead;
           prev = newHead;
           addedHead = true;
      } else {
           SListNode oddNode = new SListNode();
           oddNode.value = curr.value;
           prev.next = oddNode;
           prev = oddNode;
       }
    }
   curr = curr.next;
 return oddList;
```

Basics:

- Natural class hierarchy!
- Subclasses extend Superclasses

$$A a = new B();$$

Static Type

Dynamic Type

Constructors:

There is always an implied call to the superclass constructor on the FIRST LINE.

```
class Child extends Parent {
    public Child() {
        System.out.println("hi!");
    }
}

these are the same!

class Child extends Parent {
    public Child() {
        super();
        System.out.println("hi!");
    }
}
```

(side note: the explicit call to super() can only be in the first line)

Dynamic Method Lookup:

If we **override** a method in a subclass, it will always be called if the dynamic type of our object is that of the subclass

overridden methods must have the same **signature** (name, arguments)

Field Shadowing:

We always consider the **static type** for looking up attributes (for example, object.attribute will look at the object's static type)

Putting it all together:

Making an object:

1. If the static type is a subclass of the dynamic type, COMPILE-TIME ERROR

```
ex: Cat c = new Animal();
```

2. Call the superclass constructor executes **first**, then execute the subclass constructor (implicit call to super();)

Casting:

1. We can cast "up" to any superclass without any problems

```
ex: Cat c = new Cat();
((Animal) c) is a valid cast.
```

- 2. We can only cast "down" to the object's dynamic type
 - --> if we cast "down" to a subclass below the dynamic type, RUN-TIME ERROR

```
ex: Animal a = new Animal();

((Cat) a) will give us a run-time error!!
```

Putting it all together:

Calling Methods

- 1. Does the static type of the object have this method?
 - --> If not, COMPILE TIME ERROR
 - ex: Cat c = new Cat();

c.woof(); would give us a compile time error, assuming Cat/its superclass doesn't define the method woof

- 2. Now, look at the dynamic type of the object -- is this method overridden?
- --> If the signature is the **EXACT SAME**, **use this method!** This is dynamic method lookup.

Attribute Lookup

- 1. Does the static type of the object have this attribute?
 - --> If so, use this value! If not, COMPILE TIME ERROR

```
public class Superhero {
   String s;
   public Superhero() {
        s = "I'M A SUPERHERO";
        System.out.println(s);
   }

   public void punch() {
        System.out.println("Punch! Punch!");
   }

   public void punch(Superhero a) {
        System.out.println("BOOM " + s);
   }
}
```

```
public class Batman extends Superhero {
   String s;
    public Batman() {
       s = "NANANANANANA";
    public Batman(String s) {
       this.s = s;
       System.out.println(this.s);
    }
    public void punch(Superhero v) {
       s = "BATMAN!";
       super.punch(v);
       System.out.println("BOOM " + s);
    public void punch(Batman b) {
       System.out.println("Wat.");
```

```
public class Batman extends Superhero {
public class Superhero {
                                                        String s;
   String s;
                                                        public Batman() {
   public Superhero() {
                                                            s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                            this.s = s;
   public void punch() {
                                                            System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                        }
                                                        public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                            s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                            super.punch(v);
                                                            System.out.println("BOOM " + s);
                                                        public void punch(Batman b) {
                                                            System.out.println("Wat.");
Superhero superhero = new Superhero();
superhero.punch(superhero);
```

```
public class Batman extends Superhero {
public class Superhero {
                                                       String s;
   String s;
                                                       public Batman() {
   public Superhero() {
                                                           s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                       public Batman(String s) {
                                                           this.s = s;
   public void punch() {
                                                           System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                       }
                                                       public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                           s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                           super.punch(v);
                                                           System.out.println("BOOM " + s);
                                                       public void punch(Batman b) {
                                                           System.out.println("Wat.");
Superhero superhero = new Superhero();
                                                        "I'M A SUPERHERO"
superhero.punch(superhero);
                                                        "BOOM I'M A SUPERHERO"
```

```
public class Superhero {
   String s;
   public Superhero() {
       s = "I'M A SUPERHERO";
       System.out.println(s);
   public void punch() {
       System.out.println("Punch! Punch!");
   public void punch(Superhero a) {
       System.out.println("BOOM " + s);
Batman batman = new Batman("I'M
BATMAN!");
batman.punch(batman);
```

```
public class Batman extends Superhero {
   String s;
    public Batman() {
       s = "NANANANANANA";
    public Batman(String s) {
       this.s = s;
       System.out.println(this.s);
    }
    public void punch(Superhero v) {
       s = "BATMAN!";
       super.punch(v);
       System.out.println("BOOM " + s);
    public void punch(Batman b) {
       System.out.println("Wat.");
```

```
public class Batman extends Superhero {
public class Superhero {
                                                        String s;
    String s;
                                                        public Batman() {
    public Superhero() {
                                                            s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                           this.s = s;
    public void punch() {
                                                            System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                        }
                                                        public void punch(Superhero v) {
    public void punch(Superhero a) {
                                                            s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                            super.punch(v);
                                                            System.out.println("BOOM " + s);
                                                        public void punch(Batman b) {
                                                            System.out.println("Wat.");
Batman batman = new Batman("I'M BATMAN!");
                                                        "I'M A SUPERHERO"
batman.punch(batman);
                                                        "I'M BATMAN!"
                                                         "wat."
```

```
public class Superhero {
   String s;
   public Superhero() {
       s = "I'M A SUPERHERO";
       System.out.println(s);
   public void punch() {
       System.out.println("Punch! Punch!");
   public void punch(Superhero a) {
       System.out.println("BOOM " + s);
Batman batman = new Superhero();
batman.punch(batman);
```

```
public class Batman extends Superhero {
   String s;
    public Batman() {
       s = "NANANANANANA";
    public Batman(String s) {
       this.s = s;
       System.out.println(this.s);
    }
    public void punch(Superhero v) {
       s = "BATMAN!";
       super.punch(v);
       System.out.println("BOOM " + s);
    public void punch(Batman b) {
       System.out.println("Wat.");
```

```
public class Batman extends Superhero {
public class Superhero {
                                                        String s;
    String s;
                                                        public Batman() {
    public Superhero() {
                                                            s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                            this.s = s;
    public void punch() {
                                                            System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                        }
                                                        public void punch(Superhero v) {
    public void punch(Superhero a) {
                                                            s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                            super.punch(v);
                                                            System.out.println("BOOM " + s);
                                                        public void punch(Batman b) {
                                                            System.out.println("Wat.");
Batman batman = new Superhero();
                                                      COMPILE-TIME ERROR!
batman.punch(batman);
```

```
public class Batman extends Superhero {
public class Superhero {
                                                        String s;
   String s;
                                                        public Batman() {
   public Superhero() {
                                                            s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                            this.s = s;
   public void punch() {
                                                            System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                        }
                                                        public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                            s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                            super.punch(v);
                                                            System.out.println("BOOM " + s);
                                                        public void punch(Batman b) {
                                                            System.out.println("Wat.");
Superhero superhero = new Batman();
superhero.punch( (Batman) superhero);
```

```
public class Batman extends Superhero {
public class Superhero {
                                                      String s;
   String s;
                                                       public Batman() {
   public Superhero() {
                                                          s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                       public Batman(String s) {
                                                          this.s = s;
   public void punch() {
                                                          System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                       public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                          s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                          super.punch(v);
                                                          System.out.println("BOOM " + s);
                                                       public void punch(Batman b) {
                                                          System.out.println("Wat.");
Superhero superhero = new Batman();
                                                       "I'M A SUPERHERO"
superhero.punch( (Batman) superhero);
                                                       "BOOM I'M A SUPERHERO"
                                                       "BOOM BATMAN!"
```

```
public class Superhero {
   String s;
   public Superhero() {
       s = "I'M A SUPERHERO";
       System.out.println(s);
   public void punch() {
       System.out.println("Punch! Punch!");
   public void punch(Superhero a) {
       System.out.println("BOOM " + s);
Batman batman = new Batman();
((Superhero) batman).punch(batman);
```

```
public class Batman extends Superhero {
   String s;
    public Batman() {
       s = "NANANANANANA";
    public Batman(String s) {
       this.s = s;
       System.out.println(this.s);
    }
    public void punch(Superhero v) {
       s = "BATMAN!";
       super.punch(v);
       System.out.println("BOOM " + s);
    public void punch(Batman b) {
       System.out.println("Wat.");
```

```
public class Batman extends Superhero {
public class Superhero {
                                                       String s;
   String s;
                                                       public Batman() {
   public Superhero() {
                                                          s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                       public Batman(String s) {
                                                          this.s = s;
   public void punch() {
                                                          System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                       }
                                                       public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                          s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                          super.punch(v);
                                                          System.out.println("BOOM " + s);
                                                       public void punch(Batman b) {
                                                          System.out.println("Wat.");
Batman batman = new Batman();
                                                       "I'M A SUPERHERO"
((Superhero) batman).punch(batman);
                                                       "BOOM I'M A SUPERHERO"
                                                       "BOOM BATMAN!"
```

```
public class Batman extends Superhero {
public class Superhero {
                                                        String s;
   String s;
                                                        public Batman() {
   public Superhero() {
                                                            s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                            this.s = s;
   public void punch() {
                                                            System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                        }
                                                        public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                            s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                            super.punch(v);
                                                            System.out.println("BOOM " + s);
                                                        public void punch(Batman b) {
                                                            System.out.println("Wat.");
Superhero superhero = new Superhero();
superhero.punch( (Batman) superhero);
```

```
public class Batman extends Superhero {
public class Superhero {
                                                       String s;
   String s;
                                                       public Batman() {
   public Superhero() {
                                                           s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                           this.s = s;
   public void punch() {
                                                           System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                       public void punch(Superhero v) {
    public void punch(Superhero a) {
                                                           s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                           super.punch(v);
                                                           System.out.println("BOOM " + s);
                                                       public void punch(Batman b) {
                                                           System.out.println("Wat.");
Superhero superhero = new Superhero();
                                                        RUN-TIME FRROR!
superhero.punch( (Batman) superhero);
```

```
public class Batman extends Superhero {
public class Superhero {
                                                        String s;
   String s;
                                                        public Batman() {
   public Superhero() {
                                                            s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                        public Batman(String s) {
                                                            this.s = s;
   public void punch() {
                                                            System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                        }
                                                        public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                            s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                            super.punch(v);
                                                            System.out.println("BOOM " + s);
                                                        public void punch(Batman b) {
                                                            System.out.println("Wat.");
Superhero superhero = new Batman();
superhero.punch( (Batman) superhero);
```

```
public class Batman extends Superhero {
public class Superhero {
                                                      String s;
   String s;
                                                       public Batman() {
   public Superhero() {
                                                          s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                       public Batman(String s) {
                                                          this.s = s;
   public void punch() {
                                                          System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                       public void punch(Superhero v) {
   public void punch(Superhero a) {
                                                          s = "BATMAN!";
       System.out.println("BOOM " + s);
                                                          super.punch(v);
                                                          System.out.println("BOOM " + s);
                                                       public void punch(Batman b) {
                                                          System.out.println("Wat.");
Superhero superhero = new Batman();
                                                       "I'M A SUPERHERO"
superhero.punch( (Batman) superhero);
                                                       "BOOM I'M A SUPERHERO"
                                                       "BOOM BATMAN!"
```

NOTE the changed source code!

```
public class Superhero {
   String s;
   public Superhero() {
       s = "I'M A SUPERHERO";
       System.out.println(s);
   public void punch() {
       System.out.println("Punch! Punch!");
Batman batman = new Batman();
((Superhero) batman).punch(batman);
```

```
public class Batman extends Superhero {
   String s;
   public Batman() {
       s = "NANANANANANA";
    public Batman(String s) {
       this.s = s;
       System.out.println(this.s);
    }
    public void punch(Superhero v) {
       s = "BATMAN!";
       super.punch(v);
       System.out.println("BOOM " + s);
    public void punch(Batman b) {
       System.out.println("Wat.");
```

NOTE the changed source code!

```
public class Batman extends Superhero {
public class Superhero {
                                                       String s;
   String s;
                                                       public Batman() {
   public Superhero() {
                                                           s = "NANANANANANA";
       s = "I'M A SUPERHERO";
       System.out.println(s);
                                                       public Batman(String s) {
                                                           this.s = s;
   public void punch() {
                                                           System.out.println(this.s);
       System.out.println("Punch! Punch!");
                                                       }
                                                       public void punch(Superhero v) {
                                                           s = "BATMAN!";
                                                           super.punch(v);
                                                           System.out.println("BOOM " + s);
                                                       public void punch(Batman b) {
                                                           System.out.println("Wat.");
Batman batman = new Batman();
                                                        COMPILE-TIME ERROR
((Superhero) batman).punch(batman);
```

Good luck on your midterm!



HKN Office Hours

Monday - Friday, 11:00am-5:00pm 345 Soda 290 Cory

hkn.eecs.berkeley.edu