

Problem

Submissions

Leaderboard

Discussions

Editorial

Tutorial

Check the [Tutorial](#) tab to know learn about division operators.

Task

The provided code stub reads two integers, `a` and `b`, from STDIN.

Add logic to print two lines. The first line should contain the result of integer division, `a // b`. The second line should contain the result of float division, `a / b`.

No rounding or formatting is necessary.

Example

- The result of the integer division `4 // 3` is `1`.
- The result of the float division is `1.3333333333333333`.

Print:

0  
0.6

Input Format

The first line contains the first integer, `a`.

The second line contains the second integer, `b`.

Output Format

Print the two lines as described above.

Sample Input 0

4  
3

Sample Output 0

1  
1.3333333333333333

Change Theme

Language

Pypy 3



```
1 if __name__ == '__main__':
2     a = int(input())
3     b = int(input())
4     print(a//b)
5     print(a/b)
6
```

Line: 6 Col: 1

Upload Code as File

Run Code

Submit Code



Test against custom input

Problem

Submissions

Leaderboard

Discussions

Editorial

Tutorial

Check the [Tutorial](#) tab to know learn about division operators.

Task

The provided code stub reads two integers, **a** and **b**, from STDIN.

Add logic to print two lines. The first line should contain the result of integer division, **a // b**. The second line should contain the result of float division, **a / b**.

No rounding or formatting is necessary.

Example

**a = 3**  
**b = 5**

- The result of the integer division **3//5 = 0**.
- The result of the float division is **3/5 = 0.6**.

Print:

0  
0.6

Input Format

The first line contains the first integer, **a**.

The second line contains the second integer, **b**.

Output Format

Print the two lines as described above.

Sample Input 0

4  
3

Sample Output 0

1  
1.333333333333

Change Theme Language Pypy 3

```
1  if __name__ == '__main__':
2      a = int(input())
3      b = int(input())
4      print(a//b)
5      print(a/b)
6
```

Line: 6 Col: 1

☐ Test against custom input