

SOSC 4300/5500: Small-world Networks, Weak Ties and Diffusion

Han Zhang

Outline

Strength of Weak Ties

Weak Ties, Diffusion and Tipping Points

Watts-Strogatz Model

- Last week:
- A few rewiring can drastically decreases the average distance between nodes (diameter), while still keeping clustering coefficient high
- Demo: <http://www.netlogoweb.org/launch>

Strength of Weak Ties


- Watts-Strogatz model nicely connects with the study of weak ties
- 1960s: Milgram's small world experiments
 - Hinted that long-range ties are important for bridging otherwise distant nodes
- Mark S. Granovetter, *The Strength of Weak Ties*, American Journal of Sociology **78** (1973), no. 6, 1360–1380
 - Substantive question: *where do people get useful information during job searches*
 - Inspired by Milgram: from weak ties
 - Granovetter did not touch the idea of small-worlds
- Watts-Strogatz model links the idea of **weak ties** with the idea of **small worlds**

Strength of Weak Ties

- Granovetter's study has two parts
- The first part is a mathematical theory of why weak ties are important in **spreading information**
 - This part is very general
- The second part is an empirical application in job search settings
- Funny story: this article was also rejected early on
- <https://scatter.files.wordpress.com/2014/10/granovetter-rejection.pdf>

Connectivity of networks

- Connectivity of networks
- If you can go from one node to any other node in a network, the network is **connected**
- Otherwise, each subgraph that is connected inside is called **connected component**
- And the largest connected subgraph is called **largest connected component**




Connectivity

- Theorem (Erdos and Renyi, 1960): in a Erdos-Renyi random network
 - if $p > \frac{1}{n}$, then almost surely the largest connected component will contain over $n^{\frac{2}{3}}$ nodes
 - in human language, at least $n^{\frac{2}{3}}$ nodes will be connected
 - if $p > \frac{\ln(n)}{n}$, then almost surely the entire network is connected
- Implication: it is very easy for a social network to be connected
- And the larger the size n , the easier for a network to be connected


Bridge

- **Bridge** characterizes key edges in reducing the diameter of networks
- An edge $\langle A, B \rangle$ is an bridge, if its removal will make A and B into two separate connected components
- Another way to think: the removal of a bridge increases the distance to ∞



Local Bridge

- In large networks it is rare to see an bridge
- A weaker version is **local bridge**: $\langle A, B \rangle$ is a local bridge if they do not have common friends
 - In other words, the removal of a local bridge $\langle A, B \rangle$ will increase the distance between A and B to at least 2



Math model of weak ties

- Now let us link local bridge with weak ties
- Simplest network model: 0/1
- Adding a little bit complexity: 0 (no tie)/strong tie / weak tie
- And adding a critical assumption: **strong triadic closure property**

if A have strong ties to both B and C, then B and C must have at least a weak tie




FIG. 1.—Forbidden triad

Weak ties and Local Bridge

- Theorem: (Granovetter, 1973)

For any node A in a network, assuming:


- 1. A follows strong triadic closure property*
- 2. A have at least two strong ties*

*then **local bridges** that include A **must be weak ties***

- Note: the reverse is not necessary true ; weak ties are not necessarily local bridges

Proof

- *Proof by contradiction*
 - Assume $\langle A, B \rangle$ is a local bridge and a strong tie
(contradiction here)
 - Since A is involved in at least two strong ties by Assumption 2, and the edge to B is only one of them, it must have a strong tie to some other node
 - Say that other node is F
 - By Assumption 1 (strong triadic closure property), B and F must be friends
 - This violates the definition of local bridge: A and B should not have common friends



Contributions of Granovetter's model

- Before Granovetter, **weak tie** were rarely studied
 - Think about survey of ego-networks, which almost always study *strong ties*, not weak ties
 - E.g., GSS: "Whom do you discuss important matters with"
- Granovetter's contribution:
 - One extra piece of complexity (from 0/1 to 0/weak tie/strong tie)
 - And one reasonable assumption (strong triadic closure)
 - Lead to an insightful observation: weak ties are very important because they must be local bridges, which reduces distances between nodes and thus makes information diffusion faster

Comparisons

	Focus	Empirical/Theoretical
Milgram	Small World	Empirical; measurement
Granovetter	Weak Ties	Both
Watts-Strogatz	Small world and weak ties	Theoretical

Empirical part of Granovetter 1973

- Granovetter then tested his argument in real-world empirically
- Interviewed professionals in Boston who found a job through a contact, asked these people: “how often did they see the contact?”
 - often (at least twice a week): 17%
 - occasionally (more than once a year but less than twice a week): 56%
 - rarely (once a year or less): 28%
- What are potential problems of this approach?

Shortcomings

- Selecting on dependent variables. Maybe people find jobs through weak ties because they have more weak ties?
 - Valery Yakubovich, *Weak Ties, Information, and Influence: How Workers Find Jobs in a Local Russian Labor Market*, American Sociological Review **70** (2005), no. 3, 408–421
- Context: strong ties may be more important in finding jobs in different cultural contexts
 - Yanjie Bian, *Bringing Strong Ties Back in: Indirect Ties, Network Bridges, and Job Searches in China*, American Sociological Review **62** (1997), no. 3, 366–385

Modern advancements


- Eric Gilbert and Karrie Karahalios, *Predicting tie strength with social media*, Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (New York, NY, USA), CHI '09, Association for Computing Machinery, 2009, pp. 211–220
- Using Facebook's data (objective, behavioral) to predict tie strength (subjective, answered by respondents)
- Outcomes: “how strong is your relationship with this person?”
 - There are other subsequent outcomes, such as “how helpful would this person be if you were looking for a job”
- Predictors: 74 different measures constructed by the authors
 - [in class activities]: write down a possible measure of tie strength based on Facebook data

Results

Top 15 Predictive Variables	β	F	p-value
Days since last communication	-0.76	453	< 0.001
Days since first communication	0.755	7.55	< 0.001
Intimacy \times Structural	0.4	12.37	< 0.001
Wall words exchanged	0.299	11.51	< 0.001
Mean strength of mutual friends	0.257	188.2	< 0.001
Educational difference	-0.22	29.72	< 0.001
Structural \times Structural	0.195	12.41	< 0.001
Reciprocal Serv. \times Reciprocal Serv.	-0.19	14.4	< 0.001
Participant-initiated wall posts	0.146	119.7	< 0.001
Inbox thread depth	-0.14	1.09	0.29
Participant's number of friends	-0.14	30.34	< 0.001

Nonlinearity in networks

- Watts-Strogatz model also reveals **non-linearity** in networks
- Increasing p from 0 (more re-wired edges)
 - has a **highly nonlinear** negative effect on diameter L
 - has a **linear** negative effect on clustering coefficient C
- Implications: “equally significant changes in **global structure** can result from changes in **local structure that are so minute** as to be effectively undetectable at the local level.”



Nonlinearity in networks

- This is an example of the “butterfly effect”
 - Also called **phase transition** in academic jargon
- A small change around a **tipping points** (here, $p = 0$ or $p = 0.001$) for some individuals
 - Lead to a drastically different world for the entire network
- These kinds of phase transitions **cannot be captured by linear regressions** and its extensions
- Observing many other properties in networks exhibit phase transitions, network scientists generally doubts the linear way of thinking about the world
 - Instead, they want to study connections as a whole, or as a “complex system”

Social diffusion/contagion

- Let us look at another example that exhibits phase transition
- Social diffusion/contagion: individual behaviors can spread along social networks
- Early adopters will make some individual decisions
- Examples
 - Participating a protest
 - Start using an innovative product
 - Know some new information
 - Infected diseases
 - Leaving parties
- Other people's behaviors depend on how they are connected with early adopters

Consequence of social diffusion

- Assume some early adopters have adopted certain behaviors, such as spreading some rumors or starting using a new iPhone app.
 - In academic jargon, these early adopters are **activated**
- Whether the entire network will adopt that behavior?
- Or ask it differently, how quick the entire network will adopt that behavior?

Watts-Strogatz model's implication

- As long as there is a few weak ties, network becomes a small-world
- And small-world network means that information and disease can spread very rapidly
- Bad side: it takes only a few contagious people to travel between remote regions to make the entire population highly vulnerable to epidemics
- Good side: only a few weak ties can help you obtain the critical information about job searches (Granovetter)
- But overall, as long as $p > 0$, it's very quick for the entire network to adopt a new behavior

Diffusion on Watts-Strogatz's small-world networks

- demo:


[http://modelingcommons.org/browse/one_model/5216#
model_tabs_browse_nlw](http://modelingcommons.org/browse/one_model/5216#model_tabs_browse_nlw)

Simple vs. Complex Diffusion


- However, there are two types of diffusion
- Simple contagion: e.g., the spread of COVID or spread of information
 - As long as you have 1 close contact infected, you have a chance to be infected
 - Of course, if you have more than 1 close contacts infected, your chance of infection is a lot more higher
- Complex contagion: e.g., joining a risky protest
 - One friend participating may not be enough
 - Perhaps need multiple friends' confirmation
- [In-class discussions]: can you think of more examples?

Simple contagion


D Centola, M Macy - American Journal of Sociology, 2007



Complex contagion



Complex
Contagion
Process



Complex contagion


- Damon Centola and Michael Macy, *Complex contagions and the weakness of long ties*, American Journal of Sociology **113** (2007), no. 3, 702–734
- The exact setup as Duncan J. Watts and Steven H. Strogatz, *Collective dynamics of 'small-world' networks*, Nature **393** (1998), no. 6684, 440–442
- But add another parameter: **threshold**
 - Threshold = 1: simple contagion; if one of your friends adopt something, you have a non-zero chance to adopt that
 - Threshold = $k > 1$: complex contagion; you will adopt something only if no less than k of your friends adopted that
- Overall, the model has two critical parameters now
 - p : the rewiring probability; 0 vs > 0 (determining the number of weak ties)
 - threshold: 1 vs. more than 1

Complex contagion

- If threshold > 1 , then there are two competing forces as p increases (adding weak ties)
- Diameter quickly decreases; **good** for diffusion
- But a weak tie will certainly make the remote node not satisfying the threshold requirement; **bad** for diffusion
- Macy and Centola found that increasing p still helps a little bit for quick diffusion to the entire network, but not that much as compared with simple contagions

Complex contagion

- Look at the NetLogo demo again
- Also Macy and Central's figure



Complex contagion

- Conclusions:
- Still, there is a critical threshold for p , but it's no longer 0
- And the range of p that allows for speedy diffusion is very narrow, compared with the case of simple contagion
- Finally, the effect of p (adding weak ties) on diffusion outcomes for the entire network is also **non-linear**

Summary

- For simple contagion, as long as there is a few ($p > 0$) weak ties, the diffusion speed to the entire network is drastically reduced; the effect of weak ties on diffusion speed is **non-linear**
- For complex contagion; the effect of weak ties on diffusion speed is also **non-linear**, but the tipping point for p is no longer 0.
- Either way, if you measure individual's tie strength and want to use linear regressions to study global diffusion patterns, it's likely to fail

Two types of computational social sciences

- Two parallel developments of computational social sciences
- For studying complex networks
 - Social phenomena are non-linear; we need to study it as a complex network
 - A natural hybrid of theory-driven mathematical simulations and empirical analysis using big data
 - A **new paradigm**; from studying attributes to studying connections; big mind shift.
- For measurement
 - E.g., applying machine learning techniques on text data to generate some variables, and then put these variables into a linear regressions to test some theories
 - Mostly an empirical approach: **old theory + new data**