Lifecycle of Activities & Fragments in Android

Introduction to lifecycle states and callbacks

Slides By Alireza Kazemi, Content From: https://developer.android.com/training/basics/fragments/

States of an Activity



States of an Activity

- Resumed (Running)
  - The activity is in the foreground of the screen and has user focus.
- Paused
  - Another activity is in the foreground and has focus, but this one is still visible.
  - A paused activity is completely alive
  - The Activity object is retained in memory
  - It maintains all state and member information
  - Remains attached to the window manager
  - Can be killed by the system in extremely low memory situations.
- Stopped
  - The activity is completely obscured by another activity (the activity is now in the "background")
  - Is also still alive (the Activity object is retained in memory, it maintains all state and member information
  - Is *not* attached to the window manager
  - It can be killed by the system when memory is needed elsewhere

Activity Lifecycle Callbacks

```
public class ExampleActivity extends Activity {
    @Override
    public void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        // The activity is being created.
    }
    @Override
    protected void onStart() {
        super.onStart();
        // The activity is about to become visible.
    }
    @Override
    protected void onResume() {
        super.onResume();
        // The activity has become visible (it is now "resumed").
    }
    @Override
    protected void onPause() {
        super.onPause();
        // Another activity is taking focus (this activity is about to be "paused")
    }
    @Override
    protected void onStop() {
        super.onStop();
        // The activity is no longer visible (it is now "stopped")
    }
    @Override
    protected void onDestroy() {
        super.onDestroy();
        // The activity is about to be destroyed.
    }
}
```

Activity Lifecycle Callbacks