

**TABLE OF CONTENTS**

Plaster Truss .....	1	East Bay .....	6
SR Tongue .....	1	West Bay .....	7
SL Tongue .....	2	ExtendedTongue .....	7
FLOOR .....	2	Balcony Rail .....	8
South Pipe .....	3	3rd Electric .....	8
North Pipe .....	4	Lower Handrail .....	8
FOH Truss .....	5	2nd Electric .....	9
1st Electric .....	5	Deck .....	9

FINAL

**Plaster Truss**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(67)		
3	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(91)		
4	ETC Source 4 36deg 750 W+C-Clamp	750w	Neutral	<input type="radio"/> O/W	(46)		
5	ETC Source 4 50deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(8)		
6	Clay Paky Axcor Profile 600	800w	Automation		(174)		
7	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(9)		
8	ETC Source 4 Jr Zoom+C-Clamp	575w	Neutral	<input type="radio"/> O/W	(47)		
9	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(92)		
11	ETC Source4 LED2LS 70deg+C-Clamp	171w	Drop Wash	<input type="radio"/> O/W	(238)		
11	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(68)		

**SR Tongue**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
2	Clay Paky Alpha Spot HPE 300	300w	Automation		(163)		
3	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(85)		
4	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	<input type="radio"/> O/W, T: A1054	(104)		
5	Clay Paky ALEDA B EYE K20	555w	Automation		(159)		
6	Clay Paky Alpha Spot HPE 300	300w	Automation		(164)		
7	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	<input type="radio"/> O/W, T: A1054	(108)		
8	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(89)		
9	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(65)		
10	Clay Paky Axcor Profile 600	800w	Automation		(173)		

**SL Tongue**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	Clay Paky Axcor Profile 600	800w	Automation		(172)		
2	ETC Source4 LED2LS 50deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(62)		
3	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(86)		
4	ETC Source 4 50deg 750 W+C-Clamp	750w	Star Breakup	<input checked="" type="radio"/> L725, T:A1061	(127)		
5	Clay Paky Alpha Spot HPE 300	300w	Automation		(161)		
6	ETC Source 4 36deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(31)		
7	Clay Paky ALEDA B EYE K20	555w	Automation		(160)		
8	ETC Source 4 50deg 750 W+C-Clamp	750w	Star Breakup	<input checked="" type="radio"/> L725, T:A1061	(123)		
9	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(82)		
10	Clay Paky Alpha Spot HPE 300	300w	Automation		(162)		

















**FLOOR**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1			LED Tape		(609)		
2			LED Tape		(608)		
3			LED Tape		(607)		
4			LED Tape		(606)		
5			LED Tape		(605)		
6			LED Tape		(604)		
7			LED Tape		(603)		
8			LED Tape		(602)		
9			LED Tape		(601)		

## South Pipe

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 36deg 750 W+C-Clamp	750w	Star Breakup	<input type="radio"/> O/W, T: A1061	(130)		
2	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(6)		
3	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(2)		
4	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	<input type="radio"/> O/W, T: A1054	(126)		
5	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(221)		
6	ETC Source 4 36deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(30)		
7	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(222)		
8	ETC Source 4 26deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(27)		
9	ETC Source 4 50deg 750 W+C-Clamp	750w	Tree Breakup	<input type="radio"/> O/W, T: A1054	(122)		
10	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(223)		
11	ETC Source 4 26deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(26)		
12	ETC Source 4 26deg 750 W+C-Clamp	750w	Star Breakup	<input checked="" type="radio"/> L725, T:A1061	(121)		
13	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(224)		
14	ETC Source 4 Jr Zoom+C-Clamp	575w	Warm	<input type="radio"/> R6	(22)		
15	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(225)		
16	ETC Source 4 26deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(23)		

## North Pipe

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 26deg 750 W+C-Clamp	750w	Cool	 L200	(4)		
2	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	 O/W, T: G643	(229)		
3	ETC Source 4 50deg 750 W+C-Clamp	750w	Cool	 L200	(5)		
4	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	 O/W, T: G643	(230)		
5	ETC Source 4 26deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1054	(101)		
6	ETC Source 4 26deg 750 W+C-Clamp	750w	Cool	 L200	(8)		
7	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	 O/W, T: G643	(231)		
8	ETC Source 4 50deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1054	(105)		
9	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	 L200	(9)		
10	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	 O/W, T: G643	(232)		
11	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	 L200	(13)		
12	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	 O/W, T: G643	(233)		
13	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1054	(109)		
14	ETC Source 4 Jr Zoom+C-Clamp	575w	Neutral	 O/W	(45)		
15	ETC Source 4 36deg 750 W+C-Clamp	750w	Neutral	 O/W	(49)		
16	ETC Source 4 19deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1054	(110)		


**FOH Truss**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(226)		
2	ETC Source 4 36deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(24)		
3	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(2)		
4	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(227)		
5	ETC Source 4 36deg 750 W+C-Clamp	750w	Warm	<input type="radio"/> R6	(25)		
6	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(3)		
7	ETC Source 4 26deg 750 W+C-Clamp	750w	Drop Texture	<input type="radio"/> O/W, T: G643	(228)		










**1st Electric**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source4 LED2LS 70deg+C-Clamp	171w	Drop Wash	<input type="radio"/> O/W	(241)		
1	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	<input checked="" type="radio"/> L200	(7)		
2	ETC Source4 LED2LS 70deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(71)		
2	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(66)		
3	ETC Source4 LED2LS 70deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(70)		
4	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(90)		
5	ETC Source 4 PAR WFL+C-Clamp	575w	Top	<input type="radio"/> O/W	(93)		
6	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(69)		
7	ETC Source4 LED2LS 70deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(73)		
8	ETC Source 4 36deg 750 W+C-Clamp	750w	Neutral	<input type="radio"/> O/W	(48)		
10	ETC Source4 LED2LS 70deg+C-Clamp	171w	Back	<input type="radio"/> O/W	(72)		






## East Bay

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 36deg 750 W+C-Clamp	750w	Neutral	 O/W	(44)		
2	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	 O/W	(64)		
3	ETC Source 4 50deg 750 W+C-Clamp	750w	Neutral	 O/W	(43)		
4	ETC Source 4 50deg 750 W+C-Clamp	750w	Cool	 L200	(5)		
5	ETC Source 4 36deg 750 W+C-Clamp	750w	Neutral	 O/W	(42)		
6	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	 L200	(4)		
7	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	 O/W	(63)		
8	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	 L200	(3)		
9	Clay Paky ALEDA B EYE K10	285w	Automation		(153)		
10	ETC Source 4 36deg 750 W+C-Clamp	750w	Star Breakup	 L725, T:A1061	(128)		
11	ETC Source 4 50deg 750 W+C-Clamp	750w	Cool	 L200	(10)		
12	ETC Source 4 PAR WFL+C-Clamp	575w	Top	 O/W	(87)		
13	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1054	(106)		
14	ETC Source 4 36deg 750 W+C-Clamp	750w	Warm	 R6	(32)		
15	ETC Source 4 50deg 750 W+C-Clamp	750w	Cool	 L200	(11)		
16	ETC Source 4 36deg 750 W+C-Clamp	750w	Warm	 R6	(33)		
17	ETC Source 4 PAR WFL+C-Clamp	575w	Top	 O/W	(88)		
18	ETC Source 4 36deg 750 W+C-Clamp	750w	Star Breakup	 L725, T:A1061	(129)		
19	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1054	(107)		
20	ETC Source 4 Jr Zoom+C-Clamp	575w	Cool	 L200	(12)		
21	Clay Paky ALEDA B EYE K10	285w	Automation		(154)		

**West Bay**



U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 Jr Zoom+C-Clamp	575w	Neutral	 O/W	(41)		
2	ETC Source 4 50deg 750 W+C-Clamp	750w	Star Breakup	 L725, T:A1061	(125)		
3	ETC Source4 LED2LS 36deg+C-Clamp	171w	Back	 O/W	(61)		
4	ETC Source 4 Jr Zoom+C-Clamp	575w	Tree Breakup	 O/W, T: A1017	(102)		
5	ETC Source 4 36deg 750 W+C-Clamp	750w	Cool	 L200	(1)		
6	Clay Paky ALEDA B EYE K10	285w	Automation		(151)		
7	ETC Source 4 36deg 750 W+C-Clamp	750w	Star Breakup	 L725, T:A1061	(124)		
8	ETC Source 4 PAR WFL+C-Clamp	575w	Top	 O/W	(83)		
9	ETC Source 4 PAR WFL+C-Clamp	575w	Top	 O/W	(84)		
10	Clay Paky ALEDA B EYE K10	285w	Automation		(152)		
11	ETC Source 4 36deg 750 W+C-Clamp	750w	Tree Breakup	 O/W, T: A1017	(103)		

**ExtendedTongue**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 26deg 750 W+C-Clamp	750w	Warm	 R6	(28)		
2	ETC Source 4 26deg 750 W+C-Clamp	750w	Cool	 L200	(6)		
3	Clay Paky Axcor Profile 600	800w	Automation		(171)		
4	ETC Source 4 PAR WFL+C-Clamp	575w	Top	 O/W	(81)		
5	ETC Source 4 26deg 750 W+C-Clamp	750w	Warm	 R6	(29)		
6	ETC Source 4 26deg 750 W+C-Clamp	750w	Cool	 L200	(7)		



**Balcony Rail**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 26deg 750 W+C-Clamp	750w	Warm	 R6	(21)		
2	ETC Source 4 26deg 750 W+C-Clamp	750w	Cool	 L200	(1)		

**3rd Electric**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ChromaQ Colorforce II 72	800w	Light Curtain		(141)		
2	ChromaQ Colorforce II 72	800w	Light Curtain		(142)		
3	ChromaQ Colorforce II 72	800w	Light Curtain		(143)		
4	ChromaQ Colorforce II 72	800w	Light Curtain		(144)		
5	ChromaQ Colorforce II 72	800w	Light Curtain		(145)		
6	ChromaQ Colorforce II 72	800w	Light Curtain		(146)		

**Lower Handrail**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
27	House Can Light	250w	House Lights		(188)		

**2nd Electric**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(131)		
2	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(132)		
3	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Back		(247)		
4	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(133)		
5	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(134)		
6	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Back		(246)		
7	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(135)		
8	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Back		(245)		
9	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(136)		
10	ETC Source 4 36deg 750 W+C-Clamp	750w	Drop Stars	T:A1061	(137)		

**Deck**

U#	Instrument Type & Accessory	Load	Purpose	Clr & Gbo	Chan	Ad	Dm
1	MDG ATMe w/Tank	715w	Haze		(420)		
1	ChromaQ Colorforce II 72	800w	Drop Wash		(147)		