






**3rd Truss**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	ETC Source4 LED2DS 36deg	246w	A6 Back	 O/W	(36)		
2	Martin MAC 250 Entour	250w	automation		(115)		
3	ETC Source4 LED2DS 36deg	246w	A7 Back	 O/W	(37)		
4	ETC Source4 LED2DS 36deg	246w		T:custom	(121)		
5	ETC Source4 LED2DS 36deg	246w	A8 Back	 O/W	(38)		
6	ETC Source4 LED2DS 36deg	246w		T:custom	(122)		
7	ETC Source4 LED2DS 36deg	246w	A9 Back	 O/W	(39)		
8	Martin MAC 250 Entour	250w	automation		(116)		
9	ETC Source4 LED2DS 36deg	246w	A10 Back	 O/W	(40)		

**FLOOR**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Chroma Q Colorforce II 72	533w	drop		(131)		
2	Chroma Q Colorforce II 72	533w	drop		(132)		
3	Chroma Q Colorforce II 72	533w	drop		(133)		
4	Chroma Q Colorforce II 72	533w	drop		(134)		
5	Chroma Q Colorforce II 72	533w	drop		(135)		
6	Chroma Q Colorforce II 72	533w	drop		(136)		
7	Chroma Q Colorforce II 72	533w	drop		(137)		
8	Chroma Q Colorforce II 72	533w	drop		(138)		
















## 2nd Truss

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Clay Paky K10	285w	automation		(102)		
2	ETC Source4 LED2DS 36deg	246w	A1 Back	<input type="checkbox"/> O/W	(31)		
3	S4 PAR WFL	575w	A6 Top	<input type="checkbox"/> O/W	(46)		
4	Clay Paky K20	555w	automation		(111)		
5	ETC Source4 LED2DS 36deg	246w	A2 Back	<input type="checkbox"/> O/W	(32)		
6	S4 PAR WFL	575w	A7 Top	<input type="checkbox"/> O/W	(47)		
7	Clay Paky K10	285w	automation		(103)		
8	ETC Source4 LED2DS 36deg	246w	A3 Back	<input type="checkbox"/> O/W	(33)		
9	S4 PAR WFL	575w	A8 Top	<input type="checkbox"/> O/W	(48)		
10	ETC Source4 LED2DS 36deg	246w	A4 Back	<input type="checkbox"/> O/W	(34)		
11	Clay Paky K20	555w	automation		(112)		
12	S4 PAR WFL	575w	A9 Top	<input type="checkbox"/> O/W	(49)		
13	S4 PAR WFL	575w	High Noon Special	<input type="checkbox"/> O/W	(51)		
14	S4 PAR WFL	575w	A10 Top	<input type="checkbox"/> O/W	(50)		
15	ETC Source4 LED2DS 36deg	246w	A5 Back	<input type="checkbox"/> O/W	(35)		
16	Clay Paky K10	285w	automation		(104)		

## 1st Truss

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Clay Paky Alpha HPE 300	300w	automation		(91)		
2	Source 4 26deg	750w	A6 Cool	 R359	(6)		
3	S4 PAR WFL	575w	A1 Top	 O/W	(41)		
4	ETC Source4 LED2DS 36deg	246w	A6 Front	 G872	(26)		
5	Source 4 26deg	750w	A7 Cool	 R359	(7)		
6	Source 4 36deg	575w	A7 Front	 G872	(27)		
7	S4 PAR WFL	575w	A2 Top	 O/W	(42)		
8	Source 4 26deg	750w	A6 Warm	 R310	(16)		
9	Clay Paky Alpha HPE 300	300w	automation		(92)		
10	Source 4 26deg	750w	A8 Cool	 R359	(8)		
11	Source 4 26deg	750w	A7 Warm	 R310	(17)		
12	Clay Paky K10	285w	automation		(101)		
13	S4 PAR WFL	575w	A3 Top	 O/W	(43)		
14	Source 4 36deg	575w	A8 Front	 G872	(28)		
15	Source 4 26deg	750w	A9 Cool	 R359	(9)		
16	Source 4 26deg	750w	A8 Warm	 R310	(18)		
17	S4 PAR WFL	575w	A4 Top	 O/W	(44)		
18	Clay Paky Alpha HPE 300	300w	automation		(93)		
19	Source 4 36deg	575w	A9 Front	 G872	(29)		
20	Source 4 26deg	750w	A10 Cool	 R359	(10)		
21	Source 4 26deg	750w	A9 Warm	 R310	(19)		
22	ETC Source4 LED2DS 36deg	575w	A10 Front	 G872	(30)		
23	S4 PAR WFL	575w	A5 Top	 O/W	(45)		
24	Source 4 26deg	750w	A10 Warm	 R310	(20)		
25	Clay Paky Alpha HPE 300	300w	automation		(94)		







**FOH Pipe**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Source 4 26deg	750w	A1 Cool	 R359	(1)		1
2	Source 4 26deg	575w	A1 Front	 G872	(21)		2
3	Source 4 26deg	750w	A2 Cool	 R359	(2)		3
4	Source 4 26deg	575w	A2 Front	 G872	(22)		5
5	Source 4 26deg	750w	A1 Warm	 R310	(11)		4
6	Source 4 26deg	750w	A3 Cool	 R359	(3)		6
7	Source 4 26deg	750w	A2 Warm	 R310	(12)		7
8	Source 4 26deg	575w	A3 Front	 G872	(23)		8
9	Source 4 26deg	750w	A4 Cool	 R359	(4)		9
10	Source 4 26deg	750w	A3 Warm	 R310	(13)		10
11	Source 4 26deg	750w	A5 Cool	 R359	(5)		12
12	Source 4 26deg	575w	A4 Front	 G872	(24)		11
13	Source 4 26deg	575w	A5 Front	 G872	(25)		13
14	Source 4 26deg	750w	A4 Warm	 R310	(14)		14
15	Source 4 26deg	750w	A5 Warm	 R310	(15)		15







**Conductor Pipe**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Source 4 26deg	750w	Conductor Special		(200)		
2	Source 4 26deg	750w	Conductor Special		(200)		

**SR BOX BOOM**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Source 4 26deg	750w	Side Blue	 G915	(80)		
2	Source 4 26deg	750w	Texture B	 R360, T: A2202	(81)		
3	Source 4 26deg	750w	Texture A	 L124, T: A6062	(82)		
4	Source 4 26deg	750w	Side Blue	 G915	(80)		
5	Source 4 26deg	750w	Texture B	 R360, T: A2202	(81)		
6	Source 4 26deg	750w	Texture A	 L124, T: A6062	(82)		

**SL BOX BOOM**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	Source 4 26deg	750w	Side Red	 G270	(70)		
2	Source 4 26deg	750w	Texture B	 R360, T: A2202	(71)		
3	Source 4 26deg	750w	Texture A	 L124, T: A6062	(72)		
4	Source 4 26deg	750w	Side Red	 G270	(70)		
5	Source 4 26deg	750w	Texture B	 R360, T: A2202	(71)		
6	Source 4 26deg	750w	Texture A	 L124, T: A6062	(72)		

**TBD**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	MDG ATMe	715w	HAZE		(420)		

**FOH Cat**

U#	Instrument Type & Accessory	Load	Purpose	Color & Gobo	Chan	Ad	Dim
1	ETC Source 4 LEDLS 14deg+ Light Acc C-Clamp	117w	Spot	<input type="checkbox"/> O/W	(151)		
2	ETC Source 4 LEDLS 14deg+ Light Acc C-Clamp	117w	Spot	<input type="checkbox"/> O/W	(152)		

WORKING