

Directed by Dr. Wesley Longacre

Lighting Design by Henry Ledbetter

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
<b>(1)</b>	West Bay	5	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
	Balcony Rail	2	ETC Source 4 26deg 750 W+C-Clamp 750w	"	"
<b>(2)</b>	South Pipe	3	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
	FOH Truss	"	"	"	"
<b>(3)</b>	FOH Truss	6	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
	East Bay	8	"	"	"
<b>(4)</b>	North Pipe	1	ETC Source 4 26deg 750 W+C-Clamp 750w	Cool	L200
	East Bay	6	ETC Source 4 36deg 750 W+C-Clamp 750w	"	"
<b>(5)</b>	North Pipe	3	ETC Source 4 50deg 750 W+C-Clamp 750w	Cool	L200
	East Bay	4	"	"	"
<b>(6)</b>	South Pipe	2	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
	Extended Tongue	"	ETC Source 4 26deg 750 W+C-Clamp 750w	"	"
<b>(7)</b>	1st Electric	1	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
	Extended Tongue	6	ETC Source 4 26deg 750 W+C-Clamp 750w	"	"
<b>(8)</b>	Plaster Truss	5	ETC Source 4 50deg 750 W+C-Clamp 750w	Cool	L200
	North Pipe	6	ETC Source 4 26deg 750 W+C-Clamp 750w	"	"
<b>(9)</b>	Plaster Truss	7	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
	North Pipe	9	"	"	"
<b>(10)</b>	East Bay	11	ETC Source 4 50deg 750 W+C-Clamp 750w	Cool	L200
<b>(11)</b>	East Bay	15	ETC Source 4 50deg 750 W+C-Clamp 750w	Cool	L200
<b>(12)</b>	East Bay	20	ETC Source 4 Jr Zoom+C-Clamp 575w	Cool	L200
<b>(13)</b>	North Pipe	11	ETC Source 4 36deg 750 W+C-Clamp 750w	Cool	L200
<b>(21)</b>	Balcony Rail	1	ETC Source 4 26deg 750 W+C-Clamp 750w	Warm	R6
<b>(22)</b>	South Pipe	14	ETC Source 4 Jr Zoom+C-Clamp 575w	Warm	R6
<b>(23)</b>	South Pipe	16	ETC Source 4 26deg 750 W+C-Clamp 750w	Warm	R6

**Channel Hookup**

10/9/25

MenOnBoats.lw6

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
(24)	FOH Truss	2	ETC Source 4 36deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(25)	FOH Truss	5	ETC Source 4 36deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(26)	South Pipe	11	ETC Source 4 26deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(27)	South Pipe	8	ETC Source 4 26deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(28)	ExtendedTongue	1	ETC Source 4 26deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(29)	ExtendedTongue	5	ETC Source 4 26deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(30)	South Pipe	6	ETC Source 4 36deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(31)	SL Tongue	6	ETC Source 4 36deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(32)	East Bay	14	ETC Source 4 36deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(33)	East Bay	16	ETC Source 4 36deg 750 W+C-Clamp 750w	Warm	<input type="checkbox"/> R6
(41)	West Bay	1	ETC Source 4 Jr Zoom+C-Clamp 575w	Neutral	<input type="checkbox"/> O/W
(42)	East Bay	5	ETC Source 4 36deg 750 W+C-Clamp 750w	Neutral	<input type="checkbox"/> O/W
(43)	East Bay	3	ETC Source 4 50deg 750 W+C-Clamp 750w	Neutral	<input type="checkbox"/> O/W
(44)	East Bay	1	ETC Source 4 36deg 750 W+C-Clamp 750w	Neutral	<input type="checkbox"/> O/W
(45)	North Pipe	14	ETC Source 4 Jr Zoom+C-Clamp 575w	Neutral	<input type="checkbox"/> O/W
(46)	Plaster Truss	4	ETC Source 4 36deg 750 W+C-Clamp 750w	Neutral	<input type="checkbox"/> O/W
(47)	Plaster Truss	8	ETC Source 4 Jr Zoom+C-Clamp 575w	Neutral	<input type="checkbox"/> O/W
(48)	1st Electric	8	ETC Source 4 36deg 750 W+C-Clamp 750w	Neutral	<input type="checkbox"/> O/W
(49)	North Pipe	15	ETC Source 4 36deg 750 W+C-Clamp 750w	Neutral	<input type="checkbox"/> O/W
(61)	West Bay	3	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(62)	SL Tongue	2	ETC Source4 LED2LS 50deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(63)	East Bay	7	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(64)	East Bay	2	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(65)	SR Tongue	9	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
(66)	1st Electric	2	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(67)	Plaster Truss	1	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(68)	Plaster Truss	11	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(69)	1st Electric	6	ETC Source4 LED2LS 36deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(70)	1st Electric	3	ETC Source4 LED2LS 70deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(71)	1st Electric	2	ETC Source4 LED2LS 70deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(72)	1st Electric	10	ETC Source4 LED2LS 70deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(73)	1st Electric	7	ETC Source4 LED2LS 70deg+C-Clamp 171w	Back	<input type="checkbox"/> O/W
(81)	Extended Tongue	4	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(82)	SL Tongue	9	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(83)	West Bay	8	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(84)	West Bay	9	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(85)	SR Tongue	3	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(86)	SL Tongue	3	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(87)	East Bay	12	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(88)	East Bay	17	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(89)	SR Tongue	8	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(90)	1st Electric	4	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(91)	Plaster Truss	3	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(92)	Plaster Truss	9	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(93)	1st Electric	5	ETC Source 4 PAR WFL+C-Clamp 575w	Top	<input type="checkbox"/> O/W
(101)	North Pipe	5	ETC Source 4 26deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
(102)	West Bay	4	ETC Source 4 Jr Zoom+C-Clamp 575w	Tree Breakup	<input type="checkbox"/> O/W, T: A1017

**Channel Hookup**

10/9/25

MenOnBoats.lw6

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
<b>(103)</b>	West Bay	11	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1017
<b>(104)</b>	SR Tongue	4	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(105)</b>	North Pipe	8	ETC Source 4 50deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(106)</b>	East Bay	13	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(107)</b>	East Bay	19	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(108)</b>	SR Tongue	7	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(109)</b>	North Pipe	13	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(110)</b>	North Pipe	16	ETC Source 4 19deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(121)</b>	South Pipe	12	ETC Source 4 26deg 750 W+C-Clamp 750w	Star Breakup	<input type="checkbox"/> L725, T:A1061
<b>(122)</b>	South Pipe	9	ETC Source 4 50deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(123)</b>	SL Tongue	8	ETC Source 4 50deg 750 W+C-Clamp 750w	Star Breakup	<input type="checkbox"/> L725, T:A1061
<b>(124)</b>	West Bay	7	ETC Source 4 36deg 750 W+C-Clamp 750w	Star Breakup	<input type="checkbox"/> L725, T:A1061
<b>(125)</b>	West Bay	2	ETC Source 4 50deg 750 W+C-Clamp 750w	Star Breakup	<input type="checkbox"/> L725, T:A1061
<b>(126)</b>	South Pipe	4	ETC Source 4 36deg 750 W+C-Clamp 750w	Tree Breakup	<input type="checkbox"/> O/W, T: A1054
<b>(127)</b>	SL Tongue	4	ETC Source 4 50deg 750 W+C-Clamp 750w	Star Breakup	<input type="checkbox"/> L725, T:A1061

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
(128)	East Bay	10	ETC Source 4 36deg 750 W+C-Clamp 750w	Star Breakup	<input checked="" type="checkbox"/> L725, T:A1061
(129)	East Bay	18	ETC Source 4 36deg 750 W+C-Clamp 750w	Star Breakup	<input checked="" type="checkbox"/> L725, T:A1061
(130)	South Pipe	1	ETC Source 4 36deg 750 W+C-Clamp 750w	Star Breakup	<input type="checkbox"/> O/W, T: A1061
(131)	2nd Electric	1	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(132)	2nd Electric	2	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(133)	2nd Electric	4	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(134)	2nd Electric	5	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(135)	2nd Electric	7	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(136)	2nd Electric	9	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(137)	2nd Electric	10	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Stars	T:A1061
(141)	3rd Electric	1	ChromaQ Colorforce II 72 800w	Light Curtain	
(142)	3rd Electric	2	ChromaQ Colorforce II 72 800w	Light Curtain	
(143)	3rd Electric	3	ChromaQ Colorforce II 72 800w	Light Curtain	
(144)	3rd Electric	4	ChromaQ Colorforce II 72 800w	Light Curtain	
(145)	3rd Electric	5	ChromaQ Colorforce II 72 800w	Light Curtain	
(146)	3rd Electric	6	ChromaQ Colorforce II 72 800w	Light Curtain	
(147)	Deck	1	ChromaQ Colorforce II 72 800w	Drop Wash	
(151)	West Bay	6	Clay Paky ALEDA B EYE K10 285w	Automatio n	

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
(152)	West Bay	10	Clay Paky ALEDA B EYE K10 285w	Automation	
(153)	East Bay	9	Clay Paky ALEDA B EYE K10 285w	Automation	
(154)	East Bay	21	Clay Paky ALEDA B EYE K10 285w	Automation	
(159)	SR Tongue	5	Clay Paky ALEDA B EYE K20 555w	Automation	
(160)	SL Tongue	7	Clay Paky ALEDA B EYE K20 555w	Automation	
(161)	SL Tongue	5	Clay Paky Alpha Spot HPE 300 300w	Automation	
(162)	SL Tongue	10	Clay Paky Alpha Spot HPE 300 300w	Automation	
(163)	SR Tongue	2	Clay Paky Alpha Spot HPE 300 300w	Automation	
(164)	SR Tongue	6	Clay Paky Alpha Spot HPE 300 300w	Automation	
(171)	Extended Tongue	3	Clay Paky Axcor Profile 600 800w	Automation	
(172)	SL Tongue	1	Clay Paky Axcor Profile 600 800w	Automation	
(173)	SR Tongue	10	Clay Paky Axcor Profile 600 800w	Automation	
(174)	Plaster Truss	6	Clay Paky Axcor Profile 600 800w	Automation	
(188)	Lower Handrail	27	House Can Light 250w	House Lights	
(221)	South Pipe	5	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(222)	South Pipe	7	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
(223)	South Pipe	10	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(224)	South Pipe	13	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(225)	South Pipe	15	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(226)	FOH Truss	1	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(227)	FOH Truss	4	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(228)	FOH Truss	7	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(229)	North Pipe	2	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(230)	North Pipe	4	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(231)	North Pipe	7	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(232)	North Pipe	10	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(233)	North Pipe	12	ETC Source 4 26deg 750 W+C-Clamp 750w	Drop Texture	<input type="checkbox"/> O/W, T:G643
(238)	Plaster Truss	11	ETC Source4 LED2LS 70deg+C-Clamp 171w	Drop Wash	<input type="checkbox"/> O/W
(241)	1st Electric	1	ETC Source4 LED2LS 70deg+C-Clamp 171w	Drop Wash	<input type="checkbox"/> O/W
(245)	2nd Electric	8	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Back	
(246)	2nd Electric	6	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Back	
(247)	2nd Electric	3	ETC Source 4 36deg 750 W+C-Clamp 750w	Drop Back	
(420)	Deck	1	MDG ATMe w/Tank 715w	Haze	
(601)	FLOOR	9		LED Tape	

Channel	Position	U#	Instrument Type & Accessory & Load	Purpose	Clr & Gbo
(602)	FLOOR	8		LED Tape	
(603)	FLOOR	7		LED Tape	
(604)	FLOOR	6		LED Tape	
(605)	FLOOR	5		LED Tape	
(606)	FLOOR	4		LED Tape	
(607)	FLOOR	3		LED Tape	
(608)	FLOOR	2		LED Tape	
(609)	FLOOR	1		LED Tape	

FINAL