FSH Terminology Audit

Comparison of TerminologyService value sets against the terminology.zip FSH files · 1 November 2026

28	28	13
TERMINOLOGYSERVICE VS	COVERED BY FSH	IN ZIP, NOT IN APP

TERMINOLOGYSERVICE VALUE SETS — ALL COVERED ✓

VALUE SET ID	M11 CCODE	FSH FILE	SOURCE
`m11-intervention-model-vs`	C217277	`M11Section01VS.fsh`	ICH M11
`m11-population-type-vs`	C217278	`M11Section01VS.fsh`	ICH M11
`m11-control-type-vs`	C217279	`M11Section01VS.fsh`	ICH M11
`m11-intervention-assignment-method-vs`	C217280	`M11Section01VS.fsh`	ICH M11
`m11-site-distribution-vs`	C217049	`M11Section01VS.fsh`	ICH M11
`m11-site-geographic-scope-vs`	C217050	`M11Section01VS.fsh`	ICH M11
`m11-trial-blind-schema-vs`	C217051	`M11Section01VS.fsh`	ICH M11
`m11-blinded-roles-vs`	C217281	`M11Section01VS.fsh`	ICH M11
`m11-independent-committees-vs`	C217282	`M11Section01VS.fsh`	ICH M11
`m11-amendment-status-vs`	C217274	`M11AmendmentStatusVS.fsh`	ICH M11
`m11-amendment-reason-vs`	C217276	`M11AmendmentReasonVS.fsh`	ICH M11
`m11-protocol-section-vs`	C217272	`M11SectionCodesVS.fsh`	ICH M11
`C217048` (Time Unit)	C217048	`M11Additional.fsh`	ICH M11

m11-intervention-role-vs	C217285	M11Additional.fsh	ICH M11
m11-mp-nimp-vs	C217286	M11Additional.fsh	ICH M11
m11-sourcing-vs	C217052	M11Additional.fsh	ICH M11
m11-safety-event-type-vs	C217287	M11Additional.fsh	ICH M11
m11-country-vs	See value set notes	M11Additional.fsh	ICH M11
m11-region-vs	See value set notes	M11Additional.fsh	ICH M11
m11-dose-form-vs	See value set notes	M11Additional.fsh	ICH M11
m11-route-vs	See value set notes	M11Additional.fsh	ICH M11
udp-target-Maximum-vs	See value set notes	UDP Static Text.fsh	UDP
m11-phase-vs	C217273	M11PhaseVS.fsh (zip)	ICH M11
m11-primary-purpose-vs	C217275	M11PrimaryPurposeVS.fsh (zip)	ICH M11
m11-sex-at-birth-vs	C217283	M11SexAtBirthVS.fsh (zip)	ICH M11
m11-contraception-vs	C217284	M11ContraceptionVS.fsh (zip)	ICH M11
m11-regulatory-status-vs	C217288	M11RegulatoryStatusVS.fsh (zip)	ICH M11
m11-estimand-vs	C217289	M11EstimandVS.fsh (zip)	ICH M11

Country, region, dose form and route use ISO 3166 / EDQM coding rather than NCI C-codes — CCode shown as "See value set notes" in the app.

IN TERMINOLOGY.ZIP — NOT IN TERMINOLOGYSERVICE (13)

#	VALUE SET ID	FSH FILE IN ZIP	NAMESPACE
1	m11-country-region-vs	M11CountryRegionVS.fsh	ICH M11
2	m11-event-type-vs	ext-m11-reporting.fsh	ICH M11
3	m11-imp-nimp-type-vs	ext-m11-intervention.fsh	ICH M11

4	m11-source-code-vs	ext-m11-intervention.fsh	ICH M11
5	m11-use-code-vs	ext-m11-intervention.fsh	ICH M11
6	udp-address-purpose-type-vs	UDP Address Purpose Type.fsh	UDP
7	udp-identifier-type-vs	UDP Identifier Type.fsh	UDP