



Wayne Kubick  
HL7 CTO  
Health Level Seven International  
3300 Washtenaw Avenue, Suite 227  
Ann Arbor, MI 48104

2021-01-11

Dear HL7 Member,

The v2 Management Group has asked me to forward you a notification relating to the currently published "**HL7 Version 2.9 Messaging Standard**". The referenced document can be found on the HL7 Web site under the Standards Tab > Primary Standards > HL7 Version 2 Product Suite, or directly linked from the Version 2.9 product page at [http://www.hl7.org/implement/standards/product\\_brief.cfm?product\\_id=516](http://www.hl7.org/implement/standards/product_brief.cfm?product_id=516).

While the majority of these are typographical errors, special attention would be warranted for Chapter 2 section 2.12.2 clarification of the use of the acknowledgement choreography. In addition an editorial change removed the superseded material of Chapter 5 section 5.10.1.1 and replace with reference to the new recommended query/response pairs.

The affected files have been updated in this technical correction for the convenience of implementers. The list of the corrections that were made is available at <https://confluence.hl7.org/display/V2MG/V2.9+Technical+Correction+Changes+as+of+2021+January>.

The Management Group felt that a push for increased interoperability warranted that this letter be sent out to ensure that all who use the base standard have accurate materials.

Sincerely,

A handwritten signature in black ink, appearing to read "W. Kubick", written in a cursive style.

HL7 CTO

The full list of Errata is available from the Confluence page at <https://confluence.hl7.org/x/vQDxB>.