



9/5/2024

E. Index

Editor: Frank Oemig

Detusche Telekom Healthcare and Security Solutions GmbH

Lynn Laakso

Health Level Seven International

E.1 NOTICE

	A16	3-37
	A17	3-40
	A18	3-42
	A19	3-42
3-4	A20	3-42
_	A21	3-43
3-8	A22	3-44
3-11	A23	3-46
3-14	A24	3-47
3-16	A25	
3-19	A26	3-50
3-21	A27	
3-24		
3-26		
3-28		
3-29		
3-31	A32	3-60
3-33	A33	
3-36	A34	3-63
	3-11 3-14 3-16 3-19 3-21 3-24 3-26 3-28 3-29 3-31 3-33	A17 A18 A19

A353-63	Acknowledgements2-8
A363-63	acknowledgment4-11, 4-16, 4-35, 4-41, 4-45, 4-51
A373-63	general - ACK2-52
A383-64	Acknowledgment2-52
A393-66	Acknowledgment Choreography2-15
A403-66	Acknowledgment code2-66
A413-67	Acknowledgments
A423-69	enhanced mode2-5
A433-70	original mode2-5
A443-72	action by4-64
A453-73	action code4-106, 7-75, 7-86, 12-24
A463-75	Action code12-19, 12-29
A473-75	Action Code7-87, 11-55, 11-63, 17-66
A483-77	Action code – RXA4-97
A493-77	action code usage12-4
A503-78	action date/time12-20, 12-24
A513-80	Action reason 3-172, 7-88
A603-97	Action taken in response to the event7-153
A613-98	activation date15-23
A623-100	Activation date - LDP0-89
Abnormal text/codes for categorical observations 0-52	Active/inactive flag0-89, 0-97, 0-102, 15-40
Abort cycle17-58	Activity date/time9-31
ABS6-138	actual dispense amount4-74
ABS attributes 6-138	actual dispense units4-74
Absolute range for ordinal and continuous observations . 0-	actual dosage form4-75
49	actual drug strength volume4-80
Abstract completion date/time6-141	actual drug strength volume units4-80
Abstracted by6-141	Actual Length of Inpatient Stay3-144
Academic degree	Actual Markup0-124
Academic degree granted date15-24	actual problem resolution date/time12-25
Academic degree program date range15-24	actual procedure type4-176
Academic degree program participation date range 15-24	actual strength4-77
ACC6-128	actual strength unit4-78
ACC attributes	AD2-3
Accept acknowledgment type2-70	ADD2-53
accession id7-84	ADD - data element definitions2-53
Accession identifier	Addendum continuation pointer2-53
Accident Address6-131	addendum segment2-53
Accident code6-129	Adding messages or message constituents2-24
Accident date/time6-129	Additional insured on auto15-44
Accident death indicator6-130	Additive0-55, 13-39
Accident description6-131	Address
accident identifier6-132	Address of outside site(s)0-36
Accident job-related indicator6-130	ADJ
Accident location6-129	ADJ - data element definitions16-57
accident segment6-128	Adjudicate as Group16-44
Accommodation Code3-142	Adjudicated/Paid Amount16-63
Accommodation type	Adjustment16-56
account ID	Adjustment Action
Account Status	Adjustment Amount
ACK3-8, 3-11, 3-13, 3-16, 3-18, 3-21, 3-23, 3-25, 3-27, 3-29,	Adjustment Category16-57
3-30, 3-33, 3-35, 3-37, 3-40, 3-41, 3-43, 3-44, 3-45, 3-47,	Adjustment Description 16-59
3-48, 3-49, 3-51, 3-52, 3-56, 3-57, 3-59, 3-61, 3-62, 3-64, 2-65, 2-67, 2-69, 2-70, 2-71, 2-72, 2-74, 2-76, 2-79, 2-79	Adjustment Description
3-65, 3-67, 3-69, 3-70, 3-71, 3-73, 3-74, 3-76, 3-78, 3-79,	Adjustment Quantity
3-81, 3-82, 3-83, 3-85, 3-86, 3-98, 3-100, 3-101, 5-43, 5-	Adjustment Reason
44, 5-46, 5-47, 5-111, 6-4, 6-6, 6-9, 6-11, 6-12, 6-14, 6-	Adjustment Sequence Number16-57
18, 6-19	administered amount
ACK General acknowledgement	administered barcode identifier4-98
ACK General Acknowledgment10-21	administered code4-94

administered dosage form4-95	Allergy reaction code3-169
administered drug strength volume4-98	Allergy Reaction Code3-171, 3-181
administered drug strength volume units 4-98	allergy reaction segment - unique identifier3-180
administered per (time unit)4-96	Allergy Severity code3-171
administered strength4-96	Allergy Severity Code3-169, 3-181
administered strength unit4-96	Allergy unique identifier3-171
administered units4-95	allow substitutions4-41
administered-at4-99	Allow substitutions code10-54, 10-59, 10-63, 10-68
administered-at address 4-99	Alternate character set handling scheme2-72
administering provider4-95	Alternate patient ID - CSR7-120
administration device4-52	Alternate Patient ID - PID3-109
administration method4-53	Alternate Placer Order Group Number10-36, 10-50
administration notes4-86, 4-95	alternate placer order number4-67, 4-84, 7-57
administration site4-52	alternate specimen id7-85
administration site modifier 4-53	Alternate study ID7-119
administration sub-ID counter4-94	Alternate Visit ID3-138
administration tag identiier4-100	Ambulatory payment classification code6-149
Administrative sex15-39	Ambulatory state6-70
Administrative Sex3-159	Ambulatory status6-104
Administrative Sex3-111	Ambulatory Status3-130, 3-159
Admission Level of Care3-150	Amount for Doctors Treatment16-36
Admission Type3-123	Amount PP16-55
Admit Date/Time 3-137	Amount Technical Part16-55
Admit Reason3-143	Analyte repeat status13-59
Admit Source3-129	Anesthesia code6-54
Admit/visit notification - event A01 (admitted patient) 3-	Anesthesia minutes6-54
211	ANSI MODAL VERBS2-4
Admitting Doctor 3-130	anticipated price4-125
ADT3-4, 3-7, 3-9, 3-12, 3-14, 3-17, 3-19, 3-22, 3-25, 3-26, 3-	anticipated problem resolution date/time12-25
28, 3-29, 3-31, 3-34, 3-36, 3-38, 3-40, 3-42, 3-43, 3-45,	anti-microbial cycle data segment17-54
3-46, 3-47, 3-49, 3-50, 3-51, 3-54, 3-56, 3-58, 3-60, 3-61,	aphaeresis machine serial number4-180
3-63, 3-64, 3-66, 3-68, 3-69, 3-71, 3-72, 3-74, 3-75, 3-77,	aphaeresis type machine4-180
3-79, 3-80, 3-81, 3-83, 3-84, 3-85, 3-97, 3-99, 3-100	Appeal reason6-124
ADT transaction set	Application / method identifier
Advance Directive Code	Application acknowledgment type2-70
Advance Directive Last Verified Date	Application change type14-5
Advanced beneficiary notice6-31	Application control-level errors14-7
advanced beneficiary notice code4-64	Application control-level statistics segment14-6
advanced beneficiary notice date	Application Error Code
advanced beneficiary notice override reason4-65	Application Error Parameter2-60
AFF data class and definitions 15-15	Application Management0-1
AFF - data element definitions	Application roles
AFF attributes	Application roles and data process
AIL	Application roles in a messaging environment11-6 Application status change segment14-4
AIP	
	Appointment
AIS	Appointment duration
AL13-168 Alarm17-59	appointment information - general resource segment10-
Alert device code	55
Alert level	
Algorithm descriptor	appointment information - location resource segment10- 60
Allergen Code/Mnemonic/Description3-32	appointment information - personnel resource segment
Allergen group code/mnemonic/description3-171 Allergen group code/mnemonic/description3-172	10-64
Allergen Type	appointment information - service segment10-54
Allergen Type code	appointment preferences segment10-69
Allergy Action Code	Appointment reason
Allergy Clinical Status Code	appointment request segment10 25, 10 35
Allergy Code/Mnemonic/Description	Appointment slot spacing criteria10-25
J, , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,

Appointment timing quantity		Auto-dilution factor default	13-56
appointment type		Automatic reflex allowed	13-57
Appointment type	10-28, 10-40	Automatic repeat allowed	13-57, 13-59
Appointments	10-5	Automatic rerun allowed	13-57
Approval Status	11-59	Auxiliary application	
Approved to buy price	17-17	auxiliary application role	
Approved to buy quantity	17-16	AUXILIARY QUERY PROTOCOLS	5-55
Approving regulatory agency	17-15	Available quantity	13-48
APR	10-69	Available specimen volume	13-38
arm stick	4-179	Average length of stay	0-119
ARP	10-69		
ARQ	10-25		
Artificial blood	13-43	В	
Asserting entity instance id	12-34	_	
Asserting organization		B01	1
Asserting person			
Assertion date range		B02	_
Assertor address		B03	
Assertor contact		B04	
Assigned document authenticator		B05	
assigned patient location		B06	
Assigned Patient Location		Baby coverage	
Assignment of benefits		Baby Detained Indicator	
assistant result interpreter		Background	
Associated Contract ID	,	Backup person ID	
		Bad Debt Agency Code	
Associated diagnosis code		Bad Debt Recovery Amount	
Asynchronous Collaborative Care Update		Bad Debt Transfer Amount	3-135
Attending doctor		BAR6-3, 6-5, 6-10, 6-12, 6-13,	6-18, 6-151, 6-152
Attending Doctor		Bar code	17-52
Attention		Barrier delta	13-38
Attestation date/time		Basic charge	6-49
Attested by	6-140	Basic Constraint	15-21
Attribute Table		Batch comment	2-55, 2-57
AFF		Batch control ID	2-55
CER	-	Batch creation date/time	2-55
EDU	-	Batch encoding characters	2-54
LAN	15-27	Batch field separator	
ORG	15-28	batch header segment	
AUI		Batch message as a query response	
AUT		Batch message count	
Authentication person, time stamp (set)	9-39	Batch name/ID/type	
Authority Key Identifier	15-21	Batch Processing	
Authorization effective date		Batch protocol	
Authorization expiration date		Batch receiving application	
Authorization identifier	11-57	Batch receiving facility	
Authorization information	6-83	Batch Receiving Network Address	
authorization information segment	11-55	Batch security	
Authorization Number	6-35	Batch sending application	
Authorization Referral Type	11-59	<u> </u>	
Authorized Discipline(s)	11-59	Batch Sending facility	
Authorized Health Professional		Batch Sending Network Address	
Authorized Number of Treatments		Batch totals	_
Authorized Provider		batch trailer segment	
Authorizing payor, company ID		BC blood group	
Authorizing payor, company name		BC component	
Authorizing payor, company nameAuthorizing payor, plan ID		BC donation id	
Auto accident state		BC donation type / intended use	
		BC message status	
Auto ins expires Auto-dilution factor		BC special testing	4-144
AULU-UNULUN I (LLL)	13-39		

Bed Location	3-182	BP intended use date/time	4-137
Bed Status 3	3-136, 3-182	BP processing requirements	4-136
bed status update segment	3-182	BP quantity4-1	136, 4-145, 4-152
bedside monitoring		BP requested dispense date/time	
Begin date/time		BP requested dispense to address	
Benefit group		BP requested dispense to location	
Benefits		BP status	
BHS		BP transfusion administrator	
BHS - data element definitions		BP transfusion end date/time of status	
Billed Amount		BP transfusion interrupted reason	
Billing category		BP transfusion start date/time of status	
Billing Media Code		BP transfusion verifier	
•		BP transfusion/disposition status	
Billing Period		· ·	
billing segment		BP unique id	
Billing status		BP units4-1	
Bin location identifier		BP universal service identifier	
Birth Order		BPO	
Birth Place		BPS	
BLC		BPX	_
BLC attributes		Brand name	- ,
bleed end phlebotomist		Breed Code	
bleed start phlebotomist	4-179	Brought in by	
BLG	4-68	BRP	4-131
Block	10-10	BRT	4-133
Blood amount	6-144	BTS	2-57, 4-132
Blood deductable	6-101	BTX	4-149
Blood furnished-pints	6-133	BUI	4-183
Blood not replaced-pints	6-133	Business Phone Number	3-156
Blood product code		Business rule Override Code	2-81
blood product dispense status		Business Rule Override type	
blood product order segment		•	
blood product transfusion/disposition segment			
Blood replaced-pints		С	
blood unit identifier		•	
blood unit information segment		CO1 CO2	7 112
blood unit type		C01-C08	
blood unit volume		C09-C12	_
blood unit weight		Caesarian section indicator	
Board approval indicator		Calculated days	
bolus dose amount		call back phone number	
Bolus Dose Amount Units		Cancel patient referral	
bolus dose volume		Cancel transfer - event A12	
bolus dose volume units		Canceling a subscription	
		Candidate confidence	
bolus type		Cap type	
Book		Cardinality	2-15
Bottom delta		Carrier identifier	13-37
BP actual dispensed to address		Case category code	6-142
BP actual dispensed to location		Case manager	
BP adverse reaction type		Catalogue identifier	7-157, 17-67
BP amount4-136, 4		categorical test/observation segment	0-50
BP Blood group		Category description	0-60
BP date/time of status4		Category identifier	
BP dispensed to receiver		Category synonym	
BP dispensing individual		Cause of death	
BP expiration date/time		CCD	
BP indication for use	4-140	CCF	
BP informed consent indicator		CCI	
BP intended dispense from address		CCP	
BP intended dispense from location	4-137		

CCR11-7	observations 1-	7, 4-4
CCU11-3	Clinical information	11-7
CD2	-6 clinical pathway	12-3
CDM 0-9	94 Clinical Service	11-60
CDM - data element definitions0-9	clinical study data schedule segment (CSS)	7-126
CDO4-10		
CDO - data element definitions 4-10	of clinical study master segment (CM0)	7-128
CE2	-7 clinical study phase master segment	0-110
CER		
CER attributes15-:		
certainty of problem12-2	, ,	
Certainty of Relationship12-3		
Certificate domain15-2		
certificate status code15-2		
Certificate type15-2	• · ·	
Certification agency6-12		
Certification agency phone number6-12		
Certification begin date6-12		
Certification Category6-12		
Certification contact		
Certification contact phone number6-12	,	
Certification date/time6-12		
Certification end date6-12	,	
Certification modify date/time6-12		
Certification number		
Certification required		
Certification Type6-12		
Certified by6-12		
CF		
Chairman of study		
Challenge information0-2		
Change an outpatient to an inpatient - event A06 3-2.2		
	·	
Change pathway life cycle status		
Character set2-2		
	· · · · · · · · · · · · · · · · · · ·	
Charge and 6-14		
Charge code0-5 Charge code alias0-5		,
Charge description long0-5 CHARGE DESCRIPTION MASTER FILES0-93, 0-12		
•	•	
charge description master segment0-9	•	
Charge description short0-9	·	
Charge on indicator	· · · · · · · · · · · · · · · · · · ·	
Charge Price Indicator		
charge to practice4-77, 7-5	-	
charge type4-6		
charge type reason4-6	· · · ·	
Chargeable flag0-10	·	
Check Number	·	
Checksum errors received14	The state of the s	
Child appointment10-		
Choosing among available response formats5		
Citizenship 3-116, 3-160, 6-70, 6-105, 15-4		
Claims & Reimbursement0	,	
Class of Trade0-12	,	
clear notification segment13-5	54 component units	4-55
Clinic Code6-3		9-24
Clinic Organization Name3-14	46 CON attributes	9-25
clinical	CONCEPTUAL APPROACH	2-4

Condition code 6-134, 6-1	136 C	Consent text	9-26
condition time17	-55 C	Consent type	9-25
Confidential indicator6-43, 6	-47 C	Consent waiting period quantity	0-62
confidentiality code4		Consent waiting period unit	
Confidentiality code0		Consenter id	
Confirmation provided by7-1		Consenter-imposed limitations	
Conformance	2-3 c	onsent-segment	9-24
acknowledgements		onsignment item indicator	
cardinality2		Consulting Doctor	
dynamic definition	2-6 C	Consumption quantity	13-48
interaction model	2-6 C	Contact address	7-162, 11-72
length2-14, 2		Contact communication information	
message profile	2-5 c	ontact data segment	11-71
message profile document2	-28 C	Contact for study	0-108
message profile document structure2		Contact identifiers	11-74
Message profile example		Contact location	11-73
profile type2		Contact name	11-71
implementation2		Contact person	
realm constrainable2		Contact Person Address	
vendor constrainable2		Contact Person Social Security Number	
static definition		Contact Person's Name	
static definition – field level2		Contact Person's Telephone Number	
static definition – message level2		Contact person's name	
static definition – segment level2		Contact person's telephone number	
static definition concepts2		Contact phone	0-90
table definition2		Contact reason	
Tools2		Contact Reason	
usage2		Contact relationship	
use case model		Contact role	
Conformance statement for query with display response		Contact Role	
32		Contact telecommunication	
Conformance statement table summaries5		Contact title	
Conformance statement template for query with segme		Contact's telephone number	
pattern response5		Contact's address	
Conformance statement template for query with tabular		Container carrier identifier	
response5		ontainer catalog number	
Conformance statement templates5		Container Common Name	
Connect timeouts1		ontainer condition	
Consent assistance indicator9		Container description	
Consent background information9		Container diameter	
Consent bypass reason9		Container diameter/height/delta units	
consent code6		Container Form	
Consent competence indicator9		Container height	
Consent decision date/time9		Container identifier	
Consent disclosure level9		Container Length	
Consent discussion date/time9		ontainer lot number	
Consent effective date/time9		ontainer manufacturer	
Consent effective end date/time		Container Material	
Consent effective start date/time0		Container status	
Consent end date/time9		ontainer type	
Consent form id and version9		Container units	
Consent form number9		Container volume	,
Consent identifier0	-	Container Width	
Consent indicator0		Continuation pointer	
Consent interval quantity0		ontinuation pointer segment	
Consent interval units0		Continuation style	
Consent mode9		Contract Amount	
Consent non-disclosure reason9		Contract Code	
Consent status9	-2 <i>1</i> C	Contract Description	0-122

Contract Effective Date	3-134	culture start date/time	7-86
Contract Identifier	0-122	cumulative dosage limit	4-106
Contract number	0-97	cumulative dosage limit time interval	4-107
Contract organization	0-98	cumulative dosage segment	4-106
Contract Originator Name	0-122	Current application	14-5
Contract Owner Name	0-122	Current CPU	14-5
Contract Period	3-134	Current facility	14-5
Contract Priority	0-125	Current fileserver	14-5
Contract Status	0-122	current goal review date/time	12-21
Contract Type	0-123	current goal review status	12-21
Contract/Agreement Number	16-32	Current Patient Balance	3-138
Contraindications to observations	0-39	Current quantity	13-48
Control	0-1	CWE	2-24
Conformance	0-1	CX	2-31
Data Types	0-1	Cycle complete time	17-58
Control code	17-53	Cycle count	17-55
Control temperature	17-57	Cycle start date/time	17-57
Controlled substance schedule	4-67	Cycle start time	
Coord of ben. priority		Cycle type17-	-22, 17-62
Coordination of benefits	6-86	Cyclic entry/exit indicator	4-92
Co-pay amount 6-117	, 6-151	Cyclic group maximum number of repeats	4-92
Copay limit flag	6-115		
Copy auto ins	15-44		
Corporation	0-124	D	
Corresponding SI units of measure	0-48		
Cost	0-102	D/T of most recent refill or dose dispensed	4-64
Cost Center 16-37	, 16-50	Daily deductable	
Cost center account number	17-27	danger code	
Cost Center Code15-32	2, 15-46	Data Fields	
Country	7-157	Data line	
Country code	2-70	Data types	
County Code	3-112	AD	2-3
Courtesy Code	3-133	AUI	
Coverage type		CCD	
Covered days 6-134		CCP	
CP	2-18	CD	
CP commercial product4-143	3, 4-151	CE	2-7
CP lot number 4-144		CF	2-8
CP manufacturer4-143	3, 4-151	CNE	2-12
CQ	2-19	CNN	2-17
Created by Person		CP	2-18
Created Date/Time		CQ	
Credit Rating		CSU	2-20
Critical range for ordinal and continuous observation		CWE	2-24
Critical text/codes for categorical observations	0-52	CX	2-31
CRL distribution point		DDI	2-35
CRM - Clinical Study Registration	7-112	DIN	2-35
CSP		DLD	2-35
CSP - data element definitions		DLN	2-36
CSR		DLT	2-36
CSR - data element definitions		DR	2-37
CSS		DT	
CSS - data element definitions	7-126	DTM	
CSU		DTN	
CSU - Unsolicited study data		ED	
CTD		El	
CTI		EIP	
CTI - data element definitions		ELD	
culture final date/time	7-86		

ERL	2-43	Date entered practice	15-34
FC	2-44	Date first marketed	7-158
FN	2-44	Date format	17-51
FT	2-45	Date last DMV review	15-45
GTS	2-46	Date last marketed	7-158
HD	2-46	Date left practice	15-35
ICD	2-48	date needed	4-124
ID	2-49	Date next DMV review	15-45
IS	2-49	Date of birth	
JCC		Date product returned to manufacturer	
MA		Date/time completed	
MO	2-51	date/time dispensed	
MOC	-	date/time end of administration	
MOP	_	Date/time ended study	
MSG	-	Date/time of attestation	
NA		Date/time of birth	
NDL		Date/Time of Birth	
	_		
NM		Date/Time of Death	
NR		Date/time of message	
OCD	_	Date/time of the analysis	
PL		Date/time of the observation	
PLN	2-62	date/time of transaction4	
PPN	2-62	Date/time patient of patient study registration	
PRL	2-66	Date/time patient study consent signed	
PT2	2-67	Date/time planned event	3-106
PTA2	2-68	Date/time stamp for any change in definition for t	:he
QIP	2-68	observation	0-35
QSC	2-69	date/time start of administration	4-94
RCD	2-70	Date/time study phase began	
RFR		Date/time study phase ended	
RI		Days	
RMC		Days without billing	
RP	_	DB1	
RPT		DB1 attributes	
SAD.	-	DDI	
SCV		Death Indicator	
	_		
SI	_	Default inventory asset account	
SN	-	Default order unit of measure indicator	
SNM		degree of patient liability	
SPD		Delay before l.r. day	
SRT		Delete Account Date	
ST	2-81	Delete Account Indicator	3-135
TM	2-82	Delimiters	2-11
TX	2-83	deliver to address4	-49, 4-91
UVC	2-84	Deliver to address	4-71
VH2	2-85	deliver to ID	4-124
VID	2-85	deliver to patient location	4-90
VR		Deliver to patient location4	
WVI		deliver-to location	
WVS		Delta check criteria	
XAD	_	Denial or rejection code	
XCN.		Department0-1	
	_		
XON		department code	
XPN		Dependent	
XTN		Dependent of military recipient	
ta Types		Deprecating messages or message constituents	
OS		dept. cost center	
PIP		Derivation rule	
ate Additional Information was submitted10	5-30	Derived specimen	0-53

Description of study phase	0-111	Dispense package method	4-66
Description of test methods		dispense package size	
Description of time point		Dispense package size	
Description override indicator		dispense package size unit	
DEV - data element definitions		Dispense package size unit	
DEV attributes	17-65	dispense packaging method	4-79
Device	7-91	Dispense status	4-141
Device data state	17-53	dispense sub-ID	4-85
Device Donation Identification	7-95, 17-69	dispense sub-ID counter	4-74
Device Expiry Date	7-95, 17-68	dispense tag identifier	4-83
Device family name	7-157	dispense to pharmacy	4-81, 4-90
Device Lot Number	7-95, 17-68	dispense to pharmacy address	4-81, 4-90
Device Manufacture Date	7-95, 17-68	dispense type	4-82
device model name	17-51	dispense units4-	57, 4-61, 4-93
Device name	.17-51, 17-52, 17-53	dispense/give code	4-74
Device number	.17-51, 17-52, 17-53	dispensing interval	4-47
Device operator qualifications	7-153	dispensing pharmacy	4-49
Device Serial Number	7-95, 17-68	Dispensing pharmacy	4-69
Device status	17-57	Dispensing pharmacy address	4-49, 4-69
device type	17-51	dispensing provider	4-75
Device Type	7-95, 17-66	display data segment	5-47
DFT	6-6, 6-15, 6-152	Display level	5-48
DG1	,	Display message	
DG1 attributes		Display response	
Diagnosis cinician		Distributed copies	9-40
Diagnosis classification		DLD	2-35
Diagnosis code		DLN	
Diagnosis code – FT1		DLT	2-36
Diagnosis date/time		DMI	
Diagnosis identifier		DMI - data element definitions	
Diagnosis priority		DMI - DRG master file information segment	
diagnosis related group segment		Document availability status	
diagnosis segment		Document change reason	
Diagnosis type	6-40	Document completion status	
diagnostic	4 =	Document confidentiality status	
imaging		Document content presentation	
Diagnostic information		Document control number	
Diagnostic related group		Document management	
Diagnostic Related Group		Document storage status	
diagnostic serv sect ID		Document Title	
Diagnostic serv sect ID		Document type	
Diet Message Examples		Documented date/time DON	
Diet Ordersdiet trav instructions			_
diet tray instructions		donation accept staffdonation duration	
diet, supplement, or preference code		donation duration units	
dietary orders, supplements, and prefer		donation duration driftsdonation identification number - DIN	
111	rences segment 4-	donation material review staff	
Dilution factor13-40,	12-56 12-50 17-65	donation sample identifier	
DIN		donation segment	
Disability Segment		donation type	
Discharge care provider		donor eligibility date	
Discharge Date/Time		donor eligibility flag	
Discharge Disposition		donor eligibility procedure type	
Discharge patient - event A03		donor reaction	
Discharged to Location		Door open	
Discount/surcharge		DPS attributes	
dispense amount		DR	
dispense notes		DRG	
1		-	

DRG approval indicator	6-46	Effective Data	0-122
DRG assigned date/time	6-45	Effective date	11-51
DRG attributes	6-44	effective date of reference range	7-67
DRG CCL value code	6-43	Effective date range	15-31
DRG Diagnosis determination status	6-44	Effective date/time	0-10, 0-11
DRG grouper review code	6-46	Effective date/time	6-122
DRG grouping usage	6-44	Effective date/time of change	0-35, 0-62
DRG MASTER FILES	0-116	Effective end date	
DRG payor	6-47	Effective end date of provider role	11-68
DRG Procedure determination status	6-56	Effective start date	0-101
DRG Procedure relevance	6-56	Effective Start Date	2-79
DRG transfer type	6-47	Effective start date of provider role	
Driver's license number - staff	15-44	Effective test/service end date/time	0-60
Driver's License Number - Patient	3-115	Effective test/service start date/time	0-60
Drug interference	13-42	Effective weight	6-48
Dry time	17-57	EHC Authorization request query response	e16-28
DSC	2-58	EHC Authorization response	16-29
DSP	5-47	EHC Cancel authorization request	16-25
DT	2-37	EHC Cancel healthcare services invoice	16-8
DTM	2-38	EHC Edit/adjudication result	16-14
DTN	2-40	EHC Payment/remittance advice	16-21
duplicate fields	4-57	EHC Query authorization request	16-27
Duplicate Patient		EHC Re-asses healthcare services invoice i	request16-12
Duration10-53, 10-58	3, 10-62, 10-68	EHC Request additional information	16-16
Duration units10-53, 10-59		EHC Submit authorization request	16-23
Dynamic definition	2-6	EHC Submit Healthcare services invoice	16-5
		EI	2-41
		EIP	2-42
E		ELD	
		electrocardiograms	
E01	16-3	Eligibility source	6-103
E02		Eligibility/coverage	11-7
E03		E-mail address	
E04		Employer contact person name	
E10		Employer contact person phone number	
E12		Employer contact reason	
E13	16-17	Employer information data	
E15	16-20	Employment Illness Related Indicator	3-145
E20	16-22	Employment status code	
E21	16-24	Employment stop date	6-107
E22		Encoding characters	
E24		Encoding Rules	1-12
E30	16-30	Encoding rules notes	2-21
E31	16-30	Encounter	11-7
EAC		Encounter Type	11-61
EAC – Equipment Command Message	13-22	End Date	3-156
EAN		End date/time	7-92, 13-62
EAN – Equipment Status Message		Ending notification code	13-55
EAR		Ending notification date/time	13-55
EAR – Equipment Command Message	13-23	Ending notification reference number	
Early adoption of HL7 changes		Endogenous content of pre-dilution diluer	nt 13-56, 13-59
ECD		Enhanced Mode Queries	
ECR		entered by	
ED		Entered by	
Edit date/time		Entered By	
EDU		Entered by code	6-28
EDU Attributes		Entered by location	
education detail segment	15-24	Entered by person	
•		Entered by phone number	10-35, 10-48

Entered date/time0-10	Event M07	0-103
Entered Date/Time2-79	Event onset date/time	7-144
Entered Date/Time0-11	Event outcome	7-146
enterer authorization mode4-66	Event qualification	7-145
enterer's location4-62	Event reason	10-39
entering device4-64	Event reason code	3-106
entering organization4-64	Event report date	7-142
episode of care12-20	Event report source	7-143
episode of care ID12-24	Event report timing /type	7-142
EQP13-61	Event reported to	7-143
EQU13-31	Event serious	7-146
equipment command response segment13-52	Event symptom/diagnosis code	7-144
equipment command segment13-52	Event type	13-61
Equipment container identifier13-36	Event Type Segment	3-105
Equipment detail segment13-31	Events	
Equipment dynamic range13-57	B07	15-12
Equipment instance identifier 7-70, 13-31	B08	15-13
equipment log/service segment13-61	P07, P08	7-135
Equipment state13-32	R017-8, 7-	-32, 7-36
Equipment test application identifier13-56	R21	7-12
ERL2-43	R22	7-20
ERR2-58	R23	7-23
Error code and location2-59	R24	7-26
Error condition2-66	R25	7-29
Error Location2-59	R30	7-12
error segment2-58	R31	7-15
Escape sequences	R32	7-17
formatting codes2-21	R33	7-20
hexidecimal2-23	R41	7-35
highlighting2-22	Events scheduled this time point	0-112
local2-24	EVN	
special character2-23	EVN segment	3-105
Escape sequences supporting multiple character sets 2-22	example	
escort required4-81, 7-54	unsolicited vaccination record update	4-120
ESR	various levels of coding in an order	4-107
ESR - Equipment Status Message13-16	Example	
ESR-Code-Line16-62	acknowledgment general	2-89
Establishing a subscription5-66	acknowledgment message using enhance mode	
Estimated Length of Inpatient Stay 3-144	processing	2-92
ESU	Acknowledgment message using original mode	
ESU - Equipment Status Message13-15	processing	
Ethnic group6-72, 6-107, 15-45	error return	2-89
Ethnic Group 3-116, 3-162	master file update	0-125
Evaluated product source7-153	message fragmentation	
Event causality observations7-153	message using sequence number protocol	2-89
Event Completion date/time0-13	EXAMPLE TRANSACTIONS	10-72
Event date/time13-31	Exclusive test	0-44
Event description from autopsy7-146	Executing Physician ID	
Event description from original reporter7-146	Execution and delivery time	5-53
Event description from others7-146	Exhaust time	
Event description from patient7-146	Expanded yes/no indicator table	2-89
Event description from practitioner7-146	Expected Admit Date/Time	
Event ended data/time7-144	Expected CMS payment amount	
Event exacerbation date/time7-144	Expected date/time of the next status change	
Event expected7-146	Expected Discharge Date	
Event identifiers used7-144	Expected Discharge Disposition	3-148
Event improved date/time7-144	expected goal achievement date/time	
Event location occurred address7-145	Expected LOA Return Date/Time	3-151
Event M060-103	Expected Number of Insurance Plans	3-146

Expected Payment Date/Time16-63	File name/ID2-63
Expected Preadmission Testing Date/Time3-151	File receiving application2-63
Expected Return Date15-46	File receiving facility2-63
Expected sequence number2-66	File Receiving Network Address2-64
Expected shelf life7-158	File security2-63
Expected Surgery Date and Time3-149	File sending application2-63
expiration date15-23	File sending facility2-63
Expiration date11-51	File Sending Network Address2-63
Expiration Date2-79	File trailer comment2-66
Expiration Date0-122	file trailer segment2-65
Expiration date/time13-49	File Transfers1-14
Exploding charges0-96	File-level event code0-10
Expressing the same data using the variants5-10	Fill time17-65
Expression as a complex expression5-11	filler4-4
Expression as query by example5-11	Filler application10-10
Expression as simple parameters5-11	Filler Application Messages and Trigger Events17-44
External accession identifier13-35	filler application role10-7
External Health Plan Identifiersr6-93	Filler appointment ID10-26, 10-27, 10-38, 10-49
External referral identifier11-51	Filler contact address10-45
External Scaling Factor PP16-54	Filler contact location10-46
External Scaling Factor Technical Part16-55	Filler contact person10-44
	Filler contact phone number10-45
	filler field #14-77, 7-50
F	filler field #2 4-77, 7-50
	filler order number 4-60, 4-61, 4-67, 4-72, 4-85, 4-98, 4-
FAC7-158	149, 4-156, 4-183, 4-186, 7-45, 7-58, 7-124, 7-127, 7-
FAC - data element definitions	174, 7-176, 10-36, 10-49
Facility address7-159	Filler order number
Facility ID - PRC	Filler override criteria10-71
Facility ID-FAC7-159	Filler status code10-49, 10-54, 10-59, 10-64, 10-69
facility segment (FAC)7-158	Filler supplemental service information4-83, 7-55, 10-55
Facility telecommunication	filler's expected availability date/time4-65
Facility type	final review date/time4-181
Factors that may affect the observation	final review staff4-180
Family/significant other awareness of problem/prognosis	Financial Class3-132
12-28	Financial Management0-1
FC	financial transaction segment6-19
Fee schedule 6-25	First Similar Illness Date3-148
FHS	First used date/time13-49
Fibrin index	Fixed canned message0-40
Fibrin index units	Fixed Price Cotnract Indicator Indicator0-124
Field	FN2-44
Field separator	Folder Assignment9-41
Fields	food1-7, 4-4
Figure 10-1. An example excerpt from an appointment	Formal specification of the conformance statement5-18
book10-4	Formatting codes2-21
Figure 10-2 Application role messaging relationships 10-8	Formula0-101
Figure 9-1 - Document completion status9-37	Formulary status 4-68, 0-64
Figure 9-2 - Document availability status state transition	Free On Board Freight Terms0-123
table9-39	Freight charge indicator17-17
File batch count	FT2-45
File control ID	FT16-19, 6-152
	FT1 attributes6-20
File encoding characters 2-63	FTS2-65
File encoding characters	Future item price17-26
File field separator	Future item price effective date17-26
file header segment	,
me neauer segment2-62	

G	Granting Country	
O .	Granting County/Parish	
and and an arrange of the decourage and dead	Granting date	15-23
general order message with document payload	Granting State/Province	
acknowledgement segment	Group name	
general segment	group number	
General Segments	Group Purchasing Organization	
General trigger events & message definitions	grouped specimen count	
Generic Classification Indicator	Grouper software name	
Generic name	Grouper software version	6-49
Generic product	Grouper status	6-48
Generic Resource Type or Category15-47	GT1	6-5
Gestation category code	GT1 attributes	6-57
Gestation period - weeks	GTS	2-46
give amount - maximum4-59, 4-85	Guarantor	11-8
give amount - minimum4-59, 4-85	Guarantor address	6-60
give barcode identifier	Guarantor administrative sex	6-63
give code4-59, 4-85	Guarantor billing hold flag	6-67
give dosage form4-60, 4-86	Guarantor birth place	6-76
give drug strength volume4-89	Guarantor charge adjustment code	6-68
Give drug strength volume4-67	Guarantor credit rating code	6-67
give drug strength volume units4-89	Guarantor date - begin	6-63
Give drug strength volume units4-67	Guarantor date - end	6-63
Give indication4-66	Guarantor date/time of birth	6-62
give per (time unit)4-87	Guarantor death date and time	6-67
give per (time unit) as encoded by the	Guarantor death flag	6-67
pharmacy/treatment supplier4-65	Guarantor employee id number	
give rate amount4-65, 4-88	Guarantor employer address	
give rate units4-65, 4-88	Guarantor employer id number	
Give rate units4-65	Guarantor employer name	
give strength4-65, 4-88	Guarantor employer phone number	
give strength unit4-88	Guarantor employer's organization name	
give strength units4-66	Guarantor employment status	
give sub-ID counter4-84, 4-94	Guarantor financial class	
give tag identifier4-92	Guarantor hire effective date	6-69
give units4-60, 4-86	Guarantor household annual income	6-68
Global trade item number 17-26, 17-27	Guarantor household size	6-68
Glossary11-7	Guarantor marital status code	
goal12-3	Guarantor name	
goal classification12-20	Guarantor number	
goal detail segment12-19	Guarantor organization name	
goal established date/time12-20	Guarantor ph num - business	
goal evaluation12-21	Guarantor ph num - home	
goal evaluation comment12-22	Guarantor priority	
goal ID12-20	Guarantor race	
goal instance ID12-20	Guarantor relationship	
goal life cycle status12-22	guarantor segment	
goal life cycle status date/time12-22	Guarantor spouse name	
goal management discipline12-21	Guarantor ssn	
goal review interval12-21	Guarantor stop date	
goal target name12-22	Guarantor type	
goal target type12-22	Guarantor's relationship to insured	
GOL12-19	Sadiantor 3 relationship to hisarca	11.
Government reimbursement billing eligibility 15-35		
GP16-145	Н	
GP1 attributes6-145	***	
GP26-147		
GP2 attributes6-147	Handicap3-166, 3-18	
Granting Authority	Hazardous indicator	17-19

HD2-46	HL7 Attribute Table - BHS2-54
Health care provider11-8	HL7 Attribute Table - BLC6-143
Health care provider area of specialization code 15-31	HL7 Attribute Table – BLG4-68
Health care provider classification code15-30	HL7 Attribute Table - BPO4-135
Health care provider type code15-30	HL7 Attribute Table - BTS2-57
Health Document Reference Identifier16-49	HL7 Attribute Table - BTX4-149
Health plan id6-78	HL7 Attribute Table - BUI4-183
Help Desk Contact Point2-62	HL7 Attribute Table - CDM - Charge Description Master 0-
Hemolysis index13-41	95
Hemolysis index units13-41	HL7 Attribute Table - CDO4-106
Hexadecimal2-23	HL7 Attribute Table - CM0 - Clinical Study Master0-106
Highlighting2-22	HL7 Attribute Table - CM1 - Clinical Study Phase Master 0-
History 1-10	110
Hit count total5-49	HL7 Attribute Table - CM2 - Clinical Study Schedule Master
Hits remaining5-49	0-111
HL76-30	HL7 Attribute Table - CNS13-54
HL7 - X12 Joint Coordinating Committee11-82	HL7 Attribute Table - CSP7-125
HL7 Abstract message syntax example2-49	HL7 Attribute Table - CSR7-118
HL7 Attibute Table – SAC - Specimen and container detail	HL7 Attribute Table - CSS7-126
13-33	HL7 Attribute Table - CTD11-71
HL7 Attribute Table	HL7 Attribute Table - CTI7-127
AL13-168	HL7 Attribute Table - CTR0-121
ARV3-198	HL7 Attribute Table - DEV17-65
CON9-25	HL7 Attribute Table - DG16-39
DB13-192	HL7 Attribute Table - DMI0-117
DPS0-75	HL7 Attribute Table - DON4-173
EVN	HL7 Attribute Table - DRG6-44
IAM3-169	HL7 Attribute Table - DSC2-58
IAR3-181	HL7 Attribute Table – DSP5-48
MRG3-183	HL7 Attribute Table - ECD13-52
NK13-152	HL7 Attribute Table - ECR13-53
NPU3-182	HL7 Attribute Table - EQP13-61
OBX7-58	HL7 Attribute Table - EQU13-31
OH13-202	HL7 Attribute Table - ERR2-59
OH23-203	HL7 Attribute Table - FAC7-158
OH33-208	HL7 Attribute Table - FHS2-62
OH43-210	HL7 Attribute Table - FT16-20
OVR2-80	HL7 Attribute Table - FTS2-65
PAC7-174	HL7 Attribute Table - GOL12-19
PD13-186	HL7 Attribute Table - GP16-145
PDA	HL7 Attribute Table - GP26-147
PID3-108	HL7 Attribute Table - GT16-57
PRA15-32	HL7 Attribute Table - IIM17-7
PV1	HL7 Attribute Table - ILT17-34
PV2	HL7 Attribute Table - IN16-76
SFT	HL7 Attribute Table - IN26-94
SHP7-171	HL7 Attribute Table - IN36-117
SPM	HL7 Attribute Table - INV13-46
HL7 Attribute Table - AUT	HL7 Attribute Table - IPC4-93
HL7 Attribute Table - RF1	HL7 Attribute Table - ISD13-32, 13-62
HL7 Attribute Table - ABS	HL7 Attribute Table - ITM17-11
HL7 Attribute Table - ACC6-129	HL7 Attribute Table - IVT
HL7 Attribute Table - ADD2-53	HL7 Attribute Table - LCC - Location Charge Code0-91
HL7 Attribute Table - AIG	HL7 Attribute Table - LCH - Location Characteristic0-82
HL7 Attribute Table - AIL	HL7 Attribute Table - LDP - Location Department0-87
HL7 Attribute Table - AIP	HL7 Attribute Table - LOC - Location Identification0-78
HL7 Attribute Table - AIS	HL7 Attribute Table - LRL - Location Relationship0-85
HL7 Attribute Table - APR	HL7 Attribute Table - Master File Acknowledgment0-12
HL7 Attribute Table - ARQ10-25	HL7 Attribute Table - Master File Entry0-10

HL7 Attribute Table - Master File Identification0-9	HL7 Attribute Table - RXD	
HL7 Attribute Table - MFA0-12	HL7 Attribute Table - RXE	
HL7 Attribute Table - MFE0-10	HL7 Attribute Table - RXG	
HL7 Attribute Table - MFI0-9	HL7 Attribute Table - RXO	4-140, 4-38
HL7 Attribute Table - MSA2-66	HL7 Attribute Table - RXR	4-51
HL7 Attribute Table - MSH2-67	HL7 Attribute Table - RXV	4-101
HL7 Attribute Table - NCK14-4	HL7 Attribute Table - SCD	
HL7 Attribute Table - NDS13-53	HL7 Attribute Table - SCH	10-37
HL7 Attribute Table – NSC – Application status change 14-4	HL7 Attribute Table - SCP	17-50
HL7 Attribute Table – NST – Application control level	HL7 Attribute Table - SDD	17-52
statistics14-6	HL7 Attribute Table - SGH	2-86
HL7 Attribute Table - NTE2-77	HL7 Attribute Table - SGT	2-86
HL7 Attribute Table – OBR4-70, 7-43	HL7 Attribute Table - SID	13-60
HL7 Attribute Table - ODS4-111	HL7 Attribute Table - SLT	17-52
HL7 Attribute Table - ODT4-112	HL7 Attribute Table - STF	15-36
HL7 Attribute Table - OM10-29	HL7 Attribute Table - STZ	17-21
HL7 Attribute Table - OM1 - General Segment0-29	HL7 Attribute Table - TCC	13-55
HL7 Attribute Table - OM2 - Numeric Observation 0-47	HL7 Attribute Table - TCD	13-58
HL7 Attribute Table - OM3 - Categorical	HL7 Attribute Table – TQ1	4-86
Service/Test/Observation0-50	HL7 Attribute Table – TQ2	4-90
HL7 Attribute Table - OM4 - Observations that Require	HL7 Attribute Table – TXA	9-29
Specimens0-52	HL7 Attribute Table - UAC	2-87
HL7 Attribute Table - OM5 - Observation Batteries (Sets) 0-	HL7 Attribute Table - UB2	6-135
57	HL7 Attribute Table - VAR	12-30
HL7 Attribute Table - OM6 - Observations that are	HL7 Attribute Table - VND	17-23
Calculated from Other Observations0-58	HL7 Attribute Table – ZL7 – (proposed ex	cample only)0-14
HL7 Attribute Table - OM7 - Additional Basic Attributes 0-	HL7 Component Table - AD	2-3
59	HL7 Component Table - AUI	
HL7 Attribute Table – ORC4-56	HL7 Component Table - CCD	
HL7 Attribute Table - PCE17-27	HL7 Component Table – CCP	
HL7 Attribute Table - PCR7-149	HL7 Component Table - CD	
HL7 Attribute Table - PDC7-156	HL7 Component Table - CF	
HL7 Attribute Table - PEO7-143	HL7 Component Table - CNE	
HL7 Attribute Table - PES7-138	HL7 Component Table - CNN	
HL7 Attribute Table - PKG17-25	HL7 Component Table - CP	
HL7 Attribute Table - PR16-52	HL7 Component Table - CQ	
HL7 Attribute Table - PRB12-23	HL7 Component Table - CSU	
HL7 Attribute Table - PRC - Pricing0-98	HL7 Component Table - CWE	
HL7 Attribute Table - PRD11-64	HL7 Component Table - CX	
HL7 Attribute Table - PRT7-86	HL7 Component Table - DDI	
HL7 Attribute Table - PSH7-153	HL7 Component Table - DIN	
HL7 Attribute Table - PTH12-29	HL7 Component Table - DLD	
HL7 Attribute Table – QAK5-49	HL7 Component Table - DLN	
HL7 Attribute Table – QID5-50	HL7 Component Table - DLT	
HL7 Attribute Table – QPD5-50	HL7 Component Table - DR	
HL7 Attribute Table – QRI5-51	HL7 Component Table - DT	
HL7 Attribute Table – RCP5-52	HL7 Component Table - DTM	
HL7 Attribute Table – RDF5-54	HL7 Component Table - DTN	
HL7 Attribute Table – RDT5-55	HL7 Component Table - ED	
HL7 Attribute Table - REL	HL7 Component Table - El	
HL7 Attribute Table - RGS	HL7 Component Table - EIP	
HL7 Attribute Table - RMI	•	
	HL7 Component Table - ERL	
HL7 Attribute Table - ROL	HL7 Component Table - FC	
HL7 Attribute Table RQ1	HL7 Component Table - FN	
HL7 Attribute Table - RQD	HL7 Component Table - FT	
HL7 Attribute Table - RXA	HL7 Component Table - GTS	
HL7 Attribute Table – RXA segment uses in vaccine	HL7 Component Table - HD	
messages	HL7 Component Table - ID	
HL7 Attribute Table - RXC4-54	HL7 Component Table - IS	2-49

HL7 Component Table - JCC2-50	1
HL7 Component Table - MA2-50	•
HL7 Component Table - MO2-51	
HL7 Component Table - MOC2-52	11-8
HL7 Component Table - MOP2-52	10211-10
HL7 Component Table - MSG2-53	10311-12
HL7 Component Table - NA2-53	10411-13
HL7 Component Table - NDL2-54	10511-15
HL7 Component Table - NM2-56	10611-15
•	10711-15
HL7 Component Table - NR2-56	10811-20
HL7 Component Table - OCD2-57	l0911-20
HL7 Component Table - OSP2-58	110
HL7 Component Table - PIP2-59	111
HL7 Component Table - PL2-60	112
HL7 Component Table - PLN2-62	•
HL7 Component Table - PPN2-62	11311-23
HL7 Component Table - PRL2-66	11-23
HL7 Component Table - PT2-67	l1511-20, 11-24
HL7 Component Table - PTA2-68	l1611-28
HL7 Component Table - QIP2-68	l1711-28
HL7 Component Table - QSC2-69	l1811-28
HL7 Component Table - RCD2-70	IAM3-169
HL7 Component Table - RFR2-71	IAR3-180
HL7 Component Table - RI2-71	ICD2-48
·	Icterus index13-41
HL7 Component Table - RMC2-73	Icterus index units
HL7 Component Table - RP2-74	ID2-49
HL7 Component Table - RPT2-75	Identification date3-169
HL7 Component Table - SAD2-77	Identification date
HL7 Component Table - SCV2-78	
HL7 Component Table - Sl2-78	Identity of instrument used to perform this study0-33
HL7 Component Table - SN2-79	Identity Reliability Code3-117
HL7 Component Table - SNM2-80	Identity Unknown Indicator3-117
HL7 Component Table - SPD2-80	IIM - data element definitions17-8
HL7 Component Table - SRT2-81	IIM attributes17-7
HL7 Component Table - ST2-81	ILT - data element definitions17-35
HL7 Component Table - TM2-82	ILT attributes17-34
HL7 Component Table - TX2-83	Implantation Status17-67
HL7 Component Table - UVC2-84	IMPLEMENTATION CONSIDERATIONS3-215, 10-74
HL7 Component Table - VH2-85	Implementation profile type2-13
HL7 Component Table - VID2-85	Implicated product7-150
·	IN16-76
HL7 Component Table - VR2-86	IN1 attributes6-76
HL7 Component Table – WVI2-86	IN26-94
HL7 Component Table – WVS2-87	IN2 attributes
HL7 Component Table - XAD2-87	
HL7 Component Table - XCN2-91	IN3
HL7 Component Table - XON2-96	IN3 attributes6-117
HL7 Component Table – XPN2-98	Inactivated by Organization3-180
HL7 Component Table - XTN2-103	Inactivated by Person3-176
HL7 Component Table -ICD2-48	Inactivated Date/Time3-177
HL7 Error Code2-60	Inactivated reason0-90
HL7 Table 0353 - CWE statuses 2-28	inactivation date15-23
HL7 Table 0356 - Alternate character set handling scheme	Inactivation date - LDP0-90
2-72	Inactive Reason Code15-47
	Index E-1
hospital item code	indication4-46, 4-79, 4-89, 4-97
Hospital Service3-128	Indication for product use7-151
Hospital service - STF15-40	Indirect exposure mechanism7-153
	Individual awareness of problem12-27
	Individual awareness of problem
	munituda awareness of prognosis12-28

Inform Person Indicator	2-61	intended recipient ordering provider	4-178
Informational material supplied indicator	9-27	intended recipient procedure date	4-178
Initial dispense amount	4-68	Interaction active state	13-33
Initial quantity	13-48	Interaction model	2-6
Initial specimen volume	13-38	Interaction status detail segment	13-32
Initially Recorded by Organization	3-179	Interaction type identifier	13-33
Initiating location	4-80	Interactive continuation continuation algorit	hm and rules
Injection rate	17-62		5-58
Inlet temperature	17-65	Interactive continuation message fragmental	ion example
Input specification			5-60
virtual table	5-26	Interactive continuation of response message	es5-58
INR	13-20, 13-29	Interactive continuation protocol example	5-59
INR – Inventory Request Message	13-20, 13-30	Interactive continuation use case	5-59
Institution	15-35	inter-enterprise	11-4
Institution activation date	15-42	Interest Code	3-134
Institution inactivation date	15-42	Internal Scaling Factor PP	16-54
Institution registering the patient	7-119	Internal Scaling Factor Technical Part	16-55
Institution Relationship Period	15-46	Internal Shipment ID	7-172
Institution Relationship Type Code	15-46	interpretation codes	7-66
insurance action code	6-94	Interpretation of Observations	0-39
insurance additional information segment	6-94	intra-enterprise	11-3
insurance additional information, certification	n segment 6-	Introduction	1-3, 2-4
117		inu	13-19
Insurance amount	6-24	INU – Inventory Update Message	13-19
Insurance co contact person	6-81	INV	13-46
Insurance co contact phone number	6-112	Inventory container identifier	13-48
Insurance co contact reason	6-111	inventory detail segment	13-46
Insurance co phone number	6-81	Inventory expiration date	
Insurance company address	6-80	Inventory Item Master Messages Segment	17-7
Insurance company id	6-79	Inventory Item Master Updates	17-3
Insurance company name	6-79	Inventory limits warning level	
Insurance plan		Inventory location	17-9
insurance segment	6-76	Inventory location identifier	17-29
Insured employer organization name and id	6-116	Inventory location name	17-29
Insured organization name and id		Inventory lot number	17-35
Insured's address	6-84	Inventory manufacturer name	17-9
Insured's administrative sex	6-90	Inventory number	0-97
Insured's birth place	6-93	Inventory on hand date	17-10, 17-36
Insured's contact person phone number	6-110	Inventory on hand quantity	17-10, 17-36
Insured's contact person reason	6-111	Inventory on hand quantity unit	17-10, 17-36
Insured's contact person's name	6-110	Inventory received date	17-9, 17-35
Insured's date of birth	6-84	Inventory received item cost	17-9, 17-35
Insured's employee id	6-96	Inventory received quantity	17-9, 17-35
Insured's employer phone number	6-114	Inventory received quantity unit	17-9, 17-35
Insured's employer's address	6-90	Invoice Amount	
Insured's employer's name and id	6-96	Invoice Amount without prepaid Amount	16-38
Insured's employment start date	6-107	Invoice Booking Period	16-35
Insured's employment status	6-89	Invoice Control	16-32
Insured's group emp id	6-82	Invoice Date/Time	16-32
Insured's group emp name	6-83	Invoice Fixed Amount	16-35
Insured's id number	6-92	Invoice prepaid amount	16-38
Insured's phone number	6-114	Invoice Processing Results Segment	16-62
Insured's relationship to patient		Invoice Reason	
Insured's social security number		Invoice Segment	16-31
intended procedure type		Invoice Type	16-32
intended recipient blood relative		IPR	
intended recipient DOB		IPR - data element definitions	16-62
intended recipient facility		IPR Checksum	16-63
intended recipient name		IPR Date/Time	16-63

IPR Number	16-62	,	
IPR Status	16-63	L	
IS	2-49		
ISD	13-32	Labeled shelf life	
Issue packaging	17-30	Labor calculation type	17-50
Issues	10-74	laboratory	
Issuing Authority	15-18	tests	
Issuing date		LAN	
Item Category	17-13	LAN Attributes	
item code - external	4-122	Language ability code	
item code - internal	4-122	Language code	
Item identifier	17-52	language detail segment	
Item importance code	17-32	Language proficiency code	
item natural account code	4-123	Language translated to	
Item natural account code	17-16	Last accrual date	
Item Number	6-33	Last Invoice Indicator	
Item set identifier	17-17	Last IRB approval date	
Item set indicator	17-17	Last Update Date/Time	
Item status	17-30	Last Update Facility	
Item Status	17-12	Latex indicator	_
Item Type	17-13	Latex-free substitute item identifier	
ITM attributes	17-11	LCC	
IV Solution Groups	4-4	LCC - data element definitions	
IVC	16-31	LCH	
IVC - data element definitions	16-31	LCH - data element definitions	
IVT - data element definitions	17-29	LDP	
IVT attributes	17-28	LDP - data element definitions	
		Leak rate	
		Length	
J		Length errors received	
		License number	
J01	5-45	Lifetime reserve days	
J02		Lipemia index	
JCC		Lipemia index units	
Job code/class6-74, 6-10		Living arrangement	
Job status 6-7		Living Arrangement	
Job Status		Living dependency	
Job title6-74, 6-10		Living Dependency	
Jurisdiction Breadth		Living will code	
Jurisdiction Country		Living Will Code	
Jurisdiction County/Parish		Load number	
Jurisdiction State/Province		Load status	
,		Loan in charge phase	
		Loan in exhaust phase	
К		LOC.	
R		LOC - data element definitions	0-79
1/24	2.07	Local Extension	2.40
K21		Data Types	
K22		Messages	
K23		Segment groups	
K24		Tables	_
K25		Trigger Events	
K26		LOCAL EXTENSION	-
K32		Local Extension Fields	_
K33		local process control	
K34		Local/remote control state	
Kind of quantity observed	U-41	Location	•
		Location address	
		Location characteristic ID	0-84

location characteristic segment	0-82	Master file application identifier	0-9
Location characteristic value - LCH	0-84	master file entry segment	0-10
location charge code segment	0-91	master file identification segment	0-9
Location cost center	0-90	Master file identifier	0-9
Location department	0-88, 0-92	Master File Notification - Additional Basic	
location department segment	0-87	Observation/Service Attributes	0-26
Location description	0-79	Master File Notification – Charge Description	0-93
Location equipment	0-82	Master File Notification – Clinical Study with Pha	ases and
Location group	10-61	Schedules	0-103
location identification segment	0-78	Master File Notification – Clinical Study without	Phases but
LOCATION MASTER FILES	0-77	with Schedules	0-104
Location phone	0-81	Master File Notification - Test/Calculated Observ	vations0-
Location relationship ID	0-86	24	
location relationship segment	0-85	Master Files	0-1
Location resource ID	10-60	master goal list number	12-20
Location selection criteria	10-70	master problem list number	12-24
Location service	0-89	MasterFileNotification-DRG	0-116
Location service code	0-82	MasterFileNotificationforStaff/Pracitioner	0-16
Location type	10-61	MasterFileNotification-InventoryItem	0-112
Location type - LOC	0-79	MasterFileNotification-InventoryItemEnhanced	0-114
lockout interval		MasterFileNotification-PatientLocation	
Logical break point	5-48	MasterFileNotification-Test/Observation(Catego	orical) .0-21
Logical relationship of resource and service se		MasterFileNotification-Test/Observation(Numer	
Long in fastexhaust phase		MasterFileNotification-Test/ObservationBatterie	•
Lot control		Match reason code	
Lot number	17-52, 17-53	Material safety data sheet number	17-19
Lower and Upper Trim Points	0-118	Materials Management	
LRL		max dose amount	
LRL - data element definitions		max dose amount units	4-104
LSR		max dose amount volume	4-104
LSR - Equipment Log/Service Message	13-29	max dose amount volume units	4-104
LSU		max dose per time	4-104
LSU - Equipment Log/Service Message	13-28	Maximum Markup	
7 7 3		Maximum price	
		Maximum quantity	0-101
M		MDM	9-8, 9-11
		Medicaid case name	
MA	2.50	Medicaid case number	6-98
Mail claim party		Medical Records	0-1
Main-Service		Medical Role Executing Physician	
Maintenance cycle		Medically necessary duplicate procedure reason	
		7-56	
Maintenance type Major Diagnostic Category		medicare health ins card number	6-98
		medication instance identifier	
Major Field of Study		Merge Patient Information Segment	
Manufacturer Catalog number		Merging patient/person information	
Manufacturer Catalog number		Message	
manufacturer ID Manufacturer identifier		ACK2-5	2. 6-9. 6-18
Manufacturer labeler identification code	•	ACK	
		ACK	
Manufacturer lot number		ACK	
Manufacturer name		BAR	
Manufacturer/distributor		BAR	
manufacturer's catalog		BAR	
Marital status	•	Chapter formats for defining HL7 messages	
Marital Status		construction rules	
Marketing approval ID		DBC	
Marketing basis		DBU	
master file acknowledgment segment	U-12	DEL	

delimiters2-11	ACK 3-8, 3-11, 3-13, 3-16, 3-18, 3-21, 3-23, 3-25, 3-27, 3-
DEO4-169	29, 3-30, 3-33, 3-35, 3-37, 3-40, 3-41, 3-43, 3-44, 3-
DER4-167	45, 3-47, 3-48, 3-49, 3-51, 3-52, 3-56, 3-57, 3-59, 3-
DFT6-6, 6-15	61, 3-62, 3-64, 3-65, 3-67, 3-69, 3-70, 3-71, 3-73, 3-
display vs. record-oriented5-110	74, 3-76, 3-78, 3-79, 3-81, 3-82, 3-83, 3-85, 3-86, 3-
DPR4-172	98, 3-100, 3-101
DRC4-171	ADT3-4, 3-7, 3-9, 3-12, 3-14, 3-17, 3-19, 3-22, 3-25, 3-
DRG4-167	26, 3-28, 3-29, 3-31, 3-34, 3-36, 3-38, 3-40, 3-42, 3-
length2-12	43, 3-45, 3-46, 3-47, 3-49, 3-50, 3-51, 3-54, 3-56, 3-
NMD14-2	58, 3-60, 3-61, 3-63, 3-64, 3-66, 3-68, 3-69, 3-71, 3-
OMI4-38	72, 3-74, 3-75, 3-77, 3-79, 3-80, 3-81, 3-83, 3-84, 3-
OML4-19, 4-26, 4-29, 4-32	85, 3-97, 3-99, 3-100
OPL4-42	CCF11-43
OPR4-45	CCI
ORI	CCQ
ORL4-16, 4-23, 4-35	CCR
Processing rules	CCU
QBP	EAC
RAS	EAC
RDE	
, -, -	EAR
RGV4-15, 4-18	ESR
RRA4-21	ESU
RSP4-165	INR
RSP4-164	INU
Sample Control And Query2-89	LSR
unsolicited display update message continuation 5-111	LSU
message acknowledgment segment2-66	MDM
message construction rules	MFK .0-6, 0-7, 0-16, 0-19, 0-21, 0-23, 0-24, 0-26, 0-77, 0-
Message control ID2-66	93, 0-112, 0-113, 0-116
Message control ID2-69	MFN
Message control segments2-53	MFN
Message Framework	MFN
message header segment2-67	MFN
Message Initiation	MFN
Message profile	MFN
Message profile document	MFN0-24
Message profile example2-5	MFN
Message Profile ID2-72, 2-84	MFN0-77
Message profile schema2-39	MFN
Message profiles2-3	MFN0-112
Message query name5-49, 5-50	MFN0-113
Message representation2-48	MFN0-116
Message response using the original processing rules 2-29	OMD4-107
MESSAGE SEGMENTS10-25	OMG4-7
Message Structure Table2-88	OML4-12, 4-52
Message type2-69	OMN4-119
Message Types	OMN4-119
CRM7-112	OMP4-4
CSU7-115	OMP4-4
OPU7-29	OMS4-116
ORA7-20, 7-35	OMS4-116
ORU7-8, 7-12, 7-15, 7-17, 7-32, 7-36	ORF7-12
OUL7-20, 7-26	ORG4-11
OUL7-12	ORL7-23
PEX7-135	ORN4-120
SUR7-138	ORN4-120
Message Waiting Number2-66	ORP4-6
Message Waiting Priority2-67	ORS4-117
Messages 2-7	ORS 4-117

ORX	4-51	MFI - data element definitions	0-9
OSQ/OSR		MFK.0-6, 0-7, 0-16, 0-19, 0-21, 0-23, 0-2	
PGL	•	0-103, 0-112, 0-113, 0-116	1,020,077,033,
PIN		MFN 0-6, 0-7, 0-16, 0-19, 0-21, 0-23, 0-2	04 0-26 0-77 0-93
PMU15-3, 15-4, 15-5, 15-6, 15-7, 15-	_	0-103, 0-112, 0-113, 0-116	14, 0-20, 0-77, 0-33,
PPG		MFN control ID	0 10 0 12
PPR		MFN Record Level error return	•
PPT		MFQ	
PPV		MFR	
PRM		Military handicapped program	
PRR	12-18	Military id number	
PTR		Military non-avail cert on file	
QBP 3-87, 3-90, 3-93, 3-95, 3-	-102, 5-38, 5-41	Military Non-Availability Code	3-149
QCN	5-45	Military organization	6-99
QRY	7-12	Military Partnership Code	3-149
QSB	5-42	Military rank/grade	6-100
QSX	5-46	Military retire date	
QVR	5-43	Military service	
RAS		Military sponsor name	
RCI	_	Military station	
RCL	_	Military status	
RDE	_	Minimum collection volume	
RDS		Minimum meaningful increments	
	,		
RDS		Minimum price	
RDS		Minimum quantity	0-101
RDY	_	Miscellaneous	
REF	11-23	HL7 tables used across all chapters	
RGV	4-16	MO	2-51
RPA	11-16, 11-20	MOC	
RPI	11-8, 11-13	Modality of imaging measurement	0-43
RPL	11-10	Mode of Arrival Code	3-149
RPR	11-12	Model identifier	7-157, 17-67
RQA	11-16. 11-20	Model Number	6-34
RQC	,	Modified by Organization	
RQI11-		Modified by Person	
RQP		Modified Date/Time	
RRA		Modifier edit code	
RRD		Modify indicator	
RRD		•	
		Mondify patient referral	
RRE4	, ,	Monetary amount	
RRE		mood code	•
RRE		Mood code	
RRG	4-18	Mood Code	12-23, 12-30
RRI	11-23	MOP	2-52
RSP3-88, 3-90, 3-93, 3-	-96, 3-103, 5-39	Mother's Maiden Name	3-161
SQM		Mother's Identifier	3-115
SQR	10-25	Mother's maiden name	6-72. 6-106
SSR		Mother's Maiden Name	•
SSU		MPI integration – an introduction	
TCU		MRG	
U11		MSA	
UDM		MSG	
Nessages received		MSH	
lessages sent		Multiple Birth Indicator	
ΛFA		Multiple placer applications	10-74
ለFA - data element definitions	0-12		
1 FΕ	0-10		
NFE - data element definitions	0-10		
ЛFI	0-9		

N

NA	2-53
Name	3-153
Name of coder	6-48
Name of insured	6-84
Narrative reports	7-7
Nationality3-117, 3-16	52, 6-72, 6-107
Nature of abnormal test	7-66
Nature of service/test/observation	0-35
NCK	14-4
NCK attributes	14-4
NDC code	6-31
NDC Qty and UOM	6-36
NDL	2-54
NDS	13-53
needs human review 4-44, 4-	-64, 4-77, 4-87
Negation indicator	12-37
New application	14-5
New CPU	14-5
New diagnoses/problems	12-5
New facility	
New fileserver	14-5
New goals	12-5
Newborn Baby Indicator	
Newborn code	6-143
next goal review date/time	
Next of Kin / Associated Parties Employee Nu	mber 3-157
Next of Kin / Associated Parties Job Code/Cla	
Next of kin / associated parties job title	
next of kin / associated parties segment	
Next of Kin Birthplace	
Next of Kin Telecommunication Information.	3-167
Next of Kin/Associated Party Identifiers	3-165
NK1	3-152
NM	2-56
NMD	14-2
NMD - Application Management data	14-2
NMQ	14-2
Non-concur code/description	6-122
Non-coverage insurance code	
Non-covered days	6-134, 6-136
Non-subject Consenter reason	9-28
Normal collection volume	
Normal text/codes for categorical observatio	
notes and comments segment	2-77
Notice of admission date	
Notice of admission flag	6-86
Notification alert severity	
Notification code	
Notification date/time	13-53
Notification reference number	13-53
Notify Clergy Code	3-152
NPU	
NR	
NSC	
NST	
NTE	2-77

Number of Authorized Treatments/Units11-52, 11-60
Number of columns per row5-54
Number of decontamination/sterilization devices17-50
Number of grace days6-134
Number of Items per Unit16-48
Number of packages in shipment7-173
Number of product experience reports filed by distributor
7-150
Number of product experience reports filed by facility7
155
number of refills4-42, 4-62
number of refills remaining4-64, 4-75
number of refills/doses dispensed4-64
number of sample containers4-80, 7-53
Number of Scheduled Treatments/Units11-53, 11-60
Number of service units6-148
number of specimen containers7-83
Number of TP's PP16-54
Number of TP's Technical Part16-5
number of tubes collected4-183
Number of Used Treatments/Units11-52, 11-60
numeric observation segment0-4

0

O03	4-107
O05	4-116
O06	4-117
007	4-119
O08	4-120
009	4-4
O10	4-6
011	4-7, 4-31
012	4-10, 4-34
013	4-11, 4-35
014	4-14
015	4-15
O16	4-18
017	4-19
018	4-21
019	4-7
O20	4-11
021	4-12
022	4-16
023	4-38
024	4-41
O25	4-7, 4-23
O26	4-25
027	4-127
O28	4-129
029	4-130
O30	4-131
031	4-132
032	4-133
033	
034	
035	4-26

0364-29	OH1-2 Action Code	3-202
037 4-42	OH1-3 Employment Status	3-202
0384-45	OH4-1 Set id	3-210
0394-32	OH4-2 Action Code	3-210
0404-35	OH4-3 Combat Zone Start Date	3-210
0414-161	OH4-4 Combat Zone End Date	3-210
0424-162	OM1	0-29
0434-167	OM1 - data element definitions	0-31
0444-167	OM2	0-47
0454-169	OM2 - data element definitions	
0464-170	OM3	0-50
0474-171	OM3 - data element definitions	0-50
0484-172	OM4	
0514-47	OM4 - data element definitions	
0524-48	OM5	
0574-49	OM5 - data element definitions	
0584-51	OM6	
O60	OM6 - data element definitions	
OBR4-69, 7-42	OM7	
OBR – data element definitions	OMB	
observation batteries (sets) segment0-57	OMD	
observation date/time4-74, 7-47	OMG	
Observation description0-32	OMN	
observation end date/time4-74, 7-47	OMP	
Observation ID suffixes	OMQ	
Observation identifier	OMS	_
observation instance identifier	On board stability duration	
Observation method	On board stability time	
Observation producing department/section0-34	Online Verification Date/Time	
Observation Reporting	Online Verification Result	
observation request segment4-69, 7-42	Online Verification Result Check Digit	
Observation result status	Online Verification Result Error Code	
observation result status	Onset Date	
-	Onset Date Text	
observation segment usage	Operating room par level indicator	
Observation sub-ID	Operator	
observation type	Operator - Unload	
Observation value	·	
observation/result (OBX)7-58, 7-110	Operator ID	
	Operator name	
Observations required to interpret this observation0-38	OPU - Unsolicted population/location based	,
Observations that are calculated from other observations	observation (R25)	
segment	ORA	
observations that require specimens segment 0-52	ORA – observation report alert acknowledge	ment (R41) . 7-
OBX7-58, 9-29	35	4 420
OBX - data element definitions	ORB	
Occurrence6-134	ORC	
Occurrence code & date6-136	order	
Occurrence number 10-27, 10-38	detail segment	
Occurrence span6-134	order callback phone number	
Occurrence span code/dates6-137	order control	
Occurrence span end date6-134	event acknowledgment	
Occurrence span start date6-134	event notification	
OCD2-57	event request	
OCE edit code6-149	order control code reason	
OCE edits per visit code6-146	order effective date/time	4-63
ODS4-111	order entry	
ODT4-112	examples of use	4-99
Office/home address/birthplace15-41	Order Entry	
OH1-1Set ID3-202	Pharmacy/Treatment, Vaccination	0-1

Order Number 4-5	Other Healthcare Provider	3-139
Order packaging17-30	Other identifier	7-157
order status4-61	Other names	0-32, 0-44
order status modifier 4-65	Other service/test/observation IDs for th	e observation 0-32
order type4-66	OUL	
order workflow profile4-67	OUL - Unsolicited specimen container ori	
Orderability0-33	observation (R23)	
Orderable-at location0-63	OUL - Unsolicited specimen oriented obs	
Ordered by code6-27	20	
ordering facility address4-64	OUL - Unsolicted Order Oriented Observa	ation (R24)7-26
ordering facility name4-64	Outlier cost	6-46, 6-146
Ordering Facility Name6-33	Outlier days	6-46
ordering facility phone number4-64	Outlier reimbursement	6-47
Ordering non-medical services4-100	Outlier type	6-46
ordering provider4-62, 4-76, 7-49	Output specification for tabular response	·5-27
ordering provider address4-65	Outside site(s) where observation may be	e performed0-36
ordering provider's DEA number4-42, 4-61	Outstanding Issues	2-93
orders1-7, 4-4	Over temperature	17-58
ORF7-12	Overall claim disposition code	6-146
ORG 4-11, 15-28	Override Authorized By	2-82
ORG Attributes15-28	Override Comments	2-81
Organ Donor Code	Override Entered By	2-81
Organization7-90	Override Reason Code	2-61
Organization name - LOC0-79	Override segment	2-79
Organization Name - NK13-158	Override Type	2-61
Organization unit code15-29	OVR	2-79
Organization unit type7-90		
Organization unit type code15-29		
Organizational location relationship value0-86	P	
Origin16-35		
Original mode queries5-112	P013-	4. 6-3. 6-10. 6-151
Original Mode Queries5-5	P02	
Original mode queries - display oriented10-25	P03	
Original mode queries - record oriented10-25	P04	6-10
Original order date/time4-67	P05	
Original Value16-58	P06	
Originating Referral identifier11-50	P07, P08	
Origination date/time9-32	P09	
Originator code/name9-32	P10	6-13
ORL7-23	P11	6-14
ORN4-120	P12	6-18
ORP4-6	PAC - data element definitions	7-174
pharmacy 4-6	Package condition	7-175
ORS4-117	Package handling code	7-175
ORU5-65, 7-8, 7-12, 7-15, 7-17, 7-32, 7-36	Package id	7-174
ORU - New point of care result with search for an order	Package quantity	17-25
(R31)7-15	Package risk code	7-176
ORU – Observation Report Acknowledgement (R33)7-20	Package type	7-175
ORU - Pre-ordered point of care observation (R32) 7-17	Packaging status code	6-150
ORU - Unsolicited alert observation (R01)7-32	Packaging units	17-25
ORU - Unsolicited observation (R01)	packaging/assembly location	4-80
ORU – Unsolicited observation (R01)7-36	Parameters	13-52
ORU –Point of Care Observation without existing order	Parent and child appointments	10-6
(R30)	Parent appointment	10-10
ORU- Unsolicited laboratory observation (R21)7-12	Parent diagnosis	
OSP2-58	Parent document number	9-36
OSU4-47, 4-48	Parent filler appointment ID	10-36
Other environmental factors	Parent of Corporation	0-124
Other errors received14-7		

parent order4-61, 4-85, 7-57	Patient Visit - Additional Information Segment3-141
Parent package id7-175	patient visit segment3-120
Parent placer appointment ID 10-36, 10-49	Patient's relationship to insured6-117
Parent Procedure ID 6-57	Pay rate per service unit6-151
parent result4-78, 7-51	Payee Address16-41
parent result ID4-84, 7-57	Payee Bank Account ID16-61
parent result observation identifier4-79, 7-52	Payee Bank Identification16-61
parent universal service identifier4-66	Payee Identification List16-40
Parent universal service identifier4-84, 7-56	Payee Information Segment16-39
parent/child 4-57	Payee Person Name16-41
Participation Instance ID7-87	Payee Relationship to Invoice (Patient)16-40
Pathway established date/time12-30	Payee Transit Number16-61
Pathway ID12-29	Payee Type16-40
Pathway instance ID12-30	Payer Adjustment Number16-57
Pathway life cycle status12-30	Payer Cross Reference Identifier16-63
pathway segment12-29	
Patient Account Number3-114	Payer Organization16-33
Patient Additional Demographic Segment3-186	Payer Product/Service Group Number16-43, 16-44
Patient Address3-111	Payer Product/Service Line Item Number16-46
Patient Administration0-1	Payer Tax ID16-39
patient adverse reaction information segment 3-169	Payer Tax status16-39
Patient Alias 3-111	Payer Tracking Number16-46
patient allergy information segment3-168	Payment adjustment code6-150
Patient Care0-1	Payment Information Segment16-59
Patient Charge Adjustment Code3-148	Payment Method16-42, 16-60
Patient chargeable indicator 17-14, 17-31	Payment Organization16-62
Patient Class3-122	Payment reference id6-32
Patient Condition Code3-150	Payment Terms16-33
Patient Consent16-30	Payment/Remittance Advice Number16-60
Patient Death Date and Time3-117	Payment/Remittance Amount16-60
Patient Death Indicator3-117	Payment/Remittance Date/Time16-60
Patient evaluability status7-124	Payment/Remittance Effective Date/Time16-60
Patient ID3-109	Payment/Remittance Expiration Date/Time16-60
Patient Identification Segment3-107	Payor11-8
Patient identifier list17-63	Payor id6-101
Patient Identifier List3-109	Payor subscriber id6-102
Patient location relationship value0-87	payors11-3
Patient member number6-113	PC1, PC2, PC312-10
Patient Name3-110	PC412-18
Patient outcome7-146	PC512-18
Patient Pathway Goal-Oriented Message12-15	
Patient Pathway Problem-Oriented Message12-12	PC912-18
Patient preference4-115	PCA12-18
Patient preparation0-40	PCA dose amount4-102
Patient Primary Care Provider Name & ID No3-188	PCA dose amount units4-103
Patient Primary Facility3-187	PCA dose amount volume4-103
Patient record links3-231	PCA dose amount volume units4-103
Patient referral11-3, 11-20, 11-23	PCA type4-102
Patient Referral0-1, 11-3	PCB, PCC, PCD12-12
Patient referral and responses11-3	PCCL value code6-48
Patient Referral Message11-20	PCE
Patient Results Release Category7-74	PCE - data element definitions17-27
Patient Status Code3-147	PCE attributes17-27
Patient study eligibility status7-123	PCF12-18
Patient Telecommunication Information3-120	PCG, PCH, PCJ12-15
Patient type6-25	PCK12-18
Patient Type3-131	PCL12-19
Patient Valuables3-143	PCR7-149
Patient Valuables Location3-143	PCR - data element definitions7-150

PD13-1	
PDC	
PDC - data element definitions7-1	
Penalty6-1	
Pending Location3-1	PKG attributes17-25
PEO7-1	
PEO - data element definitions7-1	• • • • • • • • • • • • • • • • • • • •
Performed by code6-	
Performing Facility Name6-:	Placer Application Requests and Trigger Events17-36
performing organization address7-	
performing organization medical director7-	73 Placer appointment ID10-26, 10-27, 10-38
performing organization name7-	71 Placer contact address10-32, 10-42
Permitted data types0-	Placer contact location10-33, 10-43
Person performing study registration7-1	20 Placer contact person10-31, 10-41
Person Provider type7-	Placer contact phone number10-32, 10-42
Personnel Management0	-1 placer field #14-77, 7-50
Personnel resource ID10-	55 placer field #24-77, 7-50
PES7-1	38 placer group number4-60, 4-68
PEX7-1	Placer group number
PGL12	-7 placer order group 4-5, 4-57
PGL/ACK 12	
pharmaceutical substance alternative4-	
pharmacist/treatment supplier's verifier ID4-	
pharmacist/treatment supplier's verifier ID4-	
pharmacy1-7, 4	
Pharmacy of most recent refill4-	
pharmacy order type	
Pharmacy order type4-	
pharmacy phone number4-50, 4-	
Pharmacy phone number4-	
pharmacy/treatment4-19, 4-1	
administration message4-19, 4-	
administration segment4-!	
component order segment4-	
dispense segment4-	
encoded order	_
encoded order segment4-	-
examples of use4-1	-
give message4-15, 4-	-
give segment4-13, 4-	_
infusion segment4-1	
order segment4-	
route segment4-	•
usage notes	·
Pharmacy/Treatment Segments4-:	·
pharmacy/treatment supplier special dispensing	Policy scope6-112
instructions4-	•
Pharmacy/Treatment Trigger Events & Messages 4	
phlebotomy date/time4-1	
phlebotomy end date/time4-1	
phlebotomy issue4-1	
phlebotomy status4-1	
Phone	
Phone Number3-1	, , ,
Phone Number - Business3-1	
Phone Number - Home3-1	
Phone number of outside site0-	37 PPG/ACK12-15
Physician reviewer6-1	
חום	17 DDD/ACV 12.12

PPR12-1	0 Primary key value - MFA0-13
PPR/ACK	
PPT12-1	·
PPV	
PR16-5	
PR1 attributes6-5	
PRA15-3	2 Primary key value type - MFA0-13
PRA Attributes	
Practitioner category15-3	
practitioner detail segment15-3	
Practitioner group15-3	Primary observer aware date/time7-149
Practitioner ID numbers15-3	Primary observer name7-147
Practitioner org unit identifier15-2	9 Primary observer telephone7-148
practitioner organization unit segment15-2	8 Primary observer's qualification7-148
PRB	
PRC0-9	8 Primary org unit indicator15-29
PRC - data element definitions0-9	9 Primary vendor indicator17-23, 17-24
PRD11-6	4 Principal language of message2-72
Pre-admit a patient - event A053-21	principal result interpreter4-80, 7-52
Pre-admit cert (PAC)6-8	7 Prior Alternate Patient ID3-183
Preadmit Number3-12	3 Prior alternative visit3-185
Preadmit Test Indicator3-12	9 Prior insurance plan6-91
Pre-authorization11-	8 Prior patient account number3-184
Precaution Code3-15	O Prior patient ID3-184
Pre-certification requirement6-12	5 Prior Patient Identifier List3-183, 3-184
Pre-dilution factor13-5	9 Prior Patient Location3-124
Pre-dilution factor default13-5	6 Prior patient name3-186
Preferred coding system0-5	Prior Pending Location3-142
Preferred long name for the observation0-3	2 Prior results instructions0-45
Preferred method of contact11-74, 15-4	Prior Temporary Location3-137
Preferred report name for the observation0-3	Prior visit number3-184
Preferred short name or mnemonic for the observation C	Priority10-30
32	Priority No12-37
Preferred specimen/attribute sequence0-5	
Preparation0-5	
prescription number4-64, 4-7	5 PRL2-66
Prescription Number6-3	6 Probability7-66
Present on admission (POA) indicator6-4	, ,
previous goal review date/time12-2	1 problem12-3
Previous Service Date3-145, 3-15	· · · · · · · · · · · · · · · · · · ·
Previous Treatment Date3-14	7 problem confirmation status12-26
Price0-100, 17-2	
Price override flag0-10	problem detail segment12-23
Price Protextion Date0-12	problem established date/time12-25
pricing segment0-9	8 problem ID12-24
Pricing Tier Level0-12	·
Primary (parent) container identifier13-3	6 problem life cycle status12-26
Primary activity provider code/name9-3	
Primary Care Physician Indicator15-3	
Primary care provider11-	
primary care provider (PCP)11-	problem onset text12-26
primary care providers11-	3 problem persistence12-25
Primary key value - CDM0-64, 0-9	
Primary key value - IIM17-	·
Primary key value - LCC0-9	
Primary key value - LCH0-8	
Primary key value - LDP0-8	8 Procedure code6-29, 6-53, 0-96, 17-10, 17-18, 17-63
Primary key value - LOC0-7	
Primary key value - LRL0-8	

Procedure date/time6-53	Professional affiliation additional information15-16
Procedure DRG type6-55	professional affiliation segment15-15
Procedure functional type6-53	Professional organization15-15
Procedure identifier 6-56	Professional organization address15-15
Procedure medication0-40	Professional organization affiliation date range15-16
Procedure minutes 6-53	Profile type2-12
procedure priority6-54	Profile types
procedures segment6-52	implementation2-13
Process date	realm constrainable2-13
process interuption4-176	vendor constrainable2-13
process interuption reason4-177	Protection indicator
Processing	Protection Indicator3-161, 3-190
batch1-14	Protection indicator effective date3-190
Processing Consideration Code16-49	Protocol for interpreting repeating fields in an update
Processing ID2-69	message2-45
Processing priority0-36	Protocol for interpreting repeating segments or segment
Processing time0-36	groups in an update Message2-41
Processing type	protocols
Producer ID0-31	HL7 special2-34
Producer's ID7-68	Protocols
Producer's service/test/observation ID0-31	acknowledging batches2-40
Product available for inspection7-152	batch2-39
Product class7-150	batch message as a query response2-40
Product code7-157	continuation messages2-36
product detail country segment (PDC)7-156	HL7 batch file structure2-39
Product evaluation performed7-152	other1-14
Product evaluation results7-153	related segments and data usage2-40
Product evaluation status7-152	segements2-36
Product Experience7-131	sequence number2-35
product experience observation segment (PEO) 7-143	Provider address11-65
product experience sender segment (PES)7-138	Provider Adjustment Number16-57
Product expiration date7-151	Provider Adjustment Number Cross Reference16-58
Product explantation date7-151	Provider billing15-33
Product implantation date7-151	Provider communication information11-67
Product manufacture date7-151	Provider Cross Reference Identifier16-62
Product problem7-151	provider data segment11-64
Product serial/lot number7-152	Provider identifiers11-67
product summary header segment (PSH)7-153	Provider Invoice Number16-31
Product/Service Amount for Physician16-50	Provider location11-66
Product/Service Billed Amount16-48	Provider method of contact11-67
Product/Service Clarification Code Type16-49	Provider name11-65
Product/Service Clarification Code Value16-49	Provider Organization16-33
Product/Service Code16-47	Provider organization address11-68
Product/Service Code Description16-47	Provider organization communication information11-70
Product/Service Code Modifier16-47	Provider organization location information11-69
Product/Service Cost Factor16-50	Provider organization method of contact11-70
Product/Service Effective Date16-47	Provider organization name and identifier11-68
Product/Service Expiration Date16-47	Provider Product/Service Group Number16-43, 16-44
Product/Service Gross Amount16-48	Provider Product/Service Line Item Number16-46
Product/service group billed amount 16-44	Provider Product/Service Line Item Number Cross
Product/Service Group description16-45	Reference16-59
Product/Service Group Segment16-43, 16-44	Provider role11-64
Product/Service Group Sequence Number 16-43, 16-44	Provider Tax ID16-39
Product/Service Line Item Segment16-45	Provider Tax status16-39
Product/Service Line Item Sequence Number16-46	Provider Tracking Number16-46
Product/Service Line Item Status16-47	provider's administration instructions4-41, 4-60
Product/Service Quantity16-47	provider's pharmacy/treatment instructions4-41
Product/Service Unit Cost16-48	PRR
Production Class Code3-119	PRT - data element definitions7-87

PRT Attributes	7-86	QSC	2-69
PSG	16-43, 16-44	QSP	5-64
PSG - data element definitions	16-44	QSX	5-46
PSH	7-153	Qualitative duration	7-92
PSH - data element definitions	7-154	Quantity distributed	7-155
PSL	16-45	Quantity distributed comment	
PSL - data element definitions	16-46	Quantity distributed method	
PSRO/UR approval indicator	6-134	Quantity in use	
PSRO/UR approval stay-fm		Quantity in use comment	
PSRO/UR approval stay-to		Quantity in use method	
PSS - data element definitions		Quantity limited request	
PT		Quantity manufactured	
PTA		Quantity units	
PTH		Quantity/timing	
PTR		,, e	4-0
		quantity/timing component end date/time	4 00
Publicity Code	•		
Publicity Code		start date/time	
PUBLISH AND SUBSCRIBE		Queries	
Details		deferred response example	
Examples		error response	
Introduction		immediate response	
Purge Status Code		immediate vs. deferred response	
Purge status date		Introduction	
PV1		message definition	
PV2		message implementation considerations	
PV2 segment		Query	
PYE	16-39	MFQ	0-9
PYE - data element definitions	16-40	MFR	0-9
		NMQ	
		query acknowledgment segment	5-48
Q		Query by example (QBP) / tabular response (RTB)	5-104
Q			
•	5-110	Query by example (QBP) / tabular response (RTB)	5-10
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant	5-10 Y)5-97
Q05	5-42	Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD	5-10 Y)5-97 B)5-87
Q05	5-42 5-43	Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT	5-10 Y)5-97 B)5-87 5-9
Q05 Q16 Q17 Q21	5-42 5-43 3-87	Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter	5-10 Y)5-97 B)5-87 5-9
Q05	5-42 5-43 3-87 3-89	Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-87 5-9 5-58
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-87 5-9 5-58
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-87 5-9 5-58 5-6
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar Query Grammar QBP	5-10 Y)5-97 B)5-87 5-9 5-58 5-21
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar Query Grammar QBP query identification segment	5-10 Y)5-97 B)5-87 5-9 5-58 5-6 5-21
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar Query Grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS	5-10 Y)5-97 B)5-87 5-9 5-58 5-66 5-21 4-27 5-50
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-97 B)5-87 5-58 5-66 5-50 5-66
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-97 B)5-87 5-58 5-66 5-50 5-66 5-50
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-97 B)5-87 5-58 5-66 5-50 5-66 5-50
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-97 B)5-87 5-9 5-58 5-66 5-66 5-50 5-53
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-97 B)5-875-585-585-665-505-535-20
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation	5-10 Y)5-97 B)5-97 B)5-875-95-585-665-505-535-20
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query development methodology Query grammar Query Grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query parameter definition Query profile introduction Query Response RDR query response instance segment Query response status	5-10 Y)5-97 B)5-875-95-585-65-515-505-535-665-665-665-53
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query development methodology Query grammar Query Grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query specification formats	5-10 Y)5-97 B)5-97 B)5-875-595-565-615-665-535-665-535-665-69
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query Grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query tag S-49, 5	5-10 Y)5-97 B)5-97 B)5-875-95-665-665-665-605-665-665-665-53
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query Grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query tag Query transactions	5-10 Y)5-97 B)5-97 B)5-875-95-665-665-665-605-665-695-695-955-955-955-9
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query specification formats Query transactions Query using QSC variant (QBP) / display response	5-10 Y)5-97 B)5-97 B)5-875-585-665-505-665-515-695-515-9 5-50, 5-5110-25 (RDY)5-
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query Grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query tag Query transactions Query transactions Query using QSC variant (QBP) / display response 100 Query using QSC variant / segment pattern response	5-10 Y)5-97 B)5-97 B)5-875-95-585-665-505-665-515-9 s-50, 5-515-20 (RDY)5-
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query tag Query tag Query tag Query using QSC variant (QBP) / display response 100 Query using QSC variant / segment pattern responexamples	5-10 Y)5-97 B)5-97 B)5-97 B)5-87 B)5-87 B)5-87 B)5-87 B)5-87 B)5-68 B)5-66 B)5-50 B)5-66 B)5-61 B)5-9 B)5-9 B)5-9 B)5-76
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query parameter definition Query priority Query profile introduction Query Response RDR query response instance segment Query response status Query specification formats Query tag Query tag Query tag Query using QSC variant / segment pattern respone examples Query using QSC variant / tabular response (RTB).	5-10 Y)5-97 B)5-97 B)5-875-585-665-505-665-505-665-515-93 f-50, 5-515-93
Q05		Query by example (QBP) / tabular response (RTB) Query By Example Variant Query by parameter (QBP) / display response (RD Query by parameter (QBP) / tabular response (RT Query By Simple Parameter Query cancellation Query development methodology Query grammar QBP query identification segment QUERY IMPLEMENTATION CONSIDERATIONS query priority Query profile introduction Query Response RDR query response instance segment Query response status Query tag Query tag Query tag Query using QSC variant (QBP) / display response 100 Query using QSC variant / segment pattern responexamples	5-10 Y)5-97 B)5-97 B)5-875-585-665-505-665-505-665-535-935-935-10

QUERY/RESPONSE PROFILE5-13	Reference (normal) range for ordinal and continuous
QUERY/RESPONSE MESSAGE EXAMPLES5-66	observations0-48
QUERY/RESPONSE MESSAGE PAIRS5-36	Reference batch control ID2-55
Query/response model5-4	Reference command number13-33, 13-52
Querying application10-11	Reference Documents1-21
querying application role10-7, 11-6	Reference file control ID2-63
QVR5-43, 5-44	Reference interaction number13-33
	References range7-65
_	Referral11-8
R	Referral category11-50
	Referral disposition11-50
R017-8. 7-32. 7-36	Referral documentation completion status11-52
R02. R04	referral information segment11-48
R21	Referral Number6-34
Race3-111, 3-166, 6-117, 15-45	Referral priority11-49
Randomized study arm7-123	Referral reason11-51
Range of decimal precision0-48	Referral Reason Text11-52
RAS4-19, 4-20	Referral Source Code3-144
RCD2-70	Referral status11-49
RCI	Referral type11-50
RCL	referred-by provider11-5
RCP5-52	referred-to provider11-5
RCP input parameter field description and commentary 5-	referred-to provider application role11-5
25	Referred-to-provider11-8
RDE 4-7, 4-23, 4-31, 4-32	Referring Doctor3-126
RDF	Referring provider11-8
RDR5-66	referring provider application role11-5
RDS4-11, 4-12, 4-35	Reflex allowed13-59
RDT5-54	Reflex tests/observations0-39
RDY5-23, 5-33, 5-41, 5-98, 5-101	Register a patient - event A04 (complex example)3-212
Re-activate approval indicator15-45	Registration date/time13-36
Reading failure	Reimbursement action code6-148
Re-admission indicator3-129	Reimbursement limit11-57
Realm constrainable profile type2-13	Reimbursement type code6-150
Reason ended study7-124	Related filler number4-91
reason for study4-80, 7-52	Related placer group number4-92
Reason Text	Related placer number4-91
reasons used with transactions10-9	Related Product/Service Code Indicator16-50
Receive character count14-7	Relatedness assessment7-153
Receive timeouts14-7	Relationship3-154
Receiving application2-68	Relationship modifier0-43
Receiving facility2-69	Relationship to patient code3-173
Receiving Network Address2-75	Relationship to subject9-29
Receiving Responsible Organization2-74	Relationship to the patient start date6-111
Recommended maximum days inventory 17-34	Relationship to the patient stop date6-111
Recommended order amount17-34	Relationship type12-33
Recommended order point17-34	Relative discount/surcharge6-49
Recommended reorder theory17-33	Relative weight0-119
Recommended safety stock days17-34	Release information code6-86
Recorded date/time3-105	relevant clinical information
Record-level event code0-10, 0-12	Religion3-114, 3-161, 6-71, 6-106, 15-48
Recreational Drug Use Code3-149	Remaining Benefit Amount11-53, 11-61
Recurring Service Code3-148	Remote control command13-52
REF11-20, 11-23	Removing messages or message constituents2-27
REF - patient referral message 11-20, 11-24	renewal date
REF deferred example11-78	Repeating interval
REF immediate example11-77	Repeating interval duration10-30
REF Patient referral11-20	Replaced producer's service/test observation ID0-45
	Report date7-154

Report display order	0-35	response flag	4-61, 4-67
Report form identifier	7-154	Response format	5-7
Report interval end date	7-154	Response grammar	5-22
Report interval start date	7-154	Response Grammar	
Report of eligibility date	6-86	RSP	4-27
Report of eligibility flag	6-86	Response grammar for display response	5-23
Report subheader	0-35	Response level code	0-10
Report type	7-154	Response modality	5-53
Reported by	3-173	Response required	13-52
Reporting priority	0-36	Response using enhanced acknowledgme	nt2-31
Request Date	16-30	Responsible observer	7-68
Request event reason	10-28	Responsible Organization	16-59
Request for cancellation of an authorization	11-20	Responsible Physician	16-36
Request for Information	16-30	Responsible Physician ID	
Request for modification to an authorization	n11-20	Restricted Disclosure Indicator	16-50
Request for resubmission of an authorizatio	n 11-20	result copies to	4-79, 7-52
Request for treatment authorization inform	ation 11-20	result handling	4-83, 7-56
Request patient referral status	11-20, 11-24	result ID	4-84, 7-56
Requested completion time	13-52	Result ID	5-48
Requested Discipline(s)	11-58	result status	4-78, 7-51
requested dispense amount	4-42	results rpt/status chng	4-77, 7-50
requested dispense code	4-42	Retention Indicator	3-146
requested dispense units	4-42	Reusable cost	17-33
requested dosage form	4-40	Reusable item indicator	17-33
Requested drug strength volume	4-47	Revenue code	6-146, 6-147
Requested drug strength volume units	4-47	Revenue Code	6-36
requested give amount - maximum	4-40	revocation date	15-23
requested give amount - minimum	4-39	revocation reason code	15-23
requested give code	4-39	RF1	11-48
requested give per (time unit)	4-44	RFI	11-48, 16-30
requested give rate amount		RFI - data element definitions	16-30
requested give rate units	4-46	RFR	2-71
requested give strength	4-45	RGS	10-50
requested give strength units	4-45	RGV	4-15, 4-16, 4-18
requested give units	4-40	RI	2-72
Requested Number of Treatments		RMC	2-73
Requested start date/time range	10-29	RMI	6-144
requisition detail segment	4-121	RMI attributes	6-144
requisition detail-1 segment	4-124	ROL	15-35
requisition line number	4-121	ROL Attributes	15-36
requisition quantity	4-122	role	
requisition unit of measure	4-123	Role Executing Physician	16-53
Rerun dilution factor	13-59	Role of Participation	7-88
Rerun dilution factor default		role segment	
Reset	17-60	Room coverage type/amount	
Resource	10-11	Room fee indicator	0-98
Resource group		root cause	
Resource group ID		route	
resource group segment	10-50	routing instruction	
Resource ID		RP	
Resource load		RPA	
Resource quantity		RPA Return patient authorization	
Resource quantity units	10-57	RPI	
Resource selection criteria	10-70	RPI Return patient information	•
Resource type	•	RPL	
resources		RPL Return patient display list	
Respiratory within Surgery		RPR	
Responding to a patient referral		RPR Return patient list	
Response Due Date	16-30	RPT	2-75

RQ14-124	S07	10-17
RQA11-16, 11-20	S08	10-18
RQA - request for patient treatment authorization 11-16	S09	10-18
RQA deferred example11-76	S10	10-18
RQA immediate example11-75	S11	
RQC11-15	S12	
RQC immediate example11-79	S13	10-22
RQD4-121	S14	
RQI11-8, 11-10, 11-12	S15	
RQI immediate example11-75	S16	
RQI Request patient infomation11-10	S17	
RQI Request patient information 11-9, 11-12	S18	
RQP11-13	\$19	
RQP Request patient demographics11-13	S20	
RRA4-21	S21	
RRD	S22	
RRE4-10, 4-25, 4-34	S23	-
pharmacy4-10, 4-34	\$24	
pharmacy/treatment refill authorization request	S25 S26	
acknowledgment4-25 RRG4-18	S27	=
RRI	S28	
RRI Return Referral information	S29	_
RSP3-88, 3-90, 3-93, 3-96, 3-103, 4-165, 4-27, 5-16, 5-30,	\$30	
5-39, 5-69, 5-73, 5-78, 5-84	S31	
RSP Healthcare services invoice query response 16-11	S32	
RSP K2515-11	S33	
RTB5-22, 5-27, 5-40, 5-88, 5-91, 5-95, 5-105, 5-108	\$34	
Rules for the recipient2-21	S35	
Rules that trigger reflex testing0-39	S36	
Ruling act17-16	S37	
RX component type4-54	SAC	13-33
RXA4-93	SAC-9 Carrier type	13-36
RXA - data element definitions4-94	SAD	2-77
RXA segment usage in vaccine messages 4-118	Safety Characteristics	17-69
RXC4-54	Sales Tax ID	16-39
RXC - data element definitions4-54	Sample Control And Query Messages	
RXD4-73	SCD	
RXD - data element definitions4-74	SCD - data element definitions	17-55
RXE4-57	SCD attributes	
RXE - data element definitions 4-58	Scenarios	
RXG4-84	clinical repository loading	
RXG - data element definitions4-84	communicating clinical pathways and multidisci	
RXO4-37	plans of care	
RXO - data element definitions	consultation	
RXR4-51	patient pre-admission or patient admission	
RXR - data element definitions4-52	SCH	
RXV4-101	Schedule	
	schedule activity information segment	
<u> </u>	Schedule ID	•
S	scheduled date/time4	
	Scheduled procedure step location Scheduled time point	
S0110-16	Schedules	
S0210-16	Scheduling	
S0310-17	School	
S04	School address	
S0510-17	School type code	
S0610-17	Jenour type toue	13-23

SCP17-50	CNS	13-54
SCP - data element definitions	CON	9-24
SCP attributes17-50	CSP	
SCV	CSR	
SDD	CSS	
SDD - data element definitions	CTD	•
SDD attributes	CTD	
SDN	CTI	
SDR	DB1	
SDS	DG1	
Second opinion date6-126	DMI	0-117
Second opinion documentation received 6-126	DON	4-173
Second opinion physician6-126	DRG	6-44
Second opinion status6-126	DSC	2-58
Section16-43	DSP	5-47
Security2-69	ECD	13-52
Security/sensitivity12-28	ECR	
Segment	EDU	
ACC6-128	EQP	
AFF	EOU	
NDS	ERR	
TCD13-58	EVN	
Segment action code0-83, 0-86	FAC	
segment group header2-85	FHS	2-62
Segment group inclusion5-54	FT1	6-19
segment group name2-86	FTS	2-65
segment group trailer2-86	GOL	12-19
segment instance identifier 4-48	GP1	6-145
Segment pattern response5-8	GP2	6-147
· · · · · · · · · · · · · · · · · · ·		-
Segment unique key 0-83 0-86	GT1	h-5/
Segment unique key0-83, 0-86	GT1	
segments	IAM	3-169
segments CM20-111	IAMIAR	3-169 3-180
segments CM20-111 Segments	IAM IAR IN1	3-169 3-180 6-76
segments CM20-111 Segments ABS6-138	IAMIARIN1IN2	3-169 3-180 6-76 6-94
segments 0-111 Segments 6-138 ADD. 2-53	IAMIARIN1IN2IN3	3-169 3-180 6-76 6-94 6-117
segments 0-111 CM2 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56	IAMIARIN1IN2IN3INVINV	
segments 0-111 Segments 6-138 ABS	IAMIARIN1IN2IN3	
segments 0-111 CM2 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56	IAMIARIN1IN2IN3INVINV	
segments 0-111 Segments 6-138 ABS	IAM	
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60	IAM	
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64	IAM	3-169 3-180 6-76 6-94 13-46 16-62 13-32 16-31
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168	IAM	3-169 3-180 6-76 6-94 13-46 16-62 13-32 16-31 15-27
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69	IAM	3-169 3-180 6-76 6-94 13-46 16-62 13-32 16-31 15-27 0-91
segments 0-111 CM2 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25	IAM	3-169 3-180 6-76 6-94 13-46 16-62 13-32 16-31 15-27 0-91 0-82
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55	IAM	3-169 3-180 6-76 6-94 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 AUT 11-55	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78
segments 0-111 CM2 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85
segments 0-111 Segments 6-138 ABS. 6-138 ADD. 2-53 ADJ. 16-56 AIG. 10-55 AIL. 10-60 AIP. 10-64 AIS. 10-51 AL1. 3-168 APR. 10-69 ARQ. 10-25 AUT. 11-55 AUT. 11-55 BHS. 2-54 BLC. 6-143	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-78 0-78 0-85 0-12
segments 0-111 Segments 6-138 ABS. 6-138 ADD. 2-53 ADJ. 16-56 AIG. 10-55 AIL. 10-60 AIP. 10-64 AIS. 10-51 AL1. 3-168 APR. 10-69 ARQ. 10-25 AUT. 11-55 AUT. 11-55 BHS. 2-54 BLC. 6-143 BLG. 4-68	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-90
segments 0-111 Segments 6-138 ABS. 6-138 ADD. 2-53 ADJ. 16-56 AIG. 10-55 AIL. 10-60 AIP. 10-64 AIS. 10-51 AL1. 3-168 APR. 10-69 ARQ. 10-25 AUT. 11-55 AUT. 11-55 BHS. 2-54 BLC. 6-143	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-90
segments 0-111 Segments 6-138 ABS. 6-138 ADD. 2-53 ADJ. 16-56 AIG. 10-55 AIL. 10-60 AIP. 10-64 AIS. 10-51 AL1. 3-168 APR. 10-69 ARQ. 10-25 AUT. 11-55 AUT. 11-55 BHS. 2-54 BLC. 6-143 BLG. 4-68	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-78 0-12 0-10 0-9 3-182
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 AUT 11-55 BUT 11-55 BLC 6-143 BLG 4-68 BPO 4-134	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-85 0-12 0-10 0-9 3-182
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BPX 4-140	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-12 0-10 0-9 3-182 2-66
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BPX 4-140 BTS 2-57	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-82 0-87 0-10 0-10 0-9 3-182 2-66
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BPX 4-140 BTS 2-57 BTX 4-149	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-9 3-182 2-66 2-67 14-4
segments 0-111 Segments 6-138 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BPX 4-140 BTS 2-57 BTX 4-149 BUL 4-183	IAM	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-9 3-182 2-66 2-67 14-4 3-152
segments 0-111 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BPX 4-140 BTS 2-57 BTX 4-149 BUL 4-183 CDM 0-94 CDO 4-106	IAM IAR IN1 IN2 IN3 INV IPR ISD IVC LAN LCC LCH LDP LOC LRL MFA MFE MFI MRG MSA MSH NCK NK1 NPU IN2 IN3 IN4 IN5 IN5 IN6	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182
segments 0-111 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BFX 4-140 BTS 2-57 BTX 4-149 BUI 4-183 CDM 0-94 CDO 4-106 CER 15-17	IAM IAR IN1 IN2 IN3 INV IPR ISD IVC LAN LCC LCH LDP LOC LRL MFA MFE MFI MRG MSA MSH NCK NK1 NPU NSC IN1 IN2 IN3 IN4 IN5 IN5 IN6	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182
segments 0-111 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BFX 4-140 BTS 2-57 BTX 4-149 BUI 4-183 CDM 0-94 CDO 4-106 CER 15-17 CMO 7-128,0-105	IAM IAR IN1 IN2 IN3 INV IPR ISD IVC LAN LCC LCH LDP LOC LRL MFA MFE MFI MRG MSA MSH NCK NK1 NPU NSC NST NTE	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182 14-4
segments 0-111 ABS 6-138 ADD 2-53 ADJ 16-56 AIG 10-55 AIL 10-60 AIP 10-64 AIS 10-51 AL1 3-168 APR 10-69 ARQ 10-25 AUT 11-55 BHS 2-54 BLC 6-143 BLG 4-68 BPO 4-134 BFX 4-140 BTS 2-57 BTX 4-149 BUI 4-183 CDM 0-94 CDO 4-106 CER 15-17	IAM IAR IN1 IN2 IN3 INV IPR ISD IVC LAN LCC LCH LDP LOC LRL MFA MFE MFI MRG MSA MSH NCK NK1 NPU NSC IN1 IN2 IN3 IN4 IN5 IN5 IN6	3-169 3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182 14-4 4-69,7-42

OBX	9-29	SCH	10-37
ODS	4-111	SCP	17-50
ODT	4-112	SDD	17-52
OM1	0-29	SFT	2-83, 2-86
OM2	0-47	SGH	2-85
OM3	0-50	SGT	
OM4	0-52	SID	13-60
OM5		SLT	_
OM6		SPM	_
OM7		STF	
OMQ		TCC	
ORC		TXAUB1	
ORG OVR		UB2	202
PCR		VAR	
PD1		Segments and Segment Groups	,
PDC		Send character count	
PEO		Sender address	
PES		Sender aware date/time	_
PID		Sender comment	
PMT	16-59	Sender event description	7-142
PR1	6-52	Sender event identifier	7-142
PRA	15-32	Sender individual name	7-139
PRB	12-23	Sender organization name	7-139
PRC	0-98	Sender sequence number	
PRD	11-64	Sender telephone	
PRD		Sending application	
PSG	•	Sending facility	
PSH		Sending Network Address	
PSL		Sending Responsible Organization	
PTH		Sensitivity to causative agent code	
PV1		Sensitivity to Causative Agent Code Separability indicator	
PYE		Separate Bill	
OAK		Separator type	
QID		Sequence condition code	
QPD		Sequence number	
QRI	5-51	Sequence number - test/observation master	
RCP	5-52	0-50, 0-53, 0-58	
RDF	5-54	Sequence number protocol	
RDT	5-54	Sequence number -test/observation master	file . 0-59, 0-60
RF1	11-48	Sequence/results flag	
RFI	11-48	Sequences condition time interval	4-92
RFI		Serial Number	
RGS		Service	
RMI		Service Episode Description	
ROL		Service Episode ID	
RQ1		Service item code	
RQD		service period	•
RXA		Service Provider Taxonomy Code Service Reason code	
RXD		Service/test/observation performance sched	
RXE		SERVICE/TEST/OBSERVATIONS MASTER FILES	
RXG		Services	
RXO		Servicing Facility	
RXR		Session-No	
RXV		set ID	
SAC		Set ID	
SCD	17-54	Set ID - AFF	,

Set ID - AIG	10-55	Shipment status date/time	7-172
Set ID - AIL		Shipment status reason	
Set ID - AIP		SHP – data element definitions	
Set ID - AIS	10-51	SI	2-78
Set ID - AL1	3-168	SI conversion factor	0-48
Set id – BPO	4-135	SID	13-60
Set id – BPX	4-141	Side of body	16-54
Set id – BTX	4-150	Signature	15-19, 15-48
Set ID - CER	15-17	Signature authority	7-163
Set ID - CM0	0-106	Signature authority address	
Set ID – CM1	0-110	Signature authority telecommunication	7-165
Set ID - CM2	0-111	Signature authority title	7-164
Set ID - CON	9-25	Signature code	6-92
Set id – DG1	6-40	Signature code date	6-93
Set ID – DSP		Signature on File Date	
Set ID - EDU		Single use device	
Set id – FT1		SIU Schedule Information Unsolicited	
Set id - GT1		SLN	- /
Set ID - IAM		Slot	
Set ID - ILT		SLR	, ,
Set id – IN1		SLT	
Set id – IN3		SLT - data element definitions	
Set ID - IVT		SLT attributes	_
Set ID - LAN		SMD	- /
Set ID - NK1		SMS	
Set ID - NTE		SN	_
set ID – observation request		SNM	
Set ID - OBX		Software Binary IDSoftware Certified Version or Release Num	
Set ID - ORG Set ID - PAC		Software Install Date	
Set ID – PCE		Software Product Information	
Set ID - PID		Software Product Mornation	
Set ID - PKG		Software segment	
Set id – PR1		Software Vendor Organization	
Set ID - PRA		Sort-by field	
Set ID - PV1		Source Date	
Set ID – PYE		Source identifier	•
Set id – REL		Source information instance identifier	
Set ID - RGS		source location identifier	
set ID – segment group end		Source location name	_
set ID - SPM		Source of comment	2-77
Set id – TQ2		Source Phone	
Set ID - TXA	9-30	Source Text	11-54, 11-63
Set id – UB1	6-133	Source type	14-7
Set id - UB2	6-135	SPD	2-80
Set ID - VND	17-23	Special access restriction instructions	2-57, 2-65
Severity	2-60	special administration instructions	4-87
Severity of illness code	6-139	Special character	2-23
SFT	2-83	Special Costs	16-35
SGH	2-85	Special coverage approval name	6-101
SGT	2-86	Special coverage approval title	6-101
Shipment condition	7-173	special dispensing instructions	4-64
Shipment confidentiality		Special handling code	17-19
Shipment handling code		Special handling requirements	
shipment id		Special instructions	
Shipment ID		Special order indicator	
Shipment priority		Special Processing Code	
Shipment risk code		Special Program Code	
Shipment status	7-172	special program indicator	6-134

Special service request relationship	4-93	Staff Identifier List	15-38
Special visit count	6-137	Staff name	15-38
Specialist		Staff type	15-39
specialists	11-3	Start Date	3-156
, Specialty		Start date/time10-52, 10-57, 10-62, 1	0-67, 13-62
Specialty type	0-89	Start date/time offset10-52, 10-58, 1	
Species Code		Start date/time offset units10-52, 10-58, 1	
Specimen		Starting notification code	
specimen (SPM)		Starting notification date/time	
specimen action code		Starting notification reference number	
specimen additives	•	Stated variance date/time	
specimen appropriateness		Static definition	
specimen availability		Static definition – field level	
specimen child role		Static definition – message level	
specimen collection amount		Static definition – segment level	
specimen collection date/time		Static definition concepts	
specimen collection method		Statistics available	
specimen collection site		Statistics end	14-7
Specimen component		Statistics start	
specimen condition		Status admission	
specimen current quantity		Status age	
specimen description		Status financial calculation	
specimen expiration date/time		Status gender	
specimen handling code		Status length of stay	
Specimen handling code		Status patient	
specimen ID		Status respiration minutes	
specimen parent IDs		Status same day flag	
Specimen preference		Status separation mode	
Specimen priorities		Status weight at birth	
specimen quality		Statused at date/time	
specimen received date/time		Statused by organization	
specimen reject reasonspecimen reject reason		Statused by Organization	
Specimen required		Statuses	
Specimen required		STC	
Specimen retention time		Steps for developing a conformance statement .	_
specimen risk code		Sterile indicator	
specimen role		Sterilization and Decontamination	
Specimen source		Sterilization and Decontamination Message Seg	
specimen source site	•		11161113 17-
specimen source site modifier		50, 17-65 sterilization configuration segment	17 50
specimen type		Sterilization cycle	
specimen type modifier		sterilization cyclesterilization device data segment	
speciment and container detail segment		sterilization lot segment	
SPMSPM		Sterilization type	
SPM - data element definitions		Sterilize time	
Sponsor patient ID		Sterilizer temperature	
		·	
Sponsor study ID7-1 SQM7-1		STFSTF Attributes	
SQR			
SRR Scheduled Request Response		STI	
·		Stillborn indicator	
SRT		Stocked item indicator	
SSN Number - Patient		Stoploss limit flag	
SSR		Strain	
SSR – Specimen Status Message		Stratum for study randomization	
SSU		Student indicator	
SSU – Specimen Status Message		Student Indicator	
ST		Study authorizing provider	
STAFF AND PRACTITIONER MASTER FILES	0-16	Study phase evaluability	7-125 127 0 111
CTAIT IMPUTITICATION COMMONT	15-26	STUDY PROCE IDENTIFIED /	_ 1 / / 11_7 17

Study phase Identifier	7-125	-	
Study quality control codes		Τ	
Study randomization date/time			
Study scheduled patient time point		T01	
Study scheduled time point		T02	9-9
STZ - data element definitions		T03	9-11
STZ attributes		T04	9-12
Subject Directory Attribute Extension		T05	9-14
Subject ID		T06	9-15
Subject Name		T07	9-17
Subject Public Key Info		T08	9-18
Subject specific consent		T09	9-20
Subject to expiration indicator		T10	9-21
Subject-specific consent background text		T11	9-23
Subscriber		T12	9-43
Substance container identifier		Table definition	2-11
substance expiration date4-7		table row data segment	5-54
Substance identifier		table row definition segment	
substance identifier segment		Tabular response	
		Target anatomic site of test	
substance lot number4-7		Target information instance identifier	
Substance lot numbersubstance manufacturer		Target value	
		taxable	
Substance manufacturer identifier		Taxable item indicator	_
substance manufacturer name		Taxonomic classification code	
Substance status	-	TCC	- ,
Substance type		TCD	
substance/treatment refusal reason		TCR	
substitute allowed		TCR - Test Code Settings Request	
Substitute item identifier		TCU	
Substitute Value		TCU – Test Code Settings Update	
substitution status4-6		Technical correction rules	
Suffixes for defining observation ids		technician	
Summary chart of query/response pairs		Telecommunication Address	
SUPERCEDED QUERY/RESPONSE TRIGGER EVEN		Telephone number of section	
MESSAGE PAIRS		Temp max	
supplementary code4-5		Temp min	
Supplementary code		Temperature	
Supplier identifier		Temporary Location	
Supplier Type		Test Category	
supplies	•	test code configuration segment	
Supply Message Examples		test code detail segment	
Supply Orders		Test/fluid identifier(s)	
Supply risk codes		Test/service default duration quantity	
SUR		Test/service default duration quantity Test/service default duration units	
Suspend flag		Test/service default frequency	
Swapping a patient		Tests/observations included within an ord	
syringe manufacturer		rests/observations included within an old	-
syringe model number			
syringe size		text instruction	
syringe size units		Text message	
system clock segment	14-4	Thermal rinse time	
System date/time	14-4	This payload	
System entry date/time	4-98	This Relationship Instance Identifier	
System induced contaminants	13-42	Time selection criteria10-69, 10	
		Tissue type code	
		Title of study	0-106

Total Adjustments	3-138	Trigger events, types	10-9
Total Amount of VAT	16-38	Truncation Character Escape	
Total Amount Physician Part + Technical Part.		tube feeding	
Total charge		TX	
Total Charges		TXA	9-29
Total cycle time		type	4-111
total daily dose		Type of agreement code	
Total daily dose		Type of bill code	
Total duration of therapy		Typical progression of orders for a su	
Total Payments		Typical turn-around time	
TP-Value PP		Typical tariff around time	
TP-Value Technical Part			
TQ		U	
Track department usage indicator		o	
Transaction amount - extended			
Transaction amount - unit 6-23, 17-14		U01	
Transaction batch id		U02	
Transaction code		U03	
Transaction data0-22, 17-14		U04	
Transaction date		U05	
Transaction description		U06	
·		U07	_
Transaction description - alt		U08	
transaction flow diagram		U09	13-24
Transaction id		U10	13-25
Transaction posting date		U11	13-26
Transaction quantity		U12	13-27
Transaction reference key		U13	13-28
Transaction type		U14	13-29
Transcription date/time		UAC	2-86
transcription document header segment		UB1	6-132
transcriptionist	•	UB2	6-135
Transcriptionist code/name		UB2 attributes	6-135
Transfer patient - event A02		UB82 data segment	6-132
Transfer medical service code		UB-82 locator 2	6-134
Transfer patient - event A02		UB-82 locator 27	6-135
Transfer Reason		UB-82 locator 45	6-135
Transfer to Bad Debt Code		UB-82 locator 9	6-135
Transfer to Bad Debt Date	3-134	UB92 data segment	6-135
Transfusion service		UB92 locator 11	
usage notes	4-127	UB92 locator 2	6-137
transport arranged	4-81, 7-54	UB92 locator 31	
transport arrangement responsibility	4-81, 7-54	UB92 locator 49	
transport logistics of collected sample	4-80, 7-53	UB92 locator 56	
transport temperature	4-185	UB92 locator 57	
transport temperature units	4-186	UB92 locator 78	
transportation mode	4-79, 7-52	UDI Device Identifier	
Tray identifier	13-37	UDI Devie Identifier	
tray type	4-113	UDM	
Tray type - SAC	13-37	Under temperature	
Treating Organizational Unit	6-56	Unique Device Identifier	
Treatment	13-40	Unique document file name	
Triage code	6-141	Unique document number	
Tribal Citizenship	3-119	Unit cost	
trigger event		United nations standard products and	
trigger events		17-21	a sei vices coue.17-20,
Trigger events			7 65 12 57
Trigger Events		Units	•
TRIGGER EVENTS AND MESSAGE DEFINITIONS		Units of measure	
Trigger events, reasons	•	universal service ID	4-/3, /-46
00, - 2000			

Universal service identifier	0-60, 10-52, 13-56	Virtual table field description and commentary	5-26
Universal service Identifier	13-58	Visit Description	3-144
unsolicited vaccination record update	4-117	Visit Indicator	3-139
Update mode	10-12	Visit number	3-132
Usage	2-16	Visit Priority Code	3-147
Usage and examples of formatted text .	2-23	Visit Protection Indicator	3-146
Usage notes: PID patient identification	3-239	Visit Publicity Code	3-146
Use case model	2-6	Visit User Code	3-143
USE OF ESCAPE SEQUENCES IN FIELDS \dots	2-21	Visiting hours	0-90
User parameters	5-51	vital signs	4-5
User Authentication Credential	2-88	VND - data element definitions	17-23
user authentication credential segment	2-86	VND attributes	17-23
User Authentication Credential Type Co	de 2-88	Vocabulary	0-1
User defined access checks	7-67	volume units	4-185
User Message	2-61	Volume units	13-39
User-defined Table 0088 – Procedure Co	ode17-10	VR	2-86
User-defined Table 0116 - Bed Status		VXU	4-117
User-defined Table 0283 - Referral statu	ıs12-28		
User-defined Table 0396 - Procedure Co		-	
Using the Conformance Statement	5-14	W	
UVC	2-84		
		wash time	17-62
		Waveform	7-167
V		Waveform - Trigger Events & Message Definitions	7-167
		weight units	
Valid coded "answers"	0-51	when to charge	
Valid patient classes	0-89, 0-100	WVI	
Validation	16-56	WVS	2-87
Value amount & code			
Value type	7-59, 0-52	-	
VAR	12-30, 12-32	X	
variance	12-3		
Variance classification	12-32	XAD	2-87
Variance description	12-32	XCN	_
Variance instance ID	12-31	XON	
Variance originator	12-31	XPN	
variance segment	12-30, 12-32	XTN	
VAT-Rate	16-56		2 200
VAT-Rates			
vendor catalog	4-125	Υ	
Vendor catalog number	17-23	•	
Vendor constrainable profile type	2-13	Vac /Na indicator table	2.00
vendor ID	4-125	Yes/No indicator table	2-89
Vendor Identifier	17-23		
Vendor name	17-23		
Verification by			
Verification date/time	6-87		
verification status			
verified by	4-62		
Version			
Version 2.4 Queries			
Version Compatibility Definition	2-24		
Version ID			
Veterans Military Status	3-117		
VH	2-85		
VID			
VIP indicator	,		
VIP Indicator	3-130, 3-166		