



E. Index

Editor: Frank Oemig

Detusche Telekom Healthcare and Security Solutions GmbH

Lynn Laakso

Health Level Seven International

E.1 NOTICE

Please note that technical difficulties prevented the creation of an updated Appendix E in time for the initial release of this standard. Every effort is being made to correct the issue and an updated document is expected to be added to the standard before Janaury 2020. Please check back at a later date for this updated appendix.

		A14	3-33
A		A15	3-36
		A16	3-37
Δ01	3-4	A17	3-40
	3-6	A18	3-42
	3-8	A19	
	3-11	A20	3-42
		A21	
		A22	3-44
		A23	3-46
	3-21	A24	
	3-24	A25	
	3-26	A26	
		A27	3-51
	3-29	A28	3-53

A29	3-65, 3-67, 3-69, 3-70, 3-71, 3-73, 3-74, 3-76, 3-78, 3-79,
A30	3-81, 3-82, 3-83, 3-85, 3-86, 3-98, 3-100, 3-101, 5-43, 5-
A31	44, 5-46, 5-47, 5-111, 6-4, 6-6, 6-9, 6-11, 6-12, 6-14, 6-
A323-60	18, 6-19
A333-61	ACK General acknowledgement11-16
A34	ACK General Acknowledgment10-21
A35	Acknowledgements2-8
A36	acknowledgment4-11, 4-16, 4-35, 4-41, 4-45, 4-51
A37	general - ACK2-52
A38	Acknowledgment2-52
A39	Acknowledgment Choreography2-15
A40	Acknowledgment code2-66
A41	Acknowledgments
A42	enhanced mode2-5
A43	original mode2-5
A44	action by 4-64
A45	action code4-106, 7-75, 7-86, 12-24
A46	Action code12-19, 12-29
A47	Action Code7-87, 11-55, 11-63, 17-66
A48	Action code – RXA4-97
A493-77	action code usage12-4
A503-78	action date/time12-20, 12-24
A513-80	Action reason3-172, 7-88
A603-97	Action taken in response to the event7-153
A613-98	activation date15-23
A62	Activation date - LDP0-89
Abnormal text/codes for categorical observations 0-52	Active/inactive flag0-89, 0-97, 0-102, 15-40
Abort cycle	Activity date/time9-31
ABS	actual dispense amount4-74
ABS attributes 6-138	actual dispense units4-74
Absolute range for ordinal and continuous observations. 0-	actual dosage form4-75
49	actual drug strength volume 4-80
Abstract completion date/time 6-141	actual drug strength volume units4-80
Abstracted by	Actual Length of Inpatient Stay3-144
Academic degree	Actual Markup0-124
Academic degree granted date 15-24	actual problem resolution date/time12-25
Academic degree program date range	actual procedure type4-176
Academic degree program participation date range 15-24	actual strength4-77
ACC	actual strength unit
ACC attributes 6-129	AD2-3
Accept acknowledgment type 2-70	ADD2-53
accession id	ADD - data element definitions2-53
Accession identifier	Addendum continuation pointer2-53
Accident Address 6-131	addendum segment2-53
Accident code 6-129	Adding messages or message constituents2-24
Accident date/time 6-129	Additional insured on auto
Accident death indicator	Additive
Accident description 6-131	Address3-154, 7-93
accident identifier	Address of outside site(s)
Accident job-related indicator 6-130	ADJ
Accident location	ADJ - data element definitions
accident segment 6-128	Adjudicate as Group
Accommodation Code	Adjudicated/Paid Amount
Accommodation type	Adjustment Action 16-56
account ID	Adjustment Action
ACK3-8, 3-11, 3-13, 3-16, 3-18, 3-21, 3-23, 3-25, 3-27, 3-29,	Adjustment Category
3-30, 3-33, 3-35, 3-37, 3-40, 3-41, 3-43, 3-44, 3-45, 3-47,	Adjustment Date
3-48, 3-49, 3-51, 3-52, 3-56, 3-57, 3-59, 3-61, 3-62, 3-64,	Adjustment Description16-58

Adjustment Quantity	16-57	Allergen group code/mnemonic/description	3-172
Adjustment Reason	16-58	Allergen Type	3-168
Adjustment Sequence Number	16-57	Allergen Type code	3-170
administered amount	4-94	Allergy Action Code	3-171
administered barcode identifier	4-98	Allergy Clinical Status Code	3-174
administered code	4-94	Allergy Code/Mnemonic/Description	3-169
administered dosage form	4-95	Allergy reaction code	3-169
administered drug strength volume		Allergy Reaction Code	
administered drug strength volume units		allergy reaction segment - unique identifier.	
administered per (time unit)		Allergy Severity code	
administered strength		Allergy Severity Code	
administered strength unit		Allergy unique identifier	
administered units		allow substitutions	
administered-at	4-99	Allow substitutions code10-54, 10-59	
administered-at address		Alternate character set handling scheme	
administering provider		Alternate patient ID - CSR	
administration device		Alternate Patient ID - PID	
administration method		Alternate Placer Order Group Number	
administration notes		alternate placer order number4	
administration riotesadministration site	,	alternate placer order mulliber	
administration site modifier		Alternate study ID	
administration sub-ID counter		Alternate Visit ID	
		Ambulatory payment classification code	
administration tag identiier			
Administrative sex		Ambulatory state	
Administrative Sex		Ambulatory status	
Administrative Sex		Ambulatory Status	
Admission Level of Care		Amount for Doctors Treatment	
Admission Type		Amount PP	
Admit Date/Time		Amount Technical Part	
Admit Reason		Analyte repeat status	
Admit Source		Anesthesia code	
Admit/visit notification - event A01 (admitted	patient) 3-	Anesthesia minutes	
211		ANSI MODAL VERBS	
Admitting Doctor		anticipated price	
ADT3-4, 3-7, 3-9, 3-12, 3-14, 3-17, 3-19, 3-22, 3		anticipated problem resolution date/time	
28, 3-29, 3-31, 3-34, 3-36, 3-38, 3-40, 3-42, 3		anti-microbial cycle data segment	
3-46, 3-47, 3-49, 3-50, 3-51, 3-54, 3-56, 3-58		aphaeresis machine serial number	
3-63, 3-64, 3-66, 3-68, 3-69, 3-71, 3-72, 3-74	, 3-75, 3-77,	aphaeresis type machine	
3-79, 3-80, 3-81, 3-83, 3-84, 3-85, 3-97, 3-99	, 3-100	Appeal reason	
ADT transaction set	3-3	Application / method identifier	13-60
Advance Directive Code	3-151	Application acknowledgment type	2-70
Advance Directive Last Verified Date	3-152	Application change type	14-5
Advanced beneficiary notice	6-31	Application control-level errors	14-7
advanced beneficiary notice code	4-64	Application control-level statistics segment .	14-6
advanced beneficiary notice date	4-66	Application Error Code	2-60
advanced beneficiary notice override reason	4-65	Application Error Parameter	2-60
AFF		Application Management	
AFF - data element definitions	15-15	Application roles1	
AFF attributes	15-15	Application roles and data process	
AIG	10-55	Application roles in a messaging environmen	
AIL	10-60	Application status change segment	
AIP		Appointment	
AIS		Appointment duration	
AL1		Appointment duration units	
Alarm		appointment information - general resource	
Alert device code		55	
Alert level		appointment information - location resource	segment 10-
Algorithm descriptor		60	- 20220
Allergen Code/Mnemonic/Description			
J,, = 500p	·-		

appointment information - personnel resou	rce segment	Authorized Provider	,
		Authorizing payor, company ID	
appointment information - service segment	10-51	Authorizing payor, company name	
appointment preferences segment	10-69	Authorizing payor, plan ID	
Appointment reason	10-28, 10-39	Auto accident state	
appointment request segment	10-25	Auto ins expires	15-45
Appointment slot spacing criteria	10-71	Auto-dilution factor	13-59
Appointment timing quantity	10-40	Auto-dilution factor default	13-56
appointment type	10-9	Automatic reflex allowed	13-57
Appointment type	10-28, 10-40	Automatic repeat allowed	13-57, 13-59
Appointments		Automatic rerun allowed	13-57
Approval Status	11-59	Auxiliary application	10-10
Approved to buy price	17-17	auxiliary application role	
Approved to buy quantity		AUXILIARY QUERY PROTOCOLS	
Approving regulatory agency		Available quantity	
APR		Available specimen volume	
arm stick		Average length of stay	
ARP		, age .eg e. e.a ,	2 223
ARQ			
Artificial blood		В	
Asserting entity instance id		В	
Asserting entity instance ru			
Asserting organization		B01	
Assertion date range		B02	
Assertor address		B03	
		B04	
Assertor contact		B05	
Assigned document authenticator		B06	
assigned patient location		Baby coverage	
Assigned Patient Location		Baby Detained Indicator	3-149
Assignment of benefits		Background	1-6
assistant result interpreter	•	Backup person ID	15-42
Associated Contract ID		Bad Debt Agency Code	3-134
Associated diagnosis code		Bad Debt Recovery Amount	3-135
Asynchronous Collaborative Care Update		Bad Debt Transfer Amount	3-135
Attending doctor		BAR 6-3, 6-5, 6-10, 6-12, 6-13	3, 6-18, 6-151, 6-152
Attending Doctor		Bar code	17-52
Attention		Barrier delta	13-38
Attestation date/time		Basic charge	6-49
Attested by	6-140	Basic Constraint	
Attribute Table		Batch comment	2-55. 2-57
AFF	15-15	Batch control ID	2-55
CER	15-17	Batch creation date/time	
EDU	15-24	Batch encoding characters	
LAN	15-27	Batch field separator	
ORG	15-28	batch header segment	
AUI	2-4	Batch message as a query response	
AUT	11-55	Batch message count	
Authentication person, time stamp (set)	9-39	Batch name/ID/type	
Authority Key Identifier	15-21		
Authorization effective date	11-57	Batch Processing	
Authorization expiration date		Batch protocol	
Authorization identifier		Batch receiving application	
Authorization information		Batch receiving facility	
authorization information segment		Batch Receiving Network Address	
Authorization Number		Batch security	
Authorization Referral Type		Batch sending application	
Authorized Discipline(s)		Batch sending facility	
Authorized Health Professional		Batch Sending Network Address	
Authorized Number of Treatments		Batch totals	2-57
AUDIOLIZED NULLIDEL OF HEALITETIS			

batch trailer segment	2-57	BP dispensed to receiver	4-147
BC blood group	4-151	BP dispensing individual	4-148
BC component4	-142, 4-150	BP expiration date/time	4-145
BC donation id4	-142, 4-150	BP indication for use	4-140
BC donation type / intended use	4-143	BP informed consent indicator	4-140
BC message status		BP intended dispense from address	4-137
BC special testing		BP intended dispense from location	
Bed Location		BP intended use date/time	
Bed Status 3		BP processing requirements	
bed status update segment	•	BP quantity4	
bedside monitoring		BP requested dispense date/time	
Begin date/time		BP requested dispense to address	
Benefit group		BP requested dispense to location	
Benefits		BP status	
BHS		BP transfusion administrator	
BHS - data element definitions		BP transfusion end date/time of status	
Billed Amount		BP transfusion interrupted reason	
Billing category		BP transfusion start date/time of status	
Billing Media Code		BP transfusion verifier	
Billing Period		BP transfusion/disposition status	
billing segment		BP unique id	
Billing status		BP units4	
Bin location identifier		BP universal service identifier	
Birth Order		BPO	
Birth Place			
		BPS	
BLC		BPX	
BLC attributes		Brand name	,
bleed end phlebotomist		Breed Code	
bleed start phlebotomist		Brought in by	
BLG		BRP	
Block		BRT	
Blood amount		BTS	,
Blood deductable		BTX	
Blood furnished-pints		BUI Business Phone Number	
Blood not replaced-pints		Business rule Override Code	
Blood product code			
blood product dispense status		Business Rule Override type	2-80
blood product order segment			
blood product transfusion/disposition segment		C	
Blood replaced-pints		C	
blood unit identifier			
blood unit information segment		C01-C08	7-112
blood unit type		C09-C12	7-115
blood unit volume		Caesarian section indicator	6-142
blood unit weight		Calculated days	6-50
Board approval indicator		call back phone number	4-62
bolus dose amount		Cancel patient referral	11-23
Bolus Dose Amount Units		Cancel transfer - event A12	3-214
bolus dose volume		Canceling a subscription	
bolus dose volume units		Candidate confidence	5-52
bolus type		Cap type	13-39
Book		Cardinality	2-15
Bottom delta		Carrier identifier	13-37
BP actual dispensed to address		Case category code	6-142
BP actual dispensed to location		Case manager	6-126
BP adverse reaction type		Catalogue identifier	7-157, 17-67
BP amount 4-136, 4		categorical test/observation segment	0-50
BP Blood group		Category description	0-60
BP date/time of status 4	-142, 4-153		

Category identifier	0-60	Citizenship3-116, 3-160, 6-70,	6-105, 15-46
Category synonym	0-60	Claims & Reimbursement	0-1
Cause of death	. 7-146	Class of Trade	0-125
CCD	2-5	clear notification segment	13-54
CCF	. 11-43	Clinic Code	
CCI	. 11-43	Clinic Organization Name	3-146
CCP	2-5	clinical	
CCR	. 11-28	observations	1-7, 4-4
CCU	. 11-34	Clinical information	11-7
CD	2-6	clinical pathway	12-3
CDM	0-94	Clinical Service	11-60
CDM - data element definitions	0-95	clinical study data schedule segment (CSS)	7-126
CDO	. 4-106	clinical study master segment	0-105
CDO - data element definitions	. 4-106	clinical study master segment (CM0)	
CE	2-7	clinical study phase master segment	0-110
CER	. 15-17	clinical study phase master segment (CM1)	7-128
CER attributes	. 15-17	clinical study phase segment (CSP)	7-124
certainty of problem	. 12-27	clinical study registration segment (CSR)	7-118
Certainty of Relationship	. 12-37	clinical study schedule master segment	0-111
Certificate domain	. 15-20	clinical study schedule master segment (CM2)	7-128
certificate status code	. 15-23	clinical trial identification segment (CTI)	7-127
Certificate type	. 15-20	Clinical Trials	7-109
Certification agency		CLINICAL TRIALS MASTER FILES	0-103
Certification agency phone number	. 6-125	Clinician Identified Code	3-179
Certification begin date		CM0	7-128, 0-105
Certification Category	. 6-128	CM0 - data element definitions	
Certification contact	. 6-123	CM1	7-128, 0-110
Certification contact phone number	. 6-124	CM1 - data element definitions	0-110
Certification date/time	. 6-120	CM2	,
Certification end date		CM2 - data element definitions	0-111
Certification modify date/time		CNE	2-12
Certification number	. 6-118	CNN	2-17
Certification required	. 6-120	CNS	
Certification Type		Coded representation of method	
Certified by	. 6-119	Coding system table	
CF		Co-insurance days	
Chairman of study		Collaborative Care Fetch	
Challenge information		Collaborative Care Information	
Change an outpatient to an inpatient - event A06		Collaborative Care Query	
Change pathway life cycle status		Collaborative Care Query Update	
Changing messages or message constituents		Collaborative Care Referral	
Character set		collection volume	
Charge		collector identifier	
Charge code		collector's comment	
Charge code alias		Column description	
Charge description long		Column value	
CHARGE DESCRIPTION MASTER FILES 0-93		Combine baby bill	
charge description master segment		Command response	
Charge description short		Command response parameters	
Charge on indicator		Comment2-77, 11-55,	
Charge Price Indicator		Comment type	
charge to practice 4-7	*	common order segment	
charge type		Communications Environment	
charge type reason		Company plan code	
Chargeable flag		Completion status	
Check Number		Complex order	
Checksum errors received		component amount	
Child appointment		component code	
Choosing among available response formats	5-9	component drug strength volume	4-56

component drug strength volume units 4-56	Consent identifier	0-61
component strength 4-55	Consent indicator	0-61
component strength unit	Consent interval quantity	0-61
component units	Consent interval units	0-62
CON9-24	Consent mode	9-26
CON attributes 9-25	Consent non-disclosure reason	
CONCEPTUAL APPROACH 2-4	Consent status	
Condition code 6-134, 6-136	Consent text	
condition time	Consent type	
Confidential indicator 6-43, 6-47	Consent waiting period quantity	
confidentiality code	Consent waiting period unit	
Confidentiality code	Consenter id	
Confirmation provided by7-149	Consenter-imposed limitations	
Conformance	consent-segment	
acknowledgements	consignment item indicator	
cardinality2-15	Consulting Doctor	
dynamic definition	Consumption quantity	
interaction model	Contact address7	
	Contact address/ Contact communication information/	
length 2-14, 2-15		
message profile	contact data segment	
message profile document	Contact for study	
message profile document structure	Contact identifiers	
Message profile example2-5	Contact location	
profile type 2-12	Contact name	
implementation 2-13	Contact person	
realm constrainable 2-13	Contact Person Address	
vendor constrainable 2-13	Contact Person Social Security Number	
static definition2-9	Contact Person's Name	
static definition – field level 2-24	Contact Person's Telephone Number	
static definition – message level 2-21	Contact person's name	
static definition – segment level 2-22	Contact person's telephone number	
static definition concepts 2-14	Contact phone	
table definition 2-11	Contact reason	
Tools2-34	Contact Reason	
usage 2-16	Contact relationship	
use case model 2-6	Contact role	
Conformance statement for query with display response 5-	Contact Role	
32	Contact telecommunication	
Conformance statement table summaries 5-35	Contact title	
Conformance statement template for query with segment	Contact's telephone number	0-109
pattern response 5-29	Contact's address	
Conformance statement template for query with tabular	Container carrier identifier	13-48
response 5-27	container catalog number	4-185
Conformance statement templates 5-27	Container Common Name	13-45
Connect timeouts 14-7	container condition	7-84
Consent assistance indicator 9-27	Container description	0-54
Consent background information 9-26	Container diameter	13-38
Consent bypass reason 9-28	Container diameter/height/delta units	13-38
consent code 6-54	Container Form	13-44
Consent competence indicator 9-27	Container height	13-38
Consent decision date/time 9-27	Container identifier	13-35
Consent disclosure level 9-28	Container Length	13-43
Consent discussion date/time 9-27	container lot number	
Consent effective date/time9-27	container manufacturer	
Consent effective end date/time 0-61	Container Material	13-44
Consent effective start date/time 0-61	Container status	13-36
Consent end date/time 9-27	container type	7-83
Consent form id and version 9-26	Container units	0-54
Consent form number 9-26	Container volume	0-54, 13-38

Container Width	13-44	CSS - data element definitions	7-126
Continuation pointer	2-58, 2-70	CSU	2-20
continuation pointer segment	2-58	CSU - Unsolicited study data	7-115
Continuation style	2-58	CTD	11-71
Contract Amount	3-134	СТІ	7-127
Contract Code	3-133	CTI - data element definitions	7-127
Contract Description	0-122	culture final date/time	7-86
Contract Effective Date	3-134	culture start date/time	7-86
Contract Identifier	0-122	cumulative dosage limit	4-106
Contract number	0-97	cumulative dosage limit time interval	4-107
Contract organization	0-98	cumulative dosage segment	4-106
Contract Originator Name	0-122	Current application	
Contract Owner Name		Current CPU	
Contract Period	3-134	Current facility	14-5
Contract Priority	0-125	Current fileserver	
Contract Status		current goal review date/time	12-21
Contract Type		current goal review status	
Contract/Agreement Number		Current Patient Balance	
Contraindications to observations		Current quantity	
Control		CWE	
Conformance		CX	
Data Types		Cycle complete time	
Control code		Cycle count	
Control temperature		Cycle start date/time	
Controlled substance schedule		Cycle start time	
Coord of ben. priority		Cycle type	
· · · · · · · · · · · · · · · · · · ·			
Coordination of benefits		Cyclic group maximum number of reports	
Co-pay amount		Cyclic group maximum number of repeats.	4-92
Copay limit flag			
Copy auto ins		5	
Corporation		D	
Corresponding SI units of measure			
Cost		D/T of most recent refill or dose dispensed	4-64
Cost Center	•	Daily deductable	6-104
Cost center account number		danger code	4-76, 7-48
Cost Center Code		Data Fields	
Country		Data line	5-48
Country code		Data types	
County Code		AD	2-3
Courtesy Code		AUI	2-4
Coverage type		CCD	2-5
Covered days	6-134, 6-136	CCP	2-5
CP	2-18	CD	
CP commercial product	4-143, 4-151	CE	
CP lot number	4-144, 4-152	CF	
CP manufacturer	4-143, 4-151	CNE	
CQ	2-19	CNN	
Created by Person	3-177	CP	
Created Date/Time	3-178	CQ	
Credit Rating	3-133	CSU	
Critical range for ordinal and continuous			
Critical text/codes for categorical observ		CV.	
CRL distribution point		CX	_
CRM - Clinical Study Registration		DDI	
CSP		DIN	
CSP - data element definitions		DLD	
CSR		DLN	
CSR - data element definitions		DLT	
		DR	2-37
CSS	/-04, /-120		

DT	2-37	XON	2-96
DTM	2-38	XPN	2-98
DTN	2-40	XTN	2-103
ED	2-40	Data Types	2-88
EI	2-41	OS	
EIP		PIP	
ELD		Date Additional Information was submitted	
ERL		Date entered practice	
		•	
FC		Date first marketed	
FN		Date format	
FT		Date last DMV review	
GTS	2-46	Date last marketed	
HD	2-46	Date left practice	15-35
ICD	2-48	date needed	
ID	2-49	Date next DMV review	15-45
IS	2-49	Date of birth	3-110
JCC	2-50	Date product returned to manufacturer	7-153
MA	2-50	Date/time completed	
MO		date/time dispensed	
MOC	_	date/time end of administration	
	_		
MOP		Date/time ended study	
MSG		Date/time of attestation	
NA		Date/time of birth	
NDL	_	Date/Time of Birth	
NM	2-56	Date/Time of Death	
NR	2-56	Date/time of message	2-69
OCD	2-57	Date/time of the analysis	7-70
PL	2-60	Date/time of the observation	7-67
PLN	2-62	date/time of transaction	4-61, 4-68
PPN	2-62	Date/time patient of patient study registrat	
PRL		Date/time patient study consent signed	
PT		Date/time planned event	
PTA	_	Date/time stamp for any change in definition	
QIP		observation	
QSC		date/time start of administration	
RCD		Date/time study phase began	
RFR		Date/time study phase ended	
RI	2-72	Days	
RMC	2-73	Days without billing	16-51
RP	2-74	DB1	3-192
RPT	2-75	DB1 attributes	3-192
SAD	2-77	DDI	2-35
SCV	2-78	Death Indicator	
SI		Default inventory asset account	
SN		Default order unit of measure indicator	
SNM		degree of patient liability	
SPD	= ••	Delay before l.r. day	
SRT	2-81	Delete Account Date	
ST	2-81	Delete Account Indicator	3-135
TM	2-82	Delimiters	2-11
TX	2-83	deliver to address	4-49, 4-91
UVC	2-84	Deliver to address	4-71
VH		deliver to ID	
VID		deliver to patient location	
VR		Deliver to patient location	
WVI		deliver-to location	
		Delta check criteria	
WVS			
XAD		Denial or rejection code	
XCN	2-91	Denartment	0-100 15-40

department code	6-23	Discharge Date/Time	3-138
Dependent	11-7	Discharge Disposition	3-135
Dependent of military recipient	6-99	Discharge patient - event A03	3-214
Deprecating messages or message co	nstituents 2-26	Discharged to Location	3-135
dept. cost center	4-123	Discount/surcharge	
Derivation rule	0-59	dispense amount	4-56, 4-61, 4-92
Derived specimen	0-53	dispense notes	
Description of study phase		Dispense package method	
Description of test methods		dispense package size	
Description of time point		Dispense package size	
Description override indicator	0-96	dispense package size unit	
DEV - data element definitions		Dispense package size unit	
DEV attributes		dispense packaging method	
Device	7-91	Dispense status	
Device data state		dispense sub-ID	
Device Donation Identification		dispense sub-ID counter	
Device Expiry Date	·	dispense tag identifier	
Device family name		dispense to pharmacy	
Device Lot Number		dispense to pharmacy address	
Device Manufacture Date		dispense type	
device model name		dispense units	
Device name		dispense/give code	
Device number		dispensing interval	
Device operator qualifications		dispensing pharmacy	
Device Serial Number		Dispensing pharmacy	
Device status	•	Dispensing pharmacy address	
device type		dispensing provider	
Device Type		display data segment	
DFT		Display level	
DG1	• •	Display message	
DG1 attributes	•	Display response	
Diagnosis cinician		Distributed copies	
Diagnosis classification		DLD	
Diagnosis code		DLN	
Diagnosis code – FT1		DLT	
Diagnosis date/time		DMI	
Diagnosis identifier		DMI - data element definitions	
Diagnosis priority		DMI - DRG master file information segment	
diagnosis related group segment		Document availability status	
diagnosis segment		Document change reason	
Diagnosis type		Document completion status	
diagnostic	0 40	Document confidentiality status	
imaging	4.5	Document content presentation	
Diagnostic information		Document control number	
_			
Diagnostic Polated Group		Document management	
Diagnostic Related Group		Document storage status	
diagnostic serv sect ID		Document Title	
Diagnostic serv sect ID		Document type	
Diet Message Examples		Documented date/time	
Diet Orders		DON	
diet tray instructions		donation accept staff	
Diet type		donation duration	
diet, supplement, or preference code		donation duration units	
dietary orders, supplements, and pre	rerences segment 4-	donation identification number - DIN	
111	0 10 50 10 50 17 55	donation material review staff	
Dilution factor		donation sample identifier	
DIN		donation segment	
Disability Segment		donation type	
Discharge care provider	6-138	donor eligibility date	4-176

donor eligibility flag	4-176	ECD	13-52
donor eligibility procedure type	4-176	ECR	13-52
donor reaction	4-180	ED	2-40
Door open	17-61	Edit date/time	9-32
DPS attributes	0-75	EDU	15-24
DR	2-37	EDU Attributes	15-24
DRG	6-44	education detail segment	15-24
DRG approval indicator	6-46	Effective Data	0-122
DRG assigned date/time		Effective date	11-51
DRG attributes		effective date of reference range	7-67
DRG CCL value code	6-43	Effective date range	15-31
DRG Diagnosis determination status		Effective date/time	
DRG grouper review code		Effective date/time	
DRG grouping usage		Effective date/time of change	
DRG MASTER FILES		Effective end date	
DRG payor		Effective end date of provider role	
DRG Procedure determination status		Effective start date	
DRG Procedure relevance		Effective Start Date	
DRG transfer type		Effective start date of provider role	
Driver's license number - staff		Effective test/service end date/time	
Driver's License Number - Patient		Effective test/service start date/time	
Drug interference		Effective weight	
Dry time		EHC Authorization request query response	
DSC		EHC Authorization response	
DSP		EHC Cancel authorization request	
DT	-	EHC Cancel healthcare services invoice	
DTM	_		
		EHC Edit/adjudication result	
DTN		EHC Payment/remittance advice	
duplicate fields		EHC Query authorization request	
Duplicate Patient		EHC Re-asses healthcare services invoice req	
Duration		EHC Request additional information	
Duration units		EHC Submit authorization request	
Dynamic definition	2-6	EHC Submit Healthcare services invoice	
		El	
-		EIP	
E		ELD	
		electrocardiograms	
E01	16-3	Eligibility source	
E02	16-7	Eligibility/coverage	
E03	16-9, 16-11	E-mail address	
E04	16-12	Employer contact person name	
E10	16-13	Employer contact person phone number	
E12	16-15	Employer contact reason	
E13	16-17	Employer information data	
E15	16-20	Employment Illness Related Indicator	
E20	16-22	Employment status code	15-31, 15-44
E21		Employment stop date	6-107
E22	. 16-26. 16-27	Encoding characters	2-68
E24	•	Encoding Rules	1-12
E30		Encoding rules notes	2-21
E31		Encounter	11-7
EAC		Encounter Type	11-61
EAC – Equipment Command Message		End Date	3-156
EAN		End date/time	
EAN – Equipment Status Message		Ending notification code	
EAREAR		Ending notification date/time	
EAR – Equipment Command Message		Ending notification reference number	
		Endogenous content of pre-dilution diluent.	
Early adoption of HL7 changes	2-28	Enhanced Mode Queries	

entered by	4-62	Event ended data/time	7-144
Entered by		Event exacerbation date/time	7-144
Entered By	0-11	Event expected	7-146
Entered by code		Event identifiers used	
Entered by location	10-35, 10-48	Event improved date/time	7-144
Entered by person	10-34, 10-47	Event location occurred address	
Entered by phone number	10-35, 10-48	Event M06	0-103
Entered date/time		Event M07	0-103
Entered Date/Time	2-79	Event onset date/time	7-144
Entered Date/Time	0-11	Event outcome	7-146
enterer authorization mode	4-66	Event qualification	7-145
enterer's location	4-62	Event reason	
entering device	4-64	Event reason code	
entering organization	4-64	Event report date	7-142
episode of care		Event report source	
episode of care ID		Event report timing /type	
EQP		Event reported to	
EQU		Event serious	
equipment command response segmen		Event symptom/diagnosis code	
equipment command segment		Event type	
Equipment container identifier		Event Type Segment	
Equipment detail segment		Events	
Equipment dynamic range		B07	15-12
Equipment instance identifier		B08	_
equipment log/service segment		P07, P08	
Equipment state		R01	
Equipment test application identifier		R21	
ERL		R22	
ERR		R23	_
Error code and location		R24	_
Error condition		R25	
Error Location		R30	_
error segment		R31	
Escape sequences	2 30	R32	
formatting codes	2-21	R33	
hexidecimal		R41	_
highlighting		Events scheduled this time point	
local		EVN	
special character		EVN segment	
Escape sequences supporting multiple of		example	203
escort required		unsolicited vaccination record update	4-120
ESR		various levels of coding in an order	
ESR - Equipment Status Message		Example	107
ESR-Code-Line		acknowledgment general	2-89
Establishing a subscription		acknowledgment message using enhance i	
Estimated Length of Inpatient Stay		processing	
ESU		Acknowledgment message using original m	
ESU - Equipment Status Message		processing	
Ethnic group		error return	
Ethnic Group		master file update	
•			
Evaluated product source		message fragmentation	
Event Completion date/time		message using sequence number protocol	
Event date/time		EXAMPLE TRANSACTIONS	
Event description from autonox		Exclusive test	
Event description from autopsy		Executing Physician ID	
Event description from original reporter		Execution and delivery time	
Event description from others		Exhaust time	
Event description from patient		Expanded yes/no indicator table	
Event description from practitioner	/-146	Expected Admit Date/Time	3-143

Expected CMS payment amount	6-150	File control ID	2-63
Expected date/time of the next status change		File creation date/time	
Expected Discharge Date		File encoding characters	
Expected Discharge Disposition		File field separator	
expected goal achievement date/time		File header comment	
Expected LOA Return Date/Time		file header segment	2-62
Expected Number of Insurance Plans		File name	13-62
Expected Payment Date/Time		File name/ID	2-63
Expected Preadmission Testing Date/Time		File receiving application	
Expected Return Date		File receiving facility	
Expected sequence number		File Receiving Network Address	
Expected shelf life		File security	
Expected Surgery Date and Time		File sending application	
expiration date	15-23	File sending facility	2-63
Expiration date	11-51	File Sending Network Address	
Expiration Date	2-79	File trailer comment	2-66
Expiration Date		file trailer segment	2-65
Expiration date/time		File Transfers	
Exploding charges		File-level event code	
Expressing the same data using the variants		Fill time	17-65
Expression as a complex expression		filler	
Expression as query by example		Filler application	
Expression as simple parameters		Filler Application Messages and Trigger Events	
External accession identifier		filler application role	
External Health Plan Identifiersr		Filler appointment ID10-26, 10-27, 1	
External referral identifier		Filler contact address	
External Scaling Factor PP		Filler contact location	
External Scaling Factor Technical Part		Filler contact person	
External scaling ractor recrimed rare	10 33	Filler contact phone number	
		filler field #1	
F		filler field #2	
		filler order number 4-60, 4-61, 4-67, 4-72, 4	•
		149, 4-156, 4-183, 4-186, 7-45, 7-58, 7-124,	
		175, 7 150, 7 105, 7 100, 7 75, 7 50, 7 127,	, 12,,,
FAC		17/ 7-176 10-26 10-//0	
FAC - data element definitions	7-159	174, 7-176, 10-36, 10-49	6-28 0-36
FAC - data element definitions Facility address	7-159 7-159	Filler order number	
FAC - data element definitions Facility address Facility ID - PRC	7-159 7-159 0-99	Filler order number Filler override criteria	10-71
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC	7-159 7-159 0-99 7-159	Filler order number Filler override criteria Filler status code10-49, 10-54, 10-59, 2	
FAC - data element definitions	7-159 7-159 0-99 7-159 7-158	Filler order numberFiller override criteria	10-71 10-64, 10-69 7-55, 10-55
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication	7-159 7-159 0-99 7-159 7-158 7-160	Filler order number	
FAC - data element definitions	7-159 7-159 0-99 7-159 7-160 7-159	Filler order number	
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation.	7-159 0-99 7-159 7-159 7-160 7-159	Filler order number	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181
FAC - data element definitions	7-159 0-99 7-159 7-159 7-160 7-159	Filler order number	
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation.	7-1590-997-1597-1597-1587-1607-1590-40 /prognosis	Filler order number Filler override criteria Filler status code10-49, 10-54, 10-59, 2 Filler supplemental service information4-83, filler's expected availability date/time	
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation. Family/significant other awareness of problem,	7-1590-997-1597-1597-1587-1607-1590-40 /prognosis12-28	Filler order number Filler override criteria Filler status code10-49, 10-54, 10-59, 2 Filler supplemental service information4-83, filler's expected availability date/time	
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation. Family/significant other awareness of problem,	7-1597-1597-1597-1597-1587-1607-1590-40 /prognosis12-282-44	Filler order number Filler override criteria Filler status code10-49, 10-54, 10-59, 2 Filler supplemental service information4-83, filler's expected availability date/time	
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem,	7-1597-1597-1597-1597-1587-1607-1590-40 /prognosis12-282-446-25	Filler order number Filler override criteria Filler status code10-49, 10-54, 10-59, 2 Filler supplemental service information4-83, filler's expected availability date/time	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 4-180 3-132 0-1 6-19 6-19
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule	7-1597-1597-1597-1597-1587-1607-1590-40 /prognosis12-282-446-252-62	Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 3-132 0-1 6-19 6-19 3-148 13-49
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule	7-1590-997-1597-1597-1607-1590-40 /prognosis12-282-446-252-6213-42	Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 3-132 0-1 6-19 3-148 13-49 0-40
FAC - data element definitions		Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 3-132 0-1 6-19 3-148 13-49 0-40 0-124
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem FC Fee schedule FHS FHS Fibrin index Fibrin index units		Filler order number Filler override criteria	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 0-1 0-1 6-19 3-148 13-49 0-40 0-124
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem FC Fee schedule FHS Fibrin index Fibrin index units Field		Filler order number Filler override criteria	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 0-1 0-1 6-19 3-148 13-49 0-40 0-124 0-124 9-41
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem FC Fee schedule FHS Fibrin index Fibrin index Field Field separator Fields	7-1590-997-1597-1597-1587-1607-1590-40 /prognosis12-282-446-252-6213-4213-422-82-68	Filler order number Filler override criteria	10-71 10-64, 10-69 7-55, 10-55 4-65 4-181 0-1 0-1 6-19 3-148 13-49 0-40 0-124 0-124 9-41
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC Facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule FHS Fibrin index Fibrin index units Field Field separator Fields Figure 10-1. An example excerpt from an appo		Filler order number Filler override criteria	10-71 10-64, 10-69 7-55, 10-55
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule FHS Fibrin index Fibrin index units Field Field separator Fields Figure 10-1. An example excerpt from an appo		Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-554-654-1814-1800-16-193-1480-400-1242-4417, 4-4 nent5-182-21
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC Facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule FHS Fibrin index Fibrin index units Field separator Fields Fields Figure 10-1. An example excerpt from an appo book. Figure 10-2 Application role messaging relatior		Filler order number Filler override criteria Filler status code10-49, 10-54, 10-59, 2 Filler supplemental service information4-83, 2 filler's expected availability date/time	10-71 10-64, 10-69 7-55, 10-554-654-1814-1800-16-193-1480-400-1242-4417, 4-4 nent5-182-21
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule FHS Fibrin index Fibrin index Field separator Fields Field separator Fields Figure 10-1. An example excerpt from an appo book. Figure 9-1 - Document completion status		Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-55
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule FHS Fibrin index Fibrin index units Field Field separator Fields Figure 10-1. An example excerpt from an appo book. Figure 9-1 - Document completion status Figure 9-2 - Document availability status state telegical in the service of the		Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-55
FAC - data element definitions Facility address Facility ID - PRC Facility ID-FAC facility segment (FAC) Facility telecommunication Facility type Factors that may affect the observation Family/significant other awareness of problem, FC Fee schedule FHS Fibrin index Fibrin index Field separator Fields Field separator Fields Figure 10-1. An example excerpt from an appo book. Figure 9-1 - Document completion status		Filler order number Filler override criteria Filler status code	10-71 10-64, 10-69 7-55, 10-55

FT1 attributes	6-20	Government reimbursement billing eligibility	15-35
FTS	2-65	GP1	6-145
Future item price	17-26	GP1 attributes	6-145
Future item price effective date	17-26	GP2	6-147
		GP2 attributes	6-147
		Granting Authority	15-18
G		Granting Country	15-19
		Granting County/Parish	15-20
general order message with document pay	load	Granting date	15-23
acknowledgement segment		Granting State/Province	15-19
general segment		Group name	
General SEgments		group number	6-82
General trigger events & message definitio		Group Purchasing Organization	0-124
Generic Classification Indicator		grouped specimen count	
Generic name		Grouper software name	
Generic product		Grouper software version	6-49
Generic Resource Type or Category		Grouper status	6-48
Gestation category code		GT1	6-57
Gestation period - weeks		GT1 attributes	6-57
give amount - maximum		GTS	2-46
give amount - minimum		Guarantor	11-8
give barcode identifier		Guarantor address	6-60
give code		Guarantor administrative sex	6-63
give dosage form	*	Guarantor billing hold flag	6-67
give drug strength volume		Guarantor birth place	
Give drug strength volume		Guarantor charge adjustment code	
give drug strength volume units		Guarantor credit rating code	6-67
Give drug strength volume units		Guarantor date - begin	6-63
Give indication		Guarantor date - end	6-63
give per (time unit)		Guarantor date/time of birth	
give per (time unit) as encoded by the		Guarantor death date and time	
pharmacy/treatment supplier	4-65	Guarantor death flag	
give rate amount		Guarantor employee id number	
give rate units		Guarantor employer address	
Give rate units		Guarantor employer id number	
give strength	4-65, 4-88	Guarantor employer name	
give strength unit	4-88	Guarantor employer phone number	
give strength units	4-66	Guarantor employer's organization name	
give sub-ID counter	4-84, 4-94	Guarantor employment status	
give tag identifier	4-92	Guarantor financial class	
give units	4-60, 4-86	Guarantor hire effective date	
Global trade item number	17-26, 17-27	Guarantor household annual income	
Glossary	11-7	Guarantor household size	
goal	12-3	Guarantor marital status code	
goal classification	12-20	Guarantor name	
goal detail segment	12-19	Guarantor number	
goal established date/time	12-20	Guarantor organization name	
goal evaluation	12-21	Guarantor ph num - business	
goal evaluation comment	12-22	Guarantor ph num - home	
goal ID	12-20	Guarantor priority	
goal instance ID		Guarantor race	
goal life cycle status		Guarantor relationship	
goal life cycle status date/time	12-22	guarantor segment	
goal management discipline	12-21	Guarantor spouse name	
goal review interval	12-21	Guarantor ssn	
goal target name		Guarantor stop date	
goal target type	12-22	Guarantor type	
GOL	12-19	Guarantor's relationship to insured	6-114

H		HL7 Attribute Table - AIL	10-60
**		HL7 Attribute Table - AIP	10-64
Handler 2 400 2.4	00 6 75 6 00	HL7 Attribute Table - AIS	10-51
Handicap 3-166, 3-1		HL7 Attribute Table - APR	10-69
Hazardous indicator		HL7 Attribute Table - ARQ	
HD		HL7 Attribute Table - BHS	
Health care provider		HL7 Attribute Table - BLC	6-143
Health care provider area of specialization co		HL7 Attribute Table – BLG	4-68
Health care provider classification code		HL7 Attribute Table - BPO	4-135
Health care provider type code		HL7 Attribute Table - BTS	2-57
Health Document Reference Identifier		HL7 Attribute Table - BTX	4-149
Health plan id		HL7 Attribute Table - BUI	4-183
Help Desk Contact Point		HL7 Attribute Table - CDM - Charge Description Ma	aster 0-
Hemolysis index		95	
Hemolysis index units		HL7 Attribute Table - CDO	4-106
Hexadecimal		HL7 Attribute Table - CM0 - Clinical Study Master	0-106
Highlighting		HL7 Attribute Table - CM1 - Clinical Study Phase M	
History		110	
Hit count total	5-49	HL7 Attribute Table - CM2 - Clinical Study Schedule	Master
Hits remaining	5-49	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
HL7	6-30	HL7 Attribute Table - CNS	
HL7 - X12 Joint Coordinating Committee	11-82	HL7 Attribute Table - CSP	
HL7 Abstract message syntax example	2-49	HL7 Attribute Table - CSR	
HL7 Attibute Table - SAC - Specimen and con	tainer detail	HL7 Attribute Table - CSS	
	13-33	HL7 Attribute Table - CTD	_
HL7 Attribute Table		HL7 Attribute Table - CTI	
AL1	3-168	HL7 Attribute Table - CTR	
ARV	3-198	HL7 Attribute Table - CTKHL7 Attribute Table - DEV	-
CON	9-25	HL7 Attribute Table - DEVHL7 Attribute Table - DEV	
DB1	3-192	HL7 Attribute Table - DG1	
DPS			
EVN		HL7 Attribute Table - DONHL7 Attribute Table - DRG	
IAM	3-169	HL7 Attribute Table - DRG	
IAR			
MRG		HL7 Attribute Table – DSP	
NK1		HL7 Attribute Table - ECD	
NPU		HL7 Attribute Table - ECR	
OBX		HL7 Attribute Table - EQP	
OH1		HL7 Attribute Table - EQU	
OH2		HL7 Attribute Table - ERR	
OH3		HL7 Attribute Table - FAC	
OH4		HL7 Attribute Table - FHS	2-62
OVR		HL7 Attribute Table - FT1	
PAC		HL7 Attribute Table - FTS	
PD1		HL7 Attribute Table - GOL	
PDA		HL7 Attribute Table - GP1	
		HL7 Attribute Table - GP2	
PID PRA		HL7 Attribute Table - GT1	6-57
		HL7 Attribute Table - IIM	17-7
PV1		HL7 Attribute Table - ILT	17-34
PV2	=	HL7 Attribute Table - IN1	6-76
SFT	_	HL7 Attribute Table - IN2	6-94
SHP		HL7 Attribute Table - IN3	6-117
SPM	-	HL7 Attribute Table - INV	13-46
HL7 Attribute Table - AUT		HL7 Attribute Table - IPC	4-93
HL7 Attribute Table - RF1		HL7 Attribute Table - ISD13-3	2, 13-62
	C 120	III 7 Assultanta Tabla ITAA	17_11
		HL7 Attribute Table - ITM	···· 1/-11
HL7 Attribute Table - ACC	6-129	HL7 Attribute Table - ITM HL7 Attribute Table - IVT	
HL7 Attribute Table - ABS	6-129 2-53		17-28

HL7 Attribute Table - LDP - Location Department 0-87	HL7 Attribute Table - RQD	4-121
HL7 Attribute Table - LOC - Location Identification 0-78	HL7 Attribute Table - RXA	4-93
HL7 Attribute Table - LRL - Location Relationship 0-85	HL7 Attribute Table – RXA segment uses in va	accine
HL7 Attribute Table - Master File Acknowledgment 0-12	messages	4-118
HL7 Attribute Table - Master File Entry 0-10	HL7 Attribute Table - RXC	4-54
HL7 Attribute Table - Master File Identification 0-9	HL7 Attribute Table - RXD	4-73
HL7 Attribute Table - MFA 0-12	HL7 Attribute Table - RXE	4-57
HL7 Attribute Table - MFE 0-10	HL7 Attribute Table - RXG	4-84
HL7 Attribute Table - MFI 0-9	HL7 Attribute Table - RXO	4-140, 4-38
HL7 Attribute Table - MSA2-66	HL7 Attribute Table - RXR	
HL7 Attribute Table - MSH2-67	HL7 Attribute Table - RXV	4-101
HL7 Attribute Table - NCK	HL7 Attribute Table - SCD	17-54
HL7 Attribute Table - NDS	HL7 Attribute Table - SCH	10-37
HL7 Attribute Table – NSC – Application status change 14-4	HL7 Attribute Table - SCP	17-50
HL7 Attribute Table – NST – Application control level	HL7 Attribute Table - SDD	
statistics	HL7 Attribute Table - SGH	
HL7 Attribute Table - NTE	HL7 Attribute Table - SGT	
HL7 Attribute Table – OBR	HL7 Attribute Table - SID	
HL7 Attribute Table - ODS 4-70, 7-43	HL7 Attribute Table - SLT	
HL7 Attribute Table - OD5		
	HL7 Attribute Table - STF	
HL7 Attribute Table - OM1	HL7 Attribute Table - STZ	
HL7 Attribute Table - OM1 - General Segment 0-29	HL7 Attribute Table - TCC	
HL7 Attribute Table - OM2 - Numeric Observation 0-47	HL7 Attribute Table - TCD	
HL7 Attribute Table - OM3 - Categorical	HL7 Attribute Table – TQ1	
Service/Test/Observation 0-50	HL7 Attribute Table – TQ2	
HL7 Attribute Table - OM4 - Observations that Require	HL7 Attribute Table – TXA	
Specimens 0-52	HL7 Attribute Table - UAC	2-87
HL7 Attribute Table - OM5 - Observation Batteries (Sets) 0-	HL7 Attribute Table - UB2	6-135
57	HL7 Attribute Table - VAR	12-30
HL7 Attribute Table - OM6 - Observations that are	HL7 Attribute Table - VND	17-23
Calculated from Other Observations 0-58	HL7 Attribute Table – ZL7 – (proposed examp	ole only)0-14
HL7 Attribute Table - OM7 - Additional Basic Attributes 0-	HL7 Component Table - AD	2-3
59	HL7 Component Table - AUI	2-4
HL7 Attribute Table – ORC 4-56	HL7 Component Table - CCD	2-5
HL7 Attribute Table - PCE	HL7 Component Table – CCP	
HL7 Attribute Table - PCR 7-149	HL7 Component Table - CD	
HL7 Attribute Table - PDC	HL7 Component Table - CF	
HL7 Attribute Table - PEO	HL7 Component Table - CNE	
HL7 Attribute Table - PES	HL7 Component Table - CNN	
HL7 Attribute Table - PKG 17-25	HL7 Component Table - CP	
HL7 Attribute Table - PR1	HL7 Component Table - CQ	
HL7 Attribute Table - PRB	HL7 Component Table - CSU	
HL7 Attribute Table - PRC - Pricing	HL7 Component Table - CWE	
G		
HL7 Attribute Table - PRD	HL7 Component Table - CX	
HL7 Attribute Table - PRT	HL7 Component Table - DDI	
HL7 Attribute Table - PSH	HL7 Component Table - DIN	
HL7 Attribute Table - PTH 12-29	HL7 Component Table - DLD	
HL7 Attribute Table – QAK 5-49	HL7 Component Table - DLN	
HL7 Attribute Table – QID 5-50	HL7 Component Table - DLT	2-36
HL7 Attribute Table – QPD 5-50	HL7 Component Table - DR	2-37
HL7 Attribute Table – QRI 5-51	HL7 Component Table - DT	2-37
HL7 Attribute Table – RCP 5-52	HL7 Component Table - DTM	2-38
HL7 Attribute Table – RDF 5-54	HL7 Component Table - DTN	2-40
HL7 Attribute Table – RDT 5-55	HL7 Component Table - ED	2-40
HL7 Attribute Table - REL 12-33	HL7 Component Table - El	
HL7 Attribute Table - RGS 10-50	HL7 Component Table - EIP	
HL7 Attribute Table - RMI 6-144	HL7 Component Table - ERL	
HL7 Attribute Table - ROL 15-36	HL7 Component Table - FC	
HL7 Attribute Table – RQ1 4-124	HL7 Component Table - FN	
		- -

HL7 Component Table - FT	2-45	Hospital Service3	-128
HL7 Component Table - GTS	2-46	Hospital service - STF1	.5-40
HL7 Component Table - HD	2-46		
HL7 Component Table - ID			
HL7 Component Table - IS		1	
HL7 Component Table - JCC		•	
HL7 Component Table - MA			
HL7 Component Table - MO		101	
•		102	.1-10
HL7 Component Table - MOC		103	.1-12
HL7 Component Table - MOP		104	.1-13
HL7 Component Table - MSG		105	1-15
HL7 Component Table - NA		106	1-15
HL7 Component Table - NDL	2-54	107	1-15
HL7 Component Table - NM	2-56	108	
HL7 Component Table - NR	2-56	109	
HL7 Component Table - OCD	2-57	110	_
HL7 Component Table - OSP			_
HL7 Component Table - PIP		111	
HL7 Component Table - PL		11-20, 1	
		113	
HL7 Component Table - PLN		114	.1-23
HL7 Component Table - PPN		11-20, 1	.1-24
HL7 Component Table - PRL		l16 1	.1-28
HL7 Component Table - PT		l17 1	1-28
HL7 Component Table - PTA	2-68	l18	1-28
HL7 Component Table - QIP	2-68	IAM3	
HL7 Component Table - QSC	2-69	IAR	
HL7 Component Table - RCD	2-70	ICD	
HL7 Component Table - RFR	2-71	Icterus index	_
HL7 Component Table - RI			
HL7 Component Table - RMC		Icterus index units	
HL7 Component Table - RP		ID	
•		Identification date3	
HL7 Component Table - RPT		Identification Date/Time3	-172
HL7 Component Table - SAD		Identity of instrument used to perform this study	0-33
HL7 Component Table - SCV		Identity Reliability Code3	-117
HL7 Component Table - SI		Identity Unknown Indicator3	-117
HL7 Component Table - SN	2-79	IIM - data element definitions	
HL7 Component Table - SNM	2-80	IIM attributes	
HL7 Component Table - SPD	2-80	ILT - data element definitions	
HL7 Component Table - SRT		ILT attributes	
HL7 Component Table - ST			
HL7 Component Table - TM		Implantation Status	
HL7 Component Table - TX		IMPLEMENTATION CONSIDERATIONS3-215, 1	
		Implementation profile type	
HL7 Component Table - UVC		Implicated product	
HL7 Component Table - VH		IN1	6-76
HL7 Component Table - VID		IN1 attributes	6-76
HL7 Component Table - VR	2-86	IN2	6-94
HL7 Component Table – WVI	2-86	IN2 attributes	6-94
HL7 Component Table – WVS	2-87	IN36	
HL7 Component Table - XAD	2-87	IN3 attributes 6	
HL7 Component Table - XCN	2-91	Inactivated by Organization	
HL7 Component Table - XON			
HL7 Component Table – XPN		Inactivated by Person	
HL7 Component Table - XTN		Inactivated Date/Time3	
HL7 Component Table - XTN		Inactivated reason	
•		inactivation date1	
HL7 Error Code		Inactivation date - LDP	0-90
HL7 Table 0353 - CWE statuses	_	Inactive Reason Code1	.5-47
HL7 Table 0356 - Alternate character set handling sc		Index	E-1
		indication4-46, 4-79, 4-89,	4-97
hospital item code	4-122	-,,	-

Indication for product use	7-151	intended recipient blood relative	4-177
Indirect exposure mechanism	7-153	intended recipient DOB	4-178
Individual awareness of problem	12-27	intended recipient facility	4-178
Individual awareness of prognosis	12-28	intended recipient name	4-177
Inform Person Indicator	2-61	intended recipient ordering provider	4-178
Informational material supplied indicator	9-27	intended recipient procedure date	
Initial dispense amount		Interaction active state	
Initial quantity	13-48	Interaction model	2-6
Initial specimen volume	13-38	Interaction status detail segment	13-32
Initially Recorded by Organization	3-179	Interaction type identifier	
Initiating location	4-80	Interactive continuation continuation algori	
Injection rate			
Inlet temperature	17-65	Interactive continuation message fragments	ation example
Input specification			
virtual table	5-26	Interactive continuation of response message	
INR		Interactive continuation protocol example	•
INR – Inventory Request Message		Interactive continuation use case	
Institution		inter-enterprise	
Institution activation date		Interest Code	
Institution inactivation date		Internal Scaling Factor PP	
Institution registering the patient		Internal Scaling Factor Technical Part	
Institution Relationship Period		Internal Shipment ID	
Institution Relationship Type Code		interpretation codes	
insurance action code		Interpretation of Observations	
insurance additional information segment		intra-enterprise	
insurance additional information, certification		Introduction	
117	n segment . o	inu	
Insurance amount	6-24	INU – Inventory Update Message	
Insurance co contact person		INVINV	
Insurance co contact phone number		Inventory container identifier	
Insurance co contact reason		inventory detail segment	
Insurance co phone number		Inventory expiration date	
Insurance company address		Inventory Item Master Messages Segment	
Insurance company id		Inventory Item Master Updates	
Insurance company name		Inventory limits warning level	
Insurance plan		Inventory location	
insurance segment		Inventory location identifier	
Insured employer organization name and id.		Inventory location name	
Insured organization name and id		Inventory lot number	
Insured's address		Inventory manufacturer name	
Insured's administrative sex		Inventory number	
Insured's birth place		Inventory on hand date	
·			
Insured's contact person phone number Insured's contact person reason		Inventory on hand quantityInventory on hand quantity unit	
Insured's contact person's name			
·		Inventory received date	
Insured's date of birth		Inventory received item cost	
Insured's employee id		Inventory received quantity	
Insured's employer phone number		Inventory received quantity unit	
Insured's employer's address		Invoice Amount	
Insured's employer's name and id		Invoice Amount without prepaid Amount	
Insured's employment start date		Invoice Booking Period	
Insured's employment status		Invoice Control	
Insured's group emp id		Invoice Date/Time	
Insured's group emp name		Invoice Fixed Amount	
Insured's id number		Invoice prepaid amount	
Insured's phone number		Invoice Processing Results Segment	
Insured's relationship to patient		Invoice Reason	
Insured's social security number		Invoice Segment	
intended procedure type	4-175	Invoice Type	16-32

IPR	16-62	K34	4-165
IPR - data element definitions	16-62	Kind of quantity observed	0-41
IPR Checksum	16-63		
IPR Date/Time	16-63		
IPR Number	16-62	L	
IPR Status	16-63	_	
IS	2-49	Labeled shelf life	7 1 5 0
ISD	13-32	Labor calculation type	
Issue packaging		• •	17-30
Issues		laboratory	47444
Issuing Authority		tests	
Issuing date		LAN	
Item Category		LAN Attributes	
item code - external		Language ability code	
item code - external		Language code	
Item identifier		language detail segment	
Item importance code		Language proficiency code	
		Language translated to	
item natural account code		Last accrual date	
Item natural account code		Last Invoice Indicator	
Item Number		Last IRB approval date	0-107
Item set identifier		Last Update Date/Time	3-118
Item set indicator		Last Update Facility	3-118
Item status		Latex indicator	17-16
Item Status		Latex-free substitute item identifier	17-33
Item Type		LCC	0-91
ITM attributes		LCC - data element definitions	0-91
IV Solution Groups	4-4	LCH	0-82
IVC		LCH - data element definitions	0-83
IVC - data element definitions		LDP	
IVT - data element definitions	17-29	LDP - data element definitions	
IVT attributes	17-28	Leak rate	
		Length	
		Length errors received	
J		License number	
		Lifetime reserve days	
J01	5-45	Lipemia index	
J02		Lipemia index units	
JCC		Living arrangement	
Job code/class 6-74,		Living Arrangement	
Job status			
	,	Living dependencyLiving Dependency	
Job Status		· ,	•
Job title 6-74,	,	Living will code	
Jurisdiction Breadth		Living Will Code	
Jurisdiction Country		Load number	
Jurisdiction County/Parish		Load status	
Jurisdiction State/Province	15-22	Loan in charge phase	
		Loan in exhaust phase	
		LOC	
K		LOC - data element definitions	0-79
		Local Extension	
K21	3-87	Data Types	2-48
K22		Messages	
K23		Segment groups	2-46
K24		Tables	2-48
K25		Trigger Events	2-46
K26		LOCAL EXTENSION	2-46
K32		Local Extension Fields	
K32	3-102 4-164	local process control	

Local/remote control state	13-32	Marital Status	3-114, 3-158
Location	7-90, 13-37	Marketing approval ID	7-158
Location address	0-80	Marketing basis	7-157
Location characteristic ID	0-84	master file acknowledgment segment	0-12
location characteristic segment	0-82	Master file application identifier	0-9
Location characteristic value - LCH	0-84	master file entry segment	0-10
location charge code segment	0-91	master file identification segment	0-9
Location cost center	0-90	Master file identifier	0-9
Location department	0-88, 0-92	Master File Notification - Additional Basic	
location department segment	0-87	Observation/Service Attributes	0-26
Location description	0-79	Master File Notification – Charge Descripti	on0-93
Location equipment	0-82	Master File Notification – Clinical Study wi	th Phases and
Location group	10-61	Schedules	0-103
location identification segment	0-78	Master File Notification – Clinical Study wi	thout Phases bu
LOCATION MASTER FILES	0-77	with Schedules	0-104
Location phone	0-81	Master File Notification - Test/Calculated (Observations 0
Location relationship ID	0-86	24	
location relationship segment	0-85	Master Files	
Location resource ID	10-60	master goal list number	
Location selection criteria	10-70	master problem list number	12-24
Location service	0-89	MasterFileNotification-DRG	0-116
Location service code	0-82	MasterFileNotificationforStaff/Pracitioner	0-16
Location type	10-61	MasterFileNotification-InventoryItem	0-112
Location type - LOC	0-79	MasterFileNotification-InventoryItemEnha	anced0-114
lockout interval	4-105	MasterFileNotification-PatientLocation	0-77
Logical break point	5-48	MasterFileNotification-Test/Observation(C	Categorical).0-21
Logical relationship of resource and servic	e segments10-74	MasterFileNotification-Test/Observation(N	Numeric) 0-19
Long in fastexhaust phase	17-59	MasterFileNotification-Test/ObservationBa	atteries0-23
Lot control	17-51	Match reason code	5-52
Lot number	17-52, 17-53	Material safety data sheet number	17-19
Lower and Upper Trim Points	0-118	Materials Management	0-1
LRL	0-85	max dose amount	4-103
LRL - data element definitions	0-85	max dose amount units	4-104
LSR		max dose amount volume	4-104
LSR - Equipment Log/Service Message	13-29	max dose amount volume units	4-104
LSU	13-27	max dose per time	4-104
LSU - Equipment Log/Service Message	13-28	Maximum Markup	0-124
		Maximum price	
		Maximum quantity	
M		MDM	•
		Medicaid case name	
MA	2-50	Medicaid case number	
Mail claim party	6-98	Medical Records	
Main-Service	16-56	Medical Role Executing Physician	
Maintenance cycle	17-22	Medically necessary duplicate procedure r	eason4-83, 6-31
Maintenance type	17-22	7-56	
Major Diagnostic Category	0-118	medicare health ins card number	
Major Field of Study	15-26	medication instance identifier	
Management	3-181	Merge Patient Information Segment	
Manufacturer Catalog number	17-13	Merging patient/person information	3-215
manufacturer ID		Message	
Manufacturer identifier	13-50, 17-13	ACK	
Manufacturer labeler identification code		ACK	
Manufacturer lot number	13-49	ACK	
Manufacturer name	17-13	ACK	
Manufacturer/distributor	7-156, 17-67	BAR	
manufacturer's catalog		BAR	
Marital status		BAR	
		Chapter formats for defining HL7 messa	ges2-49

construction rules 2-16	SUR7-138
DBC 4-161	Message Waiting Number2-66
DBU 4-162	Message Waiting Priority2-67
DEL 4-170	Messages2-7
delimiters 2-11	ACK 3-8, 3-11, 3-13, 3-16, 3-18, 3-21, 3-23, 3-25, 3-27, 3-
DEO4-169	29, 3-30, 3-33, 3-35, 3-37, 3-40, 3-41, 3-43, 3-44, 3-
DER 4-167	45, 3-47, 3-48, 3-49, 3-51, 3-52, 3-56, 3-57, 3-59, 3-
DFT	61, 3-62, 3-64, 3-65, 3-67, 3-69, 3-70, 3-71, 3-73, 3-
display vs. record-oriented5-110	74, 3-76, 3-78, 3-79, 3-81, 3-82, 3-83, 3-85, 3-86, 3-
DPR	98, 3-100, 3-101
DRC	ADT 3-4, 3-7, 3-9, 3-12, 3-14, 3-17, 3-19, 3-22, 3-25, 3-
DRG4-167	26, 3-28, 3-29, 3-31, 3-34, 3-36, 3-38, 3-40, 3-42, 3-
length	43, 3-45, 3-46, 3-47, 3-49, 3-50, 3-51, 3-54, 3-56, 3-
NMD 14-2	58, 3-60, 3-61, 3-63, 3-64, 3-66, 3-68, 3-69, 3-71, 3-
OMI 4-38	72, 3-74, 3-75, 3-77, 3-79, 3-80, 3-81, 3-83, 3-84, 3-
OML4-19, 4-26, 4-29, 4-32	85, 3-97, 3-99, 3-100
OPL 4-42	CCF11-43
OPR 4-45	CCI11-43
ORI	CCQ11-38
ORL 4-16, 4-23, 4-35	CCR11-28
Processing rules 2-28	CCU 11-34
QBP 4-163, 4-165	EAC13-21
RAS 4-19	EAN
RDE 4-7, 4-23, 4-31	EAR13-23
RGV4-15. 4-18	ESR
RRA	ESU
RSP4-165	INR13-20, 13-29
RSP	INU
	LSR
Sample Control And Query	
unsolicited display update message continuation . 5-111	LSU
message acknowledgment segment	MDM9-8, 9-11
message construction rules	MFK. 0-6, 0-7, 0-16, 0-19, 0-21, 0-23, 0-24, 0-26, 0-77, 0-
Message control ID	93, 0-112, 0-113, 0-116
Message control ID	MFN0-6, 0-7
Message control segments 2-53	MFN 0-16
Message Framework 2-7	MFN0-19
message header segment 2-67	MFN0-19
Message Initiation 2-29	MFN0-21
Message profile 2-5	MFN0-23
Message profile document 2-28	MFN0-24
Message profile example2-5	MFN 0-26
Message Profile ID2-72, 2-84	MFN0-77
Message profile schema 2-39	MFN0-93
Message profiles	MFN0-112
Message query name	MFN0-113
Message representation	MFN
Message response using the original processing rules . 2-29	OMD4-107
MESSAGE SEGMENTS	OMG4-7
Message Structure Table	OML4-12, 4-52
Message type	OMN4-119
Message Types	OMN4-119
CRM7-112	OMP4-4
CSU 7-115	OMP4-4
OPU 7-29	OMS4-116
ORA 7-20, 7-35	OMS4-116
ORU7-8, 7-12, 7-15, 7-17, 7-32, 7-36	ORF7-12
OUL 7-20, 7-26	ORG4-11
OUL	ORL7-23
PFX 7-135	ORN 4-120

ORN	4-120	MFA - data element definitions	0-12
ORP	4-6	MFE	
ORS	4-117	MFE - data element definitions	0-10
ORS	4-117	MFI	0-9
ORX	4-51	MFI - data element definitions	0-9
OSQ/OSR	4-103, 4-115	MFK 0-6, 0-7, 0-16, 0-19, 0-21, 0-23, 0-24	1, 0-26, 0-77, 0-93,
	12-7	0-103, 0-112, 0-113, 0-116	
PIN	11-15	MFN 0-6, 0-7, 0-16, 0-19, 0-21, 0-23, 0-24	1, 0-26, 0-77, 0-93,
PMU15-3, 15	5-4, 15-5, 15-6, 15-7, 15-8, 15-12, 15-13	0-103, 0-112, 0-113, 0-116	
		MFN control ID	0-10. 0-13
PPR	12-10	MFN Record Level error return	
	12-19	MFQ	
		MFR	
PRM	15-10	Military handicapped program	
		Military id number	
		Military non-avail cert on file	
	3-87, 3-90, 3-93, 3-95, 3-102, 5-38, 5-41	Military Non-Availability Code	
	5-45	Military organization	
•		Military Partnership Code	
	5-42	Military rank/grade	
	5-42	Military retire date	
•	5-40	Military service	
		Military sponsor name	
_		Military station	
		Military status	
-	4-7, 4-23, 4-32	Minimum collection volume	
		Minimum meaningful increments	
	•		
_	4-11	Minimum price	
-	4-35	Minimum quantity	0-101
	5-41	Miscellaneous	2.00
		HL7 tables used across all chapters	
-	4-16	MO	
	11-16, 11-20	MOC	
		Modality of imaging measurement	
		Mode of Arrival Code Model identifier	
-	11-16, 11-20	Model Number	
•		Modified by Organization	
-		Modified by Person	
		Modified Date/Time	
		Modifier edit code	
	4-14	Modify indicator	
	4-14	Modify patient referral	
	4-10, 4-25, 4-34	Monetary amount	
	4-10	mood code	, -
	4-34	Mood code	
	4-18	Mood Code	12-23, 12-30
	11-23	MOP	
RSP	3-88, 3-90, 3-93, 3-96, 3-103, 5-39	Mother's Maiden Name	3-161
SQM	10-25	Mother's Identifier	
SQR	10-25	Mother's maiden name	
SSR		Mother's Maiden Name	3-110
SSU	13-17	MPI integration – an introduction	
TCU	13-25	MRG	3-182
U11	13-26	MSA	2-66
UDM	5-110	MSG	2-53
Messages received.	14-7	MSH	2-67
	14-7	Multiple Birth Indicator	3-116
MFA	0-12	Multiple placer applications	10-74

N

NA 2-53	
Name 3-153	
Name of coder 6-48	
Name of insured 6-84	
Narrative reports 7-7	
Nationality 3-117, 3-162, 6-72, 6-107	
Nature of abnormal test 7-66	
Nature of service/test/observation 0-35	
NCK	
NCK attributes	
NDC code 6-31	
NDC Qty and UOM 6-36	
NDL	
NDS	
needs human review 4-44, 4-64, 4-77, 4-87	
Negation indicator	
New application	
New CPU	
New diagnoses/problems	
New facility	
New fileserver	
New goals	
Newborn Baby Indicator	
Newborn code 6-143	
next goal review date/time 12-21	
Next of Kin / Associated Parties Employee Number 3-157	
Next of Kin / Associated Parties Job Code/Class 3-157	
Next of kin / associated parties job title 3-157	
next of kin / associated parties segment 3-152	
Next of Kin Birthplace 3-166	
Next of Kin Telecommunication Information 3-167	
Next of Kin/Associated Party Identifiers 3-165	
NK1 3-152	
NM 2-56	
NMD14-2	
NMD - Application Management data14-2	
NMQ 14-2	
Non-concur code/description6-122	
Non-coverage insurance code 6-101	
Non-covered days 6-134, 6-136	
Non-subject Consenter reason 9-28	
Normal collection volume 0-55	
Normal text/codes for categorical observations 0-51	
notes and comments segment 2-77	
Notice of admission date 6-86	
Notice of admission flag 6-86	
Notification alert severity	
Notification code	
Notification date/time	
Notification date/time	
Notification reference number	
Notify Clergy Code	
NPU	
NSC	
NTE 2-77	

Number of Authorized Treatments/Units 11-52, 11-60
Number of columns per row5-54
Number of decontamination/sterilization devices 17-50
Number of grace days6-134
Number of Items per Unit16-48
Number of packages in shipment7-173
Number of product experience reports filed by distributor
7-156
Number of product experience reports filed by facility 7 155
number of refills4-42, 4-62
number of refills remaining4-64, 4-75
number of refills/doses dispensed 4-64
number of sample containers4-80, 7-53
Number of Scheduled Treatments/Units 11-53, 11-60
Number of service units6-148
number of specimen containers7-83
Number of TP's PP16-54
Number of TP's Technical Part16-55
number of tubes collected4-183
Number of Used Treatments/Units11-52, 11-60
numeric observation segment0-47

0

O03	4-107
O05	4-116
O06	4-117
007	4-119
O08	4-120
009	4-4
010	4-6
011	4-7, 4-31
012	4-10, 4-34
013	4-11, 4-35
O14	4-14
015	4-15
016	4-18
017	4-19
018	4-21
019	4-7
O20	4-11
021	4-12
022	4-16
023	4-38
024	4-41
025	4-7, 4-23
O26	4-25
027	4-127
028	4-129
O29	4-130
O30	4-131
031	4-132
032	4-133
033	4-19
034	4-23
035	4-26

036	OH1-2 Action Code3-202
037 4-42	2 OH1-3 Employment Status3-202
038 4-45	5 OH4-1 Set id3-210
039 4-32	2 OH4-2 Action Code
040	OH4-3 Combat Zone Start Date3-210
O41 4-161	OH4-4 Combat Zone End Date3-210
042 4-162	2 OM10-29
043 4-167	OM1 - data element definitions0-31
044 4-167	7 OM20-47
045 4-169	OM2 - data element definitions0-47
046 4-170	
047 4-171	
048 4-172	
051	
052	
057	
058	
O60	
OBR	
OBR – data element definitions	
observation batteries (sets) segment	
observation date/time	
Observation description	
observation description ————————————————————————————————————	
Observation ID suffixes	
Observation identifier	•
observation identifier	
Observation method	,
Observation producing department/section	
Observation Reporting	
observation request segment	
Observation result status	
observation segment	
observation segment usage	
observation site	1 0 1
Observation sub-ID	
observation type	·
Observation value	·
observation/result (OBX)	·
Observations required to interpret this observation 0-38	
Observations that are calculated from other observations	observation (R25)7-29
segment0-58	
observations that require specimens segment 0-52	,
OBX 7-58, 9-29	
OBX - data element definitions 7-59	ORB4-129
Occurrence 6-134	4-56 ORC4-56
Occurrence code & date 6-136	5 order4-5
Occurrence number	detail segment4-5
Occurrence span 6-134	order callback phone number4-77, 7-49
Occurrence span code/dates 6-137	7 order control4-58
Occurrence span end date 6-134	event acknowledgment4-58
Occurrence span start date 6-134	event notification4-58
OCD2-57	event request4-58
OCE edit code 6-149	order control code reason4-63
OCE edits per visit code 6-146	order effective date/time4-63
ODS	
ODT4-112	
Office/home address/birthplace 15-41	
OH1-1Set ID	

Order Number 4-5	Other Healthcare Provider	3-139
Order packaging 17-30	Other identifier	7-157
order status 4-61	Other names	0-32, 0-44
order status modifier 4-65	Other service/test/observation IDs for the	observation0-32
order type 4-66	OUL	
order workflow profile 4-67	OUL - Unsolicited specimen container orier	nted
Orderability 0-33	observation (R23)	7-23
Orderable-at location 0-63	OUL - Unsolicited specimen oriented obser	vation (R22) 7
Ordered by code 6-27	20	
ordering facility address 4-64	OUL - Unsolicted Order Oriented Observati	on (R24) 7-26
ordering facility name 4-64	Outlier cost	6-46, 6-146
Ordering Facility Name 6-33	Outlier days	
ordering facility phone number 4-64	Outlier reimbursement	
Ordering non-medical services 4-100	Outlier type	
ordering provider 4-62, 4-76, 7-49	Output specification for tabular response	
ordering provider address 4-65	Outside site(s) where observation may be p	
ordering provider's DEA number 4-42, 4-61	Outstanding Issues	
orders 1-7, 4-4	Over temperature	
ORF	Overall claim disposition code	
ORG 4-11, 15-28	Override Authorized By	
ORG Attributes	Override Comments	
Organ Donor Code 3-151, 3-189	Override Entered By	
Organization 7-90	Override Reason Code	
Organization name - LOC 0-79	Override segment	
Organization Name - NK1 3-158	Override Type	
Organization unit code	OVR	2-79
Organization unit type 7-90		
Organization unit type code	_	
Organizational location relationship value 0-86	P	
Origin		
Original mode queries 5-112	P013-4,	6-3, 6-10, 6-152
Original Mode Queries	P02	6-5
Original mode queries - display oriented	P03	6-6, 6-152
Original mode queries - record oriented	P04	
Original Value 4-67	P05	6-3, 6-10, 6-152
Original Value	P06	
Originating Referral identifier	P07, P08	
Origination date/time 9-32 Originator code/name 9-32	P09	
ORL	P10	
ORN	P11	
ORP		6-18
pharmacy	PAC - data element definitions	
ORS 4-117	Package condition	
ORU5-65, 7-8, 7-12, 7-15, 7-17, 7-32, 7-36	Package handling code	
ORU - New point of care result with search for an order	Package id	
(R31) 7-15	Package quantity	
ORU – Observation Report Acknowledgement (R33) 7-20	Package risk code	
ORU - Pre-ordered point of care observation (R32) 7-17	Package type	
ORU - Unsolicited alert observation (R01)	Packaging status code	
ORU - Unsolicited observation (R01)	Packaging units	
ORU – Unsolicited observation (R01)	packaging/assembly location	
ORU –Point of Care Observation without existing order	Parameters	
(R30)	Parent and child appointments	
ORU- Unsolicited laboratory observation (R21) 7-12	Parent diagnosis	
OSP	Parent degement number	
OSU4-47, 4-48	Parent filler appointment ID	
Other environmental factors	Parent filler appointment ID Parent of Corporation	
	FAIRIN OLLOLDOIAHON	

parent order	4-61, 4-85, 7-57	Patient Visit - Additional Information Segment	3-141
Parent package id	7-175	patient visit segment	3-120
Parent placer appointment ID	10-36, 10-49	Patient's relationship to insured	6-117
Parent Procedure ID	6-57	Pay rate per service unit	6-151
parent result	4-78, 7-51	Payee Address	16-41
parent result ID	4-84, 7-57	Payee Bank Account ID	
parent result observation identifier	4-79, 7-52	Payee Bank Identification	16-61
parent universal service identifier	4-66	Payee Identification List	16-40
Parent universal service identifier	4-84, 7-56	Payee Information Segment	
parent/child	4-57	Payee Person Name	16-41
Participation Instance ID	7-87	Payee Relationship to Invoice (Patient)	16-40
Pathway established date/time	12-30	Payee Transit Number	16-61
Pathway ID	12-29	Payee Type	16-40
Pathway instance ID	12-30	Payer Adjustment Number	16-57
Pathway life cycle status	12-30	Payer Cross Reference Identifier	16-63
pathway segment	12-29	Payer Invoice Number	16-32
Patient Account Number	3-114	Payer Organization	16-33
Patient Additional Demographic Segment.	3-186	Payer Product/Service Group Number1	5-43, 16-44
Patient Address	3-111	Payer Product/Service Line Item Number	16-46
Patient Administration	0-1	Payer Tax ID	16-39
patient adverse reaction information segr	ment 3-169	Payer Tax status	16-39
Patient Alias		Payer Tracking Number	16-46
patient allergy information segment	3-168	Payment adjustment code	
Patient Care	0-1	Payment Information Segment	
Patient Charge Adjustment Code	3-148	Payment Method10	
Patient chargeable indicator	17-14, 17-31	Payment Organization	
Patient Class	3-122	Payment reference id	6-32
Patient Condition Code		Payment Terms	
Patient Consent	16-30	Payment/Remittance Advice Number	
Patient Death Date and Time	3-117	Payment/Remittance Amount	
Patient Death Indicator		Payment/Remittance Date/Time	
Patient evaluability status	7-124	Payment/Remittance Effective Date/Time	
Patient ID		Payment/Remittance Expiration Date/Time	
Patient Identification Segment	3-107	Payor	
Patient identifier list		Payor id	
Patient Identifier List	3-109	Payor subscriber id	
Patient location relationship value	0-87	payors	
Patient member number		PC1, PC2, PC3	
Patient Name	3-110	PC4	
Patient outcome	7-146	PC5	12-18
Patient Pathway Goal-Oriented Message.	12-15	PC6, PC7, PC8	12-7
Patient Pathway Problem-Oriented Messa	age 12-12	PC9	12-18
Patient preference	-	PCA	
Patient preparation		PCA dose amount	4-102
Patient Primary Care Provider Name & ID		PCA dose amount units	4-103
Patient Primary Facility		PCA dose amount volume	
Patient record links		PCA dose amount volume units	
Patient referral	11-3. 11-20. 11-23	PCA type	
Patient Referral		PCB, PCC, PCD	
Patient referral and responses	•	PCCL value code	
Patient Referral Message		PCE	
Patient Results Release Category		PCE - data element definitions	
Patient Status Code		PCE attributes	
Patient study eligibility status		PCF	
Patient Telecommunication Information		PCG, PCH, PCJ	
Patient type		PCK	
Patient Type		PCL	
Patient Valuables		PCR	
Patient Valuables Location		PCR - data element definitions	

PD1	3-186	PIN	11-15
PDC	7-156	PIN Patient insurance information	11-15
PDC - data element definitions	7-156	PIP	2-59
Penalty		PKG - data element definitions	17-25
Pending Location		PKG attributes	
PEO		PL	
PEO - data element definitions		placer4-4	
Performed by code		Placer application	
Performing Facility Name		Placer Application Requests and Trigger E	
performing organization address		placer application role	
performing organization medical director		Placer appointment ID1	0-26, 10-27, 10-38
performing organization name		Placer contact address	
Permitted data types	0-31	Placer contact location	10-33, 10-43
Person performing study registration	7-120	Placer contact person	10-31, 10-41
Person Provider type		Placer contact phone number	
Personnel Management		placer field #1	
Personnel resource ID	10-65	placer field #2	4-77, 7-50
PES	7-138	placer group number	4-60, 4-68
PEX	7-135	Placer group number	
PGL	12-7	placer order group	
PGL/ACK	12-7	placer order number 4-59, 4-61, 4-72, 4-	85, 7-45, 7-57, 10-
pharmaceutical substance alternative	4-68	36, 10-49	
pharmacist/treatment supplier's verifier ID	4-62	Placer order number	9-36
pharmacist/treatment supplier's verifier ID	4-43	placer supplemental service information.	4-82, 7-55
pharmacy		Placer supplemental service information.	10-54
Pharmacy of most recent refill	4-68	Plan effective date	6-83
pharmacy order type 4-47, 4-		Plan expiration date	6-83
Pharmacy order type		Plan type	6-83
pharmacy phone number		planned patient transport comment	4-81, 7-54
Pharmacy phone number	4-72	Planned Treatment Stop Date	11-52, 11-59
pharmacy/treatment	4-19, 4-21	PLN	2-62
administration message	4-19, 4-21	PMT	16-59
administration segment	4-93	PMT - data element definitions	16-60
component order segment	4-54	PMU 15-3, 15-4, 15-5, 15-6, 15-7,	15-8, 15-12, 15-13
dispense segment		PMU_B01	
encoded order4		PMU_B03	
encoded order segment	4-57	PMU_B04	15-6
examples of use	4-107	PMU_B07	
give message		PMU_B08	15-14
give segment	4-84	Point of Care system	12-5
infusion segment	4-101	Point versus interval	0-42
order segment	4-37	Police notified indicator	
route segment	4-51	Policy deductable	6-89
usage notes	4-4	Policy limit - days	6-89
Pharmacy/Treatment Segments		Policy number	6-89
pharmacy/treatment supplier special dispens	ing	Policy scope	6-112
instructions		Policy source	6-113
Pharmacy/Treatment Trigger Events & Messa	ges 4-4	Policy type/amount	6-103
phlebotomy date/time		Portable device indicator	0-33
phlebotomy end date/time	4-175	Position in carrier	
phlebotomy issue	4-177	Position in parent package	7-175
phlebotomy status	4-179	Position in tray	
Phone		Position on carrier	13-48
Phone Number	3-155	possible causal relationship segment	7-149
Phone Number - Business	3-113	Pperson	
Phone Number - Home		PPG	12-15
Phone number of outside site		PPG/ACK	12-15
Physician reviewer	6-122	PPN	
DID	2 4 2 7	DDD /A CK	12 12

PPR	Primary key value - MFA0-13
PPR/ACK	Primary key value - MFE0-11
PPT	Primary key value - PRA15-32
PPV	Primary key value - PRC0-99
PR1	Primary key value - STF15-38
PR1 attributes 6-52	Primary key value type0-11
PRA	Primary key value type - MFA0-13
PRA Attributes	Primary language6-70, 6-105
Practitioner category 15-33	Primary Language
practitioner detail segment 15-32	Primary observer address7-147
Practitioner group	Primary observer aware date/time7-149
Practitioner ID numbers	Primary observer name
Practitioner org unit identifier 15-29	Primary observer telephone7-148
practitioner organization unit segment 15-28	Primary observer's qualification7-148
PRB	Primary observer's identity may be divulged7-149
PRC	Primary org unit indicator
PRC - data element definitions 0-99	Primary vendor indicator17-23, 17-24
PRD	Principal language of message2-72
Pre-admit a patient - event A05 3-211	principal result interpreter4-80, 7-52
Pre-admit cert (PAC)	Prior Alternate Patient ID3-183
Preadmit Number	Prior alternative visit
Preadmit Test Indicator	Prior insurance plan6-91
Pre-authorization 11-8	Prior patient account number
Precaution Code	Prior patient ID
Pre-certification requirement	Prior Patient Identifier List3-183, 3-184
Pre-dilution factor	Prior Patient Location
Pre-dilution factor default	Prior patient name
Preferred coding system	Prior Pending Location
	Prior results instructions
Preferred long name for the observation	
•	Prior Temporary Location
Preferred report name for the observation 0-32 Preferred short name or mnemonic for the observation . 0-	
32	Priority
Preferred specimen/attribute sequence	Priority sequence no
Preparation	Privileges
prescription number	
Prescription Number	Probability
Present on admission (POA) indicator	Probability of problem
previous goal review date/time	problem
Previous Service Date	problem classification
Previous Treatment Date	problem confirmation status
Price	problem date of onset
Price override flag0-101	problem detail segment
Price Protextion Date	problem established date/time
pricing segment	problem ID
Pricing Tier Level	problem instance ID
Primary (parent) container identifier	problem life cycle status
Primary activity provider code/name	problem life cycle status date-time
Primary Care Physician Indicator	problem list
Primary care provider	problem management discipline12-25
primary care provider (PCP)11-3	problem onset text
primary care providers	problem persistence
Primary key value - CDM 0-64, 0-95	Problem prognosis12-27
Primary key value - IIM	problem ranking 12-26
Primary key value - LCC 0-91	Procedure action code6-56
Primary key value - LCH 0-83	procedure code4-82, 7-54
Primary key value - LDP 0-88	Procedure code6-29, 6-53, 0-96, 17-10, 17-18, 17-63
Primary key value - LOC 0-79	procedure code modifier4-82, 7-55
Primary key value - LRL 0-85	Procedure code modifier6-30, 6-55, 17-11, 17-18

Procedure date/time	6-53	Professional affiliation additional information	15-16
Procedure DRG type	6-55	professional affiliation segment	15-15
Procedure functional type	6-53	Professional organization	15-15
Procedure identifier	6-56	Professional organization address	15-15
Procedure medication	0-40	Professional organization affiliation date range	15-16
Procedure minutes	6-53	Profile type	2-12
procedure priority	6-54	Profile types	
procedures segment		implementation	2-13
Process date	11-51, 11-58	realm constrainable	2-13
process interuption	4-176	vendor constrainable	2-13
process interuption reason	4-177	Protection indicator3-190,	6-71, 6-106
Processing		Protection Indicator	3-161, 3-190
batch	1-14	Protection indicator effective date	3-190
Processing Consideration Code	16-49	Protocol for interpreting repeating fields in an	update
Processing ID	2-69	message	
Processing priority	0-36	Protocol for interpreting repeating segments of	r segment
Processing time	0-36	groups in an update Message	_
Processing type	13-57	protocols	
Producer ID		HL7 special	2-34
Producer's ID	7-68	Protocols	
Producer's service/test/observation ID	0-31	acknowledging batches	2-40
Product available for inspection		batch	2-39
Product class		batch message as a query response	2-40
Product code	7-157	continuation messages	
product detail country segment (PDC)		HL7 batch file structure	
Product evaluation performed		other	1-14
Product evaluation results		related segments and data usage	
Product evaluation status	7-152	segements	
Product Experience	7-131	sequence number	
product experience observation segment (PI		Provider address	
product experience sender segment (PES)	•	Provider Adjustment Number	
Product expiration date		Provider Adjustment Number Cross Reference	
Product explantation date		Provider billing	
Product implantation date		Provider communication information	
Product manufacture date		Provider Cross Reference Identifier	
Product problem		provider data segment	11-64
Product serial/lot number		Provider identifiers	
product summary header segment (PSH)		Provider Invoice Number	16-31
Product/Service Amount for Physician		Provider location	11-66
Product/Service Billed Amount		Provider method of contact	
Product/Service Clarification Code Type		Provider name	
Product/Service Clarification Code Value		Provider Organization	16-33
Product/Service Code		Provider organization address	
Product/Service Code Description		Provider organization communication informat	
Product/Service Code Modifier		Provider organization location information	
Product/Service Cost Factor		Provider organization method of contact	
Product/Service Effective Date		Provider organization name and identifier	
Product/Service Expiration Date		Provider Product/Service Group Number	
Product/Service Gross Amount		Provider Product/Service Line Item Number	
Product/service group billed amount		Provider Product/Service Line Item Number Cro	
Product/Service Group description		Reference	
Product/Service Group Segment		Provider role	
Product/Service Group Sequence Number		Provider Tax ID	
Product/Service Group Sequence Number		Provider Tax ib	
Product/Service Line Item Sequence Numbe		Provider Tracking Number	
Product/Service Line Item Status		provider's administration instructions	
Product/Service Quantity		provider's pharmacy/treatment instructions	
Product/Service Quality		PRR	
Production Class Code	10-40	DRT data alament definitions	1Z-10

PRT Attributes	7-86	QSC	2-69
PSG	16-43, 16-44	QSP	5-64
PSG - data element definitions	16-44	QSX	5-46
PSH	7-153	Qualitative duration	7-92
PSH - data element definitions	7-154	Quantity distributed	7-155
PSL	16-45	Quantity distributed comment	7-155
PSL - data element definitions	16-46	Quantity distributed method	7-155
PSRO/UR approval indicator	6-134	Quantity in use	7-155
PSRO/UR approval stay-fm	6-134	Quantity in use comment	7-155
PSRO/UR approval stay-to	6-134	Quantity in use method	7-155
PSS - data element definitions	16-43	Quantity limited request	5-53
PT	2-67	Quantity manufactured	7-154
PTA	2-68	Quantity units	13-49
PTH	12-29	Quantity/timing	4-6
PTR	12-18	quantity/timing component	
Publicity code	6-71, 6-105	end date/time	4-88
Publicity Code	3-160, 3-190	start date/time	4-88
PUBLISH AND SUBSCRIBE	5-63	Queries	
Details	5-63	deferred response example	
Examples	5-64	error response	5-62
Introduction	5-63	immediate response	5-56
Purge Status Code	3-145	immediate vs. deferred response	5-55
Purge status date	3-145	Introduction	5-3
PV1	3-120	message definition	5-5
PV2	_	message implementation considerations	5-66
PV2 segment	3-141	Query	0-1
PYE	16-39	MFQ	0-9
PYE - data element definitions	16-40	MFR	0-9
		NMQ	
		query acknowledgment segment	5-48
Q		Query by example (QBP) / tabular response (RTB)	
		Query By Example Variant	
Q05	5-110	Query by parameter (QBP) / display response (RD)Y) 5-97
Q16		Query by parameter (QBP) / tabular response (RT	îB)5-87
Q17		Query By Simple Parameter	5-9
Q21		Query cancellation	
022		Query development methodology	
Q23	3-92	Query grammar	5-21
Q24		Query Grammar	
Q25		QBP	4-27
Q32		query identification segment	5-50
Q33		QUERY IMPLEMENTATION CONSIDERATIONS	
Q34	4-165	query parameter definition	
QAK	5-48	Query priority	5-53
QBE input parameter specification		Query profile introduction	5-20
QBP 3-87, 3-90, 3-93, 3-95, 3-102, 4-27		Query Response	
38, 5-41, 5-78, 5-84	, = =, = , = =, =	RDR	5-66
QBP Query healthcare services invoice	16-10. 16-19	query response instance segment	
QCN		Query response status	5-49
QID		Query specification formats	
QIP		Query tag5-49,	5-50, 5-51
QPD		Query transactions	
QPD input parameter field description 25		Query using QSC variant (QBP) / display response 100	؛ (RDY)5-
QPD input parameter specification	5-22	Query using QSC variant / segment pattern respo	nse
QRI		examples	
QRY		Query using QSC variant / tabular response (RTB)	
QSB		Query using the QSC variant	
<u> </u>	J-42	Query with tabular response example	

QUERY/RESPONSE PROFILE	Reference (normal) range for ordinal and continuous
QUERY/RESPONSE MESSAGE EXAMPLES 5-66	observations0-48
QUERY/RESPONSE MESSAGE PAIRS 5-36	Reference batch control ID2-55
Query/response model	Reference command number13-33, 13-52
Querying application	Reference Documents1-2
querying application role	Reference file control ID2-63
QVR 5-43, 5-44	Reference interaction number
	References range
	Referral
R	Referral category11-50
	Referral disposition11-50
R01	Referral documentation completion status 11-52
R02, R04 7-12	referral information segment11-48
R217-12	Referral Number6-34
Race 3-111, 3-166, 6-117, 15-45	Referral priority
Randomized study arm 7-123	Referral reason11-52
Range of decimal precision0-48	Referral Reason Text
RAS 4-19, 4-20	Referral Source Code3-144
RCD 2-70	Referral status
RCI 11-15	Referral type11-50
RCL 11-15	referred-by provider11-5
RCP 5-52	referred-to provider11-5
RCP input parameter field description and commentary . 5-	referred-to provider application role11-5
25	Referred-to-provider11-8
RDE 4-7, 4-23, 4-31, 4-32	Referring Doctor3-126
RDF 5-54	Referring provider
RDR 5-66	referring provider application role11-
RDS 4-11, 4-12, 4-35	Reflex allowed
RDT 5-54	Reflex tests/observations0-39
RDY5-23, 5-33, 5-41, 5-98, 5-101	Register a patient - event A04 (complex example)3-212
Re-activate approval indicator 15-45	Registration date/time13-36
Reading failure 17-61	Reimbursement action code 6-148
Re-admission indicator 3-129	Reimbursement limit11-57
Realm constrainable profile type2-13	Reimbursement type code
Reason ended study 7-124	Related filler number4-9
reason for study 4-80, 7-52	Related placer group number4-92
Reason Text 11-60	Related placer number
reasons used with transactions 10-9	Related Product/Service Code Indicator
Receive character count 14-7	Relatedness assessment
Receive timeouts 14-7	Relationship3-154
Receiving application 2-68	Relationship modifier
Receiving facility 2-69	Relationship to patient code
Receiving Network Address 2-75	Relationship to subject9-29
Receiving Responsible Organization 2-74	Relationship to the patient start date6-112
Recommended maximum days inventory 17-34	Relationship to the patient stop date6-112
Recommended order amount 17-34	Relationship type
Recommended order point 17-34	Relative discount/surcharge6-49
Recommended reorder theory 17-33	Relative weight0-119
Recommended safety stock days 17-34	Release information code
Recorded date/time 3-105	relevant clinical information4-76, 7-49
Record-level event code 0-10, 0-12	Religion3-114, 3-161, 6-71, 6-106, 15-48
Recreational Drug Use Code 3-149	Remaining Benefit Amount
Recurring Service Code 3-148	Remote control command
REF11-20, 11-23	Removing messages or message constituents2-2
REF - patient referral message 11-20, 11-24	renewal date
REF deferred example11-78	Repeating interval
REF immediate example 11-77	Repeating interval duration
REF Patient referral11-20	Replaced producer's service/test observation ID0-4
	Poport dato 7 15/

Report display order	0-35	response flag	
Report form identifier	7-154	Response format	
Report interval end date	7-154	Response grammar	5-22
Report interval start date	7-154	Response Grammar	
Report of eligibility date	6-86	RSP	4-27
Report of eligibility flag	6-86	Response grammar for display response	5-23
Report subheader	0-35	Response level code	0-10
Report type	7-154	Response modality	5-53
Reported by	3-173	Response required	13-52
Reporting priority	0-36	Response using enhanced acknowledgmer	nt2-31
Request Date		Responsible observer	7-68
Request event reason		Responsible Organization	
Request for cancellation of an authorization		Responsible Physician	
Request for Information		Responsible Physician ID	
Request for modification to an authorization		Restricted Disclosure Indicator	
Request for resubmission of an authorizatio		result copies to	
Request for treatment authorization inform		result handling	
Request patient referral status		result ID	
Requested completion time		Result ID	,
Requested Discipline(s)		result status	
requested dispense amount		results rpt/status chng	,
requested dispense code		Retention Indicator	
requested dispense units		Reusable cost	
requested dosage form		Reusable item indicator	
Requested drug strength volume		Revenue code	
Requested drug strength volume units		Revenue Code	,
requested give amount - maximum		revocation date	
requested give amount - minimum		revocation reason code	
requested give code		RF1	_
requested give per (time unit)		RFI	,
requested give rate amount		RFI - data element definitions	
requested give rate units		RFR	
requested give strength		RGS	
requested give strength units		RGV	
requested give units		RI	
Requested Number of Treatments		RMC	_
Requested start date/time range		RMI	
requisition detail segment		RMI attributes	
requisition detail-1 segment		ROL	
requisition line number		ROL Attributes	
requisition quantity		role	
requisition unit of measure	4-123	Role Executing Physician	
Rerun dilution factor		Role of Participation	7-88
Rerun dilution factor default	13-56	role segment	
Reset	17-60	Room coverage type/amount	6-103
Resource	10-11	Room fee indicator	0-98
Resource group	10-57, 10-66	root cause	7-74
Resource group ID	10-51	route	4-52
resource group segment	10-50	routing instruction	4-53
Resource ID	10-56	RP	2-74
Resource load	0-97	RPA	11-16, 11-20
Resource quantity	10-57	RPA Return patient authorization	11-18
Resource quantity units		RPI	
Resource selection criteria		RPI Return patient information	
Resource type		RPL	,
resources		RPL Return patient display list	
Respiratory within Surgery		RPR	
Responding to a patient referral		RPR Return patient list	
Response Due Date	16-30	RPT	2-75

RQ1 4-124	S07	10-17
RQA 11-16, 11-20	S08	10-18
RQA - request for patient treatment authorization 11-16	S09	10-18
RQA deferred example 11-76	S10	10-18
RQA immediate example 11-75	S11	10-18
RQC11-15	S12	10-22
RQC immediate example 11-79	S13	10-22
RQD4-121	S14	10-22
RQI 11-8, 11-10, 11-12	S15	10-22
RQI immediate example 11-75	S16	10-22
RQI Request patient infomation 11-10	S17	10-22
RQI Request patient information 11-9, 11-12	S18	10-23
RQP 11-13	S19	10-23
RQP Request patient demographics 11-13	S20	10-23
RRA 4-21	S21	10-23
RRD 4-14	S22	10-23
RRE 4-10, 4-25, 4-34	S23	10-24
pharmacy 4-10, 4-34	S24	10-24
pharmacy/treatment refill authorization request	S25	10-25
acknowledgment 4-25	S26	10-24
RRG 4-18	S27	10-24
RRI	S28	17-37
RRI Return Referral information 11-22	S29	17-38
RSP3-88, 3-90, 3-93, 3-96, 3-103, 4-165, 4-27, 5-16, 5-30,	S30	17-40
5-39, 5-69, 5-73, 5-78, 5-84	S31	17-41
RSP Healthcare services invoice query response 16-11	S32	17-43
RSP_K25	S33	17-45
RTB5-22, 5-27, 5-40, 5-88, 5-91, 5-95, 5-105, 5-108	S34	17-46
Rules for the recipient 2-21	S35	17-47
Rules that trigger reflex testing 0-39	S36	17-48
Ruling act 17-16	S37	17-49
RX component type 4-54	SAC	13-33
RXA 4-93	SAC-9 Carrier type	13-36
RXA - data element definitions 4-94	SAD	2-77
RXA segment usage in vaccine messages 4-118	Safety Characteristics	17-69
RXC	Sales Tax ID	16-39
RXC - data element definitions 4-54	Sample Control And Query Messages	2-89
RXD 4-73	SCD	17-54
RXD - data element definitions 4-74	SCD - data element definitions	17-55
RXE	SCD attributes	17-54
RXE - data element definitions 4-58	Scenarios	12-3
RXG 4-84	clinical repository loading	12-3
RXG - data element definitions 4-84	communicating clinical pathways and m	ultidisciplinary
RXO 4-37	plans of care	12-4
RXO - data element definitions 4-39	consultation	12-3
RXR4-51	patient pre-admission or patient admiss	ion12-3
RXR - data element definitions 4-52	SCH	10-37
RXV4-101	Schedule	10-11
	schedule activity information segment	10-37
	Schedule ID	10-27, 10-39
S	scheduled date/time	4-80, 7-53
	Scheduled procedure step location	4-98
S01 10-16	Scheduled time point	
S02	Schedules	10-3
S03	Scheduling	
S04	School	15-25
S05	School address	15-25
S06	School type code	15-25
505 10-17	SCN	

SCP	17-50	CNS	13-54
SCP - data element definitions	17-50	CON	9-24
SCP attributes		CSP	7-124
SCV	2-78	CSR	7-118
SDD	17-52	CSS	7-64. 7-126
SDD - data element definitions	_		11-71
SDD attributes		-	11-71
SDN		-	7-127
SDR			3-192
SDS	•		6-39
Second opinion date		_	0-117
Second opinion documentation received		=	4-173
Second opinion physician			6-44
Second opinion status		•	2-58
Section			5-47
Security		-	13-52
Security/sensitivity		-	13-52
Segment	12 20		15-24
ACC	6 120		
AFF			13-01
NDS			
TCD		=	3-105
Segment action code			7-158
_			
segment group header			6-19
0 0 .			2-65
segment group name			
segment group trailer			12-19
segment instance identifier		-	6-145
Segment pattern response		-	6-147
Segment unique key	0-83, 0-86		6-57
segments	0.111		3-169
CM2	0-111	IAR	3-180
CM2 Segments		IARIN1	3-180 6-76
CM2 Segments ABS	6-138	IARIN1IN2	3-180 6-76 6-94
CM2Segments ABSADD	6-138 2-53	IAR IN1 IN2 IN3	
CM2	6-138 2-53 16-56	IARIN1IN2IN3INV	
CM2 Segments ABS ADD ADJ	6-138 2-53 16-56 10-55	IARIN1IN2IN3INV	
CM2 Segments ABS ADD ADJ AIG AIL	6-138 2-53 16-56 10-55 10-60	IAR	3-180 6-76 6-94 6-117 13-46 16-62
CM2 Segments ABS ADD ADJ AIG AIL		IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS		IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1	6-138 2-53 16-56 10-55 10-60 10-64 10-51	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC		IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC BLG		IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-90
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC BLG BPO	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 2-54 4-68 4-68	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-85 0-12 0-10 0-9 3-182
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC BLG BPO BPX	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 2-54 6-143 4-68 4-134	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-85 0-78 0-78 0-12 0-10 0-9 3-182
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC BLG BPO BPX BTS	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 11-55 4-68 4-68 4-134 4-140 2-57	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC BLG BPO BPX BTS BTX	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 1-55 2-54 4-68 4-68 4-134 4-140 2-57	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT BHS BLC BLG BPO BPX BTS BTX BUI	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 1-55 4-68 4-68 4-134 4-140 2-57 4-149 4-183	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT AUT BHS BLC BLG BPO BPX BTS BTX BUI CDM	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 1-55 4-68 4-68 4-134 4-140 2-57 4-149 4-183 0-94	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4 3-152
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT BHS BLC BLG BPO BPX BTS BTX BUI CDM CDO	6-138	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT BHS BLC BLG BPO BPX BTS BTX BUI CDM CDO CER	6-138	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT BHS BLC BLG BPO BPX BTS BTX BUI CDM CDO CER CM0	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 1-55 4-68 4-68 4-140 2-57 4-149 4-140 2-57	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182 14-6
CM2 Segments ABS ADD ADJ AIG AIL AIP AIS AL1 APR ARQ AUT BHS BLC BLG BPO BPX BTS BTX BUI CDM CDO CER	6-138 2-53 16-56 10-55 10-60 10-64 10-51 3-168 10-69 10-25 11-55 11-55 11-55 4-68 4-68 4-140 2-57 4-149 4-140 2-57 4-149 4-183 4-106 4-106 15-17 7-128, 0-105 7-128, 0-110	IAR	3-180 6-76 6-94 6-117 13-46 16-62 13-32 16-31 15-27 0-91 0-82 0-87 0-78 0-85 0-12 0-10 0-10 0-9 3-182 2-66 2-67 14-4 3-152 3-182

OBX	9-29	SCH10-37
	4-111	SCP
	4-112	SDD
	0-29	SFT
	0-47	SGH
	0-50	SGT
	0-50	SID
	0-57	SLT
	0-58	SPM
	0-59	STF
-	4-49	TCC
	4-56	TXA
	15-28	UB1 6-132
OVR	2-79	UB26-135
PCR	7-149	VAR12-30, 12-32
PD1	3-186	Segments and Segment Groups2-7
PDC	7-156	Send character count14-7
PEO	7-143	Sender address7-140
PES	7-138	Sender aware date/time7-142
PID	3-107	Sender comment
PMT	16-59	Sender event description7-142
PR1	6-52	Sender event identifier7-142
PRA	15-32	Sender individual name7-139
PRB	12-23	Sender organization name7-139
	0-98	Sender sequence number7-142
-	11-64	Sender telephone7-142
		Sending application
		Sending facility
	7-153	Sending Network Address2-74
-		Sending Responsible Organization
	10-43	Sensitivity to causative agent code
		Sensitivity to Causative Agent Code
		•
		Separability indicator
· · · · · · · · · · · · · · · · ·	16-39	Separate Bill
	5-48	Separator type
-•	5-50	Sequence condition code4-92
-•	5-50	Sequence number2-70
QRI	5-51	Sequence number - test/observation master file 0-31, 0-47
RCP	5-52	0-50, 0-53, 0-58
RDF	5-54	Sequence number protocol2-35
RDT	5-54	Sequence number -test/observation master file .0-59, 0-60
RF1	11-48	Sequence/results flag4-91
RFI	11-48	Sequences condition time interval4-92
RFI	16-30	Serial Number15-18
RGS	10-50	Service10-11
	6-144	Service Episode Description
	15-35	Service Episode ID
	4-124	Service item code
	4-121	service period
•		Service Provider Taxonomy Code6-35
	4-93	Service Reason code
	4-54	
	4-73	Service/test/observation performance schedule0-41
	4-57	SERVICE/TEST/OBSERVATIONS MASTER FILES0-18
	4-84	Services 10-4
	4-37	Servicing Facility3-136
RXR	4-51	Session-No16-51
RXV	4-101	set ID4-106
SAC	13-33	Set ID4-184, 4-101
SCD	17-54	Set ID - AFF

Set ID - AIG	10-55	Shipment status date/time	7-172
Set ID - AIL		Shipment status reason	
Set ID - AIP		SHP – data element definitions	
Set ID - AIS	10-51	SI	
Set ID - AL1	3-168	SI conversion factor	
Set id – BPO	4-135	SID	
Set id – BPX	4-141	Side of body	16-54
Set id – BTX	4-150	Signature	15-19, 15-48
Set ID - CER	15-17	Signature authority	
Set ID - CM0	0-106	Signature authority address	
Set ID – CM1	0-110	Signature authority telecommunication	
Set ID - CM2	0-111	Signature authority title	
Set ID - CON	9-25	Signature code	
Set id – DG1	6-40	Signature code date	6-93
Set ID – DSP	5-48	Signature on File Date	
Set ID - EDU	15-24	Single use device	
Set id – FT16-	21, 6-36, 6-37, 6-38	SIU Schedule Information Unsolicited	
Set id - GT1		SLN	
Set ID - IAM		Slot	,
Set ID - ILT	17-35	SLR17-	
Set id – IN1		SLT	, ,
Set id – IN3		SLT - data element definitions	
Set ID - IVT		SLT attributes	_
Set ID - LAN	_	SMD	_
Set ID - NK1		SMS	
Set ID - NTE		SN	_
set ID – observation request		SNM	
Set ID - OBX		Software Binary ID	
Set ID - OBA		Software Certified Version or Release Num	
Set ID - ORG		Software Install Date	
Set ID - PCE		Software Product Information	
Set ID - PCE		Software Product Name	
Set ID - PKG		Software segment	
Set id – PRI		Software Vendor Organization	
Set ID - PRA		-	
		Sort-by field	
Set ID - PV1		Source Date	- ,
Set ID – PYE		Source identifier	
Set id – REL		Source information instance identifier	
Set ID - RGS		source location identifier	_
set ID – segment group end		Source location name	
set ID - SPM		Source of comment	
Set id – TQ2		Source Phone	,
Set ID - TXA		Source Text	
Set id – UB1		Source type	
Set id - UB2		SPD	
Set ID - VND		Special access restriction instructions	
Severity		special administration instructions	
Severity of illness code		Special character	
SFT		Special Costs	
SGH		Special coverage approval name	
SGT		Special coverage approval title	
Shipment condition		special dispensing instructions	
Shipment confidentiality		Special handling code	
Shipment handling code	7-173	Special handling requirements	0-55
shipment id		Special instructions	
Shipment ID		Special order indicator	
Shipment priority	7-172	Special Processing Code	6-34
Shipment risk code	7-174	Special Program Code	3-146
Shipment status	7-172	special program indicator	
			-

Special service request relationship 4-9	3 Staff Identifier List
Special visit count 6-13	7 Staff name 15-38
Specialist	8 Staff type 15-39
specialists11-	3 Start Date
Specialty	3 Start date/time10-52, 10-57, 10-62, 10-67, 13-62
Specialty type	9 Start date/time offset10-52, 10-58, 10-62, 10-67
Species Code 3-11	8 Start date/time offset units10-52, 10-58, 10-62, 10-67
Specimen 0-5	4 Starting notification code
specimen (SPM) 7-7	5 Starting notification date/time13-54
specimen action code 4-75, 7-4	8 Starting notification reference number
specimen additives 7-7	8 Stated variance date/time12-31
specimen appropriateness	2 Static definition2-9
specimen availability	2 Static definition – field level2-24
specimen child role	4 Static definition – message level2-21
specimen collection amount	O Static definition – segment level2-22
specimen collection date/time 7-8	1 Static definition concepts2-14
specimen collection method 7-7	9 Statistics available14-6
specimen collection site	0 Statistics end14-7
Specimen component	0 Statistics start
specimen condition	3 Status admission 6-52
specimen current quantity 7-8	3 Status age 6-50
specimen description	1 Status financial calculation6-49
specimen expiration date/time 7-8	2 Status gender 6-50
specimen handling code 7-8	1 Status length of stay6-50
Specimen handling code 0-5	6 Status patient 6-49
specimen ID	7 Status respiration minutes 6-51
specimen parent IDs	7 Status same day flag6-51
Specimen preference 0-5	6 Status separation mode6-51
Specimen priorities 0-5	
specimen quality7-8	2 Statused at date/time
specimen received date/time7-8	
specimen reject reason	
Specimen required 0-3	1 Statuses
Specimen requirements 0-5	
Specimen retention time 0-5	6 Steps for developing a conformance statement 5-20
specimen risk code 7-8	1 Sterile indicator
specimen role	
Specimen source	6 Sterilization and Decontamination Message Segments 17-
specimen source site 7-7	
specimen source site modifier7-7	8 8
specimen type	·
specimen type modifier 7-7	
speciment and container detail segment 13-3	
SPM	
SPM - data element definitions 7-7	
Sponsor patient ID	
Sponsor study ID 7-118, 7-127, 0-10	
SQM	
SQR	,
SRR Scheduled Request Response 10-1	
SRT	•
SSN Number - Patient	
SSR	
SSR – Specimen Status Message	
SSU	
SSU – Specimen Status Message	
ST	,
STAFF AND PRACTITIONER MASTER FILES	, ,
staff identification segment	6 Study phase identifier7-127, 0-111

Study phase Identifier	7-125	T	
Study quality control codes	7-126	•	
Study randomization date/time	7-123		
Study scheduled patient time point	7-126	T01	
Study scheduled time point	7-126, 7-127	T02	
STZ - data element definitions	17-21	T03	
STZ attributes	17-21	T04	
Subject Directory Attribute Extension	15-21	T05	_
Subject ID		T06	
Subject Name	15-20	Т07	
Subject Public Key Info	15-21	T08	
Subject specific consent		T09	
Subject to expiration indicator		T10	
Subject-specific consent background text		T11	
Subscriber		T12	
Substance container identifier		Table definition	
substance expiration date 4-7	8, 4-88, 4-96	table row data segment	
Substance identifier		table row definition segment	
substance identifier segment		Tabular response	
substance lot number 4-7		Target anatomic site of test	
Substance lot number		Target information instance identifier	
substance manufacturer		Target value	13-50
Substance manufacturer identifier		taxable	4-125
substance manufacturer name		Taxable item indicator	
Substance status	,	Taxonomic classification code	0-44, 0-57
Substance type		TCC	13-55
substance/treatment refusal reason		TCD	13-58
substitute allowed		TCR	13-26
Substitute item identifier		TCR - Test Code Settings Request	13-26
Substitute Value		TCU	13-25
substitution status 4-6		TCU – Test Code Settings Update	13-25
Suffixes for defining observation ids		Technical correction rules	2-28
Summary chart of query/response pairs		technician	4-80, 7-53
SUPERCEDED QUERY/RESPONSE TRIGGER EVE		Telecommunication Address	
MESSAGE PAIRS		Telephone number of section	0-34
supplementary code		Temp max	17-55
Supplementary code		Temp min	17-55
Supplier identifier		Temperature	13-40
Supplier Type		Temporary Location	3-128
supplies		Test Category	0-46
Supply Message Examples		test code configuration segment	13-55
Supply Orders		test code detail segment	13-58
Supply risk codes		Test/fluid identifier(s)	13-49
SUR		Test/service default duration quantity	0-60
Suspend flag		Test/service default duration units	0-61
Swapping a patient		Test/service default frequency	0-61
syringe manufacturer		Tests/observations included within an ord	ered test battery
syringe model number			0-58
syringe size		text instruction	4-112, 4-113
syringe size units		Text message	2-66
system clock segment		Thermal rinse time	
System date/time		This payload	5-49
System entry date/time		This Relationship Instance Identifier	
System induced contaminants		Time selection criteria10-69, 10	
System madea contaminants	13-42	Tissue type code	
		Title of study	
		TM	
		Tools	2-34

Total accrual to date0-107

Total Adjustments	3-138	Trigger events, types	10-9
Total Amount of VAT	16-38	Truncation Character Escape	2-22
Total Amount Physician Part + Technical Par	t 16-56	tube feeding	4-115
Total charge	6-49	TX	2-83
Total Charges	3-138	TXA	9-29
Total cycle time	17-56	type	4-111
total daily dose	4-46, 4-64	Type of agreement code	6-88
Total daily dose	4-76	Type of bill code	
Total duration of therapy		Typical progression of orders for a sur	
Total Payments		Typical turn-around time	
TP-Value PP		,,	
TP-Value Technical Part			
TQ	4-6	U	
Track department usage indicator	17-18		
Transaction amount - extended		1104	12.1
Transaction amount - unit 6-23, 17-1		U01	
Transaction batch id		U02	
Transaction code 6-22, 17-1		U03	
Transaction data		U04	
Transaction date		U05	
Transaction description		U06	
Transaction description - alt		U07	
transaction flow diagram		U08	
Transaction id		U09	
Transaction posting date		U10	
		U11	13-26
Transaction quantity		U12	
Transaction reference key		U13	
Transaction type		U14	
Transcription date/time		UAC	2-86
transcription document header segment		UB1	6-132
transcriptionist	•	UB2	6-135
Transcriptionist code/name		UB2 attributes	6-135
Transfer patient - event A02		UB82 data segment	6-132
Transfer medical service code		UB-82 locator 2	6-134
Transfer patient - event A02		UB-82 locator 27	6-135
Transfer Reason		UB-82 locator 45	6-135
Transfer to Bad Debt Code		UB-82 locator 9	6-135
Transfer to Bad Debt Date	3-134	UB92 data segment	6-135
Transfusion service		UB92 locator 11	6-137
usage notes		UB92 locator 2	6-137
transport arranged		UB92 locator 31	6-137
transport arrangement responsibility		UB92 locator 49	6-137
transport logistics of collected sample	4-80, 7-53	UB92 locator 56	
transport temperature	4-185	UB92 locator 57	6-137
transport temperature units	4-186	UB92 locator 78	
transportation mode	4-79, 7-52	UDI Device Identifier	
Tray identifier	13-37	UDI Devie Identifier	
tray type	4-113	UDM	_
Tray type - SAC	13-37	Under temperature	
Treating Organizational Unit		Unique Device Identifier	
Treatment		Unique document file name	
Triage code	6-141	Unique document number	
Tribal Citizenship	3-119	Unit cost	
trigger event		United nations standard products and	
trigger events		17-21	a services code 17-20
Trigger events		17-21 Units	7 65 12 5
Trigger Events		Units of measure	•
TRIGGER EVENTS AND MESSAGE DEFINITION			
Trigger events, reasons		universal service ID	4-73, 7-40
, -			

Universal service identifier 0-6	50, 10-52, 13-56	Virtual table field description and commentary	5-26
Universal service Identifier	13-58	Visit Description	3-144
unsolicited vaccination record update	4-117	Visit Indicator	3-139
Update mode	10-12	Visit number	3-132
Usage	2-16	Visit Priority Code	3-147
Usage and examples of formatted text	2-23	Visit Protection Indicator	3-146
Usage notes: PID patient identification	3-239	Visit Publicity Code	3-146
Use case model	2-6	Visit User Code	3-143
USE OF ESCAPE SEQUENCES IN FIELDS	2-21	Visiting hours	0-90
User parameters		vital signs	4-5
User Authentication Credential	2-88	VND - data element definitions	17-23
user authentication credential segment	2-86	VND attributes	17-23
User Authentication Credential Type Code .	2-88	Vocabulary	0-1
User defined access checks	7-67	volume units	4-185
User Message	2-61	Volume units	13-39
User-defined Table 0088 – Procedure Code	17-10	VR	2-86
User-defined Table 0116 - Bed Status	3-136	VXU	4-117
User-defined Table 0283 - Referral status	12-28		
User-defined Table 0396 - Procedure Code.	6-29		
Using the Conformance Statement	5-14	W	
UVC	2-84		
		wash time	17-62
		Waveform	-
V		Waveform - Trigger Events & Message Definitions	_
		weight units	
Valid coded "answers"	0-51	when to charge	
Valid patient classes		WVI	
Validation	•	WVS	
Value amount & code		***************************************	2 07
Value type	•		
VAR	•	X	
variance	•	X	
Variance classification		VAD	2.07
Variance description		XAD	_
Variance instance ID		XCN	
Variance originator		XON	
variance segment		XPN	
VAT-Rate		XTN	2-103
VAT-Rates			
vendor catalog			
Vendor catalog number		Y	
Vendor constrainable profile type			
vendor ID		Yes/No indicator table	2-89
Vendor Identifier			
Vendor name			
Verification by			
Verification date/time			
verification status			
verified by			
Version			
Version 2.4 Queries			
Version Compatibility Definition			
Version ID			
Veterans Military Status			
VH			
VID			
VIP indicator			
VIP Indicator	,		
vii iiialcatoi	5 150, 5-100		