



AUDIT REPORT

Fieldcore - NAM-CANADA
Office Site: Fieldcore Alberta, Canada
Field Site: Toronto, Canada

Standard(s): ISO 45001:2018

Audit Type:

Stage 2	☐	Please indicate Surveillance No.	
Recertification	☒		
Surveillance	☐		
Special Audit	☐		

INDEX

- 1. General Information**
 - 1.1 Organization Information
 - 1.2 Contact Information
- 2. Audit Information**
 - 2.1 Audit standards
 - 2.2 Scope of Certification
 - 2.2.1 Validation of Scope
 - 2.2.2 Certificate Verification
 - 2.3 Auditor Information
 - 2.4 Audit Scope
 - 2.5 Opening & Closing Meetings
- 3. Audit Summary**
 - 3.1 Executive Audit Summary
 - 3.2 Consolidated Audit Summary (Multi-site Audits)
- 4. Audit Results**
 - 4.1 Compliance
 - 4.2 System Adequacy & Validation of Scope
 - 4.3 Previous Audit Results
 - 4.4 Verification of Previous Certification Cycle Results
 - 4.5 Audit Summary Report Matrix
 - 4.6 Summary of Audit Findings
 - 4.7 Nonconformity Reports
- 5. Conclusion and Team Leader recommendation**
- 6. Auditor Notes**

Appendix A – Multi site information – See Overall Lead Auditor
Appendix B – TL 9000 Measurements Checklist – N/A

1. GENERAL INFORMATION

1.1 ORGANIZATION INFORMATION

Organization Name	Fieldcore - NAM-CANADA		
Location (Address, City, State, Postal Code, Country)	Solomon Airebamen 5538 48 th Street, Edmonton, Alberta, T6B 2Z1, Canada		
Phone N°	+1 587-340-3117	Email address	Solomon.airebamen@ge.com

1.2 CONTACT INFORMATION

Contact Name	Solomon Airebamen		
Position	Regional EHS Manager-Canada		
Email address	Solomon.airebamen@ge.com	Phone N°	+1 587-340-3117

2. AUDIT INFORMATION

2.1 AUDIT STANDARDS & TYPE

Industry Code(s)	S18AM	Matches Contract Docs?	YES ☒	NO ☐
	If no, please justify change:			
Complexity/Risk Level (High, Medium, Low, Ltd)	Not provided to auditor.	Matches Contract Docs?	YES ☐	NO ☐
	If no, please justify change:			

Audit start date	September 15, 2022	Audit end date	November 08, 2022
Duration (On-site)	1-Remote+2-Onsite	Duration (Off-site)	-

Audit Days :3 Report Time: 0.5+0.5=1 Day

2.2 SCOPE OF CERTIFICATION

Site Name	Scope of Certification & Boundaries of the Management System	
Fieldcore - NAM-CANADA	Scope:	PROVISION OF MANPOWER AND SUPERVISION, TECHNICAL SERVICES AND PROJECT MANAGEMENT FOR INSTALLATION, COMMISSIONING, REPAIR, OVERHAUL AND MAINTENANCE OF POWER GENERATION EQUIPMENT AND ASSOCIATED PLANT FOR INDUSTRIAL, PETROCHEMICAL AND NUCLEAR APPLICATIONS.
	Boundaries:	All activities and services associated with the operations of Fieldcore Canada: 5538 48th Street, Edmonton, Alberta, T6B 2Z1 Canada-Support Office One building includes office and Tooling Center Ontario Power Generation 470 Unwin Ave., Toronto, Ont., M4M 3B Field Site supporting customer based on customer needs. There are no significant external factors/conditions identified which could affect the H&S risks associated with the facilities stated above

2.2.1 Validation of Scope

The Scope of Certification is verified and validated, the organization capability to provide products / services as indicated in the scope of certification is verified to ensure that the scope does not include any product / service outside the demonstrated capability of the organization or include any activities which were not performed at site or included in the scope where the organization cannot demonstrate effective controls, as a result of verification the organization scope of certification is:

☒ Accepted ☐ Not Accepted

Details if marked "Not Accepted" or if a scope change has been requested by the client:

2.2.2 Certificate Verification

Rev 6

12 February 2021

Certificate Verification: (Required for all Audit Activities excluding Stage 1, Stage 2)- See Global Lead Auditor

Confirm Client has copy of current certificate or outline below	☒	Confirm current Certificate has not expired or outline below	☒
Confirm no changes to applicable Standards audited per the certificate(s) or outline changes below	☒	Confirm no changes to Site Names listed on Certificate or outline below (HQ and multi-site sites)	☒
Confirm no changes to Main Scope of certification or outline below	☒	Confirm no changes to Site Addresses listed on Certificate or outline below (HQ and multi-site sites)	☒
Confirm no changes to Individual Site scopes or outline below (HQ and multi-site sites)	☒	Confirm no changes to Accreditation logo or outline below	☒

List any changes needed to the certificate (e.g., scope revision, sites to be added, add or drop a standard, etc.):

See Global Lead Auditor

2.2.3 Organizational Detail

N° of Sites	2 Sites: (1) Edmonton, Alberta -Office Site (2) 470 Unwin Ave., Toronto, Ont., M4M 3B (Field Site)		
N° of Employees at each site audited	Edmonton Office: 12 Toronto Field Site:117 Total (Both Sites): 129		
Head Office (if multi-site)	See Global Lead Auditor		
Change from previous information	YES ☐ See Global lead auditor NO ☐		

2.2.4 Shift Structure

Shift	N° Employees on shift	Start Time	End Time	Audited Main	Audited SV1	Audited SV2
Edmonton Office	12	Remote/ 9:00 AM or as needed	Remote/ 5:00 PM or as needed	☒	☐	☐
Field Site Day (Toronto)	61 14	7:00AM 6:00 AM	5:30 PM 7:00 PM	☒	☐	☐
Field Site Night (Toronto)	33 9	7:00 PM 6:00 PM	5:30 AM 7:00 AM	☒	☐	☐
				☐	☐	☐

Additional shift details and justification for not auditing all shifts:

Similar activities on Night Shift. Operational Records reviewed included Night Shift records. Some of the Personnel interviewed covered both shifts.

2.3 AUDITOR INFORMATION

Team Leader	Team Members
Ranjit Saini (Local Team Lead)	N/A

2.4 AUDIT SCOPE

Audit objectives

1. To confirm that the management system conforms with all the requirements of the audit standard(s);
2. To confirm that the organization has effectively implemented its planned arrangements;
3. To confirm that the management system is capable of achieving the organization's policies and objectives and evaluation of the ability of the management system to ensure the client organization meets applicable statutory, regulatory and contractual requirements;
4. If applicable to identify areas for potential improvement of the management system.
5. The purpose of the audit is to evaluate the implementation, including effectiveness, of the client's management system. It shall include at least the following:
 - a) information and evidence about conformity to all requirements of the applicable management system standard or other normative document;
 - b) performance monitoring, measuring, reporting and reviewing against key performance objectives and targets (consistent with the expectations in the applicable management system standard or other normative document);
 - c) the client's management system and performance regarding compliance;
 - d) operational control of the client's processes;
 - e) internal auditing and management review;
 - f) management responsibility for the client's policies;
 - g) Links between the normative requirements, policy, performance objectives (consistent with the expectations in the applicable management system standard or other normative document), any applicable compliance requirements, responsibilities, competence of personnel, operations, procedures, performance data and internal audit findings and conclusions.

2.5 OPENING & CLOSING MEETINGS

Opening Meeting

A formal opening meeting was chaired by the Lead Auditor and attended by the management of the organization and other key personnel, audit process was explained, following agenda items were covered during the meeting;

1. introduction of the participants, including an outline of their roles
2. confirmation of the scope of certification
3. confirmation of the audit plan (including type and scope of audit, objectives and criteria), any changes, and other relevant arrangements with the client, such as the date and time for the closing meeting, interim meetings between the audit team and the client's management
4. confirmation of formal communication channels between the audit team and the client
5. confirmation that the resources and facilities needed by the audit team are available
6. confirmation of matters relating to confidentiality
7. confirmation of relevant work safety, emergency and security procedures for the audit team;
8. confirmation of the availability, roles and identities of any guides and observers
9. the method of reporting, including any grading of audit findings
10. information about the conditions under which the audit may be prematurely terminated
11. confirmation that the audit team leader and audit team representing the certification body is responsible for the audit and shall be in control of executing the audit plan including audit activities and audit trails

12. confirmation of the status of findings from the previous review or audit, if applicable
13. methods and procedures to be used to conduct the audit based on sampling
14. confirmation of the language to be used during the audit
15. confirmation that, during the audit, the client will be kept informed of audit progress and any concerns
16. Opportunity for the client to ask questions.

Closing Meeting:

At the end of the audit a formal closing meeting was conducted by the audit team leader, the audit conclusions, including the recommendation regarding certification were presented to the organization's management. Nonconformities raised during the audit (if any) were presented and explained in a manner that they are understood.

Lead Auditor also covered the following points:

1. advising the client that the audit evidence obtained was based on a sample of the information, thereby introducing an element of uncertainty
2. the method and timeframe of reporting, including any grading of audit findings
3. the certification body's process for handling nonconformities including any consequences relating to the status of the client's certification
4. Confirming the appropriateness of the audit program (including Surveillance Plan), or identification of any modification required for future audits (e.g. scope of certification, audit time or dates, surveillance frequency, audit team competence).
5. The timeframe for the client to present a plan for correction and corrective action for any nonconformities identified during the audit.
6. Appeals process

Opening and Closing meeting attendees:

September 15, 2022

Meeting Invitees/ Attendees: Office Remote Audit

Name	Position	Date:	Opening Meeting	Closing Meeting
		Time	09/15.2022 9:00 am MST	09/15/2022 4.00pm MST
Fadi Al-Sheikh Ali	Service Manager		☒	☐
Ahmed Yousef	Resource Manager		☒	☐
Solomon Airebamen	Regional EHS Manager		☒	☒
Cameron Crooks	Tool Facility Manager		☒	☐
Mark Polukoshko	Senior Service Director -GE Gas Power Canada		☒	☐
Mark Edwards	EHS Governance and Programs Director		☒	☐
Fernando Gomezcanino	HR Manager		☒	☒
Ranjit Saini	BV Lead Auditor		☒	☒
Lisa Block	NAM EHS Manager		☒	☐
			☐	☐
			☐	☐
			☐	☐

		☐	☐
		☐	☐
		☐	☐

Toronto Field Site Opening Meeting

Meeting Invitees/ Attendees:

Position

11/07/2022 Opening meeting

Robert Bartoszek	Chief TFA – (Gas Turbine)	☒	☐
Brennen Taylor	TFA – (Steam turbine)	☒	☐
Solomon Airebamen	Regional EHS Manager	☒	☐
Neil Hamilton	Site Health and Safety Rep (Gas Turbine)	☒	☐
Cindy	Site Health and Safety Rep (Steam Turbine)	☒	☐
Ryan Lappan	Foreman	☒	☐
Wes Heck	Superintendent	☒	☐
Ranjit Saini	BV Auditor	☒	☐
Fi Yin Alawode	Project Manager – (Steam Turbine)	☒	☐
Sarira Saadat	Project Controls Advisor	☒	☐
Darrin Nelson	Generator TFA – (Steam Turbine)	☒	☐

Toronto Field Site Closing Meeting

Meeting Invitees/ Attendees: Closing Meeting

Name	Position	Date:	Closing Meeting
		Time	11/08/2022
Robert Bartoszek	Chief TFA – (Gas Turbine)		☒
Paul Kay	Outage Manager		☒
Solomon Airebamen	Regional EHS Manager		☒
Neil Hamilton	Site Health and Safety Rep (Gas Turbine)		☒
Cindy	Site Health and Safety Rep (Steam Turbine)		☒
Spencer Elliot	TFA		☒
Wes Heck	Superintendent		☒

Ranjit Saini	BV Auditor	☒
Fiyin Alawode	Project Manager – (Steam Turbine)	☒
Sarira Saadat	Project Controls Advisor	☒
Andreas Hunziker	Service Manager	☒

3 AUDIT SUMMARY

SUMMARY

A full remote recert audit of Edmonton Office site was conducted on Sep.15, 2022 from 9:00 am to 5:00 pm covering the appropriate clauses of the international standard(s) as applicable to the client identified processes within the scope of certification. The Surveillance Plan was updated to reflect this Remote audit activity – See Overall Lead Auditor.

In order to respect client facility restrictions and to protect the health and safety of our clients and auditors, we utilized the remote audit approach to conduct this audit in real time with the client through the use of MS-teams as established and agreed to by the client.

Data and documents were reviewed by the auditor through the use of the above stated software system used to conduct the audit thus confirming that all conditions are met to fulfill measures regarding information security and data protection. This technology was able to support the audit in the same manner as if the audit team were physically walking through the facility, which included production and manufacturing processes as well as face to face interviews with employees as needed throughout the production and process areas.

I acknowledge that no recordings of ICT communications were made by this auditor during the Remote audit activity.

I further acknowledge that the planned approach to this Audit was fully explained to and agreed by the client during the audit planning stage and confirmed by the Lead Auditor during opening meeting.

During this Remote assessment, it was confirmed that the organization has not reported any significant organizational changes, and that previous on-site assessments (not considered as remote audits) have taken place according to the normal certification schedule.

Additionally, onsite audit of Field Site located at 470 Unwin Ave., Toronto, Ont., M4M 3B was conducted from November 7 and 8, 2022 covering the appropriate clauses of the international standard(s) as applicable to the client identified processes within the scope of certification.

This audit resulted in the identification of zero Nonconformities and 0 OFI

Activities and locations/functions of the organization based on the audit plan which was submitted and agreed with the organization prior to the audit were covered which are listed in Audit Summary section (Audit Matrix) of the report.

The audit team conducted a process-based audit focusing on the significant aspects, risks and objectives. The audit methodology used included interviews, observation of activities and review of documentation and records.

The audit was based on sampling process of the available information.

Management system policy (ies) and objectives were audited and management system's capability of meeting the commitments given in the policy (ies) and achieving established objectives and targets was assessed.

All areas of the management system and associated processes were audited per the audit plan (list any deviations) and in general the management system was:

Found adequately addressing all the requirements and effectively implemented Zero Nonconformities noted	☒
Found not adequately addressing/effectively implemented to meet all requirements of the applicable standard(s). 1 or more Nonconformities noted	☐

CONSOLIDATED AUDIT SUMMARY (Multi-Site) – See Lead Auditor

The Multi-site audit was completed according to the schedule and;

No updates to the planned arrangements for this or future cycles is required	☐
Updates to the planned arrangements for this or future audit cycles is required as outlined below	☐

Please See Global Lead Auditor Report

This audit consisted of a sampling for a Total N° of 2 sites site multi-site scope of certification. The Audit Programme (Surveillance Plan) designates Total N° of sites sites to be audited, including the Central function activities which were audited at the location. -See Global Auditor/ Report
Product design activities are conducted at the location and are validated at each of the manufacturing sites.

The logistics (site name, address, scopes, industry codes assigned, current employee count, current scope of operational processes, etc.) were verified during the audit of the Central function between the appropriate client representative(s) and the Lead auditor, and it could be confirmed that the information on the Certificate, Justification sheet/Contract, and Surveillance Plan is accurate and up-to-date.

The Central function was confirmed as responsible for collecting the management system information and is responsible for oversight of all operations of the management system and its processes.

- The processes for document and record control are a multi-tiered process, with responsibilities for the management of and distribution of Tier 1 documentation (Policies and Procedures) at the Headquarters location, with site specific documents and records (SOP, Work Instructions, etc) managed at the site level. This system was verified as conforming to standard requirements.
- The Management Review process is currently in place and is effectively maintaining the management system.
- The internal audit program has been established to meet the requirements of the international standard and has taken into account the importance of the processes relating to the production process.
- The internal audit program also produces effective results in identifying areas of non-conformances and results in corrective actions generated based on audit findings.
- The logo is currently not being used at this time.

The processes at each of the below sites were assessed against the requirements of the standard and the internal quality management system and customer requirements with the following conclusions:

Central Function: See Global Lead Auditor

Site Audited: Zero NCR

The following trends related to deviations from management system requirements were noted:

Rev 6 trends were identified.

12 February 2021

Based on successful completion of this audit it was determined that the Management system of your organization continues to meet the expected outcomes of the ISO 45001:2018 standard and is continually improving. Therefore, the result of this activity is a recommendation for continued certification.

However, please note the Global Lead Auditor will provide the final recommendations on the status of the certification following his review of this report and other applicable documentation.

Congratulations to your entire team for a job well done. Thank you as well for your hospitality and transparency throughout the audit. I look forward to our next visit.

Ranjit Saini –Local Lead Auditor

4. AUDIT RESULTS

4.1 COMPLIANCE

Based on the result of the review of the program for **compliance** evaluation, the organization has determined that they have no open existing non-compliances.

☒ Yes

☐ No

If no, has the organization determined appropriate corrective action plans been put in place to address the issues

☐ Yes

☐ No

Details of NCR if marked "No":

4.2 SYSTEM ADEQUACY

4.2.1 Management System Documentation

Adequacy of Management system required documentation:

Current revision(s) of the Top-level documented information: One Field Services Projects and Services Plan-Global Rev 06, March 01, 2022

The above referred version(s) of management system documentation, as applicable, was assessed and found to adequately address the applicable requirements.

☒ Conforming

☐ Nonconforming

Details if marked Nonconforming:

4.2.2 Level of Integration (in case of Integrated Management System Audit)

The level of integration based on the ability of the management system to address similar nature of requirements of the applicable standards in the form of documentation and implementation of common/integrated policies, manual, system level procedures, activity specific procedures, SOPs, work instructions, objectives, measurement & monitoring, etc. was assessed and the level of integration found as;

☐ Fully Integrated

☐ Partially Integrated

☐ Not Integrated

☒ Not Applicable

4.2.3 Deviation from the Audit Plan (if any)

Was there any deviation from audit plan?

☐ Yes

☒ No

If there was a deviation to the audit plan, were all the areas covered in a proper manner and sufficient evidence was collected to achieve the audit results?

☐ Yes ☐ No

Details if marked No:

4.2.4 Significant Changes that may have affected the Management System (if any) e.g. COVID-19 restrictions, reduction in scope of operations, etc.

☐ Yes ☒ No

Details if marked Yes:

4.3 PREVIOUS AUDIT RESULTS

The report results of the last audit of management system have been reviewed, in particular to assure appropriate corrections/containment and corrective actions have been implemented to address any nonconformity identified.

N° of Nonconformities	Major	Minor	Specific Evidence Reviewed to Confirm Effective Implementation per Accepted Corrective Action Plans
Raised in the previous audit			
Nonconformities closed			
Nonconformities re-raised			

Please see Global Lead Auditor Report

4.4 VERIFICATION OF PREVIOUS CERTIFICATION CYCLE RESULTS

Please See GLOBAL AUDITOR/REPORT

The following table provides an overview of the organization's performance throughout the certification cycle in addressing the previous audit findings as well as the general assessment of the effectiveness of the management system's implementation.

		IA/RC	SV 1	SV 2	SV 3	SV4	SV5	Total
N° of Nonconformities	Major							
	Minor							
All NCRs are closed based on effective corrective actions					Yes	☐	No	☐
Was the management system effective in handling internal audit findings and customer complaints over the certification cycle?					Yes	☐	No	☐

During this audit it was determined that the overall performance of the management system was effective in demonstrating continual improvement?

☒ Satisfactory

☐ Unsatisfactory

Details (if unsatisfactory):

ISO 45001:2018	Organization's Department / Activity / Functional Area																
4.5 Process Matrix	Office/OH&S Management Elements	Field Site Operational Control/Mgmt. elements	Training, Awareness Communications	Compliance Obligations/EP&R/Hazards id., document control													Total NCs
4.1 Understanding the organization and its context	x																0
4.2 Understanding the needs and expectations of workers and other interested parties	x																
4.3 Determining the scope of the OH&S management system	X																
4.4 OH&S management system	x																
5.1 Leadership and commitment	x																
5.2 OH&S policy	X																
5.3 Organizational roles, responsibilities and authorities	X																
5.4 Consultation and participation of workers																	
6.1 Actions to address risks and opportunities	X	x															
6.1.1 General	X	x															
6.1.2 Hazard identification and assessment of risks and opportunities	X	x		x													
6.1.2.1 Hazard identification	X	x		x													
6.1.2.2 Assessment of OH&S risks and other risks to the OH&S management system	X	x		x													
6.1.2.3 Assessment of OH&S opportunities and other opportunities to the OH&S management system	X			x													
6.1.3 Determination of legal requirements and other requirements	X			x													
6.1.4 Planning action	X			x													
6.2 OH&S objectives and planning to achieve them	X																

6.2.1 OH&S objectives	X																	
6.2.2 Planning to achieve OH&S objectives	X																	
7.1 Resources	X		x															
7.2 Competence			X															
7.3 Awareness		x	X															
7.4 Communication		X	x															
7.4.1 General		X	x															
7.4.2 Internal communication		X	x															
7.4.3 External communication		X	x															
7.5 Documented information	X	x	x	x														
7.5.1 General	X			x														
7.5.2 Creating and updating	X			x														
7.5.3 Control of documented information	X			x														
8.1 Operational planning and control		x																
8.1.1 General		x																
8.1.2 Eliminating hazards and reducing OH&S risks		x																
8.1.3 Management of change		x																
8.1.4 Procurement		x																
8.1.4.1 General		x																
8.1.4.2 Contractors		x																
8.1.4.3 Outsourcing		x																
8.2 Emergency preparedness and response		x		X														
9.1 Monitoring, measurement, analysis and performance evaluation	X	x																
9.1.1 General	X																	
9.1.2 Evaluation of compliance	X			x														
9.2 Internal audit	X																	
9.2.1 General	X																	
9.2.2 Internal audit program	X																	

9.3 Management review	X																	
10.1 General	X																	
10.2 Incident, nonconformity and corrective action	X	x																
10.3 Continual improvement	X	x																
Use of Logo	X																	
General	x																	
Total Nonconformities	0	0	0	0														0

4.6 SUMMARY OF AUDIT FINDINGS

Nonconformities

N° of Nonconformities Recorded	Major	0	Minor	0
Is an On-site Follow up Audit Required?	Yes	☐	No	☒
Justification for Off-site review of Major Nonconformities	N/A			
Follow up Audit Target Date	N/A			
Duration (days)	N/A			

Details of Follow Up Audit			
On-site	☐	Off-site	☐
Details: N/A			

System Strengths

Number	Description
1.	Dedicated and highly knowledgeable work force
2.	Commitment of Management team towards OHS effectiveness
3.	Overall, well documented Global OH&S Procedures
4.	Highly supportive corporate leadership
5.	Corporate Sustainability awareness and dedication
6.	Excellent Foreign Material Exclusion training and practice at Field Site

Opportunities for Improvement: None Identified.

Number	Process	OFI – Opportunity for improvement

No Unresolved Issues

Did Management of the organization agree to accept all the findings identified by the audit team and agree with the corrective actions required and follow-up activities?

☒ Yes

☐ No

Details if marked No:

4.7 NON CONFORMITY REPORT

Non conformities detailed herein shall be addressed through the organization's corrective action process, in accordance with the relevant corrective action requirements of the audit standard.

Hereunder you will find Bureau Veritas Certification requirements for:

- expected timelines to address the nonconformity (a)
- response content (b)

Expected timelines to address the non-conformity (a)

Corrective actions to address identified **Major** nonconformities shall be carried out immediately. Correction/containment, Root Cause Analysis and Corrective action plans shall be submitted by the organization within 30 days after the last day of the audit, and the final revisions of the actions, together with satisfactory evidence of implementation shall be verified through a follow up audit within **90 days after the last day of the audit unless Bureau Veritas Certification and client agree on a longer period of time.**

Review of nonconformities is done through an on-site follow up visit. Depending of severity of the findings, the auditor may perform the follow up visit off-site through documentation review to confirm the actions taken, evaluate their effectiveness, and determine whether certification can be recommended or continued. However, the auditor must justify in the report why the on-site visit is not recommended.

For a **minor** nonconformity, correction/containment, root cause analysis (and objective evidence as applicable) and corrective action plans shall be submitted by the organization within 30 days after the last day of the audit and approved by the team leader; verification of implementation and effectiveness of corrective action(s) taken will be performed at the next visit.

It is recommended that the Client provide responses early to allow time for additional reviews if needed.

For recertification time limits to address nonconformities will be defined by the team leader in order to have them implemented prior to expiration of certification.

Any responses to the nonconformities which were raised may be either in hard copy or electronically using the NCR herein (preferred) and forwarded to the Bureau Veritas Certification office.

Expected response content (b)

Client response to NCR will be reviewed by the lead auditor in three parts; correction/containment, root cause analysis and corrective actions.

In reviewing the three parts, the auditor looks for a plan and then evidence that plan is being implemented.

Correction

1. The extent of the nonconformity has been determined (NCR has been corrected & the client has examined the system to see if there are other examples that need to be corrected. Ensure that correction answers the question "Is this isolated case or not?" in other words "Is there a risk that this can reoccur at the other site / department?"
2. If correction cannot be immediate; a plan to correct the NCR may be appropriate (responsible & date).
3. Evidence that the correction was implemented.

Root Cause Analysis

1. Ensure that the root cause answers the question(s), "What in the system failed such that the problem occurred?"

2. Address problems with the process as well as what detection system failed.

3. Ensure that the root cause identifies the basic cause of the issue, not the **symptoms** in order to provide a basis to implement adequate and effective corrective action to avoid recurrence in the future.

Corrective Action

1. The corrective action plan addresses the root cause(s) determined in the root cause analysis. If you have not defined true root cause(s) you cannot prevent the problem from its recurrence

2. In order to accept the plan it shall include;

- actions to address the root cause(s)
- identification of responsible parties for the actions and
- a schedule (dates) for implementation.
- include a "change" to your system. Training and/or publishing a newsletter are generally not changes to your system

3. In order to accept the evidence of implementation:

a. Sufficient documented/objective evidence has been provided to show the plan has been being implemented as outlined in your response (and on schedule).

Note: In certain cases evidence in full is not required to close the NCR; some evidence may be reviewed during future audit when verifying the corrective actions

5. CONCLUSION AND TEAM LEADER RECOMMENDATION

5.1 CONCLUSION

The management system documentation demonstrated conformity with the requirements of the audit standard and provided sufficient structure to support implementation and maintenance of the management system,	☒
Integrity of the management system is fully maintained while implementing changes to comply with the requirements of the new version(s) of the management system standard(s)	☒
The organization has demonstrated continual improvement of its management system,	☒
The organization has demonstrated the establishment and tracking of appropriate key performance objectives and targets and monitored progress towards their achievement,	☒
The internal audit program & management review process have been fully implemented and demonstrate effectiveness at maintaining and improving the management system,	☒
Throughout the audit process, the management system demonstrated overall conformance with the requirements of the audit standard(s) & found capable of meeting applicable requirements & expected outcomes,	☒
Appropriateness of the identified Environmental aspects and Health & Safety risks (as applicable) per the assigned industry code(s)	☐
Appropriate Use of Logos	☒
Applicable only to Headquarters or Central office of a multi-site audit - Verification that the HQ is collecting and analyzing data from all sites and demonstrating its ability to initiate organizational changes related to: (i) system documentation and system changes; (ii) management review; (iii) complaints; (iv) evaluation of corrective actions; (v) internal audit planning and evaluation of the results; and (vi) statutory and regulatory requirements pertaining to the applicable standard(s)	☐
See Overall Lead Auditor Report	
It is confirmed that the audit objectives have been fulfilled.	☒

Details if the managements system does not comply to any of the above or audit objectives were not fully fulfilled:

NO NCs issued

5.2 TEAM LEADER RECOMMENDATION

Standard	Accreditation	Proceed to / Continue Certification	Recommendation Date	Team Leader
ISO 45001:2018	UKAS	☒ Yes *** ☐ No	Nov 08, 2022	Ranjit Saini
		☐ Yes ☐ No		
		☐ Yes ☐ No		

Please see Global Lead Auditor's Report for final decision on continuation of certification

6. AUDIT NOTES / SIGNIFICANT AUDIT TRAILS

Auditor	Date	Organization's Department / Activity / Functional Area	Interviewee(s)
Ranjit Saini	Sep 15, 2022	Edmonton Administrative Office Activities / Management Elements including compliance obligations	Solomon Airebamen, Ahmed Yousef, Cameron Crooks, Mark Polukoshko, Lisa Block, Fernando Comezcancino, Fadi Al Sheikh
Notes			
Applicable Clause(s): 4.3, 4.4, 5.3, 5.4, 6.1, 6.2, 7.1, 7.5, 9.0, 10 Procedures: One Field Services Projects and Services EHS Plan-Global, Revision 6.0, March 01, 2022 FC-GL-EHS-MAN-0401-Emergency Preparedness and Response FC-GL-EHS-MAN-0304-Training FC-GL-EHS-DCS-0305-1-EHS MS Document Control FC-GL-EHS-MAN-0501-Risk Assessment Samples/Records: The scope of the OH&S Management System was confirmed as being accurate; Environment, Health and Safety Reviewed Organizational charts FieldCore Canada, and departmental org charts. Roles and responsibilities clearly stated. Additionally, Job descriptions available for each role. Sampled job descriptions for availability and content. Edmonton office is located at: 5538 48th Street, Edmonton, Alberta, T6B 2Z1 Canada-Support Office One building includes office and Tooling Center Office is 11,000 square feet with 6 offices and an open area for storage and meetings. Tooling center with a separate entrance is also located in the same building approximately 41, 000 square feet. Tooling Center includes operations and 4 offices. <i>OHSMS clauses 4, 5.1, 5.2, 9.2 and 9.3 are audited centrally and were not covered during this audit event. Please see Lead Auditor's report for details related to these clauses</i> (Covered separately by the Lead auditor) Most staff members supporting Field core operations associated with Edmonton office, work remotely from home offices at different parts of the country. The office is used only for meetings and administrative work by the Field core team when needed. Field Core team members responsible for various functions were interviewed during this remote office audit.			

Resource Management:**Interviewed: Ahmed Yousef-Resource Manager:**

Responsible to support field service jobs in Canada for 52 Field Sites

Resource Manager hires and develops technical advisers for field sites and lines up resources for Field Engineers as required (Fitting persons for the specific projects)

Success Factor Training management program used for resource training needs.

Technical advisers receive EHS related training and core courses. Once trained, refresher training is provided on a periodic basis.

All required training is completed before sending the personnel to the sites.

Training records are maintained in the system. Training completion reminders are sent automatically via Success-Factors

TFA, Lead TFA, Senior TFA and Chief TFA positions are well defined for Technical Field Advisors.

Competency Tracking and evaluation is in place for all positions.

Reviewed Resources Org Chart. Team has 28 personnel

Resource Manager conducts

Weekly meetings (random)

Monthly meetings

Quarterly Meetings

Annual Performance reviews

Bi-annual gatherings of field engineers

Compliance related training meetings

Compliance Calendar is maintained by Tooling Centers

Two to 3 times annually-Edmonton local team meetings as required.

Annual Integrity and compliance review meeting was held on June 06, 2022

Maintenance Office/Tooling Center**Interviewed: Cameron Crooks-Tooling Center/Office Maintenance:**

Cameron Crooks is primarily responsible for Tooling Center, but the office and tooling center are in one building.

-Fire extinguishers inspected monthly

-Water Sprinkler system inspected monthly

-Annual Fire drill for the building completed July 19, 2022

-Electrical inspection 1/5Years. Last inspection completed June 18, 2019. Next due in July 2024 by outside service contractor.

Service Management:**Interviewed: Mark Polukoshko-Senior Service Director-GE Gas Power Canada:**

Reviewed Service Department Org Chart.

At present the department has 10 Customer Service leaders.

Inquires come to Customer Service leaders and they coordinate with the customers to finalize the service.

CSL has big stake in planning outages, deal with inquiries about the tools and arrange tool shipments to sites.

CSLs visit customer sites to assess the needs.

All team members receive EHS training and the required certifications before their assignments.

Training is provided via GE Learning and other means as required

Site Orientation, Specific H&S training, Customer Policy training provided to all associates involved.

Reviewed the training records:

Heaming Pundit and Matin Arciszewski completed

LOTO training

Electrical Safety Training

Power Fire Extinguishers

Asbestos awareness

Safety Awareness

Competence feedback given to all associates during bi-annual performance appraisals

Communication, participation and consultation takes place on a regular basis:

Weekly meetings

Biweekly meetings

Bi-annual meetings

Reviewed meeting agenda. Includes Safety and Environmental reviews, however no minutes are being kept.

Edmonton office is a meeting place from time to time.

Incident management assistance provided by Regional EHS Manager

Senior Managers visit sites to assess H&S MS performance from time to time.

Reviewed details of visit on Sep 08/2022 to Gas Power site Milner, Alberta

Target is 4 visits/year

Hazard hunts completed on site on Sep 29, 2022, April 4, 2022

Heartland Power Project/Muskeg, rigging and lighting inspection completed on April 07, 2022

Interviewed Fadi Al Sheikh Ali-Service Manager:

Service Manager of western Canada resides in Edmonton and works remotely from home office.

Provides support to 4 outage managers.

Planned service- includes maintenance required based on operations schedule

Force/Unplanned service-includes support when someone from sites call that there is a problem

All Outage Managers go through EHS training

Service Manager is basically an event manager. Events are planned by the service manager about one year ahead of scheduled events. Event Execution varies from 1 week to a month

EHS training courses for event management and execution include completion of:

Mobilization Check sheets

Special Check Sheets from Customer

Overall readiness for the job

Current Incidents: Recordable incidents= Zero, year 2022 YTD.

Gensuite EHS performance for year 2022

Hazard hunts completed: 15

Concern Reports issued: 111

Regulatory: 95% Non-regulatory: 95%

Health and Safety Management:

Interviewed: Lisa Block-H&S Team Leader NA

Lisa is 18 years with the company and supports NA operations.

Oil, Water and Gas CI projects supported

H&S related training. Core training curriculum for field personnel includes different training areas.

Training is assigned by Team Leaders. Sampled the following training records:

Global Policy training completed -8-30, 2022

Fire extinguisher training completed 6-29-2022

Integrity Review completed 6-29-2022

EHS Awareness training completed 02-21-2022

Compliance audits completed as per schedule by EHS team

ATS reviews and follow ups by EHS team for action items from any sources

EHS Gamba walks from time to time to review issues

Year 022 Compliance Audit completed.

Reviewed Audit Report# 107881 dated April 12, 2022 at Site Mahkeses, Canada

2 Action items were flagged-NC items: (1) Inadequate sanitizers were available inside the trailer

(2) Chemical SDS available electronically, but no hard copies

Monthly EHS team review if issues

Monthly meeting was held on July 7, 2022

Agenda included JSA (Job Task Assessments) reviews, EHS Alert reviews

EHS Matrix review

PSE-Potential Service Events

Every 2 weeks-news letter published with a Focus EHS topics.

June 2022 included Heat Stress topic for general awareness

Strength: Safety Focus publications bi-weekly and monthly and weekly Safety Focus Reporting

HR Management:

Interviewed HR Manager-Fernando Comezcancino

HR Manager supports operations in Canada and Center of excellence USA

Reviewed HR SOP and Org Chart

6 HR Managers reporting to Chief Diversity Office- RA

Recruitment based on talent management program

Orientation training include Health and Safety training

SuccessFactors-LMS (Learning Management System)

Master training Matrix maintained as record of training and courses offered

Employee communication includes:

Bulletin boards

Publications

Emails

Monthly Meetings

Documented information maintained:

Procedures

Work Instructions

Master Document Index

Global Docs index including Document#, revision and date

Records Retention Listing

ATS records

Communications:

Site-specific orientation for all new hires, visitors, and contractors

Daily Pre-Job Briefings – Operational focus lead by Supervisor in the work area • Discussion points: Scheduled activities, Risk Management, Concern Reports, Hazard Hunts

Weekly or Biweekly All-employee meetings – EHS & Quality focus lead by Management (record attendance) • Discussion points: EHS Topic, Concern Reports, Incidents, NCRs, Facility News, Alerts, Metrics
FieldCore EHS Policy – Print and Post in local language Global Newsletter – Print, Post, Share and Action accordingly. Read Across Complete with Forklift Potentially Severe Event (PSE).

Results: Conforming

Auditor	Date	Organization's Department / Activity / Functional Area	Interviewee(s)
Ranjit Saini	Nov 07, 2022 Nov 08, 2022	Field Site -PEC (Portlands Energy Center) Ontario Power Generation, 470 Unwin Ave, Toronto, Ont., Canada M4M 3B9 Operational Controls: (Review of machinery, work equipment, work permits, PPE, Awareness, Emergency preparedness, Hazards assessment and management elements as applicable)	Solomon Airebamen, Neil Hamilton (Including others as listed below under interviewed)
Notes			
Applicable Clause(s): 7.3, 8.1, 8.2, 7.5 Procedures: One Field Services Projects and Services EHS Plan-Global, Revision 6.0, March 01, 2022 FC-GL-EHS-DCS-0305-1-EHS MS Document Control FC-GL-EHS-MAN-0501-Risk Assessment FC-GL-EHS-MAN-0401-Emergency Preparedness and Response Samples/Records: <u>MOBILIZATION Controls:</u> Mobilization is the active deployment of equipment and personnel activities prior to project start. Project Leaders are Supervisors, EHS Specialist, Field engineer, Generator Specialist, Installation Manager, Field Coordinators etc. Reviewed Mobilization Check sheet completed and signed off by key project officials (Tab I, Global EHS Plan) EHS Orientation -Reviewed checklist signed off by Fieldcore employees and contractors (Tab J, Global EHS Plan)			

Outage Project was initiated on October 03, 2022 and is scheduled to be completed on November 30, 2022
Work Permit/Authorization issued to Fieldcore by Atura Power. Start 10-05-2022. Finish Nov 22, 2022
Parent WO# W2015479 Combustion turbine Work
Permit# W1015814-CTG2 Inspection 2022
Reviewed the authorization document signed off by all relevant officials both day and night shift

Risk Assessments:

Global Risk Register available on EHS SharePoint. Reviewed at least every six months and updated as required.

Task Risk Assessments (TRA): risks encountered during operations assessed using Risk Assessment template FC-GL-EHS-501-F3

Additional Risk Assessments and control measures documented in:

FC-GL-EHS-SAF-0707: Electrical Safety

FC-GL-EHS-SAF-0709: Portable Tools and Equipment

FC-GL-EHS-SAF-0801: Industrial Hygiene

FC-GL-EHS-SAF-0802: Chemical Management

FC-GL-EHS-SAF-0805: Respiratory Protective Equipment (RPE)

FC-GL-EHS-SAF-0806: Control of Asbestos

TRA (Task Risk Assessments) communicated to all applicable workers before job commencement

Hierarchy of controls considered during TRA

Elimination or substitution, Engineering Controls (Safeguarding technologies), Admin Controls (Training/procedures), PPE

Completed TRAs are maintained in EHS SharePoint

Point of Work Assessments (POWRA) completed at the start of each shift at project sites. POWRA is discussed with all affected persons before commencing work.

Non-Standard Work Risk Assessments for unique non -standard work

JOB/TASK RISK Assessments/ JHA (Job Hazard Analysis):

TSA/Task Risk Assessments have been completed for each TASK

These assessments are treated as living documents and updated as required.

Sampled various Task Risk Assessments

Task risk Assessment for Crane Operation-SRA-P-01

Signed off by operators 2-10-22/25-10-22

JSA for Task -Remove Air/Fuel Piping (JSA# EA-C1-101)

Reviewed and signed off by Day and night Shift workers on Oct 05, 2022

JSA-For Task Remove Exhaust Wall and Flex seals (JSA# MI-123) dated 10/04/2022

TRA# TRA-GT-1107 for task-removal of combustion liners and inner crossfire. Signed off April 20, 2020

TRA-Fork lift operation-Doc# FC-GL-EHS-SAF-0030, Revision 1.0

TRA # FC-GL-EHS-MAN-0501-F3, Task-Combustion End Cover Piping service. Signed off Feb 11, 2020

JSA# MI-18, task -Conduct and record rotor position checks

Pre-Job briefings to workers before starting work covers:

Collections of any work permits

Discuss potential hazards

Discuss Safety Alerts

Communicate Toolbox talks

Ensure POWRA completion

Employees using TRA must be trained and retrained on the proper usage and review of TRA must be documented in training tracker, sign in sheets or other means of documentation.

Communication Boards complete with SDS Binder

Toolbox safety meeting results

EHS Policy

Emergency Contacts

Crane Capacity, Caution tape, Pre-lift check list, Safety Task Assessment

Ongoing Inspections/Audits of Field Site/Safety Meetings/Hazard Hunts

Daily Outage report - complete with daily EHS report

Injuries:

HiPo (PSE) Near Misses:

Concern reporting:

Positive Safety Observations:

Hazard hunt Qty.:

Tool Box talks;

POWRA/POWLA

EHS Awards:

EHS issues

Reviewed DSRs for both shifts completed by EHS Manager on November 07/08. 2022

EHS shift Reports were presented for review for Day and Night Shifts for Steam turbine and Gas turbine operations. EHS Reports included the following:

Head Count for Day and Night Shifts

Management Team Members names

Emergency Information to be followed

Covid-19 Management/controls in place

Plant and weather Conditions

Meetings and Communications conducted

Critical Lifts and LOTO changes

Shift Audits details/results

Hazard Hunts/ Inspections/Audits and effectiveness checks

Safety Concerns/Near Misses/Good Catch/Stop Events

Positive Observations

Daily Toolbox safety Meetings conducted.

Topics include safety subjects, Quality of event, Scope of the work for the shift

Meeting minutes signed off by all team members. Sampled the following toolbox meeting minutes.

Toolbox- 05-11-2022 -Day shift

Toolbox-03-11-2022 -Day Shift
Toolbox- 10-04-2022-Night Shift

Reviewed records on Weekly Safety Meetings Conducted.

Agenda included EHS topics, Corrective Action Status of Previous week's pending action items, Feedback from team member and agenda for next meeting

Weekly meeting-Nov 05, 2022, Oct. 29, 2022, Oct 22, 2022 (Day Shift)

Weekly meetings- 10-28-2022, 10-21-2022, 10-14-2022 (Night Shift)

Safety Management Audit for Portland was completed on Nov 05, 2022.

Reviewed the signed off audit check sheet

Reviewed Atura Power Site safety and communication Plan (SSCP) Rev01 dated 08/30/2022

Plan in place and well executed to meet customer expectations.

Regular Hazards Hunt- Program in place

Reviewed the records on file for the following hazard hunts completed.

11-01-2022-Parts Labeling/Kitting storage area

10-27-2022-Working/Walking Surfaces

10-15-2022-Eyewash stations/Portable Emergency

10-10-2022-Electrical Cords/Air lines

10-13-2022-Walking/Working Surfaces

Hazards identified during hazard hunts are addressed immediately, if possible, otherwise actions planned and followed up. JSAs updated as applicable to capture the hazards and required controls.

Emergency Preparedness and Response

Emergency Procedures and Reporting, Documentation & EHS Meetings, EHS Programs, LO/TO, Electrical Safety, Hot Work, Work at Heights, Confined Space Entry, Chemical Management, Industrial Hygiene, PPE and Safety Equipment, Cranes and Rigging, Contractor Safety; Pre-Planning Checklist, Site Evacuation Plan, Customer LO/TO Review, Customer Confined Space Program Checklist, Daily Tool Box Talks, Point of Work Risk Assessments POWRA, Hot Work Permit, Energized Electrical Work Permit, Crane Inspections, Forklift Inspections, Incident Report Form, PPE Matrix

Customer Atura Power-Portland Energy-Center Emergency Preparedness and Response Procedures followed by all Field-Core personnel while on site. Customer EP&R requirements and expectations reviewed with all Fieldcore personnel at mobilization stage.

Portland Energy Center Job Safety Analysis Operating Procedure to be followed by Field core Personnel on site Includes a check sheet to be complete for emergency awareness and controls. Emergency phone number to call is provided right on the JSA sheet.

Emergency Contact Numbers are posted on bulletin boards at key locations

Evacuation Muster points clearly identified

Evacuation Map/Plan posted

Exit Doors/Signs posted.

Emergency lighting provided and working

Spill kits provided at key locations

All Fire Extinguishers inspected monthly and annually

Fire Code requirements for fire extinguishers, Sprinkler System, Fire Alarm inspection and maintenance met by the customer Atura Power. Fieldcore personnel are required to follow the requirements of any fire drills planned by the customer while the team is working on site.

Preventive Maintenance:

PMP-Preventive Maintenance Program includes the following:
Oxygen sensor calibrations/Confined space monitor calibration
Ventilations system function checks (Calibration/flow rate)
Crane/Sling inspections
Machine guarding inspections
Detection and alarm systems
Safety Critical devices (Ventilation, radiation protection, emissions monitoring)
Fork lifts

Overhead Crane Inspection and Maintenance:

Daily Pre-use inspections completed by the operators, Check sheets signed off. Sampled completed check sheets and found them to properly completed and signed off.

Mobile Crane #3215 certified by KOVA Engineering on 08/25/2022

Reviewed the certificate on file.

Steam Turbine Area Crane# 0016E401 annual certification completed Aug 03/2022

Certificate# 22-528285B

Reviewed daily Crane inspection Check sheet for Crane 0016E401 completed by Day shift on Nov 07, 2022

Reviewed Gas Turbine Crane Pre-use inspection check sheets completed Nov 07/2022 for both and Day and Night Shifts. JOB Safety Analysis Check sheet completed and signed off.

Powered Industrial Vehicles/Lift Trucks Inspection and Maintenance:

Yale Fork Lift Truck # 70057766 daily check sheets completed Sampled Check sheets for week of Oct 09, 2022 Day Shift. Wk. of Oct 11/12 Night Shift -Pre use Check Sheets completed.

Toyota Truck- 800-36-0170. Pre-use check sheets completed- Oct 12, 2022 (Days)

Annual inspection completed by HERC rentals on 09/12/2022

Annual inspection completed by Sunbelt Rentals-GTP-000-MX on My 19, 2022

Working at Heights:

Controls in place to keep workers safe

All harnesses inspected before use and certified annually.

Reviewed pre-use inspection records for the following harnesses:

Harness# 342170, October 12, 2022

Harness# 352715, October 09, 2022

Harness# 342174, Oct 14, 2022

Annual certification for all harnesses was completed on Jan 31, 2022 by Laparie Tooling Center

LOTO Controls:

LOTO Control System in place.

All designated LOTO assigned personnel trained on LOTO requirements

Reviewed Group LOTO#175, Seal# 0001901, LOCK BOX# 16

Reviewed Individual workers-LOTO On/Off log -sign offs for November 07/2022 Day Shift

Gas Turbine Area Group LOTO#158, Lock Box # 02 Initiated 10/03/2022 and Validated 10/03/2022

Steam Turbine Group LOTO# 174. Lock Bix# 19. Initiated 9/30/2022, Validated 9/30/2022

Reviewed Seals on LOTO Boxes and found them to be intact. Individual worker LOTO on /Off Log maintained

Reviewed Group LOTO# 157, Lock Box# 01 LOTO initiated and validated 09/30/2022

HOT WORK PERMITS:

System in place to issue Hot work Permits for Grinding/Welding operations.

Reviewed HOT Work Permit # 11048 -Main Floor, issued Nov 07/2022

Also reviewed Hot Work Permit# 11048-Top Floor issued Nov 07/2022

CONFINED SPACE PERMITS:

System in place to issue and control permits for access to confined spaces

Confined Space Permit# 11050, Location CTG2 Turbine

Issued 10/31/2022, Ended 10/31/2022 for access to Bearing Tunnel through door-A2

Entrants log completed and signed off by participants

Permit# 11050 for the same access was also issued on Nov 02, 2022 and Nov 05, 2022

Permit/WO# 1015814 issued for Door-2 access on 10/05/ 2022

Incident Management/Inspections:

Reviewed Field Core Incident Summary Year 2022 YTD.

All 9 concerns listed has been addressed. One concern related to wild life entry into plant is pending and is being addressed by Atura Power Plant. Scheduled to be completed by December 31, 2022

Reviewed the following incident reports for proper root cause analysis and Corrective Actions:

Incident /10/21/2022, Steam Turbine Deck/PEC /Atura/PEC

Property damage: Dent caused to crane rail with the tip of boom

Concern was reviewed by management and closed on 10-22-2022

Incident/10/14/2022. During Lower turbine compartment repair work, socket fell off and hit the left-hand index finger of the worker. The no time loss -concern was addressed and closed

Continual Improvements:

Hazard hunts are conducted from time to time to identify hazards and continually improve /strengthen the work place health and safety.

Incident Corrective Actions and lessons learned are improving the OH&S MS

Daily Pre-start inspections-feedback from workers are also continually strengthening the OH&S MS

At present Field core has Zero lost time incidents 2022 YTD.

Gensuite Recordkeeping Gensuite is the EHS recordkeeping platform. Reporting is required and used to track Key Performance Indicators.

All incidents (injury, illness, first aid, near miss, chemical spill, fire, etc.) must be reported immediately and recorded in I&M.

Inspection Tool

General Planned Inspection (GPI TC) – minimum quarterly by site personnel.

Senior Manager Visit (SMV) – minimum one per site per year.

Compliance Audits conducted by EHS Managers. Concern Reporting (CR)

Active concern reporting is an indicator of an engaged safety culture. Use the CR tool to record any type of Safety Concern, Positive Observation, and Hazard Hunt. Effort is made to close all concerns within 30 days.

Action Tracking System (ATS)

Contractors Management:

Complyworks-Contractors manage met Platform in place to qualify and manage contractors

Two Main Contractors for services provided at Field Site

Grace Instrumentation and Control Ltd.

Provides Electrical instrumentation services.

Pre-onboarding questionnaire completed by the contractor.

Liability Insurance and Risk Assessment, documentation provided and UpToDate

Safety performance summary for last 3 years: 0 Recordables

Aluma Safeway Inc. provides scaffold services

Performance rating for last 3 years. Total Recordable rate: 0.37%

Lot time: 0%

Approved through Complyworks platform. All records on file and UpToDate.

Interviewed the following personnel and found them to be fully aware of OH&S MS and expectations.

Robert Bartosek -Chief Technical Field Adviser (TFA)

Fiyin Alawode-Project Manager

Neil Hamilton-Site Health & Safety Rep

Cindy Rosychuk-Site Health & Safety

Martin Arciszewski-Senior Customer Service Manager

Ryan Lappan-Superintendent

Solomon Airebamen-Regional EHS Manager

Mike Laplante-LOTO Coordinator

Kelly Bowen-Loto Coordinator

Alex Arnold-Loto Coordinator

Results: Conforming

Auditor	Date	Organization's Department / Activity / Functional Area	Interviewee(s)
Ranjit Saini	Nov 07, 2022 Nov 08, 2022	Training, Competence, awareness, organizational knowledge and people related processes. Communication, Consultation and participation, Hazard Identification Documented Information	Solomon Airebamen, Neil Hamilton
Notes			
Applicable Clause(s): 7.0, 6.1.2 Procedures: One Field Services Projects and Services EHS Plan-Global, Revision 6.0, March 01, 2022 FC-GL-EHS-MAN-0304-Training FC-GL-EHS-DCS-0305-1-EHS MS Document Control FC-GL-EHS-MAN-0501-Risk Assessment Samples/Records: FC-GK-EHS-MAN-0304-G1-Core Training Matrix <u>Training/Awareness:</u> HR Manager supports operations in Canada and Center of excellence USA Reviewed HR SOP and Org Chart 6 HR Managers reporting to Chief Diversity Office- RA Recruitment based on talent management program Orientation training include Health and Safety training SuccessFactors-LMS (Learning Management System) Master training Matrix maintained as record of training and courses offered H&S related training. Core training curriculum for field personnel includes different training areas. Training is assigned by Team Leaders. Sampled the following training records: Global Policy training completed -8-30, 2022 Fire extinguisher training completed 6-29-2022 Integrity Review completed 6-29-2022 Defensive driver training completed EHS Awareness training completed 02-21-2022 Core Training Matrix complete with the Core Curriculum- and Course Consolidation; User Curriculum Status. EHS Awareness Overview, Portable Fire Extinguishers, Pandemic Awareness-COVID-19 FieldCore Sampled Training Records and Certifications for the Fieldcore team on site at Portland Ontario site:			

Overhead Crane operation and rigging safety training certifications

Adam Beresztan, Certificate will expire on 11-26-2024

Ian Tushingham, Certificate will expire on Oct 02, 2025

Zac Lilly, certificate will expire on Oct 02, 2025

Graham Beattie, certificate will expire on 10/02/2025

Confined Space work safety Training:

Thomas Grant, completed July 02, 2022

Igor Doneski, completed Jan 28, 2022

Working at Heights safety Training:

Asimenios Dimitrious, certification expires on 12/17/2022

Densmore Lawren, certification expires 05/02/2025

Thomas Grant, certification expires 14 July, 2025

Igor Doneski, certification expires on Oct 26, 2024

First AID/CPR training:

Densmore Lawren, certification expires on 03/01/2023

Selci Arden, certification expires -7/21/2024

Cory Smith, certification expires Feb 22, 2025

Master Training Matrix maintained for personnel onsite which included other required training such as annual safety awareness training, WHMIS labeling, WHSC record training, Aerial Platform training, Fork lift operation training and LOTO training etc.

Communications, Participation and consultation:

Site-specific orientation for all new hires, visitors, and contractors

Daily Pre-Job Briefings – Operational focus lead by Supervisor in the work area • Discussion points: Scheduled activities, Risk Management, Concern Reports, Hazard Hunts

Weekly or Biweekly All-employee meetings – EHS & Quality focus lead by Management (record attendance) •

Discussion points: EHS Topic, Concern Reports, Incidents, NCRs, Facility News, Alerts, Metrics

Employee communication includes:

Bulletin boards

Publications

Emails

Monthly Meetings

Safety Toolbox meetings

EHS Manager Safety talk publications

Documented information maintained:

Procedures

Work Instructions

Master Document Index

Global Docs index including Document#, revision and date

Records Retention Listing

ATS records

Document Master Index maintained.

Verified Change levels of the following documents and found them to be correct:
 Global -One Field Services Projects and Services EHS Plan, Revision 06, March 1, 2022
 Compliance Assurance FC-GL-EHS-MAN-0201 Revision 02, Sep 17, 2020
 EHs Incident Management FC-GL-EHS-MAN-0302, Revision 05, 02-28-2022
 Audit and Inspection-FC-GL-EHS-Man-0301, Revision 04, Nov 23, 2020
 Risk Management-FC-GL-EHS-MAN-0501, Revision 04, Sep. 21, 2021

Hazard Identification and Assessment:

JSA/JHA- Task Safety Analysis conducted for job and training provided before assignment

Hazard hunts program in place to identify hazards on an ongoing basis.

Sampled several JSAs and Hazard hunt reports.

Global Risk Register available on EHS SharePoint. Reviewed at least every six months and updated as required.

Task Risk Assessments (TRA): risks encountered during operations assessed using Risk Assessment template FC-GL-EHS-501-F3

TRA (Task Risk Assessments) communicated to all applicable workers before job commencement

Hierarchy of controls considered during TRA

Elimination or substitution, Engineering Controls (Safeguarding technologies), Admin Controls (Training/procedures), PPE

Completed TRAs are maintained in EHS SharePoint and hard copies on site at point of use

Results: Conforming

Auditor	Date	Organization's Department / Activity / Functional Area	Interviewee(s)
Ranjit Saini	Nov 07, 2022	Compliance Obligations Emergency Preparedness and response	Solomon Airebamen, Neil Hamilton
Notes			
Applicable Clause(s): 6.1.3, 9.1.2, 8.2 Procedures: Compliance Assurance Procedure-FC-GL-EHS-MAN-201, issues-2, dated 17Sep, 2020 Risk Assessment-FC-GL-EHS-MAN-0501 Incident Management-FC-GL-EHS-SAF-0302 Audits and Inspection-FC-GL-EHS-MAN-0301 FC-GL-EHS-MAN-0401-Emergency Preparedness and Response Samples/Records: Gensuite tools are available for regulatory compliance tracking			

All regulatory findings regardless of source are tracked via Gensuite **ATS** (Action Tracking System)
Field core expectations are to close 90% of regulatory NCs within 30 days and 90% of non-regulatory within specified time period
Field service centers use compliance calendar (**CC**) tool to track EHS requirements as appropriate

Framework 2.0-tool used to perform management system assessments

Incident Management (I&M) tool used to log in all EHS incidents

Profiler-all Fieldcore operations maintain a profiler, annually reviewed and kept UpToDate

Reviewed Profiler for Fieldcore -Portland operations

Identification of regulatory requirements: Compliance register maintained and kept UpToDate at Tooling Centers

Requirements monitored via:

Websites

Legislation newspapers

EHS Alerts

GE corporate compliance requirements communicated by EHS Director

Audits and inspections are conducted as per schedule for compliance assessments

Compliance Obligations and Evaluation:

Reviewed Compliance Assurance FC-GL-EHS-MAN-0201 issue-2 dated 17 Sep, 2020

Regulatory requirements register maintained by field service activities with head count>20 and/or tool centers. Not maintained at Portland field site, but maintained by the tool center in Edmonton as reported by the Regional EHS Manager present on site during this audit event.

Gensuite Regulations Tracker includes all regulated requirements followed by tool centers.

Additionally, websites, legislation publications and EHS Alerts issued by local, Provincial and Federal agencies used to keep the information UpToDate.

Regulatory compliance Assessments:

Field Service activities follow the following schedule for regulatory self-assessments as applicable:

Chemical Management-1/Year

Safety Management-1/Year

Facility /Technical Safety-1/Year

Emergency preparedness and response-1/2Years

Hazardous materials/Transport-1/2years

Occupational Health-1/2years

EHS Manager periodically conducts compliance audits of field sites

Reviewed DSRs for both shifts completed by EHS Manager on November 07/08. 2022

EHS shift Reports were presented for review for Day and Night Shifts for Steam turbine and Gas turbine operations. EHS Reports included the following:

Head Count for Day and Night Shifts

Management Team Members names

Emergency Information to be followed

Covid-19 Management/controls in place

Plant and weather Conditions

Meetings and Communications conducted

Critical Lifts and LOTO changes

Shift Audits details/results

Hazard Hunts/ Inspections/Audits and effectiveness checks

Safety Concerns/Near Misses/Good Catch/Stop Events

Positive Observations

Control Of Hazardous Energy Management System in Place.

Sampled various Group LOTOs in place at field site

Machine guarding in place -Mostly managed by Atura

Caution taping of the areas practiced by Fieldcore.

Observed critical lift in progress at Stream Turbine area. All area was caution taped.

Fork Lift inspection, maintenance and operator training in place.

Sampled maintenance and operator training records

Ergonomics hazards assessments completed for each task and mitigation in place.

JSAs include ergonomics hazards

Indoor air and noise assessments completed by Atura Power

PPE worn by all Fieldore personnel included Eye, Ear, foot, hand, head protection and fire-resistant coverall

Smoke free environment provided by Atura Power for all employees including contractors like Fielfcore

Fire code requirements met by Atura Power and Fieldcore personnel aware of their responsibilities

Overhead cranes operation JSAs completed. Fieldcore operators has valid certifications for operation.

Cranes Pre-use inspection and annual inspection in place. Sampled training and maintenance records.

Hot-work Permits, Confined Space Permits and working at heights controls in place

Strict workplace violence and harassment controls in place.

Workers' right to refuse to work under unsafe conditions in place and followed

Emergency Preparedness and Response

Emergency Procedures and Reporting, Documentation & EHS Meetings, EHS Programs, LO/TO, Electrical Safety, Hot Work, Work at Heights, Confined Space Entry, Chemical Management, Industrial Hygiene, PPE and Safety Equipment, Cranes and Rigging, Contractor Safety; Pre-Planning Checklist, Site Evacuation Plan, Customer LO/TO Review, Customer Confined Space Program Checklist, Daily Tool Box Talks, Point of Work Risk Assessments POWRA, Hot Work Permit, Energized Electrical Work Permit, Crane Inspections, Forklift Inspections, Incident Report Form, PPE Matrix

Customer Atura Power-Portland Energy-Center Emergency Preparedness and Response Procedures followed by all Field-Core personnel while on site. Customer EP&R requirements and expectations reviewed with all Fieldcore personnel at mobilization stage.

Portland Energy Center Job Safety Analysis Operating Procedure to be followed by Field core Personnel on site Includes a check sheet to be complete for emergency awareness and controls. Emergency phone number to call is provided right on the JSA sheet.

Emergency Contact Numbers are posted on bulletin boards at key locations

Evacuation Muster points clearly identified

Evacuation Map/Plan posted

Exit Doors/Signs posted.

Emergency lighting provided and working

Spill kits provided at key locations

All Fire Extinguishers inspected monthly and annually. All sampled were inspected as per monthly schedule.

Fire Code requirements for fire extinguishers, Sprinkler System, Fire Alarm inspection and maintenance met by the customer Atura Power. Fieldcore personnel are required to follow the requirements of any fire drills planned by the customer while the team is working on site

Emergency eyewash stations and showers were available inside the Portland building for use by the Fieldcore personnel when required.

First Aid room well equipped with supplies. First Aid room controlled by Atura power, but available to Fieldcore when required.

Results: Conforming

APPENDIX A (MULTI SITE INFORMATION)

Central Function (Headquarters Entity Name)	Address	Main Scope
<u>See Global Lead Auditor Report</u>		

Site	Address	Scope	Audited In this Visit
			☐
			☐
			☐
			☐
			☐

			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐
			☐