



FIELD CORE SERVICE SOLUTIONS CANADA COMPANY

FIELD CORE SERVICE SOLUTIONS CANADA COMPANY

FieldCore Service Solutions Canada (One Field Services) part of GE Vernova

Certificate of Recognition / Partnerships Audit Report

Last day on site **October 29, 2025**

Certifying partner **Alberta Association for Safety Partnerships**



TABLE OF CONTENTS

EXECUTIVE REPORT

Company Details	4
Audit Details	5
Site Sampling Information	6
Interview Summary	7
Summary Score Sheet	8
Employer / Company Profile	9
Executive Summary	10

AUDIT REPORT

1 - Management Leadership and Organizational Commitment	14
2 - Hazard Assessment	23
3 - Hazard Control	36
4 - Joint Health and Safety Committees (HSC) and Health and Safety Representatives (HS Representatives)	49
5 - Qualifications, Orientation and Training	58
6 - Other Parties at or in the Vicinity of the Work Site	66
7 - Inspections	73
8 - Emergency Response	79
9 - Incident Investigation	86
10 - System Administration	96

APPENDICES

Conclusion	102
Pre-Audit Letter / Plan	103
Suggested Documentation	104
Auditor Disclaimer	105
Pre-Audit Meeting Agenda / Notes / Attendance	106
Organizational Chart	107
Reviewed Documentation	108
Facility Tour Notes / Field Site Observations	112
Post-Audit Meeting Notes / Attendance Record	113
AuditSoft Certificate	114
Additional Information (Optional)	115

COMPANY DETAILS

Employer legal name	FieldCore Service Solutions Canada Company
Employer trade name	FieldCore
COR number	20230413-5406
COR expiry	April 13, 2026
Address	5538 48 St. NW Edmonton AB T6B 2Z1
Phone number	5873403117
Fax	
Regulatory jurisdiction	Provincial

COMPANY CONTACT

Name	Solomon Airebamen
Email	Solomon.Airebamen@gevernova.com

WCB ACCOUNTS

PROVINCE	ACCOUNT NUMBER	INDUSTRY CODE	WORK DESCRIPTION
AB	8097864	42109	Heavy Machine/Equipment -
BC	200174309	764028	Heavy equipment, machinery, or parts sales, rental, service or repair (greater than 500 lbs weight) (not elsewhere specified)
SK	B074387	B1216	Industrial maintenance at industrial sites
ON	6631992	811310	Commercial and industrial machinery and equipment (except
NL	2064276	5731	Industrial Machinery, Equipment Business Description: Field engineers of industrial equipment in power generation
QC	1171572473	9999	other services

AUDITOR DETAILS

Role	Internal
Name	Solomon Airebamen
Company	FieldCore
Address	6078 King Landing SW Edmonton AB T6W 3Z7
Phone	587-340-3117
Fax	
Certification number	CHSA-I-2971
Email	Solomon.Airebamen@gevernova.com

AUDIT DETAILS

Audit purpose	Maintenance
Audit scope	Full
Operations audited	All operations
Total facilities	4
Facilities audited	4
Organisations audited	Single company
Comments	

First day on site	September 15, 2025
Last day on site	October 29, 2025
Audit submission date	December 2, 2025

SITE SAMPLING INFORMATION

Site / Operations	Type	Province	Last audited	Documentation	Interview	Observation	Senior manager	Manager	Supervisor	Full time worker	Part time worker	Casual worker	Contract worker
Edmonton Office Office	Fixed	AB	2024	✓	✓	✓	2	5	0	18		0	0
H.R. Milner [HR] Field Operation (Customer Site)	Fixed	AB	Never	✓	✓	✓	0	1	1	8	0	0	0
Long Lake [LL] Field Operation (Customer Site)	Fixed	AB	Never	✓	✓	✓	0	1	4	12	0	0	0
St. Clair Energy Center [SCE] Field Operation (Customer Site)	Fixed	ON	Never	✓	✓	✓	0	1	4	16	0	0	0
TOTAL							2	8	9	54	0	0	0

Total employees	73
Total interviewed	29
Minimum required interviews	20
Recommended interviews	28

Total sites	4
Sites included	4
Minimum required sites to include	2

INTERVIEW SUMMARY

Site	Senior manager	Manager	Supervisor	Full time worker	Part time worker	Casual worker	Contract worker
Edmonton Office	1	2	0	6	0	0	0
H.R. Milner [HR]	0	1	1	3	0	0	0
Long Lake [LL]	0	1	2	4	0	0	0
St. Clair Energy Center [SCE]	0	1	2	5	0	0	0
Total	1	5	5	18	0	0	0
Total %	50%	63%	56%	33%	-	-	-

	Yes	No
Does the company run multiple shifts?	✓	
Are all shifts represented in the interview sampling?	✓	
Is interview sampling representative of all departments?	✓	
Are new hires and experienced employees represented in the interview sampling?	✓	

REPRESENTATIVE SAMPLING JUSTIFICATION

This audit Interviewees list was comprised of employees (Manager/Supervisors/ Workers& Contractors) from across both day shifts and night shifts, different trades

SUMMARY SCORE SHEET

ELEMENT		Points possible	Points not applicable	Points available	Points scored	Percentage
1	Management Leadership and Organizational Commitment	100	0	100	99	99%
2	Hazard Assessment	155	0	155	134	86%
3	Hazard Control	130	0	130	130	100%
4	Joint Health and Safety Committees (HSC) and Health and Safety Representatives (HS Representatives)	95	10	85	80	94%
5	Qualifications, Orientation and Training	90	0	90	90	100%
6	Other Parties at or in the Vicinity of the Work Site	50	0	50	50	100%
7	Inspections	80	0	80	80	100%
8	Emergency Response	75	10	65	65	100%
9	Incident Investigation	100	10	90	90	100%
10	System Administration	70	0	70	69	99%
Total		945	30	915	887	97%

EMPLOYER / COMPANY PROFILE

PROVISION OF MANPOWER AND SUPERVISION, TECHNICAL SERVICES AND PROJECT MANAGEMENT FOR INSTALLATION, COMMISSIONING, REPAIR, OVERHAUL AND MAINTENANCE OF POWER GENERATION EQUIPMENT AND ASSOCIATED PLANT FOR INDUSTRIAL, PETROCHEMICAL AND NUCLEAR APPLICATIONS

EXECUTIVE SUMMARY

I would like to extend my appreciation to the FieldCore leadership team for the opportunity and support provided to conduct this internal maintenance audit. It was a pleasure collaborating with both management and staff. I would like to recognize the FieldCore Canada operations management and execution teams for their ongoing assistance, which helped ensure the audit progressed smoothly and efficiently. I also wish to sincerely thank all frontline supervisors and employees for their open and honest participation in interviews, their cooperation during site visits, and their evident commitment to safeguarding one another's health and safety.

The audit was conducted from September 15 to October 29, 2025, using the Alberta Association for Safety Partnerships (AASP) audit protocol. The audit methodology incorporated three primary verification techniques:

- **Documentation review** to confirm that health and safety policies, procedures, and records are current, implemented, and maintained as intended
- **Employee interviews** conducted across various organizational levels and job roles, using the AASP audit tool to assess understanding and application of the health and safety management system
- **Observation tours** to identify potential hazards in the workplace and verify that safe work practices are understood and followed in the field

The Audit Report is organized into ten elements. For each element, questions are assigned possible and awarded points, supported by narrative comments, identified strengths and key strengths, as well as suggestions and key suggestions for improvement. Scoring was based on positive indicators demonstrated through the combined evidence of documentation, interviews, and observations.

This Executive Summary presents a selection of key strengths and recommendations arising from the audit. It is important to emphasize that **all** suggestions for improvement contained in the full report must be reviewed and incorporated into FieldCore's annual health and safety action plan to ensure ongoing compliance and continuous improvement.

Element One - Management Leadership & Organizational Commitment

Key Strengths: FieldCore has established robust and consistent communication mechanisms that demonstrate visible leadership and active management involvement in health and safety at all levels. A key example is the weekly global safety meeting/call held on Mondays and led by the President/CEO, which reinforces regular health and safety dialogue, promotes employee engagement and trust in the system, and supports the continual improvement of the Occupational Health and Safety Management System (OHSMS).

Suggestions for Improvement: Despite the company making its health and safety policy available to employees through several media, the audit revealed that some employees still confused the policy's content with other health and safety programs. The auditor recommended that the company create an action plan to include the policy in monthly staff meetings to improve awareness among employees. Doing this will enhance continuous improvement for the company health and safety management systems.

Element Two - Hazard Identification and Assessment

Key Strengths: FieldCore has implemented a controlled "method library" repository for all formal hazard assessments and associated safe work practices (field procedures) covering the various turbine and generator technologies. Hazard assessments are both individually downloadable and embedded within the relevant task procedures, and the repository is accessible to all employees from any location. This system supports consistent application of hazard controls, facilitates effective risk management in work execution, and contributes to improved employee safety.

Suggestions for Improvement: The audit revealed some gaps in the FieldCore's risk management procedure (FC-GL-EHS-MAN-501).

Specifically, the procedure lacks: i) no established criteria for revising formal hazard assessments at predetermined intervals. ii) no requirement to update Task Risk Assessments (TRA) based on the outcomes of Environmental, Health, and Safety (EHS) inspections.

Therefore, auditor recommends the following: (a) Establish a structured schedule for regular reviews of hazard assessments to ensure they are updated at predetermined intervals, (b) Ensure that all managers, supervisors, and team leaders receive training on their roles and responsibilities in the hazard assessment process., and (c) Perform regular audits to verify compliance with the company's risk management policy and identify areas for improvement.

Implementing these measures will contribute to the continuous improvement of the company's overall health and safety management systems.

Element Three - Hazard Control

Key Strengths: Audit interviews and observational tours confirmed that employees are well-informed about, and consistently follow, established procedures for identifying and removing defective equipment, helping to maintain a safe work environment across all locations visited. Key positive findings include:

- **Consistent adherence to procedures:** Safety protocols for the identification and removal of defective tools and equipment were being rigorously applied at all sites observed.
- **Clear system for defect segregation:** Uniquely labeled and easily identifiable containers, supplied by the FieldCore Tool Center, were consistently available and used for collecting defective tools, accessories, and devices identified during pre-use inspections.
- **Enhanced maintenance and safety performance:** This structured approach supports an effective preventive maintenance process and strengthens the company's overall safety management system.

Overall, employee commitment to these practices reflects a strong organizational focus on maintaining a safe and secure working environment.

Suggestions for Improvement: As this element scored 100% - no SFI was required.

Element Four – HS Committee/HS Representative

Key Strengths: The audit observed that the company maintains a strong communication practice by ensuring that the names and contact details of all committee members, as well as the dedicated committee email address and committee meeting minutes, are clearly displayed at all company work locations and are also available on the company's global online EHS portal.

This practice demonstrates the company's commitment to open and effective employee communication, involvement, and participation. It supports the efficiency and effectiveness of the committee and contributes to the ongoing improvement of the company's occupational health and safety management (OHSM) system.

Suggestions for Improvement: The audit found that the required Health and Safety Committee (HSC) training was outstanding/not completed for two of the seven committee members. Consequently, the auditor recommended scheduling the necessary training for the remaining members. Completing this training will ensure all committee members meet the requirements set out in Part 13 of the Alberta OHS Code and will support the continuous improvement of the company's occupational health and safety management system.

Element Five - Qualification, Orientation and Training

Key Strengths: The audit identified that FieldCore has implemented a robust, ongoing technical and hands-on training program tailored to employees' specific professional disciplines. The program incorporates several complementary elements, including:

- Extended classroom-based instruction covering core technical concepts, procedures, and standards
- Field-based training that allows employees to apply classroom learning in real-world conditions under guidance

- *On-the-job training (OJT) where employees develop and refine role-specific skills while working alongside experienced personnel*

This structured, multi-month approach not only enhances employees' technical competence and professional confidence, but also contributes significant

Suggestions for Improvement: *As this element scored 100% - no SFI was required.*

Element Six – Other Parties in the Vicinity

Key Strengths: *FieldCore has established a consistent and structured process for advance planning of project execution at customer sites, in some cases up to 18-months prior to mobilization. This approach is considered a good practice because it:*

- *Ensures early stakeholder engagement – Customers, contractors, and relevant internal functions, including Health & Safety, are involved well in advance of site execution.*
- *Enables proactive risk management – The extended planning horizon provides adequate time to conduct project-specific risk assessments, identify hazards, and define appropriate control and remedial measures before execution teams mobilize to site.*
- *Integrates HSE into project planning – Health and safety considerations are embedded early in the project lifecycle, rather than being addressed reactively closer to execution.*

This systematic, early-stage planning process contributes to enhanced health and safety performance by reducing the likelihood of unanticipated risks during project execution and supporting a controlled, well-prepared work environment for all employees.

Suggestions for Improvement: *As this element scored 100% - no SFI was required.*

Element Seven - Inspections

Key Strengths: *FieldCore has implemented robust, risk-focused inspection and audit programs tailored to its high-risk operations. In particular, the Putting People to Work Safely (P2W) audits and Life Saving Rules (LSR) effectiveness audits are viewed as good practice. P2W audits apply a real-time Plan–Do–Check–Act approach to verify the effective implementation of the company's 10-step process for safely putting employees to work, while LSR effectiveness audits enable senior management to monitor and reinforce consistent application of the nine Life Saving Rules across high-risk activities. Together, these tools enhance the effectiveness of inspection processes, strengthen critical risk control oversight, and reinforce the overall safety management system.*

Suggestions for Improvement: *As this element scored 100% - no SFI was required.*

Element Eight – Emergency Response

Key Strengths: *FieldCore has implemented a strong emergency preparedness and response program that includes a global security alert system. This system ensures that all employees traveling or working at any location are proactively notified—via mobile and/or email—of impending or emerging threats relevant to their location, including:*

- *Extreme weather events*
- *Environmental incidents*
- *Security threats*
- *Public disturbances*

This capability supports the protection of employees regardless of where they are working and contributes to the continual improvement of the company's health and safety management system by enabling timely, risk-informed decisions and responses.

Suggestions for Improvement: *As this element scored 100% - no SFI was required.*

Element Nine – Incident Investigation

Key Strengths: FieldCore has established a mandatory process requiring that all health and safety incidents—regardless of actual or potential severity—are investigated using a structured, systematic methodology. This is considered a good practice, as it ensures that:

- Each incident is treated as a learning opportunity.
- Lessons learned are consistently identified, documented, and communicated.
- Resulting corrective and preventive actions are used to enhance employee health and safety and to support continual improvement of the Occupational Health and Safety Management (OHSM) system.

Suggestions for Improvement: As this element scored 100% - no SFI was required.

Element Ten - System Administration

Key Strengths: A significant observation from the auditor's tour was the prominent display of all nine FieldCore Life Saving Rules (LSR) posters, each with clear and conspicuous pictographs, throughout the company's work areas, including employee workstations (e.g., turbine buildings) and common areas like lunchrooms and offices. Furthermore, these LSRs are incorporated into the company's Start Work Assessment Tools (SWAT), ensuring that workers are well-guided in assessing risks specific to their tasks. This approach not only highlights the company's robust safety culture but also fosters greater awareness and adherence to the Life Saving Rules among employees and other worksite personnel, ultimately enhancing the overall health and safety of everyone involved with FieldCore's operations.

Suggestions for Improvement: An audit finding identified that some employees were not sufficiently aware of the results of the company's most recent OHSMS evaluation or the associated action plan. It is therefore recommended that the company develop a clear action plan based on this audit and ensure it is widely communicated through existing channels, such as monthly staff meetings, announcements on the SharePoint (intranet) portal, and toolbox meetings at project sites.

Implementing this recommendation will not only improve employees' understanding of audit results, but also enhance overall awareness, engagement, and effectiveness of the OHSMS.

Overall, FieldCore's performance in this audit is strong and reflects a solid health and safety management system supported by engaged leadership and employees. The auditor is confident that by promptly and systematically addressing the identified opportunities for improvement—both those summarized here and those detailed in the full report—FieldCore will further enhance the effectiveness and resilience of its health and safety management system.

Thank you.

SOLOMON AIREBAMEN | Internal Auditor

1 | MANAGEMENT LEADERSHIP AND ORGANIZATIONAL COMMITMENT

Management commitment and leadership is the essential foundation for a successful occupational health and safety management system (OHSMS). Management and employees working cooperatively together is required for a health and safety system to succeed.

1.1 Is there a written Health and Safety Policy signed by the current senior manager? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by reviewing written policy.

To award the 5 points, the policy must be signed by the current senior manager, and must include:

- declaration of management commitment to health and safety that addresses physical, psychological, and social well-being
- general health and safety responsibilities of managers, supervisors, workers, and contractors
- The expectation is that employees will comply with applicable legislation and the organization's own health and safety standards.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Auditors' review of FieldCore's 2025 Environmental, Health, and Safety (EHS) Policy statement confirmed that the policy is aligned with applicable requirements. The following strengths were identified:

- a) The policy is appropriately authorized, bearing the signatures and dates of the President/CEO and the Global Health and Safety Leader.
- b) The policy clearly sets out top management's commitment to health and safety, including physical, psychological, and social well-being.
- c) The policy explicitly requires all employees to comply with relevant legal requirements and with FieldCore's internal health and safety standards.
- d) The policy assigns general health and safety responsibilities to managers, supervisors, workers, visitors, and contractors.

1.2 Is the Health and Safety policy readily available to employees? (0-5 points)	Method	Percentage	Points
	Observation	100%	5/5

GUIDELINES

Verified by observation.

The current policy may be posted on bulletin boards, in lunchrooms and/or any areas accessible to employees. It may also be in employee handbooks, safety manuals, and/or downloaded or stored electronically.

Notes must describe where the policy is located, and how it is made accessible to all employees at that location.

Points are awarded based on the percentage of locations the policy was available.

Provide details/examples.

FINDINGS / NOTES

From observations: observation tours confirmed that FieldCore's current Health and Safety Policy is readily available and accessible to employees via multiple formats, including hard copy and electronic access. Specific examples include:

- Edmonton Office [5/5]: The policy is posted on bulletin boards and is also accessible electronically via the EHS SharePoint site.
- Field locations – LL / HR Milner / SCE sites [5/5]: The policy is posted in lunchrooms and is also available electronically via the EHS SharePoint site.

1.3 Is the health and safety policy communicated to employees? (0-5 points)	Method	Percentage	Points
	Interview	90%	5/5

GUIDELINES

Verified by senior manager, manager, and supervisor interviews.

Interviewees must be able to describe how they ensure that the policy is communicated to employees.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Interviews with senior managers, managers, and supervisors revealed that the FieldCore policy is successfully communicated and accessible to employees through multiple channels, including:

- Electronic Posting: the policy is posted electronically on the company's EHS SharePoint (intranet).
- Annual Review Process: employees are required to complete a curriculum assignment and sign off annually via SuccessFactors, the employee personal portal.
- Digital Communication: the policy is disseminated through emails and virtual calls.
- Project/Outage Meetings: the policy is discussed during EHS kick-off meetings for projects and outages.
- Regular Meetings: the policy is reviewed in regular staff and employee meetings, held monthly and bi-weekly.

1.4 Are employees aware of the health and safety policy's content? (0-5 points)	Method	Percentage	Points
	Interview	89%	4/5

GUIDELINES

Verified by employee interviews.

Employees must be able to explain, in general terms, the policy's content.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews:: From the interviews conducted, it was identified that a significant number of senior managers, managers, supervisors, and workers have a clear understanding of the contents of FieldCore's health and safety policy. Positive responses from interviewees highlighted the company's commitment to protecting the health and safety of all employees and reducing injuries to everyone affected by company operations. A common phrase heard across all employee levels during the audit interviews was, "Health and safety is everyone's responsibility."

Despite the majority of employees agreeing to the mandatory annual acknowledgment of the policy, a few employees struggled to accurately recall the policy's contents. They often confused the policy with other parts of the company's Occupational Health and Safety Management System (OHSMS) internal responsibility programs, including lifting operation procedures, fatigue management policy, and Lockout/Tagout (LOTO) procedures.

SUGGESTIONS FOR IMPROVEMENT

Despite the company making its health and safety policy available to employees through several media, the audit revealed that some employees still confused the policy's content with other health and safety programs. The auditor recommended that the company create an action plan to include the policy in monthly staff meetings to improve awareness among employees. Doing this will enhance continuous improvement for the company health and safety management systems.

1.5 Have specific health and safety responsibilities been written for all levels? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by reviewing documentation, other than the policy (e.g., job descriptions, and health and safety manuals, staff handbooks, etc.).

There must be responsibilities written for all applicable employee levels:

- Senior Managers
- Managers
- Supervisors
- Workers

Points awarded based on the percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Auditor verification was performed by examining a combination of staff job matrices, field job matrices, job description documentation, and EHS programs/procedures. The auditor's review of these documents identified that FieldCore has written health and safety responsibilities and accountabilities for all levels of employees through various processes, such as the inclusion of RACI (Responsible, Accountable, Consulted, Informed) matrices in almost all health and

safety procedures and programs.

Example responsibilities include:

- **Senior Management (SM)** – Establish and maintain effective communication processes that demonstrate visible, active leadership and promote worker and contractor engagement, feedback, and consultation.
- **Management (M)** – Take part in workplace inspections and actively coach employees to reinforce EHS expectations and good practices.
- **Supervisors (S)** – Ensure EHS information is communicated clearly, promptly, and consistently at the site level.
- **Workers (W)** – Support and coordinate responses to EHS-related positive feedback, questions, and concerns.

1.6 Do employees understand their:		Method	Percentage	Points
	a	Interview	100%	5/5
	b	Interview	100%	5/5

GUIDELINES

Verified by employee interviews.

Employees must be able to identify the three OHS rights (right to know, right to participate, right to refuse dangerous work). Employees must be able to explain their health and safety responsibilities (both company and legislated).

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interview: Interview responses showed that all employees fully understood the three basic Occupational Health and Safety (OH&S) rights and responsibilities.

Examples of understanding included:

- i) Right to Know: Awareness of hazards and risks in the workplace and the controls available.
- ii) Right to Participate: Obligation to take part in hazard identification and pre-task hazard assessments.
- iii) Right to Refuse: Right to refuse work that would negatively impact health and safety.

Company responsibilities included:

- i) Education and Training: Annual health and safety training for all employees and access to task risk analysis.
- ii) Participation and Use of Controls: Requirement for employees to participate in safety meetings, use provided risk controls (e.g., scaffolds, lock out tag out, personal protective equipment), and engage in pre-lift meetings and toolbox talks.

1.7 Do managers and supervisors understand their responsibility for the health and safety of the workers under their supervision? (5 points)		Method	Percentage	Points
		Interview	100%	5/5

GUIDELINES

Verified by manager and supervisor interviews.

Managers and supervisors must be able to describe how they ensure the health and safety of the employees under their supervision.

Points are awarded based on a minimum 80% positive responses.

If the organization does not have supervisors, this question can be asked to only managers.

Provide details/examples.

FINDINGS / NOTES

Verified by manager and supervisor interviews: Interview responses indicated that all interviewees are adequately aware of their responsibilities for the health and safety of employees under their supervision. Examples included that managers and supervisors in FieldCore are consistently held accountable for their responsibility and engagement in maintaining the health and safety of the people under their control. This audit revealed that managers and supervisors are actively involved in processes and effective activities for sustaining a positive health and safety culture and preventing injuries in their workplaces, such as:

- Providing supervisory oversight in employees' use of hazard identification processes
- Monitoring employee competency and training
- Conducting safety meetings, including toolbox talks at the site level
- Participating in project EHS kick-off meetings
- Reviewing health and safety performance

1.8 Are employees evaluated on their individual health and safety accountabilities? (0-10 points)	Method	Percentage	Points
	Interview	96%	10/10

GUIDELINES

Verified by employee interviews.

Employees at all levels must be able to explain the system that is used to evaluate their accountabilities for their OHS roles and responsibilities. These can include:

- Performance appraisals
- Discipline policy/process for non-performance
- Letters from employer
- Positive reinforcement by supervisors
- Job safety observations
- Management and supervisor reviews, etc.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

Verified by employee interviews: Interview responses confirmed that the company evaluates employees' accountabilities in health and safety at all levels. Positive responses indicated that managers and supervisors are evaluated for health and safety accountability through various processes, including annual performance appraisals, participation in inspection programs, health and safety KPI performance, and strong health & safety target achievement. Similarly, workers are evaluated through their annual performance evaluations/appraisals, jobsite inspections, participation in safety concern reporting, supervisory oversight, reward and recognition incentives, and disciplinary measures for health and safety violations.

Negative responses from a few employees indicated that they could not specifically explain how their accountabilities in health and safety are evaluated. Instead, they confused their responses by detailing their involvement in health and safety programs and activities.

1.9 Does senior management communicate to employees, at least annually, the organization's commitment to health and safety? (10 points)	Method	Percentage	Points
	Interview	96%	10/10

GUIDELINES

Verified by employee interviews.

Notes must include examples of how senior management communicates health and safety commitment.

Points are awarded based on a minimum 80% positive responses.

Provide details/examples.

FINDINGS / NOTES

From Interviews: Employee interview responses indicated that the company has a strong health and safety communication program. Positive responses described some of the established frequencies and processes used by FieldCore's senior management to communicate health and safety commitments to employees. Examples included:

- Annual business health and safety priority & strategy communication (global, regional, and sub-regional)
- Monthly and weekly health and safety focus topics communication, with examples such as life-saving rules
- Monthly employee meetings/calls by the North American GM (also known as staff office hours)
- Periodic and ongoing health and safety program improvement processes, such as Kaizen, Lean Action Workout, problem-solving exercises, and monthly Management of Change (MOC) update meetings/forums

Negative responses were heard from a very small number of interviewees (mostly new hires) who could not provide clear examples or explanations of the mediums utilized by the company's senior management to communicate their health and safety commitments.

STRENGTHS

FieldCore has established robust and consistent communication mechanisms that demonstrate visible leadership and active management involvement in health and safety at all levels. A key example is the weekly global safety meeting/call held on Mondays and led by the President/CEO, which reinforces regular health and safety dialogue, promotes employee engagement and trust in the system, and supports the continual improvement of the Occupational Health and Safety Management System (OHSMS).

1.10 Does senior management demonstrate commitment by participating in health and safety activities? (10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Employees must identify how senior management demonstrates their commitment by participating in health and safety activities (e.g., site tours, participate in inspections or committees, using hazard controls, etc.).

Points are awarded based on a minimum 80% positive responses

Provide details/examples.

FINDINGS / NOTES

From interview: Interviewees response confirmed that FieldCore's senior management consistently engages in health and safety activities through their visible participation in various health and safety-related tasks and assignments. Positive responses identified senior management's active involvement in several events that consistently demonstrate their commitment to the company's health and safety management systems. some examples received included:

- i) Leadership Walkthrough and Senior Manager Visits (SMV) Inspections: Senior managers conduct inspections during project execution at customer sites to ensure adherence to health and safety protocols.
- ii) Empower You Call (EYC) & Project Kick-off Meetings: These meetings are held to promote the health and safety empowerment message at the start of projects at customer sites.

1.11 Is current health and safety legislation readily available at all work sites? (5 points)	Method	Percentage	Points
	Observation	100%	5/5

GUIDELINES

Verified through observation at work sites.

The current occupational health and safety legislation (e.g., federal and/or provincial) appropriate to the operation of the work site(s) must be readily available.

Points are awarded based on 100% positive indicators from observations.

Provide details/example(s).

FINDINGS / NOTES

From observations: The auditors' observation tour identified that FieldCore ensures copies of provincial occupational health and safety legislations are readily available to employees across all its work facilities including active project locations. As observed copies of the OHS handbooks were available in all locations audited. The observation results are as follows:

Observation Sampling:

- Edmonton Office: [5 / 5]
- Long Lake: [5 / 5]
- H.R. Milner: [5 / 5]
- St. Clair Energy Center: [5 / 5]

1.12 Does management participate in meetings where health and safety is discussed? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by meeting minutes.

To award points there must be documented evidence of management participation in meetings where health and safety is on the agenda, outside of health and safety committee meetings.

Points are awarded based on the percentage of positive indicators of sampled meeting minutes.

Provide details/example(s).

FINDINGS / NOTES

From documentation: The review identified strong evidence of the company management's active involvement and participation in health and safety conversations. Positive findings verified that senior management and managers actively attend and lead health and safety discussions through multiple company forums. Examples included:

- i) Monthly Canada Team Meeting (staff level)): Led by the Resources Manager and Regional EHS manager
- ii) Weekly Global Safety Meeting (staff level): Led by the FieldCore President/CEO
- iii) Project EHS kick off meeting; Weekly Safety and Toolbox Talks Meetings (at project sites)

The verification activities included:

a) Office level:

- Review of the last nine months of Canada monthly Teams meeting minutes and attendance logs, confirming that key management (RM, OM, SM, SD) were present at all meetings.
- Review of the last ten months of FieldCore weekly safety meeting minutes, confirming participation from all management levels, including senior management and the CEO/President.

b) Site-level (**project level**) samples:

LL site

- Evidence reviewed: 2 weekly safety meeting minutes and 12 days of onsite toolbox talks.
- Result: Outage Manager/Supervisors attended 14 of 14 meetings (100% attendance).

HR Milner site

- Evidence reviewed: 2 weekly safety meeting minutes and 10 days of onsite toolbox talks.
- Result: Supervisors/Outage Manager attended 12 of 12 meetings (100% attendance).

SCE site

- Evidence reviewed: 2 weekly safety meeting minutes and 10 days of toolbox talks.
- Result: Operations Manager/Project Manager attended 10 of 10 meetings (100% attendance).

1.13 Does the employer provide resources needed to implement and improve health and safety? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Interviewees must be able to describe health and safety resources provided (e.g., paid time, equipment, training, materials, and budget dedicated to health and safety needs, etc.).

Points are awarded based on the percentage of positive responses.

Provide details/examples.

■ FINDINGS / NOTES

From interviews: Employee interview responses verified that the company provides its employees with adequate resources to sustain and improve the company's health and safety culture and performance. Positive responses highlighted that FieldCore consistently provides the resources and programs necessary to enable employees to implement and improve health and safety practices and promote a positive culture among employees, including contractors, in their various workplaces. Examples included:

- Budget Allocation for Health and Safety Rewards/Recognition Programs: To encourage and recognize safety achievements
- Allocation of Health and Safety Personnel: For all projects
- Investment in Improved Tooling and Personal Protective Equipment (PPE): To enhance safety

Interview sampling: Long Lake [5/5], Edmonton Office [8/8], St. Clair Energy Center [6/6], H.R. Milner [5/5]

2 | HAZARD ASSESSMENT

A **formal hazard assessment** takes a close look at the overall operations of an organization to identify hazards, measure risk (to help prioritize hazards), and develop, implement and monitor related controls. Worker jobs or types of work are broken down into separate tasks. Formal hazard assessments are detailed, can involve many people, and will require time to complete.

A **site-specific hazard assessment** (also called field-level) is performed before work starts at a site and at a site where conditions change or when non-routine work is added. This flags hazards identified at the location (e.g., overhead power lines, poor lighting, wet surfaces, extreme temperatures, the presence of wildlife), or introduced by a change at the work site (e.g., scaffolding, unfamiliar chemicals, introduction of new equipment). Any hazards identified are to be eliminated or controlled right away, before work begins or continues.

2.1 Have all jobs/positions been identified for the formal hazard assessment process? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by reviewing documentation.

Documentation review should include a comparison of job listings (organizational chart, job inventory document, job descriptions, staff listings, etc.) to formal hazard assessment documentation to show that they have been inventoried (formal hazard assessments, task inventories/matrices, etc.). Formal hazard assessment documentation may have the jobs/positions grouped together into common areas (e.g., field, office, administration) as part of the inventory.

Notes must include examples of the jobs/positions identified, and any that were missed.

Points are awarded based on the percentage of jobs and/or occupations inventoried compared to the number required as identified on staff listings or organizational charts. Sampling is not acceptable for this question.

FINDINGS / NOTES

From documentation: The auditor reviewed the company's operations organizational chart, staff and field job matrices, formal hazard assessment repository, and risk management procedures. Findings verified all job positions were identified for the purpose of task hazard assessment. Furthermore, through the review of the documentation and comparison with the requirements, task positions were categorized into two major groups: (i) office/staff and (ii) field. The evaluated task positions are as follows: Edmonton Office: [20/20]; SCE: [20/20]; Long Lake: [20/20]; H.R. Milner: [20/20]

STRENGTHS

FieldCore has implemented a controlled "method library" repository for all formal hazard assessments and associated safe work practices (field procedures) covering the various turbine and generator technologies. Hazard assessments are both individually downloadable and embedded within the relevant task procedures, and the repository is accessible to all employees from any location. This system supports consistent application of hazard controls, facilitates effective risk management in work execution, and contributes to improved employee safety.

2.2 Has the employer compiled a list of tasks associated with each job/position? (0-20 points)	Method	Percentage	Points
	Documentation	100%	20/20

GUIDELINES

Verified by review of formal hazard assessments.

The various tasks associated with each job/position must be identified. Notes must include examples, and list tasks that were missed.

Points are awarded based on the percentage of jobs/positions identified that have tasks associated. The **maximum** score allowed for this question will be determined by the total percentage awarded in question 2.1.

For example, if only 50% of the points are awarded in question 2.1 (e.g., 5 points), then a maximum of 50% (e.g., 10 points) can be awarded in question 2.2.

FINDINGS / NOTES

From documentations: Based on review of the company organization charts in conjunction with the employees' job descriptions, it was identified that thirty-three tasks have been listed for the identified positions associated with the company's two employee groups/positions (i.e., Field and Office). Further review findings identified tasks associated with the below positions, and the formal hazards assessment repository confirmed that 33 out of 33 tasks have been evaluated for formal hazards assessment requirements. Examples of the results are as follows:

1) Field Employees: a. Mechanical: [6/6] b. Generators Specialist: [5/5] c. Borescope Inspection (BSI) Technician: [4/4] d. Electrical - Turbine: [5/5] e. Controls - Turbine: [5/5]

Example of tasks:

- Mechanical: Assembling & disassembling of turbine combustion piping; turbine casing assembling& disassembling; Roll in lower half gas shield; Inspection of hydrogen seals & casing
- Generators Specialist: Assembly /disassemble of end shield TE; Initial field electrical testing,
- Electrical - Turbine: Spark plugs functional check; Flame detectors and spark plugs, disconnection and removal; Removal of thrust bearing TC wiring
- Controls - Turbine: Removal of flame detectors, spark plugs & CDM probes; Install flame detectors, spark plugs & CDM probes; Speed pickups & bearing seismic probes, assembly and connection
- Borescope (BSI) Technician: Enhanced borescope pre-Inspection; Enhanced borescope post inspection

2) Office/Staff Employees: a. Service Manager: [2/2] b. Outage Manager: [2/2] c. EHS Manager: [2/2] d. Resources Manager: [2/2]

Example of tasks:

- Service Manager: Office work; motor vehicle operations
- Resources Manager: Office work; manual handling tasks

2.3 Identification of Health and Safety Hazards:		Method	Percentage	Points
a) Are health hazards identified for the tasks associated with each job? (0-10 points)	a	Documentation	100%	10/10
b) Are safety hazards identified for the tasks associated with each job? (0-10 points)	b	Documentation	100%	10/10

GUIDELINES

Verified by review of formal hazard assessments.

Confirm that both health and safety hazards have been identified for tasks where applicable (confirmed by question 2.2).

Notes must include examples of both health and safety hazards identified. A health hazard is anything that could harm someone's health, either immediately or over time. A safety hazard is anything that could cause injury or damage.

Consider the four categories for health and safety hazards, which include:

- Physical (e.g., radiological, working at heights, lifting heavy loads, extreme temperatures, violence, ergonomics, etc.)
- Chemical (e.g., fumes, vapours, gases, waste products, etc.)
- Biological (e.g., bodily fluids, viruses, bacteria, moulds, etc.)
- Psychological (e.g., harassment and bullying, stress, fatigue, etc.)

Score:

- 0 - 10 points for health hazards
- 0 - 10 points for safety hazards

Note: All hazard categories may not be applicable to every task identified on formal hazard assessments.

Points are awarded for each hazard type based on the percentage of tasks for which hazards have been identified. The maximum score allowed for this question will be determined by the total percentage awarded in question 2.2.

For example, if only 50% of the points are awarded in question 2.2 (e.g., 10 points), then only 50% (e.g., 10 points – 5 for each type) can be awarded in question 2.3. The scoring maximums for both health and safety hazards would be reduced to a maximum of 5 points each for this question.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Auditor review of the sampled task risk assessment [FC-GL-EHS-MAN-0501-F3] document confirmed formal hazard assessment are written and covers all below four (4) health and safety hazard categories including with examples:

- Chemical (e.g. fumes, fire/smoke, etc.)
- Physical (e.g. thermal distress, dropped /falling objects, elevated work platform, temperatures, uneven surfaces, etc.)
- Biological (e.g. harmful bacteria, virus, blood borne pathogens, waste products, etc.)
- Physiological (e.g. workplace harassment and violence, stress, fatigue, etc.)

Further review finding from 15/15 sampled task risk assessments for the following 3 field position [Mechanical, Controls & Generators) indicated both safety hazard and health hazard were identified as required and as per the examples below:

2a). Examples of Health (15 /15 tasks had health hazards identified)

i) Mechanical: Task: - Install of combustion piping- liquid fuel, water injection

- **Health Hazard:** chemical spills; ergonomics; vibration, noise, virus,

ii) Controls -Task-: Flame detector function test

- **Health Hazard:** chemical release, smoke/fumes from equipment

iii) Generators: - Task-: Clean and Inspect hydrogen seals /casing

- **Health Hazard:** chemical /hazardous substances; waste

2b) Example of Safety (15/15 tasks had safety hazards identified)

i) Mechanical: Task: Install of combustion piping- liquid fuel, water injection

- **Safety Hazard:** work at height, working/walking surfaces, restricted space, uncontrolled energy (LOTO), electricity, adjacent activities, pressurized energy, pinch points/LOF, Laser,

ii) Controls: Task-: Compressor bleed valve stroke check

- **Safety Hazards:** uncontrolled energy (LOTO), working/walking surfaces, work at heights, explosive atmosphere, lifting operation, restricted space, pinch point/ line of fire, lighting conditions

iii) Generators: -Task: Install retaining rings

- **Safety Hazard:** walking/working surfaces, pinch point/line of fire, electricity, lifting operations, hot work, manual handling, use of tooling

2.4 Have the identified health and safety hazards been evaluated according to risk? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of formal hazard assessments to confirm that each hazard identified in question 2.3 has been individually assessed for risk to determine priority using a consistent approach of at least 2 factors (e.g., severity and likelihood). Notes must describe the system in use.

Points are awarded based on the percentage of health and safety hazards that have been assessed/prioritized.

The **maximum** percentage allowed for this question cannot exceed the average percentage awarded in question 2.3.

Provide details/examples.

FINDINGS / NOTES

From documentation: A review of all completed tasks with their associated task risk assessments, as referenced in question 2.3 above, confirmed that each task hazard was evaluated using a consistent method of risk ranking and factors. The review findings indicated that the company employs the following risk matrix: Severity (S1, S2, S3, S4, S5) multiplied by Frequency (F1, F2, F3, F4, F5), resulting in a Consequence that includes a Risk Rating and Strategy (Low, Medium, High). All hazards were consistently assessed using this approach, along with a control strategy color-coding system (Blue = Low, Red = Medium, Green = High). This indicates that the company uses a scale of one to five for each component, with a rating of one (1) representing LOW and five (5) representing HIGH. A sampling review was conducted for hazard assessments related to three jobs (Mechanical, Controls, and Generator), and it was found that all 30 identified hazards were evaluated for risk as required.

2.5 Is senior management knowledgeable about the highest hazard tasks related to their operations? (10 points)		Method	Percentage	Points
		Interview	100%	10/10

GUIDELINES

Verified by senior manager interviews.

Senior management must be knowledgeable of the highest hazard tasks related to their operations (identified in question 2.4).

Points are awarded based on a minimum 80% positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: interviewees response identified senior management are adequately aware of the highest hazards related to the company operations both at the office and field locations . Positive response received identified the highest hazards and categorized them into safety and health hazards. Below are some examples:

Safety Hazards:

- Ergonomic Issues: Improper posture or repetitive motions leading to musculoskeletal disorders.
- Line of Fire: Being in the path of moving objects or equipment.
- Heavy Lifting: Tasks involving the lift of heavy objects, such as turbine rotors.
- Confined Space Activities: Working in enclosed or restricted areas with limited access.
- Driving: Risks associated with operating vehicles, including fatigue and road conditions.
- Extreme Weather: Working in adverse weather conditions like storms, heat waves, or cold snaps.
- Uncontrolled Energy: Exposure to electrical, pressure, or mechanical energy that is not properly controlled or isolated.
- Remote Work: Challenges and risks associated with working in isolated or distant locations.

Health Hazards:

- Fatigue: Physical or mental exhaustion that can impair performance and increase the risk of accidents.
- Fume/Chemical Exposures: Inhalation or contact with harmful chemicals or fumes.
- Stress: Psychological pressure that can lead to mental health issues and reduced productivity.
- Virus/Disease: Exposure to infectious agents that can cause illness.

2.6 Do the following participate in the formal hazard assessment process:		Method	Percentage	Points
	a) Managers? (5 points)	a Interview	75%	0/5
	b) Supervisors? (5 points)	b Interview	75%	0/5
	c) HSC/HS representative? (5 points)	c Interview	83%	5/5

GUIDELINES

Verified by manager/supervisor and HSC/HS representative interviews.

Confirm that management, supervisory levels, and HSC/HS representative are involved in the formal hazard assessment process, and/or in the regular review of formal hazard assessments.

If the organization does not have supervisors, then 2.6b can be N/A. 2.6c of this question can be N/A if the organization is not legislated to have a HSC/HS Representative.

Points are awarded based on a minimum 80% positive responses.

Provide details/examples.

■ FINDINGS / NOTES

From interviews: The interview responses indicate that most managers, supervisors, and Health, Safety, and Compliance (HSC) personnel are actively involved in the development and/or review of formal hazard assessments, as required. A smaller subset of this group does not participate, primarily due to the nature of their roles, job descriptions, and the requirements of the company's risk management procedures. Key observations are summarized below:

a) Managers

- Positive responses indicated that managers involved in field projects engage in the formal hazard assessment process within the scope of their responsibilities. These managers review project scopes, identify applicable formal hazard assessments, compile them, and provide them to project teams for use during project execution.
- In contrast, managers whose roles do not involve project execution, or do not include responsibility for the development, compilation, or review of formal hazard assessments, reported limited or no involvement in this process. This is consistent with their defined responsibilities and procedural requirements.

b) Supervisors: Supervisors reported active involvement in the development and review of formal hazard assessments relevant to the work under their supervision. Positive examples of supervisor participation include:

- Preparation for project site mobilization: Supervisors collate or download task risk assessments related to outage scopes from the company's risk assessment repository (method library) to ensure that all necessary assessments are available to field employees and craft personnel during project or outage execution.
- Development or updating of task risk assessments: Supervisors develop or revise task risk assessments for emerging scopes during project execution to address new hazards or changes in the work environment.

Negative findings were reported by supervisors who either could not recall the last time they participated in a formal hazard assessment development or revision, or who had never been involved in the process

c) Health, Safety, and Compliance (HSC) members

- Interview responses showed that majority of the HSC members interviewed are actively involved in the formal hazard assessment process (Task Risk Assessments), especially in the development and revision of these assessments.

Negative feedback primarily came from individuals who were not HSC member/representative or this who had not been involved in a formal hazard assessment review.

■ SUGGESTIONS FOR IMPROVEMENT

Audit results indicate that some managers, supervisors and HSC are not participating in the formal hazard assessment process as required. It is recommended that FieldCore develop and implement a corrective action plan to address this gap, ensuring that managers and supervisors consistently engage in the development and/or review of formal hazard assessments in line with their defined responsibilities. Strengthening this participation will support a safer workplace, promote broader employee involvement in hazard assessment, and enhance the overall effectiveness of the company's Occupational Health and Safety Management (OHSMS) system.

2.7 Have workers participated in the development, and/or review of the formal hazard assessments? (0-10 points)	Method	Percentage	Points
	Interview	62%	6/10

GUIDELINES

Verified by worker interviews.

Workers must be able to describe how they participated in the development and/or review and revision of the formal hazard assessments and the identification of controls.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interviews with workers revealed that the majority are not involved in the development and review of the company's formal hazard assessment process. According to the interviewees, the company's formal hazard assessment process is owned and managed by a dedicated department—the Method Library Team—which has the primary responsibility for its development, review, and revision.

However, positive responses verified that a good number of the interviewed workers have been involved in the formal hazard assessment development and review process. Examples of positive contributions include:

- In the spring and fall of 2023 and 2024, interviewees helped develop task risk assessments (TRA) for generator, gas, and steam turbine equipment for emergent scopes that were previously lacking existing task risk assessments in the company's formal risk assessment repository (i.e., method library).

Negative responses were received from a few workers, particularly new hires or those whose job descriptions do not require involvement in the process.

SUGGESTIONS FOR IMPROVEMENT

The audit findings revealed that some workers are not participating in the formal hazard assessment process as required. As a result, the auditor recommends that the company develop an action plan to promptly address this gap. This plan should ensure all workers involved in the formal hazard assessments development and/or review. Implementing this will foster a safer workplace, encourage all levels of employees to participate in the hazard assessment process, and enhance the overall Occupational Health and Safety Management (OHSM) systems within the company.

2.8 Are employees designated to lead the formal hazard assessment process trained? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of formal hazard assessments and training records.

Employees who lead the formal hazard assessment process (e.g., managers, supervisors, team leaders, etc.) must be trained.

Refer to completed formal hazard assessments to determine who lead employees are. Then refer to the training records to determine if these employees have completed training. Training may be done internally or by a third-party provider.

Points are awarded based on the percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of employee Core Learning Management System (LMS) training records, aligned with the training requirements specified in the company's risk management procedure (FC-GL-EHS-MAN-0501 v4), verified that the requirements are fulfilled. An auditor's sample review of completed LMS training records revealed that all 20 sampled employees have successfully completed the mandatory training (GE-EHS-640-Risk Assessment Development).

2.9 Is there a written policy and/or process to review formal hazard assessments? (5 points)	Method	Percentage	Points
	Documentation	83%	0/5

GUIDELINES

Verified by review of formal hazard assessment policy and/or process.

Documentation must confirm a requirement to review formal hazard assessments, and includes the following criteria:

- On a predetermined frequency to keep the results up to date
- When changes are made to the operation or work-related process
- When a new work process is introduced
- When site-specific hazard assessments identify a new hazard
- When an inspection identifies a new hazard
- When an investigation identifies a new hazard

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: The auditor's review of FieldCore's risk management procedure (FC-GL-EHS-MAN-501) found that the company has met 5 out of 6 criteria related to the review of the formal hazard assessment process. However, a negative finding was noted: the company's risk management procedure does not include criteria for the revision of the formal hazard assessment on a predetermined frequency.

SUGGESTIONS FOR IMPROVEMENT

The audit identified a gap in the company's risk management procedure (FC-GL-EHS-MAN-501): it does not include criteria for the revision of the formal hazard assessment at predetermined intervals. To address this, the auditor recommends that the company immediately update its risk management procedure to incorporate the requirement for revising the formal risk assessment (Task Risk Assessment) on a scheduled basis. This update will contribute to a safer workplace and strengthen the overall Occupational Health and Safety Management (OHSM) systems within the company.

2.10 Are formal hazard assessments reviewed as per the policy and/or process? (0-5 points)	Method	Percentage	Points
	Interview	50%	3/5

GUIDELINES

Verified by hazard assessment lead interviews.

Hazard assessment leads are those that lead the hazard assessment process (e.g., managers, supervisors, team leaders, etc.).

Interviewees should be able to describe examples of formal hazard assessments that have been reviewed as per the policy and/or process. For example, if a new process has been introduced, or a new hazard has been identified from inspections or investigations.

Points are awarded based on percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From Interviews: Interviews with managers and supervisors revealed varying levels of responsibility and involvement in the development and revision of formal hazard assessments, in accordance with the company's risk management process/policy.

Positive Responses: Managers, supervisors, and team leaders reported the following involvement in hazard assessments:

- Task Safety Verification: Ensuring that workers do not engage in high-risk tasks unless a formal hazard assessment is in place.
- Document Availability: Ensuring that copies of formal hazard assessment documents are available for frontline employees to review and sign off before starting work.
- Assessment Updates: Modifying existing hazard assessments or creating new ones for non-standard or new workplace conditions.
- Incident-Driven Revisions: Ensuring that revised hazard assessments resulting from incident Root Cause Analyses (RCA) are made available to employees.

Negative response identified: i) No evidence of managers, supervisors, and team leaders regular involvements in revising of formal hazard assessments at predetermined frequencies. and ii) Issues identified during inspections regarding the involvement of managers, supervisors, and team leaders in hazard assessment revisions.

SUGGESTIONS FOR IMPROVEMENT

The audit revealed some gaps in the FieldCore's risk management procedure (FC-GL-EHS-MAN-501). Specifically, the procedure lacks: i) no established criteria for revising formal hazard assessments at predetermined intervals. ii) no requirement to update Task Risk Assessments (TRA) based on the outcomes of Environmental, Health, and Safety (EHS) inspections.

Therefore, auditor recommends the following: (a) Establish a structured schedule for regular reviews of hazard assessments to ensure they are updated at predetermined intervals, (b) Ensure that all managers, supervisors, and team leaders receive training on their roles and responsibilities in the hazard assessment process., and (c) Perform regular audits to verify compliance with the company's risk management policy and identify areas for improvement.

Implementing this measures will contribute to the continuous improvement of the company's overall health and safety management systems.

2.11 Does the employer have a process for conducting site-specific hazard assessments when:		Method	Percentage	Points
a) A new activity has been temporarily introduced at the work site? (5 points)	a	Documentation	100%	5/5
b) Work is conducted at a temporary/mobile work site (whether owned by the employer or not)? (5 points)	b	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

A policy and/or process and procedures for conducting site-specific hazard assessments must be in place to award points for this question.

Question “a” cannot be marked not applicable (n/a).

If the employer does not have temporary/mobile work sites, question “b” may be marked not applicable (n/a). Provide justification.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of FieldCore’s Risk Management Procedure (FC\GL\EHS\MAN\501) confirmed that the company has an established procedure and mandatory requirements for conducting site-specific hazard assessments.

A positive finding was noted in Section 2.3 of the procedure, which states that a site-specific hazard assessment—referred to as the Start of Work Assessment Tool (SWAT)—must be completed by the work party, led by the supervisor or a competent designate, using the FieldCore template (FC\GL\EHS\MAN\501\F5). The procedure specifies that SWATs are required as follows:

- Project sites – At the start of each shift, before any work activity begins
- Fixed sites – Prior to commencing any non-standard work
- All sites – Whenever there is any change in local work area conditions

Section 2.11(a) further emphasizes that employees must routinely review and update their site-specific hazard assessment (SWAT) whenever there is a change in local work area conditions. Examples include moving from an outdoor task to an indoor task, or changing from working at height to operating equipment. When changes are made to the SWAT, workers are required to clearly identify these updates by time-stamping the assessment cards.

Section 2.11(b) notes that FieldCore employees frequently perform work at customer sites on a temporary basis. In recognition of this, Section 2.3 mandates that site-specific hazard assessments be completed at these temporary locations:

- At the start of each work shift
- Before starting any work activity
- Whenever changes or temporary conditions are introduced into the work environment

2.12 Have site-specific hazard assessments been: a) conducted before work begins on the day of the job? (5 points) b) repeated if changes are introduced? (5 points)		Method	Percentage	Points
	a	Documentation	100%	5/5
	b	Documentation	100%	5/5

GUIDELINES

Verified by review of completed site-specific hazard assessments

If site-specific hazard assessments were not required in the previous 12 months, this question as a whole or part may be marked not applicable (n/a). Provide justification. Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: upon reviewing the completed site-specific hazard assessments, it has been verified that all requirements have been met. This verification was conducted through a sampling of 20 completed site-specific hazard assessments. The following positive findings were identified:

- a) Timely conduct of assessments: All sampled site hazard assessments were performed at the start of each shift:
- Day shift: 6:30 AM / 7:00 AM
 - Night shift: 6:30 PM / 7:00 PM

Further review confirmed that the time of completion was accurately marked on all sampled Site Hazard Assessment (SWAT) cards.

- b) Ongoing Hazard Reassessment and Updates: Evidence from the sampled SWAT cards indicates that workers consistently reassessed and updated the hazard assessments where applicable. For example, at the SCE site on 10/03/2025, the SWAT card was updated to include:
- New Task: Test bleed valves & flame scanner
 - New Hazard: Overhead lifts and controls; obey flagging around lift zone, ensure good communication with the lift team
 - As required, these findings demonstrated a robust and compliant approach to site-specific hazard assessments requirements.

2.13 Have controls been identified for site specific hazard assessments? (0-5 points)		Method	Percentage	Points
		Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Site-specific hazard assessments must identify controls.

Points are awarded based on the percentage of positive indicators.

If site-specific hazard assessments were not required in the last 12 months, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of samples from ten (10) completed site-specific hazard assessments, specifically the Start of Work Assessment Tool (SWAT), confirmed that all identified hazards were evaluated for corresponding controls. According to the auditor's review, all 54 identified hazards were thoroughly assessed and appropriate controls were implemented for each.

2.14 Do site-specific hazard assessments involve affected employees at the work site? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by manager/supervisor and worker interviews.

Interviewees must be able to describe how they participate in the site-specific hazard assessment process.

Points are awarded based on the percentage of positive responses.

If site-specific hazard assessments were not required in the last 12 months, this question may be marked not applicable (n/a). Provide justification.

If the organization does not have supervisors, this question can be asked to only managers.

Provide details/example(s).

FINDINGS / NOTES

From interviews: The interview responses verified that company managers and supervisors are actively engaged in the site hazard assessment process, as required by both company policy and legislative standards. Positive responses, supported by specific examples, confirmed their involvement in accordance with these requirements. Some notable examples of their engagement include:

- Routine review and validation: at customer sites, managers and supervisors routinely review, validate, and sign off on workers' site-specific hazard assessment cards for ongoing tasks. This occurs either before the start of each shift or during site walkthroughs.
- Effectiveness Checks: during site walkthroughs and inspections, managers and supervisors regularly sample workers' site hazard assessment cards to conduct spot checks. These checks ensure that tasks, hazards, and controls are appropriately documented on the SWAT cards.
- Training and communication: Managers and supervisors provide training and communicate with workers about the company's site assessment procedures and policy requirements. This includes the necessity of conducting site hazard assessments before commencing work.

Similarly, positive responses from workers indicated that they mandatorily conduct site-specific hazard assessments using the company's template (SWAT cards) as stipulated by company procedures.

Specifically, workers confirmed that they:

- Conduct site-specific hazard assessments at the start of every shift.
- Perform assessments before beginning any work at the sites.
- Repeat or update site hazard assessments with applicable hazards and controls whenever conditions around their work change.

2.15 Is there a system in place for workers to report newly identified hazards? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by worker interviews.

Workers must be able to describe the system to report hazards, such as unsafe or unhealthy conditions or practices.

Points are awarded based percentage of positive responses.

Provide details/examples.

■ FINDINGS / NOTES

From interviews: The interview responses from workers verified that the company has an established system for reporting hazards, and workers are consistently following this system as outlined in the FieldCore's FC-GL-EHSM-MAN-0306 - Communication, Consultation, and Participation Procedure. Some examples of response heard included: use of safety concern reporting in Gensuite, BBO cards /hazard reporting tools at customer sites, etc.

3 | HAZARD CONTROL

If an identified hazard cannot be eliminated, controls are implemented to reduce the risk of the hazard. Implementation of hazard controls will result in the reduction of incidents. Three methods of control are: Engineering (i.e., elimination, substitution, guards, ventilation, sound barriers, etc.); Administrative (i.e., safe work practices, job procedures, job rotation, training, etc.); Personal Protective Equipment (i.e., eye protection, hearing protection, gloves, fire retardant coveralls, etc.).

3.1 Have controls been identified for the hazards listed in the formal hazard assessments? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of formal hazard assessments.

Hazard assessments must include controls for each hazard identified, including engineering, administrative, and PPE controls where applicable. Points are awarded based on the percentage of hazards for which controls have been identified in question 2.3. The **maximum** percentages allowed for this question will be determined by the percentage awarded in question 2.3.

See question 2.3 for an example on calculating score.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of 63 hazards from the examined formal hazard assessment (as known as Task Risk Assessment) samples confirmed that the criteria for all three methods of controls were met for each hazard. The findings identified the applicable controls, which included engineering, administrative, and personal protective equipment (PPE) controls. Some examples are provided below:

Engineering Controls:

- Use of Elevated Work Platforms and Scaffolding
- Ventilation/Local Exhaust Ventilation (LEV) systems
- Lifting aids and overhead cranes
- Flammable chemical cabinets
- Extra/temporary lighting
- Lockout/Tagout (LOTO) procedures with personal locks before work on equipment (e.g. turbines).

Administrative Controls:

(a) Procedure:

- Manual handling techniques
- PPE matrix
- Work authorization/permits
- Equipment-specific Lockout/Tagout (LOTO) isolation plans

(b) Policies:

- Zero energy verification
- Fatigue management plan
- Fit-for-duty assessments
- Preventative Maintenance,

(c) Safe Work /Field Procedure /Practice:

- Housekeeping program
- Peer checks/buddy systems
- Pre-use inspection,
- Approach/Restriction Boundaries
- Training and competency assessments
- Safety Data Sheets (SDS)
- Start of Work Assessment Tool (SWAT)
- Various shift schedules/configurations
- Supervisory oversight

Personal Protective Equipment (PPE) Controls:

- Fall arrest devices (e.g., safety harnesses)
- Respirators (e.g., Powered Air-Purifying Respirators (PAPR))
- Chemical gloves (e.g., nitrile)
- Cut-resistant gloves
- Sealed safety glasses
- CSA-approved safety boots
- Flame-resistant coveralls (FRC)

3.2 Have the identified engineering controls been implemented? (0-20 points)	Method	Percentage	Points
	Observation	100%	20/20

GUIDELINES

Verified by observation.

Refer to question 3.1 to obtain a sample of engineering controls and verify through observation that they have been implemented.

Auditors must include some controls for highest hazard items in the sample to verify they have been given priority.

Points are awarded based on the percentage of engineering controls sampled from the formal hazard assessment that have been observed.

Provide details/examples.

■ FINDINGS / NOTES

From observations: During site observations, it was verified that all 12 of the 12 controls highlighted in the sampled formal hazard assessments, which could be physically observed, were implemented. Positive observations confirmed that all engineering controls for height-hazardous tasks (e.g., lifting operations, working at heights) were executed as outlined in the sampled formal hazard assessments. Some examples observed included the following:

From Project Sites:

- (i) Use of Approved Lifting Hook: Use of an approved lifting hook to lift a tool container, as per the recent control measures.
- (ii) LOTO Isolation Points and Locks: Installation of LOTO (Lockout/Tagout) isolation points and locks on MCC (Motor Control Center) controls.
- (iii) Plywood on Railing (Dropped object prevention/): Installation of plywood on the railing at the GT-1 upper deck, as required by the TRA (Task Risk Assessment) and SWAT (Start of Work Assessment Tool) cards.
- (iv) Scaffold Deck: Installation of a scaffold deck underneath and by the side at the West and East sides for access and as a work platform for pipe connections.
- (v) Horizontal Lifeline: Installation of a horizontal lifeline across the GT-1 roof (when the cover roof is removed) on the West and East sides of the GT-3 turbine rooftop.

Observation sampling: Long Lake [20 / 20], Edmonton Office [20 / 20], H.R. Milner [20 / 20], St. Clair Energy Center [SCE] [20 / 20]

3.3 Have the identified administrative controls been implemented? (0-20 points)	Method	Percentage	Points
	Documentation	100%	20/20

GUIDELINES

Verified by review of documentation

Refer to question 3.1 obtain a sample of administrative controls to verify through a review of documentation.

Auditors must include some controls for highest hazard items in the sample to verify they have been given priority.

Points are awarded based on the percentage of administrative controls sampled from the formal hazard assessments that have been verified through documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of sampled FieldCore formal hazard assessments verified that administrative controls are implemented effectively. Positive findings from the 12/12 sample review confirmed that the following administrative controls—including policies, practices, and procedures—are properly implemented:

Procedures:

- Manual handling techniques
- PPE matrix
- Safe work permits
- LOTO (Lockout/Tagout) isolation plan
- Work instructions/field procedures
- Lift plans in use for lifting operations

Policies:

- Fit-for-duty assessments
- Fatigue management plan (shift rotation roster)
- Zero energy verification
- Preventative Maintenance

Practices:

- Peer checks/buddy systems/ Mentorship program
- Training and competency assessments
- Housekeeping program
- Safety Data Sheets (SDS)

- Start of Work Assessment Tool (SWAT)
- Supervisory oversight
- Various shift schedules/configurations
- Pre-use inspections
- Approach/Restriction Boundaries

3.4 Have the identified personal protective equipment (PPE) controls been implemented? (0-20 points)	Method	Percentage	Points
	Observation	100%	20/20

GUIDELINES

Verified by observation.

Refer to question 3.1 to obtain a sample of controls, and verify through observation that they have been implemented.

Auditors must include some controls for highest hazard items in the sample to verify they have been given priority.

Points are awarded based on the percentage of controls sampled from the formal hazard assessment that have been observed.

Provide details/examples.

FINDINGS / NOTES

From observations: During the company worksite tours designed to evaluate twelve (12) physically observable controls, it was confirmed that workers were fully compliant with the *12/12 personal protective equipment (PPE) controls* outlined in the corresponding formal hazard assessments (i.e., Task Risk Assessments - TRAs) for the tasks they were performing.. Positive observation includes i) Fall Protection: appropriate use of fall arrest systems and harnesses in high-risk areas, as dictated by the TRAs; ii) Respiratory Protection: proper utilization of respiratory protection equipment in areas with potential inhalation hazards, in accordance with TRA specifications. Further examples from the worksites included:

- at LL site - PPE used: 3M half mask respirators with filter; nylon gloves -(for turbine parts cleaning, grinding tasks); leather gloves; bump cap inside Generator inner core; CSA approve safety boot, hand gloves, safety sealed glasses and FRC coverall worn by all workers on site
- at HR Milner site - PPE used: CSA approve safety boot, hand gloves, safety sealed glasses and FRC coverall by all workers on site; half mask respirator and carbon filter - working inside confined space of Turbine; nitrile gloves for during cleaning task of Turbine and Generator components parts
- at SCE site - PPE used: CSA approve safety boot, hand gloves, safety sealed glasses and FRC coverall by all workers on site; safety harness for work at height - GT roof removal/dissemble; horizontal lifeline Installed across the GT3 & GT4 rooftops used by workers for disassembly; Face shield -during use of bench grinder for grinding cutting.

3.5 Are changes to hazard controls communicated to affected employees? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by employee interviews.

Interviewees must be able to explain how they were informed of a change to hazard controls relevant to their job tasks. If no changes have been made, interviewees must be aware of how they will be informed of changes.

Points are awarded based on percentage of positive response.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interviews with employees confirmed that they were adequately informed about changes to hazard controls pertinent to their work. Positive feedback underscored the effectiveness of the various communication channels employed by company management to keep employees updated. Examples of Communication Channels:

- EHS Alerts/Bulletins/Information Notices: prompt delivery of vital safety information to all employees through emails and staff meetings.
- RCA Results: presentation of root cause analysis outcomes during weekly EHS meetings.
- Pre-job Briefs/Toolbox Talks: regular safety discussions held at sites before work commences to review updated hazard controls and safety protocols.
- Email/Electronic Communication (Core Facts): Essential safety updates distributed via email to ensure all employees receive critical updates or new controls information.
- Technical Information Letters (TIL): Detailed safety hazard controls communicated from the engineering department to provide in-depth technical knowledge and any safety changes or warning for implementation.
- Monthly MOC Meetings and Newsletter: regular updates on management of change processes through monthly meetings and a comprehensive newsletter. Additionally, training sessions are periodically organized, such as guidance on utilizing new on-site tooling.

3.6 Are employees using the established hazard controls? (0-15 points)	Method	Percentage	Points
	Interview	100%	5/5
	Observation	100%	10/10

GUIDELINES

Verified by employee interviews and observation.

Interviewees must confirm their use of hazard controls. Observe employees performing their jobs, and verify they are using the established hazard controls identified in the interviews.

Score:

- 0 - 5 points for interviews
- 0 - 10 points for observations

Points are awarded based on the percentage of positive responses and positive indicators from observations.

Provide details/examples.

FINDINGS / NOTES

From interviews: Responses from employee interviews confirmed that employees consistently utilize adequate hazard controls aligned with the hierarchy of control systems. Further feedback verified that employees employ a combination of hierarchy of risk controls, including elimination, engineering, administrative, and personal protective equipment (PPE) controls.

Some notable examples included:

- FieldCore LOTO Procedure: All field employees strictly follow the FieldCore Lockout/Tagout (LOTO) procedure. This involves

isolating all energy sources and conducting a comprehensive walkdown before starting work on turbines, effectively eliminating potential energy hazards.

- **Ergonomic Practices:** Use of ergonomic chairs and workstations to ensure good ergonomic practices. Employees are encouraged to take frequent breaks during office or administrative work, reducing the risk of musculoskeletal disorders.
- **Scaffold Use for Elevated Work:** Installation and use of scaffolds for most work at height activities during project executions at customer sites. This practice significantly reduces the need for workers to use fall protection systems or tie-offs, enhancing overall safety.

From observations: findings from the worksite observation tour confirmed that company employees were effectively utilizing a combination of hierarchy of risk controls, including engineering, administrative, and personal protective equipment (PPE) controls for their work activities at the site.

Physical observation by the auditor confirmed that all 15 of 15 sampled controls were compliant. Examples included:

i) Engineering Controls:

- **Scaffolds:** Use of scaffolds to gain access to turbine and generator platforms for servicing and maintenance work activities.
- **Lockout/Tagout (LOTO):** Installation of isolation points and personal locks on the LOTO group boxes for ongoing tasks on turbines and generators, ensuring energy sources are safely isolated.

ii) Administrative Controls:

- **Field Procedures and Safe Work Permits:** presence of completed field procedures and safe work permits, indicating adherence to established safety protocols.
- **SWAT Cards:** Use of SWAT cards (task-specific hazard assessments) for ongoing tasks, ensuring that each task is assessed for potential hazards.

iii) Personal Protective Equipment (PPE):

- **General PPE:** CSA-approved safety boots, safety glasses, and FRC coveralls used by all workers to ensure comprehensive protection.
- **Chemical Use:** Rubber gloves for handling chemicals.
- **Generator Core (congested space):** Bump caps inside the generator core to protect against head injuries.

3.7 Do managers/supervisors enforce the use of hazard controls? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by managers/supervisor and worker interviews.

Managers/supervisors must be able to give examples of how they enforce the use of controls. Workers must be able to describe the enforcement process.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Responses from manager and supervisor interviews indicated a clear understanding of their responsibility to enforce the use of controls by the workers under their supervision. Positive responses highlighted several effective methods for

ensuring control enforcement:

i) Training and Competency:

- Regular Training Assessments: Maintaining regular employee training assessments and reviews to ensure ongoing competency.
- Qualified Employee Deployment: Deploying only qualified employees to work assignments.
- Up-to-Date Certification and Skills Records: Keeping workers' certification and skills records current (e.g., training matrix).
- Site-Specific Training Requirements: Communicating site-specific training requirements from the outage manager (e.g., WAH, CSE) and ensuring no worker is mobilize or accesses worksites without completing the mandatory necessary trainings.

ii) Management Leadership Walkthrough / Visible Supervisory Oversight:

- Regular Worksite Walkthroughs and Inspections: Conducting regular worksite walkthroughs and inspections.
- Gemba Walks: Performing Gemba walks on sites to observe work execution firsthand.
- Intervention and Effective Checks: Intervening and conducting effective checks during work execution, including coaching and mentoring.
- Task-Specific Audits: Performing task-specific audits, such as LOTO process audits, to ensure compliance.

iii) Worker Empowerment: Stop Work Authority: Empowering and enforcing Stop Work Authority to allow workers to halt operations if they identify unsafe conditions or non-compliance with controls.

From workers interviews: Similarly, responses from worker interviews confirmed that managers / supervisors consistently enforce the use of established controls as required. Positive feedback from workers aligned with the examples provided by managers and supervisors, and further examples included:

- Auditing Process: Regular auditing to ensure health & safety (H&S) protocols are properly implemented on-site. For instance, verifying that Lockout/Tagout (LOTO) procedures are correctly installed.
- Observation and Positive Reinforcement: Managers and supervisors ensure worker compliance with established rules or controls through observation, coupled with positive reinforcement and recognition.
- Setting Deadlines: Establishing deadlines for the completion of Essential Health and Safety (EHS) training before site mobilization dates to ensure all workers are adequately prepared.
- Scaffold Inspection Tags: Ensuring scaffold inspection tags are updated and in place to maintain the integrity and safety of scaffolding structures.
- Rigging Certification Checks: Verifying that rigging certifications are current and enforcing stop work authority if any discrepancies are found. Supervisors monitor and observe lifting practices during executions on sites, such as the use of push poles, barricades, and other safety measures

3.8 Is there a process in place for preventative maintenance of equipment, vehicles, facilities, and tools? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of policy and/or process documents.

Documentation must include a policy and/or process requiring ongoing preventative maintenance for all vehicles, equipment, facilities, and tools. (e.g.: overhead doors, cranes, localized ventilation, forklifts, power tools, etc.). There must be maintenance schedules where applicable.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: The auditor reviewed FieldCore procedures stated below to verify the required processes and policies: The key finding confirmed that the company has robust policies and processes in place for the preventative maintenance of vehicle, facilities, equipment and machinery, including cranes, forklifts, fire extinguishers, and lifting accessories. These procedures also detail the process for identifying and quarantining or disposing of defective tools. Specifically, any broken, worn, or damaged tools are required to be returned to the tool centers for appropriate action.

- FC-GL-EHS-SAF-0701-1-G1: Maintenance Guidance - Test & Safe Use of Lifting Equipment & Accessories
- FC-GL-EHS-SAF-0708: Machine Safety
- FC-GL-EHS-SAF-0702: Motor Vehicle Safety
- FC-GL-EHS-SAF-0709: Portable Tools and Equipment Procedure

Examples: The preventative maintenance program applies to all tools, vehicle, regardless of whether they are rentals, customer-supplied/owned, or owned and maintained by FieldCore. This program is executed by FieldCore tool centers in accordance with the requirements and directives outlined in the procedures.

Further review of the above procedures identified the company's written processes and policies that stipulate directives for preventative maintenance and schedules for all equipment and machinery applicable to its operations. Positive findings included the following examples as outlined in the applicable procedures:

a) **Machinery Safety:** Section 2.5.4 of the procedure outlines the minimum preventative maintenance requirements, including:

i) Legal/statutory inspections (e.g., annual, triennial, etc.)

ii) Various types of maintenance activities to be completed on machines, with corresponding frequencies or conditions for requesting maintenance before failure occurs. These must include

- Periodic checks of machine conditions (e.g., hydraulic system conditions, potential mechanical fatigue)
- Checks of primary and secondary safeguarding
- Check of emergency shut-down systems (with records kept in the maintenance logbook or equivalent)
- A failsafe test of machine safeguarding (except for radars) every 6 months, as a minimum
- Planning of corrective works when deficiencies are detected
- Records of the maintenance work

b) **Motor Vehicles:** Vehicle driver/custodians must ensure that regularly scheduled maintenance, in accordance with manufacturers' recommendations, is completed, and records of vehicle maintenance must be maintained with the vehicle.

c) **Crane and Lifting Equipment:** FieldCore's requirement for lifting equipment procedures specifies frequent/regular preventative maintenance service activities:

- At least every 12 months for general lifting equipment
- Every 6 months if the lifting equipment is for lifting people
- These frequencies may be more regular if specified by the Competent Person

d) **Facilities Maintenance** – The company ensures that its facilities, including the Edmonton office, are properly maintained through regularly scheduled activities that comply with applicable regulations, company procedures, and industry standards (e.g., Alberta Building Code, Alberta Fire Code). These activities are designed to ensure the safety, reliability, and efficiency of the facilities.

Examples of preventive maintenance include:

- Annual maintenance, testing, and recertification of fire extinguishers
- Routine testing and maintenance of the building's fire protection and alarm systems
- Regular inspection and maintenance of building systems such as HVAC, electrical, heating, and plumbing

3.9 Is the preventative maintenance process in use? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Documentation must confirm that preventative maintenance is being performed according to the applicable schedules as identified in question 3.8.

Points are awarded based on the percentage of positive indicators.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: A review verified that scheduled and regular preventative maintenance is being performed for all company equipment, vehicles, tools, and machinery as required by the applicable procedures. Positive findings confirmed that scheduled preventative maintenance and servicing of applicable equipment and machinery used in FieldCore operations are being maintained as stipulated in the procedures.

Further positive findings identified that the FieldCore Tool Center utilizes a Compliance Calendar (Gensuite tool - online) to track required scheduled and regulatory preventative maintenance of company, facilities/building, equipment, vehicles and machinery.

Examples of verification findings include:

Machinery: A sampled review of recently completed forklift annual PM reports verified that 2 out of 2 required maintenance services were completed. The records also showed that warehouse forklifts' PM services were performed by a competent person (external vendor) as required. Example:

- Annual maintenance service record for forklift #J0HW8 - completed on 02/25/2025.
- Completed annual preventative maintenance service report dated 01/06/2025 for Forklift unit #P232L-1087-9839-CNF.

Vehicles: A review of sampled evidence of service records for fleet vehicles verified that the required scheduled preventative maintenance servicing (e.g., oil change, filter replacement, etc.) was completed, scheduled, and coordinated by the Fleet Element at designated dealerships. Example:

- Fleet Truck - Ford Ranger 2022 #PM records dated Sep/2/2025 - verified the required PM service (Transfer case service/ micron/cabin air filter/wipe blade replacement/synthetic oil changes).
- May/10/2025 - PM service completed: Tire & Brakes services including tire balancing.

Cranes and Lifting & Rigging Accessories: Evidence from sampled reviews of 3 maintenance/servicing records identified that 3 out of 3 required annual maintenance examinations and servicing were performed for the overhead crane, chain hoists, and slings (wired, webbings) at the required timeline (12 months). Examples:

- Annual maintenance service/repairs for 3200lbs Overhead Crane #22026(A) - dated 09/10/2025.
- Annual PM report # 1640 - dated Jan.21/2025 - for 40Ton Overhead Crane #8900-SE-001 used by FieldCore site team owned by LL site
- Annual preventative maintenance reports-#273905 - 44 Ton Dearborn TR/DG w/ 5Ton Kone w/ Kito Hoist / 015D301304131 / STG Building) dated 19/02/2025 for Overhead Crane@ SCE site.

Facilities Maintenance: A review of preventive maintenance (PM) documentation for the head office indicates that facilities maintenance activities are being performed in accordance with established requirements. The building infrastructure is subject to regular inspection to identify and address any structural or safety issues that may pose a risk.

Specifically, evidence confirmed the below:

- Annual cleaning, inspection, and servicing of the HVAC systems (heating and cooling), including filter replacement and vent/ duct cleaning, with the most recent service completed in August 2025.
- Biannual servicing of the building heating/furnace system.
- Annual testing of the fire alarm system, conducted with the involvement of external contractors and the local fire services agency, with the most recent test completed on August 07, 2025.
- Annual testing of smoke and carbon monoxide detectors, including battery checks and replacements, with the most recent completed in August 2025.
- Monthly inspections of fire extinguishers and eyewash stations, performed year-to-date.
- Weekly checks on waste accumulation and disposal, performed year-to-date.

- Annual inspection and maintenance of the building interior and exterior, including the roof, windows, doors, and site grading, completed year-to-date.

3.10 Is there a system that ensures defective equipment, vehicles, facilities, and tools are taken out of service? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by worker interviews.

Worker interviews must be able to describe when and how defective equipment, vehicles, facilities, and tools are removed from service or for repair. (e.g., tag out, lock out, energy isolation, etc.).

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interviews indicated that workers have a clear understanding of the company's procedures for removing defective facilities, vehicle, equipment and tools from service. Interviewees consistently described the requirement to immediately tag and withdraw any defective building infrastructures, equipment/machinery and tool from use, ensuring it cannot be used by others or result in injury.

Further positive feedback confirms the efficacy of the implemented safety measures in preventing the use of faulty or defective equipment and ensuring worker safety:

Examples of response included:

- i) Stringent Immediate Action: Employees are required to promptly tag and remove any defective tool from service to avoid accidental use and potential injuries.
- ii) Procedures and Protocols: FieldCore Tool & Equipment Procedure (FC-GL-EHS-SAF-0709):
 - Regular inspections by users to verify tool condition.
 - Quarantine and return of all defective tools (e.g., broken, worn, or damaged) to the tool center.
- iii) Tagging and Service Removal- **Equipment/Machinery/Tools:**
 - When defective or potentially damaged tools or equipment are identified (e.g., a loose or malfunctioning wrench or socket), they are immediately tagged and removed from service in accordance with company procedures.
 - For lifting equipment, if any defect or anomaly is identified during the pre-use crane inspection, the crane is removed from service and a qualified crane technician is contacted to repair and, where required, re-certify the equipment prior to its return to operation.
 - Controls such as applying red "Do Not Use" tape/tags, removing keys, and clearly identifying the equipment as out of service are implemented to ensure that defective equipment is not used until all issues have been corrected and the equipment is formally cleared for use.
- iv) **vehicles:** Defective or damaged vehicles are tagged and removed from service and reported in accordance with the FieldCore Vehicle Safety Procedure. Fleet vehicles are reported to Element Fleet, and rental vehicles are reported to the applicable rental provider.
 - Examples of defects/damage include, but are not limited to, illuminated warning lights, brake or steering issues, tire damage, fluid leaks, or significant body damage that could affect safe operation. Vehicles remain out of service until they are inspected, repaired, and confirmed safe to operate.
- v) **Facilities:** When damage to, or defects in, building infrastructure occur—such as a leaking roof, burst pipes or other plumbing

issues, or a malfunctioning HVAC system—the affected areas and equipment are promptly isolated, barricaded, and/or tagged out of service. The issue is then immediately reported to the facility management company, which arranges for repairs in accordance with the applicable building lease terms.

- *Example:* In 2024, a damaged, leaking ceiling was identified inside the Edmonton office building. The issue was reported to the building management vendor, who attended the site and completed the repair in accordance with the conditions specified in the building lease agreement.

STRENGTHS

Audit interviews and observational tours confirmed that employees are well-informed about, and consistently follow, established procedures for identifying and removing defective equipment, helping to maintain a safe work environment across all locations visited. Key positive findings include:

- Consistent adherence to procedures: Safety protocols for the identification and removal of defective tools and equipment were being rigorously applied at all sites observed.
- Clear system for defect segregation: Uniquely labeled and easily identifiable containers, supplied by the FieldCore Tool Center, were consistently available and used for collecting defective tools, accessories, and devices identified during pre-use inspections.
- Enhanced maintenance and safety performance: This structured approach supports an effective preventive maintenance process and strengthens the company’s overall safety management system.

Overall, employee commitment to these practices reflects a strong organizational focus on maintaining a safe and secure working environment.

3.11 Does the Violence and Harassment Prevention Plan meet legislated requirements? (10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of documentation

Documentation must confirm the employer’s Violence and Harassment Prevention Plan meets legislated requirements (Alberta) or Federal legislation for federally regulated employers.

Points are awarded based on 100% positive indicators

Provide details/example(s).

FINDINGS / NOTES

From documentation: Upon reviewing the GEV FieldCore Workplace Violence Prevention Policy and Workplace Harassment Prevention Policy (rev2025), it was determined that all criteria are met. Below are some examples of contents included in these policies:

Violence-Free Workplace Policy: The review confirmed that the policy meets all Alberta Occupational Health & Safety (OH&S) legislative requirements. Key elements of the company's violence prevention procedures and policies include:

- Commitment to Safety: Dedicated to providing a safe workplace for all employees, customers, suppliers, vendors, and visitors.
- Zero Tolerance: Enforces a ZERO tolerance policy for acts of violence and threats of violence. Such behaviors are strictly prohibited without exception.
- Prevention and Handling: Committed to establishing an effective process for identifying, preventing, and managing threats

or violence in the workplace.

- Awareness and Education: Focused on creating awareness of actions that can reduce the likelihood of threats escalating into violent behavior.
- Accountability: Ensures accountability and responsibility for violent actions.
- Reporting Obligations: Outlines the obligation and procedure for employees to report workplace violence.
- Awareness and Reporting Processes: Details the processes and procedures for creating awareness and reporting workplace violence.
- Protection Against Retaliation: Protects employees against retaliatory actions for reporting or opposing workplace violence or participating in investigations of violations.
- Prompt Investigation: Commits to promptly investigating all reported cases of workplace violence and taking appropriate corrective action.
- Employee Rights: Ensures employees' right to file complaints with governmental authorities or take legal action.
- Confidentiality: Protects the confidentiality of employees who report any violence or threats of violence, consistent with the need for appropriate investigation and protection of all parties involved.
- Disclosure Process: Establishes a process for disclosing information related to i) violence incident investigation findings and ii) the corrective actions, with minimal personal information of witnesses/employees reporting violence.

Harassment Policy – Review Summary The review found that FieldCore’s Workplace Harassment Policy (v2025) meets all applicable legislative requirements. Key elements include:

- Commitment to a safe, fair, and harassment-free work environment for employees, contractors, clients, visitors, and others.
- Prohibition of discrimination or harassment against anyone based on race, color, religion, national or ethnic origin, and other characteristics protected by law.
- Zero tolerance for harassment, discrimination, and bullying.
- Strong anti-retaliation protections: FieldCore does not permit retaliation against anyone for:

i) raising a good-faith concern under the policy,

ii) opposing inappropriate conduct in the workplace,

iii) participating in an investigation (by FieldCore or a government agency),

iv) asserting their rights under the Workplace Harassment Policy.

- Alignment with FieldCore’s Human Rights Policy, including protections for employees and others consistent with that policy.
- Clear procedures for employees to report workplace harassment.
- Defined processes for conducting investigations into reported incidents of harassment.
- Procedures for documenting reported incidents, promptly investigating all reports, and taking appropriate corrective action.

3.12 Has the Violence and Harassment plan been reviewed as per legislated requirements? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation

The violence and harassment plan must be reviewed as per legislated requirements (Alberta) or Federal legislation for federally regulated employers.

Points are awarded based on 100% positive indicators

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: A review of the current Workplace Violence and Harassment Prevention Plan and Procedures confirmed that all three legislative criteria are fully met. The review further determined that these policies are regularly evaluated to ensure they remain current, compliant, and effective in supporting a safe and respectful workplace.

This positive finding confirms that the FieldCore Violence and Harassment Prevention Plan and Procedures are in full compliance with the applicable requirements of the Alberta OHS legislation. Specifically, the Plan and Procedures require that:

- A review is conducted at least once every three years;
- A review is conducted whenever a violence or harassment incident occurs;
- A review is conducted in response to employee participation or feedback; and
- A review is conducted when necessitated by changes in the workplace, legislation, or other relevant circumstances.

As evidence of ongoing compliance, both the Violence Prevention and Harassment Prevention procedures are subject to formal annual reviews by the HR Compliance and Security departments. For example, the Harassment Prevention procedure was most recently reviewed in January 2025, and the Violence Prevention procedure was most recently reviewed in August 2025.

4 | JOINT HEALTH AND SAFETY COMMITTEES (HSC) AND HEALTH AND SAFETY REPRESENTATIVES (HS REPRESENTATIVES)

Joint Health and Safety Committees are a key element of the internal responsibility system. It brings work site parties together to work on topics such as hazard identification and control, investigation of health and safety incidents, and responding to reports of dangerous work. If an employer (5-19) chooses to go above legislation and establish a HSC instead of designating a HS representative, they have the option to answer committee questions thus marking the HS representative question not applicable (N/A).

If the employer has 1-4 employees as determined through the audit scope, this element may be marked not applicable (N/A).

4.1 Do the terms of reference for the HSC include all legislated requirements? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Documentation must confirm a terms of reference is in place for the HSC and includes all legislated requirements (Alberta) or Federal legislation for federally regulated employers.

Points are awarded based on 100% indicators from documentation.

If the employer is only required to have a HS representative(s), this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: An auditor review of the FieldCore GP-EHS-001-002-JHSC-CAN Joint Health & Safety Committee Canada Terms of Reference (TOR), dated September 17, 2025, has confirmed that the document aligns with the requirements of Alberta Occupational Health and Safety (OHS) Legislation. The TOR includes the following key elements:

- Selection Process for Co-Chairs: Detailed procedures for selecting co-chairs of the committee.
- Selection Process for Worker Members: Clear guidelines for selecting worker members to join the committee.
- Term of Office for Committee Members: Establishment of a defined term of office for committee members.
- Meeting Frequency and Record Maintenance: Outline of the frequency for regular committee meetings and procedures for maintaining meeting records.
- Meeting Conduct and Concern Forwarding: Processes for conducting meetings and forwarding health and safety concerns to the attention of the employer.
- Member Replacement Process: Establishment of a process to replace a member during their term of office.
- Dispute Resolution Process: A defined dispute resolution process for situations where the committee cannot agree on a recommendation to the employer.
- Addressing Non-Fulfillment of Duties: Outline of a process to address circumstances where committee members are not fulfilling their duties.

Overall, the above finding confirms that the Terms of Reference is comprehensive and in compliance with AB OHS Legislation, ensuring effective governance and operation of the committee.

4.2 Is the HSC established as per legislated requirements? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation

Review terms of reference and other committee documentation to determine there is an established HSC as per legislation (Alberta) or Federal legislation for federally regulated employers.

Points are awarded based on 100% indicators from documentation.

If the employer is only required to have a HS representative(s), this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Upon review of FieldCore Canada's Joint Health and Safety committee documentations, including the HSC member list, meeting minutes, and agendas, it has been confirmed that FieldCore maintains an active and compliant HSC in accordance with legislation. Overall, the review finding confirmed that FieldCore Canada's JHSC is actively functioning and compliant with the legislative requirements, demonstrating a commitment to maintaining a safe and healthy work environment. Example of key findings includes:

i) HSC Membership:

- The current JHSC comprises 3 employer representatives and 5 employee representatives.
- This composition meets and exceeds the Alberta Occupational Health and Safety (OHS) requirements.

ii) Meeting Frequency and Recent Activity:

- As per Section 6.1 of the Terms of Reference (TOR), the HSC is mandated to meet once every quarter.
- The most recent meeting was held on October 9, 2025.

4.3 Has a HS representative been designated as per legislated requirements? (0-5 points)	Method	Percentage	Points
		N/A	

GUIDELINES

Verified by employee interviews.

An employer needs to designate a HS representative as per legislated requirements (Alberta) or Federal legislation for federally regulated employers. Employees need to be informed if this process has occurred.

Points are awarded based on percentage of positive responses.

If the employer is only required to have an HSC, this question may be marked not applicable (n/a).

Provide details/example(s).

FINDINGS / NOTES

The auditor has designated this question as not applicable because FieldCore has established a Joint Health and Safety Committee in accordance with applicable legislative requirements, taking into account the composition of its workforce.

4.4 Have duties been written for the HSC and/or HS representative(s)? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Documentation must confirm that duties of the HSC and/or HS representative(s) have been written as per legislated requirements (Alberta) or Federal legislation for federally regulated employers.

Points are awarded based on 100% positive indicators from documentation

Provide details/example(s).

FINDINGS / NOTES

From documentation: The auditor's review of FieldCore Canada's Joint Health and Safety Committee Terms of Reference and Rules of Procedure (GP/EHS/001/002) confirmed that the TOR clearly outlines the duties and responsibilities of the Health and Safety Committee (HSC) and Health and Safety Representative (HSR) in accordance with Alberta OHS requirements. For example, Section 4.0 specifies HSC responsibilities, including:

- Receiving, considering, and addressing worker health and safety concerns and complaints
- Reviewing the employer's work site inspection documentation
- Participating in the employer's hazard assessments
- Making recommendations to the employer on matters affecting worker health and safety

4.5 Have the HSC members and/or the HS representative(s) been trained in their duties and responsibilities? (0-10 points)	Method	Percentage	Points
	Documentation	71%	7/10

GUIDELINES

Verified by review of documentation.

Review training records for committee members and/or the HS Representative(s) to ensure they are trained as per legislated requirements (Alberta) or to Federal legislation for federally regulated employers.

Points are awarded based on percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of FieldCore HSC training record. Positive finding indicated that 5 of 7 committee members (71%) have completed the required OHS Joint Health and Safety Committee (JHSC) training through approved external providers (AASP/ACSA).

Negative finding identified Two of the seven committee members have not yet completed their training.

SUGGESTIONS FOR IMPROVEMENT

The audit found that the required Health and Safety Committee (HSC) training was outstanding/not completed for two of the seven committee members. Consequently, the auditor recommended scheduling the necessary training for the remaining members. Completing this training will ensure all committee members meet the requirements set out in Part 13 of the Alberta OHS Code and will support the continuous improvement of the company's occupational health and safety management system.

4.6 Do the HSC members and/or HS representative(s) understand their duties and responsibilities? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by HSC and/or HS representative(s) interviews

Interviewees must be able to describe their general duties and responsibilities.

Examples may include: participation in hazard identification, investigations, and inspections, development and promotion of hazard controls, handling health and safety concerns.

Points are awarded based on percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interview with the FieldCore Health and Safety Committee (HSC) members confirmed an adequate understanding of their duties and responsibilities. The responses also indicated that HSC duties are clearly defined in the company's HSC Terms of Reference and Rules of Procedure. Examples cited included:

- Participating in company worksite inspections and reviewing findings during committee meetings
- Participating in company incident investigations
- Contributing to the hazard assessment process, including developing and reviewing task risk assessments (formal hazard assessments)
- Receiving and addressing employees' safety concerns

4.7 Do HSC members and/or the HS representative(s) participate in health and safety activities? (0-10 points)	Method	Percentage	Points
	Interview	82%	8/10

GUIDELINES

Verified by employee interviews.

Interviewees must be able to confirm the committee members and/or representative(s) are involved in health and safety activities.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interview responses from FieldCore Health and Safety Committee (HSC) members indicate that both employer and worker representatives clearly understand their worksite inspection responsibilities. Interviewees noted that:

- The HSC is newly established and assigned to participate in worksite inspections.
- Worksite inspections were reviewed as an agenda item at the most recent HSC meeting.
- Several members are already engaged in company-assigned inspections, including Senior Manager Visit (SMV) inspections, Life-Saving Rules validation, and general planned inspections.
- The next site inspection is scheduled for December 9, 2025.

Negative responses primarily originated from employees who were not committee members and from those who were unaware of the company’s newly established Joint Health and Safety Committee, including its mandated safety duties and responsibilities.

SUGGESTIONS FOR IMPROVEMENT

The audit found that not all employees were fully aware of the duties of the Joint Health and Safety Committee (JHSC), including their required participation in worksite inspections.

Accordingly, it is recommended that management implement a structured communication and awareness program to ensure all employees are informed of the existence, purpose, and mandate of the JHSC. This should include, at a minimum:

- Issuing company-wide communications (e.g., email, memo) introducing the JHSC, its members, and its roles and responsibilities; and
- Incorporating JHSC information into onboarding and orientation materials for all new employees.

Implementing these actions will enhance employee awareness of the JHSC, promote appropriate use of the committee as a health and safety resource, and support overall compliance with occupational health and safety requirements.

4.8 Is there a policy or procedure in place for the HSC and/or HS representative(s) to address employee concerns related to the health and safety system? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

There must be a policy or procedure in place for the receipt, consideration, and disposition of concerns and complaints regarding the health and safety of workers.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Auditor's Review of FieldCore Canada Joint Health & Safety Committee (JHSC) Terms of Reference (TOR) and Rules of Procedure (GP-EHS-001-002). The auditor's review of the FieldCore Canada JHSC TOR and Rules of Procedure highlighted the procedures in place for managing health and safety concerns and complaints. Example of finding includes highlights from Section 1.3:

- i) Receipt and Consideration of Concerns: The section outlines the process for workers to raise health and safety issues.
- ii) Disposition of Complaints: Details the steps for addressing and resolving these concerns.
- iii) Tracking Mechanisms:
 - Electronic Communication: Uses email for initial reporting.
 - Action Tracking Tools: use of Gensuite EHS system for monitoring and managing complaints.
- iv) Documentation: Meeting Minutes: Records deliberations and assigns actions to ensure follow-through.

4.9 How do employees bring forward health and safety concerns and complaints? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Employees must be able to explain how they bring forward health and safety concerns and complaints to the HSC and/or HS representative(s) as per the process from 4.8.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interviews demonstrated that workers understand how to communicate health and safety concerns to the Health and Safety Committee (HSC). Available channels cited include:

- Direct contact with HSC members
- Gensuite (Safety Concern Reporting)
- Stop Work Authority
- Reporting through supervisors/people leaders

It was also noted that the HSC has not received any concerns to date. Current practice directs workers to raise issues directly with the HSC—either in person with committee members or via the published HSC general email and telephone numbers.

4.10 Is a process in place for the HSC and/or HS representative(s) to make health and safety recommendations to management? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by manager/supervisor interviews

Interviewees must be able to explain how they receive recommendations from the HSC and/or HS representative(s) regarding the health and safety of employees.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interview feedback indicates that managers and supervisors have a clear understanding of how the health and safety committee escalates concerns to company leadership. Respondents confirmed the presence of multiple, well-established channels for submitting or escalating any health and safety concern—including those raised by the committee—to FieldCore management. Examples include:

- Formal submission via the company's EHS system of record (Gensuite Safety Concern Reporting tool)
- Direct communication with senior management via verbal updates, email, formal letters, and team calls/meetings
- All reported concerns are evaluated, and feedback is communicated to the Region/Global EHS Lead for further review.

4.11 Are health and safety concerns/complaints received by the HSC/HS Representative resolved in a timely manner? (0-5 points)	Method	Percentage	Points
	N/A		

GUIDELINES

Verified by review of documentation.

Consider the complexity of the concerns/complaints to determine timeliness.

Points are awarded based on percentage of positive indicators.

This question may be marked “n/a” if there were no concerns/complaints in the previous 12 months. Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Based on the auditor's review of the company's Joint Health and Safety Committee (HSC) documentation—including meeting minutes, agendas, and supporting records—it was determined that no concerns or complaints were received by or submitted to the committee within the past 12 months. The review further confirmed that the FieldCore Health and Safety Committee was newly inaugurated in September 2025.

4.12 Does the HSC hold meetings as identified in the terms of reference? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Review committee meeting minutes to confirm the meeting frequency is being met as per the HSC Terms of Reference.

Points are awarded based on percentage of positive indicators from documentation.

If the employer is only required to have a HS Representative(s), this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Based on the auditor's review of the FieldCore Canada Joint Health & Safety Committee Terms of Reference and Rules of Procedure (GP-EHS-001-002), along with the meeting agenda and minutes dated October 9, 2025, the requirement has been met.

Evidence includes the most recent meeting held on October 9, 2025—within the quarter the HSC was established—and the next meeting scheduled for December 19, 2025.

4.13 Does the Joint Health and Safety Committee/HS representative review the employers work site inspection documentation? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by documentation.

Review any meeting minutes, inspection records or other documentation that can verify that the HSC/HS representative have reviewed inspection documentation.

Points are awarded based on percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of the company's Terms of Reference (TOR) and Rules of Procedure (GP-EHS-001-002) confirms that Section 4.0 assigns the Health and Safety Committee (HSC) responsibility for reviewing worksite inspections. Positive finding: The HSC meeting agenda and minutes dated October 9, 2025 (the only records available) document that the committee reviewed worksite inspection results in accordance with the TOR.

4.14 Are the names and contact information of the HSC members and/or the HS representative(s) readily available? (0-5 points)	Method	Percentage	Points
	Observation	100%	5/5

GUIDELINES

Verified by observation.

The names and the contact information for the HSC members and/or the HS representative(s) must be readily available at each represented work site.

Points are awarded based on the percentage of work sites that have contact readily available.

Provide details/examples.

■ FINDINGS / NOTES

From observations: The site tour of the company office and project locations confirmed that the requirement in Section 2.7 of the TOR (GP-EHS-001-002) to post the names and contact information of Health and Safety Committee (HSC) members is met. HSC members' names, job titles, and contact email addresses are readily accessible to employees.

Positive observation confirmed that the names and contact information of HSC members and/or HS representatives were readily available at all 4 of the 4 sampled sites.

Evidence observed includes:

- HSC names, job titles, and contact emails posted on the EHS/Safety noticeboards at the Edmonton office and at the project worksites visited.
- The same information posted and available electronically on the company SharePoint and within project portals (Box folders).

■ STRENGTHS

The audit observed that the company maintains a strong communication practice by ensuring that the names and contact details of all committee members, as well as the dedicated committee email address and committee meeting minutes, are clearly displayed at all company work locations and are also available on the company's global online EHS portal.

This practice demonstrates the company's commitment to open and effective employee communication, involvement, and participation. It supports the efficiency and effectiveness of the committee and contributes to the ongoing improvement of the company's occupational health and safety management (OHSM) system.

5 | QUALIFICATIONS, ORIENTATION AND TRAINING

Qualifications, orientations and training are essential to ensure employees perform their job tasks in a safe and healthy manner. An employer is responsible to ensure the employee is competent.

5.1 Is there a process to ensure employees are qualified for the position for which they are being considered? (0-15 points)	Method	Percentage	Points
	Documentation	100%	5/5
	Interview	100%	10/10

GUIDELINES

Verified by review of documentation and manager/supervisor interviews.

A process must exist that requires a check for qualifications required for the job/tasks (e.g., degrees, diplomas, certificates, trade certificates, apprenticeship program, diplomas, driver's licenses, etc.).

Points are awarded based on 100% positive indicators from documentation.

Managers/supervisors must be able to describe the process used to verify that employees have the qualifications required to do the job for which they are being hired.

Score:

- 5 points for documentation
- 0 - 10 points for interviews

If the organization does not have supervisors, this question can be asked to only managers.

Documentation points are awarded based on 100% positive indicators. Interview points are awarded based percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of FieldCore's new hire and talent acquisition procedures found that the company has established programs to recruit, select, and deploy qualified and competent employees. The following key elements were identified as key processes used by the company:

- Talent Acquisition Program: Formal recruitment process supported by tools such as the Talent Referral Program, Jobvite Hire platform, and the "Shining Leaders" toolkit
- Talent Acquisition – Job Descriptions and Qualifications: Standardized job descriptions and qualification criteria used to support job postings on the career site (via Jobvite).

From interview: Interviews with managers and supervisors indicated that they clearly understand the processes for hiring

qualified employees. Their responses demonstrated active involvement in multiple stages of the hiring, qualification, and skills verification processes. Examples of their involvement include:

- Participating in new hire/employee interviews and selection
- Verifying background and educational qualifications of new hires/employees, including secondary, tertiary, and post-secondary certifications, as well as trade skills
- Utilizing the Job Classification Table, a structured tool that defines professional levels, job titles, functions, and employment classes
- Using the Kahuna Dashboard to track new hire qualifications, on-the-job training, job transfers, technical competencies, and related competency evaluation records

5.2 Does the orientation process cover OHS rights, and critical health and safety information? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of orientation documentation.

The OHS rights, and critical health and safety information must be reviewed with the employee. These must, at minimum include:

- Right to know
- Right to participate
- Right to refuse dangerous work
- Emergency response procedures
- Rules of enforcement
- High risk hazards
- Hazard reporting
- Incident reporting
- Violence and Harassment

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: The review of the company orientation programs confirmed that all required content is addressed. Examination of the FieldCore staff and site EHS Orientation documentation (FC-GL-EHS-SAF-1101-F3_rev2025) verified that the employee orientation program includes, among other topics, the following critical health and safety elements:

- Emergency response procedures
- Violence and harassment
- Right to know
- Right to participate
- Right to refuse dangerous work
- Rules of enforcement
- High-risk hazards
- Hazard reporting
- Incident reporting
- Disciplinary actions and consequences for violations (i.e., rules of enforcement)

5.3 Do managers/supervisors ensure orientations were conducted prior to employees starting regular duties? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by manager/supervisor and worker interviews.

Managers/supervisors and workers must be able to describe the process used to ensure workers have received orientation prior to employees starting regular duties.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: During the manager/supervisor interview, it was confirmed that they understand the orientation requirements and have an established process to ensure employees are consistently oriented before starting any work assignments. They explained that, before returning to or beginning work at a customer site, employees must complete the customer site-specific orientation via ISN or the customer's eLearning portal, in addition to the standard FieldCore EHS orientation. Further response heard stated that all orientation records are monitored and maintained by the employee's manager and the Safety department through a training matrix."

From workers interviews: Worker interviews confirmed that employees consistently receive orientation before starting work. Interview responses also indicated that the type and duration of orientation vary by employee category:

- Field employees and craft workers – receive the FieldCore site safety orientation and the customer site-specific orientation prior to starting work at customer locations. Completed orientation records are maintained with the project-specific Safety Plan.
- Staff employees – receive orientation beginning on their first day of hire/resumption and continuing for up to six months (depending on job position/classification). This includes various health and safety courses (e.g., fire extinguisher awareness, defensive driving, confined space – advanced, etc.) delivered through the employee's SuccessFactors eLearning portal."

5.4 Are managers/supervisors provided with training to support them in their role? (0-15 points)	Method	Percentage	Points
	Documentation	97%	5/5
	Interview	100%	10/10

GUIDELINES

Verified by review of training documents and manager/supervisor interviews.

Managers/supervisors must be provided training specific to their role (e.g., incident investigation, hazard identification, communications, conducting meetings, supervisory techniques, enforcement and discipline, legislation, etc.).

Score:

- 0-5 for documentation
- 0-10 for interviews

To confirm which training is deemed appropriate to their role, refer to employer's defined roles and responsibilities in question 1.5, job descriptions, job competencies, etc. Link this back to training documents and interviews.

If the organization does not have supervisors, this question can be asked to only managers.

Documentation points are awarded based on percentage of positive indicators. Interview points are awarded based on percentage of positive responses.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: Review of the FieldCore training procedure, together with LMS records for the EHS Core Curriculum, Leadership Training Program, and the competency/skill portal, confirms that the company has a structured development program for managers, supervisors, and team leads. In addition to role-specific training, FieldCore provides an in-house Leadership Program (Modules 1–4) to all managers, supervisors, and team leads, with refresher training delivered every three years. The program consists of four 2-hour, instructor-led modules covering:

- Module 1: Leadership
- Module 2: Human Error Prevention
- Module 3: Risk Management
- Module 4: Coaching and Mentoring

For verification, the auditor conducted a sample review of leadership training records for all 18 applicable managers, supervisors, and team leaders across the four audit sites. **Positive Finding-** Seventeen (17) of the 18 managers/supervisors/team leaders had documented evidence of completing the required leadership training.

Negative Finding One (1) manager did not have evidence of completed leadership training on file, based on the following site sampling results:

- Edmonton Office: 5/5 complete
- SCE: 5/5 complete
- LL: 3/4 complete (1 missing)
- H.R. Milner: 4/4 complete

From interviews: Manager and supervisor interviews confirmed that all individuals in these roles have received both health and safety training and role-specific development. Responses indicate that the company is committed to ensuring managers and supervisors are properly equipped to perform their duties effectively and efficiently, with a strong emphasis on EHS and leadership capability. Examples of training completed include:

- Project Management Training (3-day course)
- Root Cause Analysis (RCA) Training – Taproot and 5 Why
- Field Engineer Program (FEP)
- Mandatory Annual EHS Core Curriculum
- EHSQ Leadership Training Program (Modules 1–4, in-house leadership program)
- Resource Manager Annual Conference Training
- Annual Integrity Training
- Service Manager training programs/platforms (e.g., PMP, ServiceMax, FieldVision)
- Field operations Safety training/refreshers including -CSTS, OSSA , CSO, CSE , WAH course

5.5 Does job-specific training include hazards and controls as well as a practical demonstration? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of training documents

Employees must be trained in the hazards and controls associated with their job which includes a practical demonstration by the trainee to ensure they have acquired the necessary knowledge or skill related to the subject matter.

Due to the nature of some tasks, practical demonstrations might not be suitable.

Examples of training documents may include a combination of reviewing policies, procedures, practical demonstrations, safe work practices, hazard assessments and training certificates/manuals (e.g., WHMIS 2015, Confined Space Entry, TDG, tasks specialized to the employer, using specialized tools and equipment, etc.).

Documentation points are awarded based on percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of sampled employee training records, in conjunction with the FieldCore Core Training Matrix, confirmed that all required regulatory and site-specific trainings have been completed and that they include both theoretical and practical components, as defined in the respective course content.

Examples of training certificates reviewed include:

- EHS Overview for Field Services
- Confined Space Entry and Monitoring/Authorized
- Fall Protection Advanced / Work at Height
- Crane Operation / Rigging
- WHMIS 2025
- Standard First Aid with CPR
- Lockout / Tagout – Authorized Employee [GE-EHS-CEP-34] (initial and refresher)
- Lockout / Tagout – Authorized: Simulated Try-out Demonstration [GE-EHS-CEP-51]
- Portable Fire Extinguishers [GE-EHS-545] (initial and refresher)
- Scaffolding Awareness (Initial) [GE-EHS-620]

Documentation sampling: Edmonton Office [10 / 10], St. Clair Energy Center [10 / 10], Long Lake [LL] [10 / 10], H.R. Milner [10 / 10]

5.6 Do employees receive job specific training when they are assigned new tasks, or when an operational change affects their work? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Confirm employees receive training when they are re-assigned to a new task or when there are changes to the operations that affects the work they do.

Points are awarded based on percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interviews indicated that they consistently receive job-specific training before being assigned to a new role, when transferring between roles, and when there are changes to their tasks. Employees confirmed they are not moved into new or changed positions without appropriate preparation.

It was further identified that the company has an established On-the-Job Training (OJT) program to provide role-specific and hands-on training for new and transferred employees. The OJT program includes:

- Classroom-based training
- On-site / on-the-job guidance for a defined period
- Evaluation by an experienced and competent person who supervised the OJT

Employees are only deployed or transferred to the new role once they have been assessed as “competent.”

Interviewees also noted that employee competency and skill levels are recorded and tracked in the company’s competency portal (Kahuna portal), providing ongoing visibility of qualifications and readiness for specific roles and tasks.

STRENGTHS

The audit identified that FieldCore has implemented a robust, ongoing technical and hands-on training program tailored to employees’ specific professional disciplines. The program incorporates several complementary elements, including:

- Extended classroom-based instruction covering core technical concepts, procedures, and standards
- Field-based training that allows employees to apply classroom learning in real-world conditions under guidance
- On-the-job training (OJT) where employees develop and refine role-specific skills while working alongside experienced personnel

This structured, multi-month approach not only enhances employees’ technical competence and professional confidence, but also contributes significant

5.7 Is there a process to assess competency of new and re-assigned workers? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by reviewing documentation.

Verify that the employer has a process on how they determine the competency of their workers (e.g., on the job training, task observation, test, etc.), and the intervals of when they are completed. Reassignment can include a new job, task, or when a worker moves to a new location. Operational changes may require new competency assessments to be completed.

Points are awarded based percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: The auditor's review and verification of FieldCore's competency management confirmed the organization meets the applicable requirements. Evidence reviewed included:

- SuccessFactors LMS: assigns EHS core and task-specific training; tracks completion and expiration; automates re-assignment.
- EHS Core Training curricula (Office and Field): defined role-based EHS training requirements.
- Kahuna platform: evaluates and tracks trade/professional competency levels for new hires, transfers/reassignments, and on-the-job training (OJT).

5.8 Are competency assessments conducted? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by manager/supervisor interviews.

Managers and supervisors must be able to indicate how they ensure competency assessments are conducted as required by the process in 5.7.

If 5.7 is awarded no points, this question is scored 0. Points are awarded based on percentage of positive responses.

If the organization does not have supervisors, this question can be asked to only managers.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Interviews with managers and supervisors confirmed that employee competencies are being assessed on a consistent and timely basis. They also verified that the company's competency portal is actively used to evaluate and maintain employee competency records.

For example, responses indicated that the Kahuna portal is the single source for training and skill tracking, and that managers and supervisors use Kahuna to conduct assessments, monitor employee competency, and ensure assignment readiness.

5.9 Is required refresher training provided? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by reviewing documentation.

An organization is required to determine set timelines/intervals in their policies for in-house refresher training. Some certifications (e.g., First Aid, trade certificates, etc.) also have requirements for re-training/refresher training on a set schedule or when operational changes require it. Employers must document any refresher training requirements, and ensure schedules are met.

Points are awarded based on the percentage of positive indicators.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: Review of the FieldCore EHS Core Curriculum and associated training matrix confirmed that it specifies the required frequency and refresher intervals for EHS and task-specific training applicable to FieldCore operations. Evidence from the documentation [FC-GL-EHS-MAN-0304-G1] verified it provides clear guidance to ensure EHS training is completed and refreshed at defined intervals across FieldCore operations. Examples include:

- Defensive Driving (GE-EHS-237): refresher – annual
- Confined Space Entry – Authorized (GE-EHS-262): refresher – biennial
- Asbestos Awareness (GE-EHS-160): refresher – annual
- Fall Protection – Advanced (GE-EHS-320): refresher – biennial
- Occupational Noise for Exposed Workers (GE-EHS-530): refresher – annual
- Compressed Gas Safety (GE-EHS-180): refresher – triennial
- Lockout/Tagout – Authorized (GE-EHS-CEP-34): refresher – biennial
- Hazardous Waste Awareness (GE-EHS-AWARENESS): refresher – as defined in the matrix
- EHS Overview for Field Services (GE-EHS-262): refresher – annual

The auditor verified compliance by sampling training records for 15 employees for three courses requiring annual refresher:

- EHS Overview (GE-EHS-262)
- Defensive Driving (GE-EHS-237)
- Lockout/Tagout – Authorized (GE-EHS-CEP-34).

The review confirmed that all 15 employees (15/15) had current and up-to-date training for each of the three courses sampled.

6 | OTHER PARTIES AT OR IN THE VICINITY OF THE WORK SITE

Other employers, visitors, and external work site parties must be included in the employer's health and safety management system.

6.1 Is a process in place to address the protection of others not under the employer's direction? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

The process must take into account the protection of other workers not under the employer's direction, visitors and other persons in the vicinity of work that is being carried out.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A thorough review of FieldCore's Communication, Consultation, and Participation Procedure (FC-GL-EHS-MAN-0306) reveals that the company is committed to ensuring the health and safety of all employees, as well as external parties, by mitigating the potential risks associated with its operational activities.

Further examination of this procedure indicates comprehensive coverage of processes designed to protect all worksite parties, including visitors who are not under the company's direct control.

Key Highlights from Section 2.3 of FC-GL-EHS-MAN-0306: This procedure ensures that all visitors are well-informed about the safety protocols and requirements they must follow while on FieldCore premises. Minimum Requirements for Communication of Hazardous Activities:

- Fire Safety/Fire Alarm Testing: Information on fire safety protocols and scheduled fire alarm tests
- Welfare Facilities: Hazards identified in the Facility Task Risk Assessment (TRA) that may affect welfare facilities.
- Personal Protective Equipment (PPE) Requirements: Specific PPE requirements applicable to visitors.
- Security Requirements: Necessary security measures to be adhered to by all visitors.
- Emergency Muster Points: Clear communication of designated emergency assembly areas.

6.2 Is a process in place that includes criteria for evaluating and selecting other employers? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

An employer must identify what requirements they use to evaluate and select other employers in order to allow them to conduct work at the employer's work site.

Points are awarded based on 100% positive indicators from documentation.

If the auditor can confirm the audited employer does not use other employers, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A detailed review of the Contractor Management Procedure v2.0 (FC-GL-EHS-SAF-1101) reveals that the company employs a robust and dedicated system for the prequalification and engagement of contractors. This procedure outlines the comprehensive criteria and steps involved in the prequalification and re-qualification processes for contractors and vendors. Key Prequalification Steps and Criteria:

i) Classify: Contractors are classified based on the scope of work (Work Type) and the associated risk level (Hazard Risk Category), utilizing a contractor risk matrix.

ii) Collect: Data collection is facilitated through the ComplyWork online questionnaire, supported by relevant contractor documentation.

iii) Analyze: Contractor data is meticulously analyzed against established approval criteria to ensure compliance and safety standards.

iv) Decide: A score is generated from the prequalification process, resulting in one of the following outcomes:

- Approved
- Requires Mitigation
- Not Approved

v) Document: All documents provided and generated during the prequalification process are uploaded to ComplyWork. This supports the analysis and approval decision-making process.

6.3 Is a process in place that includes a system for regularly monitoring and addressing non-compliance with other employers? (0-10 points)	Method	Percentage	Points
	Documentation	100%	5/5
	Interview	100%	5/5

GUIDELINES

Verified by review of documentation and manager/supervisor interviews.

A process to regularly monitor health and safety performance and correct identified deficiencies is in place for other employers during the period of the contracted services.

The contracting employer must have a process to deal with other employers when there is non-compliance to their OHSMS.

Score:

- 5 for documentation
- 0-5 for interviews

Points are awarded based on 100% positive indicators from documentation. Interview points are based on percentage of positive responses.

If the auditor can confirm the audited employer does not use other employers, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: The review of FieldCore's contractor management procedure has established processes to monitor and ensure the health and safety performance of its contractors. Key elements include:

i) Pre-Mobilization:

- FieldCore requires contractors to submit task/site-specific documentation, including safe work plans, risk assessments, equipment inspection records, and competency proofs (training certificates, licenses, worker compensation).
- FieldCore ensures the receipt of adequate documentation for effective work planning and risk mitigation.

ii) Mobilization and Coordination:

- FieldCore provides supervision proportionate to the work risk.
- Contractors and their employees must participate in site mobilization activities (orientation, pre-job briefings, toolbox talks) and sign off on FieldCore's health & safety expectations.
- FieldCore offers site-specific orientation and provides health & safety rules for review and acknowledgment.
- Regular inspections are conducted to confirm understanding and implementation of requirements.

iii) Violations and Non-Compliance:

- Health and safety performance is monitored through inspections, violation handling processes, and regular reviews.
- Repeated non-compliances are addressed similarly to contractual defaults, potentially leading to contractor removal from the work site.

From interviews: Responses from manager/supervisor interviewees confirmed that they actively monitor contractors' compliance with health and safety performance and address non-compliance through the following measures:

Supervision and Oversight:

- Provide supervision and oversight on contractors' risk mitigation applications.
- Ensure the use of applicable formal task risk assessments for their scope of work.

Engagement in Safety Activities: Ensure contractors are involved in and participate in required site health and safety activities, including:

- Pre-job briefs
- Toolbox talks
- Weekly safety meetings
- Performing site-specific hazard assessments

Addressing Deficiencies: When deficiencies or non-compliance are found during audits of contractors' work activities, FieldCore

managers/supervisors immediately address them by:

- Stopping the work
- Intervening with contractors/contractor employees to correct the deficiencies

Periodic Inspections and Audits:

- Perform periodic inspections and audits of contractors' ongoing work activities to verify compliance with contractual and FieldCore Environmental, Health, and Safety (EHS) requirements

Corrective Actions for Violations: If violations or non-compliance with company health and safety policies, including life-saving rules, are found, immediate corrective actions are taken, which may include:

- Immediate removal of contractors from sites pending completion of an investigation
- Disciplinary actions

6.4 Are health and safety orientations provided to:		Method	Percentage	Points
	a	Documentation	100%	5/5
	b	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Confirm orientations are provided to other employers, and visitors (e.g., visitor logs with safety information identified, contractor sign off, etc.)

Points are awarded based on 100% positive indicators from documentation.

If the auditor can confirm the audited employer does not use other employers, part b of this question may be marked not applicable (n/a).

Provide details/example(s).

FINDINGS / NOTES

From documentation: A thorough examination of the completed orientation records from multiple worksites has verified that all personnel, including contractors and visitors, undergo orientations before being granted site access. Positive finding from the auditors' sample review of orientation attendance records (both past and current) has confirmed that orientations were completed for all contractors/ company affiliates, and visitors involved in company operations across the various sites. Below is example of specific findings:

- a) Visitor Orientations: the sample review identified that all 11 visitors had completed their orientations.
- b) Other Worksite Parties: the review confirmed that all 57 other worksite parties had successfully completed their orientations.

6.5 Does the employer communicate with external work site parties regarding:		Method	Percentage	Points
	a	Interview	100%	5/5
	b	Interview	100%	5/5
	c	Interview	100%	5/5

GUIDELINES

Verified by interviewing managers/supervisors.

Interviewees must be able to describe the process in use and provide details/examples of how external work site parties are made aware of their health and safety responsibilities (including reporting incidents, investigating incidents, and reporting unsafe conditions), work site hazards and controls, and any changes that may affect their health and safety.

Work site parties can include other employers, suppliers, prime contractors, etc. conducting activities at a work site or receiving products.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interviews with managers and supervisors have confirmed their comprehensive understanding of the various systems and processes used to communicate with other work parties, including contractors and customers. Overall, the interviews finding identified a strong understanding and effective implementation of communication processes among managers and supervisors, ensuring seamless information flow and hazard communication across all work parties /contractors. Example of remarks includes:

a) Established Processes for External Information Flow:- Positive responses highlighted the company's established processes for the flow of information outside FieldCore, which include:

- Contractual Communication: Information concerning health & safety events, incidents, or failures is communicated to external parties (e.g., customers) by the Service Manager or Outage Manager, as applicable.
- Regulatory Communication: All health & safety communications with regulatory authorities must be documented.
- Incident Management: Health and Safety incidents/events must be communicated in accordance with the EHS Incident Management Procedure.

b) Communicating Worksite Hazards and Controls:- Positive responses also identified the following processes for communicating worksite hazards and controls:

- Permitting Issuance and Coordination:- Safe work permits (e.g., hot work, LOTO permit) are used to ensure that hazardous or uncontrolled energy-related hazards and controls are adequately communicated to all affected parties.
- Coordination Meetings/Shift Change Debriefs: These meetings are utilized by site parties to discuss upcoming tasks/scope and associated risks (e.g., heavy lifts such as turbine rotor lifts, simultaneous operations).

c) Communicating Worksite Changes :- Additional positive responses identified the following processes for communicating worksite changes:

- Coordination Meetings/Shift Change Debriefs: These meetings are used by site parties to discuss upcoming tasks/scope and associated risks.
- Site Walkthroughs: Examples include LOTO isolation change walkdowns with contractor supervisors and customer representatives.

■ STRENGTHS

FieldCore has established a consistent and structured process for advance planning of project execution at customer sites, in some cases up to 18-months prior to mobilization. This approach is considered a good practice because it:

- Ensures early stakeholder engagement – Customers, contractors, and relevant internal functions, including Health & Safety, are involved well in advance of site execution.
- Enables proactive risk management – The extended planning horizon provides adequate time to conduct project-specific risk assessments, identify hazards, and define appropriate control and remedial measures before execution teams mobilize to site.
- Integrates HSE into project planning – Health and safety considerations are embedded early in the project lifecycle, rather than being addressed reactively closer to execution.

This systematic, early-stage planning process contributes to enhanced health and safety performance by reducing the likelihood of unanticipated risks during project execution and supporting a controlled, well-prepared work environment for all employees.

6.6 Is health and safety information readily available to affected external work site parties? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by manager/supervisor interviews.

Health and safety information is readily available to affected external work site parties.

Examples may include hazard assessments, inspections, emergency response procedures, safe work practices/procedures, investigations, HSC and/or HS representative meeting minutes.

Work site parties can include other employers, suppliers, prime contractors, etc. conducting activities at a work site or receiving products.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

■ FINDINGS / NOTES

From interviews: Interviews with managers and supervisors have revealed a strong commitment to understanding and fulfilling their responsibilities to ensure the consistent availability of health and safety information to other employers and all individuals under FieldCore's direction. The interviews highlighted the following mediums used to disseminate health and safety information:

- a) Distribution of EHS Policies and Procedures: Copies of FieldCore's EHS policies, procedures, programs, and requirements are shared with contractors, suppliers, and vendors. This is typically done through email or the ComplyWork platform.
- b) EHS Alerts and Safety Bulletins: Regular sharing of EHS Alerts and Safety Bulletins to keep all parties informed about current safety events and updates.
- c) Health and Safety Posters: posting of health and safety posters (e.g. FieldCore Life Saving Rules, Stop Work Authority, etc.) at visible locations around the workplace, such as:
- Safety Noticeboards
 - Site offices
 - Lunchroom areas
- d) Site Emergency Response and Safety Incidents Reviews:
- Reviews of Site Emergency Response information
 - RCA (Root Cause Analysis) and Investigation results
 - Lesson learned during Toolbox talks and weekly safety meetings

7 | INSPECTIONS

The formal inspection process can proactively identify new potential hazards, as well as confirm effectiveness of controls already in place.

7.1 Is there an inspection process that states the frequency of inspections and includes the following:		Method	Percentage	Points
	a	Documentation	100%	5/5
	b	Documentation	100%	5/5

GUIDELINES

Verified by review of inspection process.

- The frequency is established by the employer based on the level of risk. Different inspection frequencies for different areas may be established. For example, a shop may require more inspections than the administrative office. Inspection processes must include the frequency of inspections for each area.
- Participation by all levels (m/s/w) is not expected for every inspection, but each applicable level should be assigned some responsibility in the inspection process in order to award points for all parts of this question.

Points are awarded based on percentage positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of FieldCore's inspection procedures and programs confirmed that the company has an established inspection program that defines requirements for various types of inspections and associated templates, with predetermined frequencies based on operational risk level. The program specified participation from employees at all levels, including managers, supervisors, and workers.

The inspection procedure specifies inspection frequencies and requirements according to risk level and operational location. Examples include:

a) Inspections Frequency and Operational risk locations:

i) Regional Office:

- General Planned Inspection (GPI) by S/W: Every 6 monthly (<10 employees); Annual (>10 employees)

ii) Field/Project Sites:

- General Planned Inspection (GPI) by S/W: Weekly
- Senior Manager Visit (SMV) Inspection by SM/M: Quarterly
- Hazard Hunts (HH) by (S/W): Weekly

b) Further review of the company procedure also identified the participation of all level of employee including managers, supervisors and workers in the inspection programs. Example of inspection required for different employee levels are stated as :

- General planned Inspection (GPI) - required to be performed by supervisor and workers
- Senior Managers Visits (SMV) inspection - required to be performed by senior manager and managers

For verification, the auditor conducted sample review from 12 months of SMV inspections /general planned inspection and hazard hunt records. The records showed that employees at all levels participated in accordance with the FieldCore Inspection procedure requirements.

Sample results revealed the follows participations as:

- SMV - 8/8 Senior Managers/Managers (SM/M)
- HH & GPI - 11/11 Supervisors (S)
- HH & GPI - 11/11 Workers (W)

7.2 Are checklists or forms used for formal inspections? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of completed inspection checklists or forms.

An inspection checklist or form customized to the scope of the inspection must be in place and in use. Checklists may be work site, department, operation-specific, employee observation, etc.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of FieldCore Audit and Inspection Procedure identified that it includes defined inspection checklists and associated inspection tools (e.g., Gensuite) for various inspection types and categories, including but not limited to:

- Field General Plan Inspection (GPI) – Checklist: FC-GL-EHS-MAN-0301-F2 (Tab Z)
- Hazard Hunts – Checklist: FC-GL-EHS-MAN-0301-G1
- Senior Manager Visit (SMV) – Checklist: FC-GL-EHS-MAN-0101-F1 (via Gensuite inspection tool)
- EHS Project & Services Plan Compliance – Checklist: FC-GL-EHS-MAN-0301-F1 (via Gensuite inspection tool)
- Office GPI – Checklist: FC-GL-EHS-MAN-0301-F7
- Putting People to Work Safely – Checklist: [specific form reference, if applicable]

In addition, other operations- and work area-specific formal inspections are supported by dedicated checklists, including:

- Housekeeping inspection checklist
- Dropped Object Prevention checklist – FC-GL-EHS-SAF-0714-F2
- Scaffold Inspection checklist – FC-GL-EHS-SAF-0714-F3 (Tab HH)
- ITH Inspection checklist – (Tab X2)

Upon further review, the auditor confirmed compliance based on the GPI (Tab Z) and the Putting People to Work (P2W)

Inspection Checklists, including both completed examples and blank templates. In particular, the P2W checklist is designed to address the 10 key steps required to safely place employees at customer sites, including:

- Receipt of approved work
- Assessment of the workplace and work scope
- Identification of required resources (e.g., qualified/trained personnel, fitness for duty)
- Risk assessment and documentation of controls (e.g., formal hazard assessments, chemical risk evaluations, lift plans)
- Authorization to work (e.g., safe work permits)
- Pre-job brief (e.g., toolbox talks)
- Site-specific hazard assessment (e.g., SWAT)
- Execution and monitoring of the work scope (e.g., changes in scope or conditions, safety concerns, housekeeping)
- Scope completion (e.g., permit return at end of shift)
- Post-job brief (e.g., identification of improvement opportunities for subsequent shifts)

STRENGTHS

FieldCore has implemented robust, risk-focused inspection and audit programs tailored to its high-risk operations. In particular, the Putting People to Work Safely (P2W) audits and Life Saving Rules (LSR) effectiveness audits are viewed as good practice. P2W audits apply a real-time Plan-Do-Check-Act approach to verify the effective implementation of the company's 10-step process for safely putting employees to work, while LSR effectiveness audits enable senior management to monitor and reinforce consistent application of the nine Life Saving Rules across high-risk activities. Together, these tools enhance the effectiveness of inspection processes, strengthen critical risk control oversight, and reinforce the overall safety management system.

7.3 Have individuals leading formal inspections received training? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of inspection and training records.

Identify employees leading inspections and verify they have completed training.

Points are awarded based on percentage positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Based on a review of employee training records in the LMS Curriculum Completion Tracker, in conjunction with the EHS Core Training Matrix, the auditor sampled 20 field employees (Field Engineers) to verify completion of the required inspection training for course GE-EHS-538. A positive finding was noted: all applicable employees in the sample (14 of 14) had successfully completed the required inspection training course.

7.4 Are formal inspections carried out in accordance with the policy and/or process:		Method	Percentage	Points
	a	Documentation	100%	5/5
	b	Documentation	100%	5/5
	c	Documentation	100%	5/5
	d	Documentation	100%	5/5

GUIDELINES

Verified by review of inspection records.

a. The frequency in the policy and/or process is being met for all areas of the operation.

b-d. Records must show participation from each level stated in the policy and/or process is being met (question 7.1).

If 7.1 is awarded no points, this question is scored 0. If the employer does not have managers or supervisors, one of these levels can be marked as n/a.

Points are awarded based on percentage positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of sampled completed inspection reports was conducted by the auditor to verify compliance with the applicable inspection requirements.

a) Inspection Frequency for all areas of operations.

A positive finding was identified: the required inspection frequency for all areas of company operations (e.g., fixed facilities/offices, field/customer sites) was met. This was confirmed through documentation sampling, with the following results:

- Edmonton Office: 5 / 5
- [SCE]: 5 / 5
- [LL]: 5 / 5

b-d) Employee Participation in Formal Inspections

The auditor's compliance verification confirmed that the requirement for active participation of all levels of employees—including managers, supervisors, and workers—in formal inspections, as stipulated in the FieldCore inspection procedure, was met.

This was supported by documentation sampling for clauses 7.4b–7.4d, with full compliance at all sites:

- 7.4b: Edmonton Office [5 / 5], [SCE] [5 / 5], [LL] [5 / 5]
- 7.4c: Edmonton Office [5 / 5], [SCE] [5 / 5], [LL] [5 / 5]
- 7.4d: Edmonton Office [5 / 5], [SCE] [5 / 5], [LL] [5 / 5]

7.5 Do management inspections include a component of employee observation? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by senior manager/manager interviews.

Senior managers/managers must be able to describe how they include observations of OHS behaviors and conditions during their inspections.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Interview responses from senior managers and managers confirmed that the management inspection/audit process includes a strong component of employee observation. Respondents indicated that their inspections involve actively observing how workers perform assigned tasks, including:

- Assessing workers' behaviors and adherence to safe work practices
- Verifying completion and use of risk assessments (e.g., pre-job hazard assessments)
- Checking proper selection and use of tools/equipment
- Confirming correct use of required PPE and other legislated and company HSE controls

Interviewees further indicated that when non-compliance or unsafe acts are observed, they intervene immediately—up to and including stopping the work—to correct unsafe behaviors and prevent workers from putting themselves or others at risk. These responses collectively verify that management inspections are used not only to check compliance, but also to observe and influence safe worker behavior in the field.

7.6 Is there a system to correct deficiencies identified through formal inspections? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by manager/supervisor interviews.

Interviewees must be able to describe how they ensure deficiencies identified through formal inspections will be corrected.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/examples.

FINDINGS / NOTES

From interviews: Response from manager and supervisor interview identified that management uses both direct intervention and formal tracking systems to ensure inspection findings are effectively addressed and closed. Positive response confirmed that managers/supervisors reported that they actively engage responsible parties—including customer personnel where

applicable—to ensure issues are properly addressed and corrected. Examples of deficiency resolution methods described during interviews include:

- Immediate verbal communication and on-the-spot intervention: Issues identified during site visits are discussed and, where possible, corrected immediately with the site team.
- NCR tool: Used to record and track quality-related deficiencies until they are resolved.
- Action Tracking System (Gensuite ATS): Used to escalate, document, and track open health and safety concerns, inspection findings, and corrective actions through to closure.

7.7 Have deficiencies identified through formal inspections been corrected? (0-25 points)	Method	Percentage	Points
	Observation	100%	25/25

GUIDELINES

Verified by observations.

Observe whether sampled deficiencies identified in the inspection reports have been corrected.

Points are awarded based on the percentage of positive indicators from observations. Where no deficiencies are identified or not observable, this question may be marked not applicable (n/a). Provide justification.

Provide details/examples.

FINDINGS / NOTES

From observations: Through the site observation tours, five previously identified deficiencies in physical conditions were confirmed as having been rectified at three separate worksite locations Examples of verification activities included:

1. CNOOC LL Site (GPI / Worksite Inspection – September 8, 2025)

- Inspection Finding: Mold found inside tool containers.
- Corrective / Preventive Action: Affected containers were removed from site for mold cleaning and decontamination, then returned with a certificate of completion. Sampling was conducted to confirm effectiveness.

2. HR Milner Site: Observations confirming corrective actions included:

- A recharged fire extinguisher mounted on the customer-provided forklift, addressing the CAPA from the September 20, 2025 inspection.
- Installation of a plywood board behind the tool container stored on the GT platform deck, as required to correct the previously noted deficiency.

3. SCE Site: Observations confirming corrective actions included:

- A traffic mirror installed at the intersection, implementing the CAPA from the September 24, 2025 site inspection.
- A temporary light installed at the site entrance off HWY40/Petrolia Lane, addressing the inspection finding from September 25, 2025.

8 | EMERGENCY RESPONSE

An emergency response plan helps ensure appropriate and efficient actions will take place in the event of an emergency or disaster.

8.1 Have written emergency response plans been developed for potential emergencies? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of emergency response plans applicable to the operations.

Emergency response plans should be specific to the employer including those required by legislation (Alberta) or federal legislation for federally regulated employers. Examples of potential emergencies to consider could include:

- Fire
- Severe weather
- Medical emergencies
- Hazardous materials release
- Violence
- Suspicious persons
- And other situations appropriate for the nature of the work being performed

Provide details/examples of emergencies identified.

Points are awarded based on the percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of FieldCore's current Emergency Response Plan (FC-GL-EHS-MAN-0401-F1), in conjunction with the Emergency Response Procedure (FC-GL-EHS-MAN-0401), confirmed that the company meets the applicable requirements. This positive finding verified that the following types of emergencies are appropriately addressed within the procedure and plan:

- Severe weather (e.g., lightning, heat wave, wildfire, flood, snowstorm, tornado, high winds)
- Fire, explosion, and earthquake
- Medical emergencies
- Confined space emergencies
- Lockout/Tagout (LOTO) situations
- Hazardous materials/chemical incident or release
- Natural disasters
- Utility failures
- Lone working situations
- Work at height

8.2 Do written emergency response plans include:		Method	Percentage	Points
a) Communication systems? (2 points)	a	Documentation	100%	2/2
b) Emergency phone numbers? (2 points)	b	Documentation	100%	2/2
c) List of emergency response personnel? (2 points)	c	Documentation	100%	2/2
d) Appropriate response? (2 points)	d	Documentation	100%	2/2
e) Monitoring the effectiveness of the plan? (2 points)	e	Documentation	100%	2/2

GUIDELINES

Verified by review of emergency response plans and/or procedures.

- Communication systems include alarms, procedures for contacting both internal and external emergency contacts, etc.
- Emergency phone numbers must include more than “9-1-1.”
- A list of persons designated to respond to specific types of emergencies.
- Appropriate employee response procedures must be written for all potential emergencies that require them (e.g., Evacuation, lockdown, muster point, shelter in place, equipment, etc.).
- A requirement to monitor the effectiveness of the plan through drills and actual responses.

Notes must include examples of auditor findings to support the scores for each part of the question.

Points are awarded based on 100% positive indicators from documentation for each sub-point.

Provide details/examples.

FINDINGS / NOTES

From documentation: The audit review of the FieldCore Emergency Preparedness Procedure (FCGL-EHS-MAN-0401) and sampled worksite Emergency Response Plans (ERPs) confirms that all five evaluation criteria are fully met. The procedure and ERPs were found to be appropriate and effective for the company’s various operational locations, including customer sites, as demonstrated by the following:

- Emergency Communication Systems:* All four sampled ERPs clearly define the communication systems to be used during emergencies, including:
 - Radios and telephones for internal/on-site communication
 - Telephones for external communication
 - Air horns as an audible alarm system to initiate site evacuations
- Emergency Numbers and Communication Channels:* The reviewed plans specify emergency phone numbers and communication channels, such as:
 - 911 for external emergency medical and fire services
 - Designated radio channels and/or phone numbers for on-site emergency coordination: For example, at the LL site:
 - Site ERT 24/7 dispatch: 780-334-3911
 - 911 for external services
 - Plant radios on Channel 1
 - Radios are also identified as the means to issue the “all clear” following an evacuation.
- Designated Emergency Contacts:* Similarly each of the reviewed site emergency response plans included list of emergency contact personnel. Examples includes:
 - Site ERT lead / Emergency Coordinators
 - Site Security/ Security Supervisor
 - On-Duty Nurse/Paramedic; On- duty Firefighter
 - Plant Manager /Plant Operator

- Environmental Coordinator - (for Spill response)

d) Each reviewed ERP includes a list of designated emergency contact personnel and/or the emergency coordination center responsible for directing and overseeing the response. For example: At the SCE site, Section 2.0 of the Site Emergency Plan (SCEC_ERP_revMar25/24) contains a muster point diagram that identifies:

- Emergency shelter-in-place locations
- Assembly areas
- Meeting/collection points

e) *Drills and Effectiveness Evaluation* : In accordance with Sections 2.6 and 2.8–2.9 of Procedure FC-GL-EHS-MAN-0401, the effectiveness of the Emergency Preparedness Procedure shall be assessed through scheduled emergency drills and exercises. **These exercises may include full-scale actual emergency responses**, tabletop/desktop simulations, or virtual drills, and shall be conducted at least once per year.

STRENGTHS

FieldCore has implemented a strong emergency preparedness and response program that includes a global security alert system. This system ensures that all employees traveling or working at any location are proactively notified—via mobile and/or email—of impending or emerging threats relevant to their location, including:

- Extreme weather events
- Environmental incidents
- Security threats
- Public disturbances

This capability supports the protection of employees regardless of where they are working and contributes to the continual improvement of the company’s health and safety management system by enabling timely, risk-informed decisions and responses.

8.3 Have employees received emergency response training appropriate to their individual responsibility? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Interviewees must be able to describe the type of training they received in emergency response. Examples include first aid, fire warden, in house, industry specific, incident command system, etc.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interviews indicate that personnel are adequately trained in emergency response procedures relevant to their current roles and potential assignment-related exposures. Interviewees confirmed that all employees are required to complete the mandatory EHS Awareness Overview (GE-EHS-260) course, which covers key emergency response elements, including:

- Site emergency phone numbers
- Locations of fire extinguishers
- Types of facility alarms and their meaning
- Employee roles and responsibilities in the emergency response plan

- Designated muster points
- Steps to follow during different types of emergencies

Interview responses also verified that all employees receive emergency response–related training appropriate to their assignments, including both internal (in-house) and customer site–specific emergency response courses. Examples of in-house training completed by all employees include:

- Standard First Aid with CPR and AED (SJA)
- Annual Portable Fire Extinguishers Course (GE/EHS/545)
- Extreme Temperature Awareness (GE/EHS/315)
- Travel, Health, Safety, and Security Awareness (GE/EHS/645)
- Emergency Preparedness and Fire Prevention (GE/EHS/290) – including alarm systems, evacuation routes, fire prevention measures, muster points, and environmental protection requirements

8.4 Do employees understand their responsibilities under the emergency response plan? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews

Interviewees must be able to describe how they would respond in the event of an emergency.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interview responses indicated that they have a clear and adequate understanding of their roles under the site’s emergency response plan and processes. Employees positively identified that their responsibilities include:

- Being familiar with the site’s emergency response plan
- Knowing the different types of facility alarms and their meanings
- Knowing the locations of fire extinguishers
- Knowing the locations of designated muster points
- Knowing the steps to follow during different types of emergencies
- Complying with instructions from authorized emergency responders/EMTs during an emergency
- Ensuring adequate arrangements are in place for emergency resources to manage potential emergency situations
- Ensuring emergency equipment is inspected, tested, and maintained in a timely manner
- Assuming the role of first emergency responder, or assigning this role to a more qualified person when appropriate
- Being familiar with the site’s emergency contact numbers
- Understanding their specific roles and responsibilities within the emergency response plan

8.5 Are emergency response drills conducted? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of records.

Records of drills must be kept. Drills are required at least once every 12 months applicable to the operations. If records cannot be found from the past 12 months, points cannot be awarded.

An emergency response drill could include a practice drill or tabletop exercise. (e.g., evacuation, lockdown, shelter in place, etc.).

A drill type may cover multiple emergency response plans. For example, an evacuation drill might address multiple scenarios including a fire, hazardous material release, bomb threat, etc.

Actual emergency responses cannot be used as a drill for scoring this question.

Points are awarded based on the percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of FieldCore Emergency Response Procedure (ERP) requirements confirms that drills are required at least annually for all manned fixed facilities and/or project sites. Finding: The auditor reviewed emergency response drill records for the Edmonton TC and compared them against the FieldCore ERP requirements. It was verified that emergency response drills have been conducted quarterly (three drills recorded) for the Edmonton Office. For example: The most recent drill was completed on August 7, 2025. This practice meets and exceeds the minimum ERP requirement for annual emergency response drills at manned fixed facilities.

8.6 Have deficiencies in the emergency response plan identified through a drill been corrected? (0-5 points)	Method	Percentage	Points
	N/A		

GUIDELINES

Verified by review of documentation.

Review drill records, meeting minutes, etc. for documented deficiencies. Confirm any corrective action(s) were completed.

Notes must contain examples of the findings from records of drills, and how deficiencies were corrected.

Points are awarded based on percentage of positive indicators.

This question may be marked not applicable (n/a) only if deficiencies were not identified from drills. Provide justification.

If points have not been awarded in question 8.5, then 0 points must be awarded for this question.

Provide details/examples.

FINDINGS / NOTES

From documentation: A review of the company's completed emergency response drill records indicated that no deficiencies were identified in any of the three documented drill exercises. For verification, the auditor reviewed all three available ERP drill records (including quarterly fire drills) and confirmed that no deficiencies were noted. Consequently, this question was determined to be not applicable for the purposes of the audit.

8.7 Have deficiencies in the emergency response plan identified through an actual emergency response been corrected? (0-5 points)	Method	Percentage	Points
	N/A		

GUIDELINES

Verified by review of emergency response documentation.

Notes must contain examples of how identified issues were corrected.

Points are awarded based on percentage of positive indicators.

If an actual emergency response has not occurred, or deficiencies were not noted in the past 12-month period, the question may be marked not applicable (n/a). Provide justification.

Provide details/examples.

■ FINDINGS / NOTES

From documentation: A review of the available emergency response records and documentation determined that this item is not applicable. No actual emergency events were recorded in the past 12 months; therefore, no applicable deficiencies could be identified or reported.

8.8 Do the numbers of employees trained in first aid meet legislated requirements? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Refer to legislation (Alberta) or federal legislation if federally regulated employers, and review first aid certificates. To award points, the auditor must verify that legislated first aid requirements have been met across all shifts.

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: A review of employee training records confirmed that applicable legislative first aid training requirements are being met. Based on the nature of the company's operations, the number and type of employees holding first aid certification meet the required criteria.

The auditor reviewed training records and the Learning Management System (LMS) for all 11 employees (5 office-based and 6 field-based), against Alberta OHS requirements. The review showed:

- 5/5 office employees hold valid Standard First Aid with CPR/AED certification
- 6/6 field employees hold valid Standard First Aid with CPR certification

8.9 Do first aid equipment, supplies and facilities meet legislated requirements? (10 points)	Method	Percentage	Points
	Observation	100%	10/10

GUIDELINES

Verified by observation.

Equipment, supplies and facilities must meet the identified legislative requirements (Alberta) or Federal legislation for federally regulated employers

The auditor must verify that legislated first aid obligations have been met at all visited sites and facilities.

Points are awarded based on 100% positive indicators from observations.

Provide details/example(s).

FINDINGS / NOTES

From observations: During the site observation tour, the auditor inspected first aid equipment, supplies, and facilities that were physically accessible at the time of the visit. Observations were assessed against the applicable provincial first aid requirements for each site location. Example of observation findings includes:

Office Location (Alberta):

- First aid equipment, supplies, and facilities were present and accessible.
- Two CSA Type 2 first aid kits were available and met Alberta OHS requirements.
- An inventory list of contents was attached to the kits, along with a signed monthly inspection tag dated 30-Aug-2025, confirming regular inspection and maintenance.

Project Sites (Alberta/Ontario):

- All three customer/project sites were equipped with valid and inspected AED devices and clearly identified first aid stations, including CSA Type 3 first aid kits.
- Trained first aiders/paramedics were available at each site.
- First aid supplies at these locations met or exceeded the applicable Alberta and Ontario OHS requirements.

Based on the site observations, first aid equipment, supplies, and facilities at both the office and project locations are adequately provided, regularly inspected, and in compliance with, or exceeding, the relevant provincial regulatory requirements.

Investigations determine the cause(s) of an incident, and the corrective action(s) required to prevent recurrence.

9.1 Is there a process that requires the reporting of incidents (including near miss), occupational illness, and work refusals? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

A process must require the reporting of incidents (including near miss), occupational illness, and work refusals to award full points. These must include both internal and external reporting (e.g., OHS, WCB, etc.).

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Based on the auditor documentation review, including the company procedure EHS Incident Management v5.0 (FC-GL-EHS-MAN-0302), associated Appendices A–F, and the Incident & Illness Management (Gensuite) tool, it was verified that the documented requirements are being met. Positive finding identified the following strengths in the incident management procedure and supporting program:

1. Comprehensive Incident Reporting and Classification :- The procedure clearly defines the requirement to report and classify all relevant events within the stipulated timelines, including:
 - All accidents (Levels A, B, C, D)
 - Near misses, including Process Safety Events (PSE)
 - Occupational illnesses
 - Safety concerns, including STOP WORK events
2. Defined Communication Requirements and Timelines:- Tables 1 and 2 of the EHS Incident Management v5.0 procedure clearly specify:
 - Internal notification and escalation requirements
 - External reporting obligations to relevant authorities (e.g., OH&S, WCB, OSHA)
 - Associated timelines for both internal and external communication

Overall, the documented system for incident and illness management is robust, clearly defined, and aligned with internal corporate requirements and external regulatory expectations.

STRENGTHS

FieldCore has established a mandatory process requiring that all health and safety incidents—regardless of actual or potential severity—are investigated using a structured, systematic methodology. This is considered a good practice, as it ensures that:

- Each incident is treated as a learning opportunity.
- Lessons learned are consistently identified, documented, and communicated.

- Resulting corrective and preventive actions are used to enhance employee health and safety and to support continual improvement of the Occupational Health and Safety Management (OHSM) system.

9.2 Can employees explain the reporting procedures for incidents (including near miss), occupational illness, and work refusals? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Interviewees must be able to explain the process for reporting incidents (including near miss), occupational illness, and work refusals.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interviews confirmed that personnel have a clear and consistent understanding of both initial and follow-up incident reporting requirements for all incident types.

Employees described using multiple channels for reporting, including verbal and electronic methods (e.g., phone call, email) to their direct manager and/or safety manager, within the defined timelines (e.g., within 2 hours for initial notification), based on incident severity.

Examples of responses included:

- Immediately reporting all health and safety incidents (including near misses, occupational illnesses, and work refusals) to their direct supervisor, senior site representative, site safety advisor, or FieldCore representative as soon as the incident occurs.
- Completing follow-up reporting by submitting details of incidents, near misses, and work refusals through FieldCore's system of record (e.g., Gensuite).
- On project sites, documenting all incidents (including near misses, occupational illnesses, and injuries) using the FieldCore incident reporting template and submitting it to the safety manager or direct manager for review.

9.3 Are employees reporting incidents, occupational illnesses and work refusals? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Review completed incident, occupational illness, and work refusal reports that support reporting is taking place.

Points are awarded based on 100% positive indicators from documentation.

This question may be marked not applicable (n/a) if there were no incidents in the previous 12 months. Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of extracts from the company's EHS system of record confirmed that health and safety incidents are reported and recorded in line with corporate requirements. The auditor examined incident records from the FieldCore EHS system (Gensuite portal) and verified that multiple incident types, including safety-related stop work events, were captured over the past 12 months, specifically:

- 1 x First Aid investigation report – Jan 21, 2025
- 1 x Property/Equipment Damage report – Mar 06, 2025
- 1 x Stop Work (Work Refusal) report – Oct 01, 2024

Review of the above confirmed, across all three (3/3) sampled reports, that the prescribed incident reporting templates and systems were consistently used for these events in accordance with the company's incident management procedure, including:

- Initial Event and EHS Event Report-Out Template – FC-GP-EHS-003-002-Att1 (RCA Report)
- Project & Services EHS Plan – EHS Incident Investigation Report (Tab DD)
- FieldCore Gensuite Tool (online portal).

Further review of the company's incident records indicated that no occupational illnesses have occurred or been reported in the past 12 months.

9.4 Are employees reporting near misses? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

Review completed near miss reports to support that reporting is taking place.

Points are awarded based on 100% positive indicators from documentation.

If the employer is considered low hazard AND did not have a near miss in the previous 12 months, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Audit review of incident documentation for the month included an examination of Near Miss reports from various customer project sites, such as:

- Dropped impact tool (Near Miss) – April 21, 2025

For all sampled events, investigation reports were completed and corrective actions were documented using the designated company form (EHS Tab DD) and the Incident & Illness Reporting tool (Gensuite). Follow-up actions and incident closure were also recorded and managed in Gensuite.

Based on the auditor's review, the requirements of this criterion are met. All sampled Near Miss reports were properly documented by using the company designated EHS Tab DD form and processed through the Gensuite system.

9.5 Is there a procedure for investigating incidents (including near miss), occupational illness, and work refusals? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

The procedure must include:

- how to investigate incidents (near misses), occupational illness, work refusals
- how to identify root causes
- the requirement to implement corrective actions

Points are awarded based on 100% positive indicators from documentation.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of FieldCore's incident management procedure-FC-GL-EHS-MAN-0302 confirms that systematic methodologies are applied to conduct root cause analysis (RCA) for all company-related incidents including occupational injuries /illness, near misses and work refusal events. Key points observed:

a) FieldCore applies Taproot and/or 5Why methodologies to:

- i) investigate all Level A, B, C, and D incidents
- ii) identify root causes
- iii) develop and document corrective actions.

b) Near-miss events—including Potential Severe Events (PSE), occupational or work-related illnesses, and work refusals (i.e., Stop Work events)—are also investigated using TapRooT for higher-severity cases and 5Why for lower-severity cases.

Examples include:

At all the projects sites (LL/HR Milner/SCE)- documentation shows that field employees are required to comply with company policy for reporting all incident types and categories. As outlined in the FieldCore Incident Management Procedure, the site incident investigation reports reviewed (Section 9.3) consistently included:

- i) incident description
- ii) incident category
- iii) internal and external communications
- iv) root cause
- v) required corrective actions.

In the event of an incident, the field team (Lead TFA/Site EHS representative) completes the EHS Tab DD form, attaches relevant supporting documentation, and submits it to the EHS Manager. The EHS Manager then leads the investigation using an approved RCA technique (e.g., 5Why or Taproot).

9.6 Have the individuals leading investigations been trained in investigation techniques? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of completed investigation records and training records.

Review training records of individuals who have completed investigation reports and confirm they have received training.

Points are awarded based on the percentage of positive indicators. If third party investigators are brought in, full points may be awarded, but documented evidence of this must exist.

Provide details/example(s).

FINDINGS / NOTES

From documentation: A review of FieldCore's employee training records, aligned with the RACI matrix for the Incident management procedure, identified that the personnel designated to lead investigations have been duly trained as required.

Verification was performed through a sample review of training certificates for employees assigned to lead investigations. All 7 of 7 sampled employees had completed one or more of the following investigation-specific trainings:

- Taproot® Root Cause Analysis
- Basic Investigation Techniques
- FieldCore in-house – Incident Analysis (GE-EHS-110)
- FieldCore in-house – Injury & Illness Recordkeeping (GE-EHS-CEP-19)

9.7 Do managers/supervisors participate in investigations? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by manager/supervisor interviews.

Not all managers/supervisors need to actively participate in incident investigation. However, all must be able to describe managers/supervisors are involved in the investigation process.

If the organization does not have supervisors, this question can be asked to only managers.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Interview evidence indicates that managers and supervisors are aware of, and able to articulate, their responsibilities under the FieldCore Incident Management Procedure. Overall, interview evidence demonstrates that managers and supervisors are aware of, and engaged in, their incident management responsibilities. Examples of responsibilities described included:

- Acting as the primary point of contact for the incident location
- Ensuring that all incidents are reported and investigated in a timely manner
- Participating in regular reviews of incidents at the relevant worksite
- In the event of a PSE or serious incident, attending the site as soon as practicable
- Ensuring prompt implementation of remedial actions to make the site safe
- Supporting the assignment and follow-up of investigation corrective actions

9.8 Do workers participate in the investigation process? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by worker interviews.

Not all workers need to actively participate in the incident investigation process. However, all workers must be able to describe how workers participate in the investigation process.

Note: Participation must be more than the injured worker or witness.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Interview responses from workers indicated that they are actively involved in the incident investigation process in accordance with established practices. Examples of worker involvement described included:

- Providing accurate and complete information to investigators during the evidence-gathering phase (e.g., incident timelines, documentation, witness statements)
- Participating as subject matter experts (SMEs) based on their knowledge of the relevant work scope, tasks, and procedures
- Collaborating with site leadership and investigators in determining the root causes of incidents
- Contributing to the identification and selection of appropriate corrective actions

9.9 Do investigations:		Method	Percentage	Points
a) Identify underlying factors? (0-5 points)	a	Documentation	100%	5/5
b) Recommend corrective actions? (0-5 points)	b	Documentation	100%	5/5

GUIDELINES

Verified by reviewing completed investigation reports.

- Investigations must identify the underlying factors (root causes) resulting from deficiencies in the health and safety system.
- Corrective actions must be designed to implement system changes that will prevent reoccurrence. (e.g., Advising employees to “be more careful” is not an acceptable corrective action.)

Points are awarded based on the percentage of reviewed investigation reports that identify causes and recommend corrective action.

If there have been no investigations required in the previous 12 months, refer to blank investigation forms or the investigation process.

Provide details/example(s).

FINDINGS / NOTES

From documentation: The auditor verified the implementation and effectiveness of the incident investigation process through review of the following completed incident records:

- Near Miss – dropped impact tool (dropped object), dated 21-Apr-2025
- First Aid – motor vehicle accident, dated 21-Jan-2025

Document review confirmed that causal factors—including immediate and root causes—and associated corrective actions were appropriately identified, analyzed, and documented in both cases.

a) The auditor’s review of the above sampled investigation reports confirmed that root causes (i.e., underlying factors) were identified for both (2/2) investigations. Examples of identified root causes included:

- Inadequate hazard assessment
- Improper securement practices
- Poor housekeeping practices
- Improper tool selection (use of an inappropriate tool for the task)

b) Similarly, the auditor’s review of the above sampled investigation reports confirmed that corrective actions were identified and assigned for both (2/2) investigations. Examples of documented corrective actions included:

- Provision of refresher hazard assessment training for the employee
- Provision of suitable tool-securing lanyards and reinforcement of their use during toolbox talks
- Site supervisor to inspect tool storage areas and rearrange tools away from leading edges
- Supervisor to specify and provide safer tool such as closure top canvas tool bag for the employee’s ongoing and future use

Overall, the records reviewed confirmed that incident investigations are being completed with adequate consideration of causal factors and that corrective actions are defined to address identified root and contributing causes.

9.10 Implementation of corrective actions:		Method	Percentage	Points
a) Are corrective actions identified in investigation reports implemented to prevent reoccurrence? (0-5 points)	a	Documentation	100%	5/5
b) Are corrective actions identified in investigation reports implemented to prevent reoccurrence? (0-10 points)	b	N/A		

GUIDELINES

Verified by review of documentation and observing results of corrective actions implemented.

If corrective actions include administrative controls, implementation may be confirmed through documentation (e.g., training, memos, safety bulletins, etc.).

For corrective actions that are observable, award points that confirms implementation compared to the corrective actions identified.

Score:

- 0-5 points for documentation
- 0-10 points for observation

Documentation points are awarded based on the percentage of corrective actions reviewed in question 9.9b that can be verified as implemented.

Observation points are awarded based on the percentage of implemented observable corrective actions reviewed in 9.9b.

If corrective actions are not observable, the observation portion of this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of the corrective actions associated with the sampled incident reports referenced in Question 9.8 confirmed that all specified actions had been implemented and closed in accordance with requirements. Evidence of effective implementation included:

- Motor Vehicle Accident (MVA) – dated 25-Jan-2025: An EHS alert related to the incident was developed, distributed, and discussed with sub-regional employees on 20-Mar-2025 during the monthly employee meeting. This was verified through review of the meeting agenda and minutes.
- Near Miss – dropped object (dated 21-Apr-2025): Closure-top canvas tool bags, identified as a corrective measure, were confirmed as provided through review of the current tool container inventory maintained at the Tool Center.

Further review of the above investigation reports confirmed that all five (5) identified corrective actions were duly assigned and correctly implemented as required.

From observations: Observation during worksite tours confirmed that several corrective actions were physically implemented and in use. Examples observed included:

- Use of closure-top canvas tool bags during work-at-height activities
- Installation and use of safety netting on scaffolds and fixed platforms, including properly installed platform railings
- Placement of plywood boards on grating floors and scaffold decks/rails in areas where toolboxes are located
- Demonstration of good housekeeping practices within the work areas

9.11 Are investigations completed in a timely manner? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of investigation reports.

Consider the complexity of the investigation to determine timeliness (i.e., length of time that the investigations were completed in relation to the date of the incident).

If no investigations have been required in the previous 12 months, review the process to determine that the employer indicates timeliness.

Points are awarded based on percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of sample incident investigation reports confirmed alignment with company procedural requirements. Two investigations from the past 12 months were examined:

- First Aid (Motor Vehicle) – staff – 01/21/2025
- Near Miss – Dropped impact tool – 04/21/2025

Both investigations were completed within 72 hours in accordance with procedural requirements. For example, the investigation for the First Aid (Motor Vehicle) incident was completed and signed off using the 5-Why Root Cause Analysis technique within 72 hours, on 01/23/2025.

9.12 Do managers/supervisors ensure investigations are complete as required by the investigation procedures? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of investigation reports.

Investigation reports should be complete, including identifying causes and implementing corrective actions as outlined in the investigation procedure verified in question 9.5.

Points are awarded based on percentage of positive indicators.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Review of two (2) sampled investigation reports against the FieldCore Incident Management Procedure confirms that managers and supervisors are consistently ensuring that incident investigations are completed as required. The procedure specifies that managers/supervisors must ensure:

a) Investigations are conducted for all incidents, including:

- Injuries
- Potential severe events
- Near misses
- Stop work events
- Harm to people
- Environmental harm
- Property damage

b) Investigation reports are reviewed and approved/signed by the appropriate manager or supervisor (e.g., Project/Outage Manager and/or Supervisor).

c) Corrective actions are assigned to responsible owners, given target completion dates, and tracked to closure using the Gensuite action tracking system.

For verification, the auditor reviewed two (2) completed investigation reports (referenced in Question 9.11), both of which confirmed that managers and supervisors are fulfilling their responsibilities in accordance with the company's investigation procedures.

Positive evidence included that all sampled investigation reports (e.g., Tab DD):

- Were fully completed in accordance with procedural requirements; and
- Had been reviewed, dated, and signed by the Project (Outage) Manager, Supervisor, and EHS Manager.

9.13 Are completed investigation reports/results communicated to employees? (0-10 points)	Method	Percentage	Points
	Interview	100%	10/10

GUIDELINES

Verified by employee interviews.

Interviewees must be able to describe how investigation results are communicated.

Points are awarded based on the percentage of positive responses.

Provide details/example(s).

■ FINDINGS / NOTES

From interviews: Employee interviews indicated that staff were able to clearly describe how investigation results are communicated to them. Examples of communication methods provided included:

- Regional monthly staff/employee meetings
- Direct discussion during Toolbox Talk (TBT) meetings
- Weekly safety meetings
- Company monthly engineering bulletins (PSSB)
- EHS alerts
- RCA read-across communications and associated action assignment processes
- Health and safety publications on the FieldCore EHS SharePoint portal (intranet)
- Monthly MOC bulletin /notices.

10 | SYSTEM ADMINISTRATION

System administration provides an evaluation of the overall effectiveness of the occupational health and safety management systems (OHSMS).

10.1 Is there a system to confirm:		Method	Percentage	Points
a) Management communicates health and safety issues to workers? (0-10 points)	a	Interview	100%	10/10
b) Workers can provide feedback on health and safety issues? (0-10 points)	b	Interview	100%	10/10

GUIDELINES

Verified by worker interviews.

- Interviewees must be able to describe how employees are advised of health and safety issues by management (e.g., newsletter, safety meetings, emails, posted bulletins, posters, etc.).
- Interviewees must be able to describe how they are able to offer feedback on health and safety issues (e.g., health and safety meetings, suggestion boxes, contacts with supervisor, etc.)

Points are awarded based on percentage of positive response.

Provide details/example(s).

FINDINGS / NOTES

From Interviews: Interview responses from senior managers, managers, and supervisors confirmed that they effectively communicate the company's health and safety issues to employees. As heard during the interviews, examples of diverse communication channels ensure that health and safety information is consistently and comprehensively disseminated throughout the organization include:

- Regional biweekly/monthly team and staff meetings
- On-site toolbox talks and weekly safety meetings
- Periodic companywide safety standdowns
- Regular email communications
- Annual safety week forums and surveys (e.g. the Glint Survey)

From Interviews: Worker interview responses validated the company's robust and efficient systems designed to consistently and promptly address health and safety feedback and concerns. Notable examples from worker interviews included:

- Team Meetings: Discussions during FieldCore Canada sub-regional and NAM regional teams' meetings with outage/site managers
- NAM Regional Monthly Staff Call : led by Company North America Regional General Manager
- Annual Surveys: Feedback gathered through the GEV FieldCore Safety Survey (Glint Survey)
- Concern Submission System: Safety concerns submitted via the company's EHS system of records (Gensuite tool)

10.2 Is health and safety information readily available to employees? (0-5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by employee interviews.

Health and safety information (e.g., hazards assessments, inspections, emergency response procedures, safe work practices/procedures, investigations, HSC meeting minutes, etc.) is readily available to employees.

Points are awarded based on percentage of positive responses.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Employee interview responses indicated that they have unrestricted access to all company essential health and safety information, including procedures and hazard assessments necessary for safe work performance. Some key examples of accessible resources mentioned included:

- Safety Procedures and Policies: Easily obtainable through the health and safety SharePoint portal
- Task Risk Assessments and Safe Work Procedures: Available in the GE method library, a comprehensive hazards assessment repository
- Health and Safety Notices: Clearly displayed on bulletin boards for immediate reference

STRENGTHS

A significant observation from the auditor's tour was the prominent display of all nine FieldCore Life Saving Rules (LSR) posters, each with clear and conspicuous pictographs, throughout the company's work areas, including employee workstations (e.g., turbine buildings) and common areas like lunchrooms and offices. Furthermore, these LSRs are incorporated into the company's Start Work Assessment Tools (SWAT), ensuring that workers are well-guided in assessing risks specific to their tasks.

This approach not only highlights the company's robust safety culture but also fosters greater awareness and adherence to the Life Saving Rules among employees and other worksite personnel, ultimately enhancing the overall health and safety of everyone involved with FieldCore's operations.

10.3 Are health and safety records/statistics analyzed to identify trends on at least an annual basis? (10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of documentation.

Health and safety records/statistics can be done in many different ways including company specific monthly, quarterly or annual health and safety reports, analysis of injury reports, or graphical reports of Health and safety statistics to show trends.

Notes must provide details/examples of the records/statistics being analyzed, and any trends/gaps identified by the employer.

Points are awarded based on 100% positive indicators from documentation.

Provide details/examples.

FINDINGS / NOTES

From documentation: A review of FieldCore’s health and safety statistic performance and EHS metrics records revealed that the company’s health and safety data are analyzed, generated, and shared on a weekly basis by the EHS leadership. An auditor’s verification review of the 12-month period (September 2024 to September 2025) confirmed that all data are analyzed and trended, as illustrated by the following examples:

- Monthly Recordable Injuries: Tracking the number of recordable injuries each month.
- Lagging Indicators: 12-Month Rolling I&I Rate: Presented in a graphical format to show trends over time.
- Year-over-Year Comparison: Analysis of total monthly recordable injuries comparing 2024 to 2025.
- Leading Indicators: Monitoring key performance indicators such as the number of inspections and audits.
- Stop Work Events: Total number of stop work events issued.
- Potential Severe Events (PSE): total number of potential severe events occurrence year to date

Example of some trends /gaps identified from FieldCore Canada EHS metrics (2024 vs 2025) included:

- Upward trends -Leading Indicators (# of EHS Compliance Inspections; #of Leadership LSR Effectiveness and Validation Audits; etc.)
- Zero (0) OSHA recordables injury month to month and YoY
- zero (0) potential severe event month to month and YoY

10.4 Is senior management/management held accountable for the implementation of the OHSMS? (5 points)	Method	Percentage	Points
	Interview	100%	5/5

GUIDELINES

Verified by senior manager and manager interviews.

Interviewees must describe their involvement in improving the performance of the OHSMS (including review, initiating improvements, and setting strategic direction) and how they are held accountable.

Points are awarded based on a minimum 80% positive interview results.

Provide details/example(s).

FINDINGS / NOTES

From interviews: Interview responses from senior managers and managers confirmed their clear understanding of their accountability and active involvement in improving the company’s health and safety management systems. Some positive responses that highlighted several key areas included:

- Performance Evaluations: Managers are held accountable through regular mid-year and annual performance evaluations.
- Setting Safety Targets: Managers are responsible for establishing sub-regional annual safety targets, such as leading indicators and incident and injury (I&I) rates, and reviewing these with their direct reports.
- Project Safety Targets: health and safety targets are set for projects and compare with performance results to ensure continuous improvement.

10.5 Is an OHSMS evaluation or action plan completed at least annually? (5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of previous evaluations.

Evaluations or action plans must be completed annually to support continuous improvement.

Points are awarded based on 100% positive indicators from documentation.

If the company did not perform a COR or SECOR audit or maintenance option the previous year, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: A review of FieldCore's assurance procedures and continuous improvement processes revealed that health and safety action plans and strategic priorities are developed annually by Regional EHS leadership and implemented across the NAM and Canada regions. Additionally, the review of the following documents verified the creation of actions with SMART (*Specific, Measurable, Achievable, Relevant, Time-bound*) completion timelines: i) FieldCore NAM 2024 & 2025 EHS Action Plans; ii) FieldCore Canada 2024 Internal COR Maintenance Audit Report and associated action plan documentation

Examples from the company's 2024 COR Maintenance Audit Action Plan with completion timelines includes:

- Develop a Terms of Reference (TOR) and rules of procedure to establish a company Joint Health and Safety Committee.
- Conduct a revision of FieldCore Harassment Policy and Workplace Violence Procedures
- Establish a Joint Health and Safety Committee consisting of FieldCore management and workers, in accordance with OHS legislation.

10.6 Are results from the OHSMS evaluation or action plan communicated to employees? (0-10 points)	Method	Percentage	Points
	Interview	88%	9/10

GUIDELINES

Verified by employee interviews.

Interviewees must be able to describe how the evaluation or action plan results are communicated to them.

Points are awarded based on percentage of positive responses.

If the company did not perform a COR or SECOR audit or maintenance option the previous year, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

■ FINDINGS / NOTES

From interviews: Employee interview responses confirmed that the majority of employees are well-informed about the various

communication channels used to share Occupational Health and Safety Management (OHSM) evaluation action plans. Positive responses highlighted the following methods:

- Email Communication: Supervisors send emails at the beginning of the year to inform employees about action plans and priorities.
- Sub-Regional Team Meetings: Action plans are discussed during the first sub-regional team meetings.
- Regional Staff Meetings: The corrective action plan from the 2024 COR audit was an agenda item and discussed during the Canada Regional Staff Meeting by the Regional EHS Manager.

Negative responses were received from a few employees who indicated they were either absent from the meetings where the results were shared or did not read/review the meeting minutes and emails related to this information.

SUGGESTIONS FOR IMPROVEMENT

An audit finding identified that some employees were not sufficiently aware of the results of the company’s most recent OHSMS evaluation or the associated action plan. It is therefore recommended that the company develop a clear action plan based on this audit and ensure it is widely communicated through existing channels, such as monthly staff meetings, announcements on the SharePoint (intranet) portal, and toolbox meetings at project sites.

Implementing this recommendation will not only improve employees’ understanding of audit results, but also enhance overall awareness, engagement, and effectiveness of the OHSMS.

10.7 Was a plan developed to address identified OHSMS deficiencies from the previous evaluation? (0-5 points)	Method	Percentage	Points
	Documentation	100%	5/5

GUIDELINES

Verified by review of documentation.

To award points for this question, a plan must have been developed to address deficiencies identified in the past year. A plan format must include:

- measurable action items,
- proposed completion dates, and
- individuals responsible for follow-up.

If the company did not perform a COR or SECOR audit or maintenance option the previous year, this question may be marked not applicable (n/a). Provide justification.

Provide details/example(s).

FINDINGS / NOTES

From documentation: Based on the review of the 2024 COR Internal Maintenance Audit Report and the associated action plan document, it was identified that a comprehensive action plan was developed.

Key elements of the action plan include:

- Corrective Actions: The plan consists of 11 corrective actions addressing deficiencies found in various audit elements.
- Measurable Action Items: Each action item is clearly defined and measurable.
- Proposed Completion Dates: Specific dates were set for the completion of each action.
- Responsible Individuals: Designated individuals are assigned for follow-up on each action item.

Examples from the company's 2024 COR Maintenance Audit Action Plan with completion timelines includes:

- Develop a Terms of Reference (TOR) and rules of procedure to establish a company Joint Health and Safety Committee: || Assign to: FC REHSM || Due Date: 09/30/2025 || Closure date: 09/17/2025
- Conduct a revision of FieldCore Harassment Policy and Workplace Violence Procedures: || Assign to: FC HR Compliance || Due Date: 09/30/2025 || Closure date: 04/30/2025
- Establish a Joint Health and Safety Committee consisting of FieldCore management and workers, in accordance with OHS legislation: || Assign to: FC REHSM || Due Date: 10/31/2025 || Closure date: 09/22/2025

10.8 Has the plan been implemented? (0-10 points)	Method	Percentage	Points
	Documentation	100%	10/10

GUIDELINES

Verified by review of documentation.

Verify if the items identified in question 10.7 have been initiated or implemented.

Points awarded are based on the percentage of items initiated and/or completed on the plan.

This question may be marked not applicable (n/a) if question 10.7 has been marked not applicable. Provide justification.

Provide details/example(s).

■ FINDINGS / NOTES

From documentation: A review of the company's 2024 COR Internal Maintenance Audit Reports documentation and associated Action Tracking Systems (ATS) confirmed the required action plan was developed. Further verification by the auditor identified eleven corrective actions, and a subsequent review confirmed that all 11 corrective actions were completed/closed.

Examples of completed corrective actions include:

- OHSMS Action: Completion of the Occupational Health and Safety Management System (OHSMS) action for the 2024 COR Internal Maintenance Audit.
- Term of Reference (TOR): Development of a documented Term of Reference to establish a company Joint Health and Safety Committee (JHSC).
- JHSC Establishment: Establishment of an active Joint Health and Safety Committee.
- Emergency Response Drill: Documentation of an emergency response drill for the Edmonton office.

CONCLUSION

I was pleased to carry out this internal maintenance audit on behalf of FieldCore Service Solutions Canada Company. I would like to extend my sincere thanks to everyone who supported the process, particularly Lisa, Andreas, Michel, David, and Paul for promptly providing the documentation and information required to complete the audit effectively.

The audit results indicate that FieldCore's management team demonstrates a genuine and ongoing commitment to the health and safety of its employees. Interview feedback confirmed that employees have observed a strengthened focus on health and safety from management over the past several years.

This audit should be viewed as part of a continuous improvement cycle rather than a one-time exercise. Sustaining a high level of priority on health and safety will be essential to further develop and enhance the program in the coming years. While the company's health and safety management system are robust and supports ongoing learning, the audit has identified few areas where improvements can be made. Addressing these gaps in a timely manner will further reinforce and strengthen FieldCore's overall health and safety management program.

A key requirement for maintaining the Certificate of Recognition (COR) and remaining eligible for WCB incentives was the completion and submission of this year's internal maintenance audit. This requirement has now been met. The focus should now shift to preparing for the external COR renewal audit scheduled for spring 2026, to ensure continued certification and performance.

Thank you once again for your cooperation, responsiveness, and support throughout this audit process.

Yours sincerely,

Solomon Airebamen |Internal Auditor

PRE-AUDIT LETTER / PLAN

a copy of the pre-audit letter / plan attached

■ LINKED DOCUMENTS

[COR pre-audit letter- 2025.pdf](#)

SUGGESTED DOCUMENTATION

Not Applicable

AUDITOR DISCLAIMER

AUDITOR CODE OF ETHICS AND DISCLAIMER STATEMENT:

The Audit was conducted with the utmost integrity, confidentiality and no conflict of interest. The facts stated in the audit have been recorded accurately and according to the information received at the time of the audit. The intent of the audit is to give guidance, enhance current programs and provide suggestions for improvement, not to undermine any current processes in place, or to assume liability for changes or use of the document for any reason other than the original intent. I agree to follow the standard Code of Ethics and to submit the audit within an acceptable time frame and address all deficiencies in a timely manner.

AUDITOR NAME	DATE
Solomon Airebamen	November 27, 2025

PRE-AUDIT MEETING AGENDA / NOTES / ATTENDANCE

a copy of the pre-audit meeting notes is attached

■ LINKED DOCUMENTS

[Pre Audit Meeting Agenda - 09.15.2025.pdf](#)

ORGANIZATIONAL CHART

see attached FieldCore Canada Services - Org chart.

■ LINKED DOCUMENTS

[FC Canada Org Chart v.2025.pdf](#)

REVIEWED DOCUMENTATION

Element One - Management Leadership

- CS21764-01 EHS Policy-ENG_v2025
- FC-GL-EHS-MAN-0101 - Management Commitment Procedure
 - FC-GL-EHS-MAN-0101-G1: Management Review - Overview
 - FC-GL-EHS-MAN-0201- Compliance Assurance Procedure
 - Field Services EHS Projects and Services Plan v6.2
 - Services RASCIs - rev10-8-20

Element Two – Hazard Identification

- Ø Organizational Chart – FieldCore Canada Services Operations
- Ø FC-GL-EHS-MAN-0501-G1- Environmental Risk Assessment Guidance
- Ø FC-GL-EHS-HEA-0705 - Ergonomics Procedure
- Ø FC-GL-EHS-MAN- 0306 -Communication-Consultation-Participation Procedure
- Ø FC-GL-EHS-MAN- 0303 - Management of Change Procedure
- Ø FC-GL-EHS-MAN-0101-1 - Provision of Project EHS Resources

Element Three - Hazard Control

- Hazard Controls including:
 - Ø FC-GL-EHS-MAN- 0501 - Risk Management Procedure
 - Ø FC-GL-EHS-MAN-0501- F5 (Tab S) – Start Work Assessment Tool (SWAT)
 - Ø FC-GL-EHS-MAN-0501-F3 –(Tab Q)- TASK RISK ASSESSMENT (TRA)
 - Maintenance Policy/ Preventative Maintenance Program
 - Ø FC-GL-EHS-SAF- 0709 - Portable Tools and Equipment Procedure
 - Ø Attachment 1 to GP-EHS-007-007-02- Mobile Elevated Work Platform Operator Evaluation Form
 - Employee Enhancement Program/ Disciplinary Policy
 - Ø Integrity Policy: EHS Violation/Disciplinaryv2025
 - Ø STOP Work Success! Spot Award Recognition Guidelines

Ø Field Site Incentive Plan (SIP) v8.1

- Workplace Violence

Ø Harassment-Free Workplace-v2025

Ø Violence-Free Workplace v2025

Element Four – Joint Work Site Health and Safety Committee and/or Health and Safety Representative

- GP-EHS-001-002-JHSC-CAN Joint Health & Safety Committee Canada – TOR
- HSC meeting Minutes – Oct 9, 2025
- FieldCore FC Canada -HSC Notification_v2
- JHSC member list -Poster
- HSC training records

Element Five – Qualifications. Orientation and Training

Ø Job Classification & Descriptions:

- Staff Job Matrix
 - Field Job Matrix
- a) Job descriptions/Responsibility- Technical Field Advisor (TFA) (Mechanical, Electrical, Controls, Borescope (BSI)/Camera Inspection, Generator Specialist)

FC-GL-EHS-MAN- 0304- Training Procedure

FC-GL-EHS-MAN-0304-G1 – Core Training Matrix

FC-GL-EHS-SAF-1101-F3 - Site EHS Orientation

EHS P&S Tab J- EHS Orientation Documentation/Checklist (completed)

LMS Curriculum completion_NAM_2025-

FC-GL-EHS-SAF-0708 -Machine Safety

EHS&Q Leadership Program Completion Dashboard /Record

Element Six – Other Parties at or in the Vicinity

- FC-GL-EHS-SAF-1101 - Contractor Management Procedure
- FieldCore - Canada Contractors Report 2025

Element Seven – Inspections

- Inspection Policy/ program
- Ø FC-GL-EHS-MAN-0301 - Audit and Inspection Procedure
- Inspection checklists (blank and completed)
- Ø FC-GL-EHS-MAN-0301-F2 (Tab Z)- Field GPI- General Planned Inspection
- Ø FC-GL-EHS-MAN-0304-G1 – Core Training Matrix
- Corrective Action Register (tracking system for concerns and deficiencies)
- Ø 2024 08- 2025 09 -Gensuite ATS- Excel Extract (12months) -

Element Eight – Emergency Response

- Ø FC-GL-EHS-MAN- 0401 - Emergency Preparedness
- Ø FC-GL-EHS-MAN-0401-F1- Emergency Response Plan template
- Ø FC-GL-EHS-MAN-0401-1- First Aid Procedure
- Ø First Aid Training records (certificates)

Element Nine – Incident Investigation

- Accident/Incident Investigation information including:
- Ø GP-EHS-003-002-Att1 Initial event and EHS event report out template.
- Ø FC-GL-EHS-MAN-0302 - EHS Incident Management Procedure
- Ø FC-GL-EHS-MAN-0302 -F7- RCA Reporting Template
- Ø Tab DD - Incident Report Form (blanks, and completed copies – First Aid, Near Misses Incidents))

Element Ten – System Administration

- Communications:
- Ø Toolbox meetings
- @Project Sites (SCE/LL/ Milner): toolbox meeting, safety meeting minutes and site inspections reports records-2025 (Sep16-Oct 22)
- Ø Bulletins/ Newsletters
- SharePoint -12month extract of EHS Alerts/ Read Across Bulletins (2024 -10 – 2025 08)

- Motor Vehicle Accident (MVA), and - Lifting Operation Safety Stand down – Safety Bulletin & Presentation slides
- PSSB bulletins

OTHER:

- 2024 COR Audit Report /Action Plans (ATS extracts)
- W.C.B. reports
- COR Certificate
- WCB Rating sheet

FACILITY TOUR NOTES / FIELD SITE OBSERVATIONS

During the site tour, the following positive observations were noted:

Edmonton Office:

A current copy of the Emergency Response Plan, including an up-to-date emergency contact list, was clearly posted at the building entrance and reception area.

Field / Customer Sites (Long Lake, HRM Milner, and SCE):

- **Work at Height Practices:** Exceptional work-at-height controls were consistently observed at all sites. These included the use of plywood and protective mats on grated floors/decks, safety netting installed around scaffolds and fixed platform railings, and tools securely tied off using lanyards and stored in closed-top canvas bags.
- **Access Control and Security Management:** Strong access control measures were evident at nearly all sites, including the use of turnstile gates with swipe card systems and a formal sign-in/sign-out process managed through the security office.
- **Housekeeping:** Across all three locations, housekeeping standards were exemplary, with FieldCore work areas maintained in a clean, orderly, and well-organized condition throughout the site tours

■ LINKED DOCUMENTS

[Post audit meeting and attendnace - 2025.pdf](#)

■ LINKED DOCUMENTS

[certificate_AS_Generic_2025.pdf](#)

ADDITIONAL INFORMATION (OPTIONAL)

Not Applicable

LINKED FILES

File	Linked to
certificate AS Generic 2025.pdf	AuditSoft Certificate
COR pre-audit letter- 2025.pdf	Pre-Audit Letter / Plan
FC Canada Org Chart _v.2025.pdf	Organizational Chart
Post audit meeting and attendnace - 2025.pdf	Post-Audit Meeting Notes / Attendance Record
Pre Audit Meeting Agenda - 09.15.2025.pdf	Pre-Audit Meeting Agenda / Notes / Attendance