

LOGO

Introduction
Configurations
Specifications
Writing our name
Logo color
Don'ts

Introduction

The GE Vernova logo is our brand’s most visible asset and a core element in our identity toolkit. It should be featured as the leading brand identifier in all physical and digital touchpoints.

Our logo consists of two elements: the Monogram, connecting us to our GE heritage; and the wordmark, clarifying our company name as GE Vernova.

The Monogram and wordmark must always appear together.

The wide typeface of the wordmark has been carefully customized and balanced to convey a sense of movement and engineered precision.

The logo elements should not be modified, distorted, or altered in any way. Never attempt to recreate the logo, and only use approved logo artwork source file formats.

The logo should always appear intact and in its horizontal configuration in all applications.



Monogram

GE VERNOVA

Wordmark

Logo

Specifications

Minimum clear space:

Clear space defines the area surrounding our logo that should be kept free of all other graphics and typography. It plays an essential role in ensuring our logo remains clear, bold, and easy to recognize across all communications.

As illustrated on the right, the minimum clear space surrounding the logo is 40% the height of the Monogram.

Minimum size:

The minimum sizes for our logo, measured to the height of the Monogram, are 25 px tall for digital applications and .35" / 9mm tall for print applications. Although these are the minimum sizes, in most cases the logo will be shown larger. It should never be shown smaller than the minimum sizes, as this will compromise quality and legibility.

Minimum clear space



Minimum size

25 px tall for digital
.35" / 9mm for print
1" tall for embroidery



Writing our name

We are **GE Vernova**.

When we write out our name in copy we proudly write it out in its entirety. That means we do not cut it down to “Vernova” as a standalone name, initialize it as “GEV,” or try to recreate our wordmark by writing our name in all caps like “GE VERNOVA” (with the exception of headline formatting where all copy is in uppercase).

Note: “GEV” is our ticker symbol, but **it is not our name** nor is it a licensed trademark.

DO THIS

GE Vernova

NOT THIS

~~GE VERNOVA~~

~~VERNOVA~~

~~GEV~~

~~Vernova~~

Brand architecture

Brand architecture is the strategic framework used to organize and clarify the roles and relationships between offerings in a company’s portfolio, to help **external audiences** understand and navigate the organization.

We operate under the monolithic brand model, a uniform portfolio of descriptively named offerings under a single brand. All equity in the component offerings stems from the parent brand.

We do not create sub-brands. No sub-brands exist at the business unit level, with few contractually required exceptions. **Do not lock up the business unit or Tier 2 entity names with the GE Vernova logo.**

Our brand



Our businesses

Power	Wind	Electrification	Accelerators
Gas Power	Offshore Wind	Electrification Software	Advanced Research
Hydro Power	Onshore Wind	Grid Solutions	Consulting Services
GE Vernova Hitachi Nuclear Energy	Wind Turbine Blades	Power Conversion & Storage	Financial Services
Steam Power			

Logo color

The preferred default color for the logo is Evergreen, for use when placed against white or light backgrounds and light photography.

The logo may also appear in white, for use when placed against dark backgrounds, dark photography, or in instances where the Evergreen logo is not legible. In instances involving dark photography, first consider using the Evergreen logo, but if legibility remains an issue, opt for the Day color logo.


A black version of the logo is permitted **only in rare applications** where color ranges are limited, such as newsprint.

The **only** approved use of the logo in Urgency Green is on black casual apparel (excluding uniforms and PPE), and should never be used for print or screens.

For product form factors (e.g. equipment labels) that do not allow for color rendering, embossed or engraved versions of the logo are also permitted.

Always ensure there is sufficient contrast between the logo and its background and adequate clear space around the logo to ensure legibility.

Preferred



Don'ts

Proper use of the GE Vernova logo is essential for maintaining and protecting the brand. The following examples illustrate incorrect applications of the GE Vernova logo.

- 1. Do not alter the color of the logo; use only the approved color variants from the official suite
- 2. Do not alter the size relationship between the Monogram and the wordmark
- 3. Do not rearrange the logo elements beyond the primary horizontal configuration
- 4. Do not skew the logo or rotate the logo to anything other than 90°
- 5. Do not use the Monogram on its own
- 6. Do not add drop shadows or other effects
- 7. Do not add an outline
- 8. Do not place the logo on backgrounds that will make the logo illegible
- 9. Do not typeset the name “GE Vernova” or “Vernova” next to the Monogram

Continued on next page




1




2



3




4



5



6



7



8




9

Don'ts
(cont.)

Proper use of the GE Vernova logo is essential for maintaining and protecting the brand. The following examples illustrate incorrect applications of the GE Vernova logo.

- 10. Do not render the logo smaller than the minimum size requirement
- 11. Do not add holding shapes
- 12. Do not crop the logo
- 13. Do not lock-up any business, project, campaign name, or logo with the GE Vernova logo
- 14. Do not remove the “GE” letters from the wordmark
- 15. Do not left align the wordmark underneath the Monogram
- 16. Do not alter the logo to create the initialism “GEV”
- 17. Do not write out our name any way other than “GE Vernova”
- 18. Do not allow the background or any other graphic element to compete with the legibility or visibility of the logo



10



11



12



13



14



15



16



17



18