

Integrated Transcriptomic Analysis of Dilated and Ischemic Cardiomyopathy

Anas Jamshed

2026-06-24

Table of contents

1	Abstract	2
2	Introduction	2
3	Study Design	3
4	Target Genes	3
5	Materials and Methods	4
5.1	Data Acquisition	4
5.2	Gene Annotation	4
5.3	Dataset Integration	4
5.4	Metadata Harmonization	4
5.5	Batch Effect Correction	4
5.6	Differential Expression Analysis	5
5.7	Visualization	5
6	Differential Expression Results	5
6.1	Non-Ischemic Cardiomyopathy vs Control	5
6.2	Ischemic Cardiomyopathy vs Control	6
7	Principal Component Analysis	6
7.1	Non-Ischemic Cardiomyopathy	7
7.2	Ischemic Cardiomyopathy	8
7.3	Integrated Dataset	9
8	Heatmap Analysis	11
8.1	Control vs Non-Ischemic Cardiomyopathy	11

8.2 Control vs Ischemic Cardiomyopathy	13
9 Correlation Analysis	15
10 Volcano Plot Analysis	16
10.1 Non-Ischemic Cardiomyopathy	16
10.2 Ischemic Cardiomyopathy	17
11 Enhanced Volcano Plots	18
11.1 Ischemic Cardiomyopathy	18
11.2 Non-Ischemic Cardiomyopathy	19
11.3 Boxplot Analysis	20
11.4 Control vs Non-Ischemic CM	20
11.5 Control vs Ischemic CM	21
12 Biological Interpretation	22
13 Discussion	22
14 Conclusion	22
15 Reproducibility	23
16 Session Information	23

1 Abstract

Cardiomyopathy is a major cause of heart failure and cardiovascular mortality worldwide. This study integrates six independent Gene Expression Omnibus (GEO) microarray datasets to investigate transcriptomic alterations associated with ischemic and non-ischemic cardiomyopathy.

The workflow involved GEO data acquisition, probe annotation harmonization, Entrez Gene ID mapping, multi-study integration, batch effect correction using ComBat, differential expression analysis using Limma, and downstream visualization using PCA, heatmaps, correlation matrices, and volcano plots.

2 Introduction

Individual microarray studies often suffer from limited sample sizes and platform-specific biases. Integrating multiple independent datasets improves statistical power and biological robustness.

The following GEO datasets were analyzed:

GEO Series	Platform
GSE1145	GPL570
GSE1869	GPL96
GSE3585	GPL96
GSE3586	GPL3050
GSE9128	GPL96
GSE42955	GPL96

3 Study Design

The analysis compared:

- Control samples
- Non-Ischemic Cardiomyopathy (DCM)
- Ischemic Cardiomyopathy (ICM)

4 Target Genes

The study focused on several cardiomyopathy-associated genes.

Table 2: Cardiomyopathy Candidate Genes

Target_Gene
ACTN2
CRYAB
BMP10
CSRP3
DES
FHOD3
FLNC
LDB3
MYZAP
MYPN
MYOZ2
NEXN
PDLIM3
PDLIM5

Target_Gene
TCAP
TTN

5 Materials and Methods

5.1 Data Acquisition

Public microarray datasets were downloaded from NCBI GEO using the GEOquery package.

5.2 Gene Annotation

Probe identifiers were converted into Entrez Gene IDs using AnnotationDbi and org.Hs.eg.db.

5.3 Dataset Integration

Expression matrices were aggregated at gene level and merged using common Entrez Gene IDs.

5.4 Metadata Harmonization

Clinical labels from all studies were standardized into:

- Control Group
- Non-Ischemic CM
- Ischemic CM

5.5 Batch Effect Correction

To minimize study-specific variation, ComBat from the sva package was applied.

5.6 Differential Expression Analysis

Differential expression analysis was performed using:

- Limma
- Voom normalization
- Empirical Bayes moderation

5.7 Visualization

The following visualizations were generated:

- PCA
- Heatmaps
- Correlation Heatmaps
- Volcano Plots
- Enhanced Volcano Plots
- Boxplots

6 Differential Expression Results

6.1 Non-Ischemic Cardiomyopathy vs Control

Table 3: Top Differentially Expressed Genes

GENE_SYMBOL	logFC	adj.P.Val
NFIB	-0.4601646	1.0e-07
VPS41	-0.5977663	1.0e-07
ZNF83	-1.3963356	1.0e-07
CETN3	-0.8947028	1.0e-07
TIA1	-0.4670973	1.0e-07
PDE3B	-1.1752839	4.0e-07
PCOLCE2	-0.7779270	5.0e-07
HMGB2	-1.1023805	7.0e-07
PIGF	-0.5398995	7.0e-07
ACTR6	-0.8062493	7.0e-07
SNRPB	0.5483560	1.0e-06
PTP4A2	0.2721142	1.0e-06
AGPAT5	-1.3845535	2.7e-06
PLAGL1	-0.9554575	3.7e-06

GENE_SYMBOL	logFC	adj.P.Val
MAPKAPK2	0.3127713	5.3e-06
CD59	0.2143394	5.6e-06
ATP7B	-0.7911946	7.2e-06
NISCH	-0.6545078	7.9e-06
EHHADH	-1.5214247	7.9e-06
PRKD1	-0.5179988	7.9e-06

6.2 Ischemic Cardiomyopathy vs Control


Table 4: Top Differentially Expressed Genes

GENE_SYMBOL	logFC	adj.P.Val
FCN3	1.8408550	0.0020201
SLC39A14	0.4723120	0.0066881
PLA2G2A	0.9921647	0.0066881
SH3BGRL3	0.8634155	0.0066881
PDE4D	0.7715972	0.0094094
SNRPB	0.4863341	0.0094094
ALDH9A1	-0.2497655	0.0098092
EGLN1	0.3728136	0.0100103
GTF2H5	-0.5014335	0.0100103
HSPB7	0.1948258	0.0100103
C1QTNF1	1.0481828	0.0100103
BRD3	-0.3207450	0.0137985
NCKAP1	0.6047742	0.0137985
CCL11	1.5860461	0.0137985
RANBP6	0.3331334	0.0137985
ZKSCAN1	-0.3663701	0.0137985
MSRB2	-0.2641410	0.0137985
ATP2A2	0.2184892	0.0157991
RPL37A	0.2484276	0.0157991
STRAP	0.2369115	0.0157991


7 Principal Component Analysis

Principal Component Analysis was performed after batch correction.


7.1 Non-Ischemic Cardiomyopathy



7.2 Ischemic Cardiomyopathy




7.3 Integrated Dataset




8 Heatmap Analysis


8.1 Control vs Non-Ischemic Cardiomyopathy



8.2 Control vs Ischemic Cardiomyopathy




9 Correlation Analysis




10 Volcano Plot Analysis

10.1 Non-Ischemic Cardiomyopathy



10.2 Ischemic Cardiomyopathy




11 Enhanced Volcano Plots

11.1 Ischemic Cardiomyopathy

Isochemic Cardiomyopathy vs Control

EnhancedVolcano




total = 3882 variables

11.2 Non-Ischemic Cardiomyopathy

Dilated Cardiomyopathy vs Control


EnhancedVolcano




total = 3882 variables

11.3 Boxplot Analysis

11.4 Control vs Non-Ischemic CM



11.5 Control vs Ischemic CM



12 Biological Interpretation

Several cardiomyopathy-associated genes exhibited differential expression patterns.

Key genes identified included:

- TTN
- ACTN2
- DES
- FLNC
- CRYAB
- FHOD3
- PDLIM3
- PDLIM5
- MYOZ2

These genes are involved in:

- Sarcomere organization
- Cytoskeletal integrity
- Cardiac contractility
- Mechanical signaling
- Heart failure progression

13 Discussion

Integration of six independent transcriptomic studies substantially improved statistical power and biological consistency.

ComBat correction reduced platform-specific batch effects while Limma identified robust disease-associated transcriptional signatures.

PCA and heatmap analyses demonstrated clear separation between disease and control samples.

14 Conclusion

This study successfully integrated six GEO microarray datasets to identify transcriptional alterations associated with cardiomyopathy.

Major analytical steps included:

1. GEO Data Collection

2. Gene Annotation
3. Dataset Integration
4. Batch Effect Correction
5. Differential Expression Analysis
6. PCA
7. Heatmap Analysis
8. Volcano Plot Analysis

The identified genes represent potential biomarkers and therapeutic targets for future experimental validation.

15 Reproducibility

Source scripts used in this project:

- download_data.R
- cardiomyopathy_analysis.R

16 Session Information

R version 4.4.0 (2024-04-24 ucrt)
Platform: x86_64-w64-mingw32/x64
Running under: Windows 10 x64 (build 19045)

Matrix products: default

locale:

```
[1] LC_COLLATE=English_United States.utf8
[2] LC_CTYPE=English_United States.utf8
[3] LC_MONETARY=English_United States.utf8
[4] LC_NUMERIC=C
[5] LC_TIME=English_United States.utf8
```

time zone: Asia/Karachi

tzcode source: internal

attached base packages:

```
[1] stats      graphics  grDevices  utils      datasets  methods   base
```

other attached packages:

[1] dplyr_1.1.4 ggplot2_4.0.0 knitr_1.50

loaded via a namespace (and not attached):

[1] vctrs_0.6.5	cli_3.6.2	rlang_1.1.3	xfun_0.53
[5] png_0.1-8	generics_0.1.4	S7_0.2.0	jsonlite_2.0.0
[9] glue_1.7.0	htmltools_0.5.8.1	scales_1.4.0	rmarkdown_2.29
[13] grid_4.4.0	tibble_3.3.0	evaluate_1.0.5	fastmap_1.2.0
[17] yaml_2.3.10	lifecycle_1.0.4	compiler_4.4.0	RColorBrewer_1.1-3
[21] pkgconfig_2.0.3	rstudioapi_0.17.1	farver_2.1.2	digest_0.6.36
[25] R6_2.6.1	tidyselect_1.2.1	dichromat_2.0-0.1	pillar_1.11.0
[29] magrittr_2.0.3	jpeg_0.1-10	withr_3.0.2	tools_4.4.0
[33] gtable_0.3.6			

““