

In[1]:=

```
(*Set initial directory*)
directory = NotebookDirectory[];

(*Display menu for nuclear species selection*)

Print["Select Nuclear Species:"];
Print["1. U-235_Data_JENDL5_CalculationData"];
Print["2. U-233_Data_JENDL5_CalculationData"];
Print["3. U-238_Data_JENDL5_CalculationData"];
Print["4. Th-232_Data_JENDL5_CalculationData"];
Print["5. Np-237_Data_JENDL5_CalculationData"];
Print["6. Pu-239_Data_JENDL5_CalculationData"];
Print["7. Pu-240_Data_JENDL5_CalculationData"];
Print["8. Pu-242_Data_JENDL5_CalculationData"];
Print["9. Am-241_Data_JENDL5_CalculationData"];

(*Get user selection*)
choice = Input["Enter number (1-9): "];

(*Load file based on selection*)
fileName = Switch[choice, 1, "U-235_Data_JENDL5_CalculationData.m", 2,
  "U-233_Data_JENDL5_CalculationData.m", 3, "U-238_Data_JENDL5_CalculationData.m", 4,
  "Th-232_Data_JENDL5_CalculationData.m", 5, "Np-237_Data_JENDL5_CalculationData.m",
  6, "Pu-239_Data_JENDL5_CalculationData.m", 7,
  "Pu-240_Data_JENDL5_CalculationData.m", 8, "Pu-242_Data_JENDL5_CalculationData.m",
  9, "Am-241_Data_JENDL5_CalculationData.m", _, (Print["Invalid selection"];
  Abort[])];

(*Load file using full path*)
fullPath = FileNameJoin[{directory, fileName}];
Print["Attempting to load file from: ", fullPath];

If[FileExistsQ[fullPath], Get[fullPath];
  Print["Successfully loaded:", fileName],
  Print["Error: File not found at ", fullPath]];

(*2*)

(*Initial Calculations for Nuclear Parameters*)
fragmentZ1 = atomicNumber/2; (*First fragment atomic number*)
fragmentZ2 = atomicNumber/2; (*Second fragment atomic number*)
reducedMass = N[Sqrt[fragmentZ1 * fragmentZ2 / (fragmentZ1 + fragmentZ2)]];

fitStartZ = 28; (*Starting atomic number for fitting*)
fitEndZ = atomicNumber - fitStartZ; (*Ending atomic number for fitting*)
```

```

fitStartIndex = fitStartZ - 22; (*Starting index for fitting data*)
fitEndIndex = fitEndZ - 22; (*Ending index for fitting data*)
(*Initialize distance parameter*)

```

```

(*Incident Neutron Kinetic Energy*)
neutronEnergy1 = 0; (*0.0253 eV*)
neutronEnergy2 = 0.5; (*500 keV*)
neutronEnergy3 = 14; (*14 MeV*)

```

```

effectiveDistance = .;

```

```

(*Initialize energy-dependent distance parameters*)
effectiveDistance0253eV = .;
effectiveDistance500keV = .;
effectiveDistance14MeV = .;

```

```

(*Initialize variable lists for each energy region*)
distanceVars0253eV = {};
distanceVars500keV = {};
distanceVars14MeV = {};

```

```

(*Initialize fermi correction lists*)
fermiVars0253eV = {};
fermiVars500keV = {};
fermiVars14MeV = {};

```

```

(*Initialize fermi correction energies*)
fermiEnergy1 = .;
fermiEnergy2 = .;
fermiEnergy3 = .;

```

```

(*Initialize various parameter lists*)
paramList0253eV = {};
paramList500keV = {};
paramList14MeV = {};
paramList5 = {};
paramList6 = {};
paramList7 = {};

```

```

fermiEnergies = {};
variablesList = {};
fissionYields = {};
neutronVars = {};
effectiveDistances = {};
distanceParams = {};

```

```

paramList50 = {};
paramList60 = {};
paramList70 = {};

```

```
Clear[theoreticalYield0253eV, theoreticalYield500keV, theoreticalYield14MeV,
fittedYield0253eV, fittedYield500keV, fittedYield14MeV, optResult0253eV,
optResult500keV, optResult14MeV, fermiVars0253eV, fermiVars500keV, fermiVars14MeV]
```

```
(*Mass retrieval function definition*)
```

```
getNuclearMass[Z_, A_] :=
Module[{elementName, isotopeName, mass, numericMass}, (*Validate atomic number*)
If[! NumberQ[Z] || Z < 1 || Z > 118, Return[Missing["NotAvailable"]]];
(*Get element name*) elementName = ElementData[Z, "Name"];
If[elementName === $Failed, Return[Missing["NotAvailable"]]];
(*Format element name*) elementName =
StringReplacePart[elementName, ToUpperCase[StringTake[elementName, 1]], {1, 1}];
(*Create isotope name*) isotopeName = elementName <> ToString[A];
(*Get mass data*) mass = IsotopeData[isotopeName, "AtomicMass"];
(*Return numeric mass or missing value*) If[mass === Missing["NotAvailable"],
Missing["NotAvailable"], numericMass = QuantityMagnitude[mass];
numericMass]
```

```
(*Energy pattern selection*)
```

```
{startEnergyIndex, endEnergyIndex} =
Switch[energyPattern, 1, {1, 1}, (*0.0253 eV only*) 2, {1, 2},
(*0.0253 eV and 500 keV*) 3, {1, 3}, (*All three energies*) 4,
{2, 2}, (*500 keV only*) 5, {2, 3} (*500 keV and 14 MeV*)];
```

```
(*Isotope existence check function*)
```

```
isIsotopeStable[z_, n_] :=
Module[{element, isotope, mass}, element = ElementData[z, "Name"];
element = StringReplacePart[element, ToUpperCase[StringTake[element, 1]], {1, 1}];
isotope = element <> ToString[z + n];
mass = IsotopeData[isotope, "AtomicMass"];
mass != Missing["NotAvailable"] && NumberQ[QuantityMagnitude[mass]]]
```

```
(*3*) (*Main Nuclear Fission Calculation Function*)
```

```
CalculateFissionYields[energyPattern_] := Module[{dataTemp, results = {}},
For[energyIndex = startEnergyIndex, energyIndex ≤ endEnergyIndex, energyIndex++,
(*Set parameters for each energy region*) {promptNeutronCount, incidentEnergy,
effectiveDistance, variableList, yieldList, neutronVariables} =
Switch[energyIndex, 1, {promptNeutrons1, neutronEnergy1, effectiveDistance0253eV,
distanceVars0253eV, fissionYield0253eV, fermiVars0253eV}, (*Thermal*)
2, {promptNeutrons2, neutronEnergy2, effectiveDistance500keV,
distanceVars500keV, fissionYield500keV, fermiVars500keV}, (*Intermediate*)
3, {promptNeutrons3, neutronEnergy3, effectiveDistance14MeV,
distanceVars14MeV, fissionYield14MeV, fermiVars14MeV} (*Fast*)];
dataTemp = Reap[For[protonNumber1 = 23, protonNumber1 ≤ atomicNumber - 23,
protonNumber1++, For[neutronCount1 = 0, neutronCount1 ≤ neutronNumber,
neutronCount1++, protonNumber2 = atomicNumber - protonNumber1;
neutronCount2 = neutronNumber - neutronCount1 - Round[promptNeutronCount];
massNumber1 = protonNumber1 + neutronCount1;
massNumber2 = protonNumber2 + neutronCount2;
```

```
If[(protonNumber1 == 22 && 16 ≤ neutronCount1 ≤ 41) ||
```

```

(protonNumber1 == 23 && 17 <= neutronCount1 <= 42) ||
(protonNumber1 == 24 && 18 <= neutronCount1 <= 43) ||
(protonNumber1 == 25 && 19 <= neutronCount1 <= 44) ||
(protonNumber1 == 26 && 19 <= neutronCount1 <= 46) ||
(protonNumber1 == 27 && 20 <= neutronCount1 <= 48) ||
(protonNumber1 == 28 && 20 <= neutronCount1 <= 50) ||
(protonNumber1 == 29 && 23 <= neutronCount1 <= 51) ||
(protonNumber1 == 30 && 24 <= neutronCount1 <= 53) ||
(protonNumber1 == 31 && 25 <= neutronCount1 <= 55) ||
(protonNumber1 == 32 && 26 <= neutronCount1 <= 57) ||
(protonNumber1 == 33 && 27 <= neutronCount1 <= 59) ||
(protonNumber1 == 34 && 31 <= neutronCount1 <= 60) ||
(protonNumber1 == 35 && 32 <= neutronCount1 <= 62) ||
(protonNumber1 == 36 && 33 <= neutronCount1 <= 64) ||
(protonNumber1 == 37 && 34 <= neutronCount1 <= 65) ||
(protonNumber1 == 38 && 35 <= neutronCount1 <= 67) ||
(protonNumber1 == 39 && 37 <= neutronCount1 <= 69) ||
(protonNumber1 == 40 && 38 <= neutronCount1 <= 70) ||
(protonNumber1 == 41 && 40 <= neutronCount1 <= 72) ||
(protonNumber1 == 42 && 41 <= neutronCount1 <= 73) ||
(protonNumber1 == 43 && 42 <= neutronCount1 <= 75) ||
(protonNumber1 == 44 && 43 <= neutronCount1 <= 76) ||
(protonNumber1 == 45 && 44 <= neutronCount1 <= 77) ||
(protonNumber1 == 46 && 45 <= neutronCount1 <= 78) ||
(protonNumber1 == 47 && 46 <= neutronCount1 <= 83) ||
(protonNumber1 == 48 && 47 <= neutronCount1 <= 84) ||
(protonNumber1 == 49 && 48 <= neutronCount1 <= 86) ||
(protonNumber1 == 50 && 49 <= neutronCount1 <= 87) ||
(protonNumber1 == 51 && 52 <= neutronCount1 <= 88) ||
(protonNumber1 == 52 && 53 <= neutronCount1 <= 90) ||
(protonNumber1 == 53 && 55 <= neutronCount1 <= 91) ||
(protonNumber1 == 54 && 56 <= neutronCount1 <= 93) ||
(protonNumber1 == 55 && 57 <= neutronCount1 <= 96) ||
(protonNumber1 == 56 && 58 <= neutronCount1 <= 97) ||
(protonNumber1 == 57 && 60 <= neutronCount1 <= 98) ||
(protonNumber1 == 58 && 61 <= neutronCount1 <= 99) ||
(protonNumber1 == 59 && 62 <= neutronCount1 <= 100) ||
(protonNumber1 == 60 && 64 <= neutronCount1 <= 101) ||
(protonNumber1 == 61 && 65 <= neutronCount1 <= 102) ||
(protonNumber1 == 62 && 66 <= neutronCount1 <= 103) ||
(protonNumber1 == 63 && 67 <= neutronCount1 <= 104) ||
(protonNumber1 == 64 && 70 <= neutronCount1 <= 105) ||
(protonNumber1 == 65 && 71 <= neutronCount1 <= 106) ||
(protonNumber1 == 66 && 72 <= neutronCount1 <= 107) ||
(protonNumber1 == 67 && 73 <= neutronCount1 <= 108) ||
(protonNumber1 == 68 && 75 <= neutronCount1 <= 109) ||
(protonNumber1 == 69 && 76 <= neutronCount1 <= 110) ||
(protonNumber1 == 70 && 78 <= neutronCount1 <= 111) ||
(protonNumber1 == 71 && 79 <= neutronCount1 <= 111) ||
(protonNumber1 == 72 && 81 <= neutronCount1 <= 116) ||

```

```

(protonNumber1 == 73 && 82 ≤ neutronCount1 ≤ 117) ||
(protonNumber1 == 74 && 84 ≤ neutronCount1 ≤ 118) ||
(protonNumber1 == 75 && 85 ≤ neutronCount1 ≤ 119),
(*Check nuclear chart range for second fragment*)
If[ (protonNumber2 == 22 && 16 ≤ neutronCount2 ≤ 41) ||
  (protonNumber2 == 23 && 17 ≤ neutronCount2 ≤ 42) ||
  (protonNumber2 == 24 && 18 ≤ neutronCount2 ≤ 43) ||
  (protonNumber2 == 25 && 19 ≤ neutronCount2 ≤ 44) ||
  (protonNumber2 == 26 && 19 ≤ neutronCount2 ≤ 46) ||
  (protonNumber2 == 27 && 20 ≤ neutronCount2 ≤ 48) ||
  (protonNumber2 == 28 && 20 ≤ neutronCount2 ≤ 50) ||
  (protonNumber2 == 29 && 23 ≤ neutronCount2 ≤ 51) ||
  (protonNumber2 == 30 && 24 ≤ neutronCount2 ≤ 53) ||
  (protonNumber2 == 31 && 25 ≤ neutronCount2 ≤ 55) ||
  (protonNumber2 == 32 && 26 ≤ neutronCount2 ≤ 57) ||
  (protonNumber2 == 33 && 27 ≤ neutronCount2 ≤ 59) ||
  (protonNumber2 == 34 && 31 ≤ neutronCount2 ≤ 60) ||
  (protonNumber2 == 35 && 32 ≤ neutronCount2 ≤ 62) ||
  (protonNumber2 == 36 && 33 ≤ neutronCount2 ≤ 64) ||
  (protonNumber2 == 37 && 34 ≤ neutronCount2 ≤ 65) ||
  (protonNumber2 == 38 && 35 ≤ neutronCount2 ≤ 67) ||
  (protonNumber2 == 39 && 37 ≤ neutronCount2 ≤ 69) ||
  (protonNumber2 == 40 && 38 ≤ neutronCount2 ≤ 70) ||
  (protonNumber2 == 41 && 40 ≤ neutronCount2 ≤ 72) ||
  (protonNumber2 == 42 && 41 ≤ neutronCount2 ≤ 73) ||
  (protonNumber2 == 43 && 42 ≤ neutronCount2 ≤ 75) ||
  (protonNumber2 == 44 && 43 ≤ neutronCount2 ≤ 76) ||
  (protonNumber2 == 45 && 44 ≤ neutronCount2 ≤ 77) ||
  (protonNumber2 == 46 && 45 ≤ neutronCount2 ≤ 78) ||
  (protonNumber2 == 47 && 46 ≤ neutronCount2 ≤ 83) ||
  (protonNumber2 == 48 && 47 ≤ neutronCount2 ≤ 84) ||
  (protonNumber2 == 49 && 48 ≤ neutronCount2 ≤ 86) ||
  (protonNumber2 == 50 && 49 ≤ neutronCount2 ≤ 87) ||
  (protonNumber2 == 51 && 52 ≤ neutronCount2 ≤ 88) ||
  (protonNumber2 == 52 && 53 ≤ neutronCount2 ≤ 90) ||
  (protonNumber2 == 53 && 55 ≤ neutronCount2 ≤ 91) ||
  (protonNumber2 == 54 && 56 ≤ neutronCount2 ≤ 93) ||
  (protonNumber2 == 55 && 57 ≤ neutronCount2 ≤ 96) ||
  (protonNumber2 == 56 && 58 ≤ neutronCount2 ≤ 97) ||
  (protonNumber2 == 57 && 60 ≤ neutronCount2 ≤ 98) ||
  (protonNumber2 == 58 && 61 ≤ neutronCount2 ≤ 99) ||
  (protonNumber2 == 59 && 62 ≤ neutronCount2 ≤ 100) ||
  (protonNumber2 == 60 && 64 ≤ neutronCount2 ≤ 101) ||
  (protonNumber2 == 61 && 65 ≤ neutronCount2 ≤ 102) ||
  (protonNumber2 == 62 && 66 ≤ neutronCount2 ≤ 103) ||
  (protonNumber2 == 63 && 67 ≤ neutronCount2 ≤ 104) ||
  (protonNumber2 == 64 && 70 ≤ neutronCount2 ≤ 105) ||
  (protonNumber2 == 65 && 71 ≤ neutronCount2 ≤ 106) ||
  (protonNumber2 == 66 && 72 ≤ neutronCount2 ≤ 107) ||
  (protonNumber2 == 67 && 73 ≤ neutronCount2 ≤ 108) ||

```

```

(protonNumber2 == 68 && 75 <= neutronCount2 <= 109) ||
(protonNumber2 == 69 && 76 <= neutronCount2 <= 110) ||
(protonNumber2 == 70 && 78 <= neutronCount2 <= 111) ||
(protonNumber2 == 71 && 79 <= neutronCount2 <= 111) ||
(protonNumber2 == 72 && 81 <= neutronCount2 <= 116) ||
(protonNumber2 == 73 && 82 <= neutronCount2 <= 117) ||
(protonNumber2 == 74 && 84 <= neutronCount2 <= 118) ||
(protonNumber2 == 75 && 85 <= neutronCount2 <= 119),
(*Calculate proton number ratio*) chargeRatio =
N[(protonNumber1/massNumber1)/(protonNumber2/massNumber2)];

(*Update variable lists based on energy region*)
Switch[energyIndex, 1, fermiVars0253eV = Union[AppendTo[distanceVars0253eV,
effectiveDistance0253eV[protonNumber1, protonNumber2]]],
2, fermiVars500keV = Union[AppendTo[distanceVars500keV,
effectiveDistance500keV[protonNumber1, protonNumber2]]],
3, fermiVars14MeV = Union[AppendTo[distanceVars14MeV,
effectiveDistance14MeV[protonNumber1, protonNumber2]]];

(*Calculate physical parameters*)
effectiveDistanceVal = effectiveDistance[protonNumber1, protonNumber2];
coulombEnergy = (1.44 * protonNumber1 * protonNumber2)/effectiveDistanceVal;

(*Calculating Q value*)
qValue = (getNuclearMass[atomicNumber, atomicNumber + neutronNumber] -
getNuclearMass[protonNumber1, massNumber1] -
getNuclearMass[protonNumber2, massNumber2] -
promptNeutronCount * 1.008665) * 931.4940954;

effectiveEnergy = coulombEnergy - qValue;

(*Calculate fission probability*)
probability = 1 / (1 + Exp[2 * Pi / (neutronSeparationEnergy + incidentEnergy) *
Sqrt[protonNumber1 * protonNumber2 / (protonNumber1 + protonNumber2)] /
reducedMass * effectiveEnergy]);

Sow[{protonNumber1, probability}, yieldList];]]],
{yieldList}, Rule][[2, All, 1]];
(*Process results*)
fragmentData = Part[yieldList /. dataTemp];
processYields[data_] :=
(Total@#/{Length@#, Total@data[[All, 2]]/2} &) /@ GatherBy[data, First];
AppendTo[results, {energyIndex, processYields[fragmentData]}];];
results]

(*Execute main calculation*)
fissionResults = CalculateFissionYields[energyPattern];

(*Process results based on energy pattern*)
{yieldData0253eVCalc, yieldData500keVCalc, yieldData14MeVCalc} =

```

```

Switch[energyPattern, 1, {fissionResults[[1, 2]], Null, Null},
      2, {fissionResults[[1, 2]], fissionResults[[2, 2]], Null}, 3,
      {fissionResults[[1, 2]], fissionResults[[2, 2]], fissionResults[[3, 2]]},
      4, {Null, fissionResults[[1, 2]], Null}, 5,
      {Null, fissionResults[[1, 2]], fissionResults[[2, 2]]}];

(*4*)(*Optimization and Result Display Program for Fission Parameters*)
For[energyRegion = startEnergyIndex, energyRegion ≤ endEnergyIndex,
  energyRegion++, (*Setup variables and data for each energy region*)
  {neutronVarList, calcYieldData, fitYieldData, experimentalData, energyDescription,
    theoreticalYield, optimizationResult, fittedData} = Switch[energyRegion, 1,
    {paramList0253eV = Union[fermiVars0253eV], yieldData0253eVCalc, fitYield0253eV =
      yieldData0253eVCalc[[fitStartIndex ;; fitEndIndex]], yieldData0253eV[[
        fitStartIndex ;; fitEndIndex]], "1. Incident Neutron Energy: 0.0253eV",
      theoreticalYield0253eV, optResult0253eV, fittedYield0253eV}, 2,
    {paramList500keV = Union[fermiVars500keV], yieldData500keVCalc,
      fitYield500keV = yieldData500keVCalc[[fitStartIndex ;; fitEndIndex]],
      yieldData500keV[[fitStartIndex ;; fitEndIndex]],
      "2. Incident Neutron Energy: 500keV", theoreticalYield500keV,
      optResult500keV, fittedYield500keV}, 3,
    {paramList14MeV = Union[fermiVars14MeV], yieldData14MeVCalc,
      fitYield14MeV = yieldData14MeVCalc[[fitStartIndex ;; fitEndIndex]],
      yieldData14MeV[[fitStartIndex ;; fitEndIndex]],
      "3. Incident Neutron Energy: 14MeV", theoreticalYield14MeV,
      optResult14MeV, fittedYield14MeV}];
  (*Calculate logarithmic difference between theory and experiment*)
  logDifference = (Log@fitYieldData - Log@experimentalData)[[All, 2]];

  (*Optimize parameters using least squares method*)
  Switch[energyRegion, 1,
    fittedYield0253eV = optResult0253eVRe1[[2, All, All]];
    theoreticalYield0253eV = fitYield0253eV /. optResult0253eVRe1[[2, All, All]], 2,
    fittedYield500keV = optResult500keVRe1[[2, All, All]];
    theoreticalYield500keV = fitYield500keV /. optResult500keVRe1[[2, All, All]], 3,
    fittedYield14MeV = optResult14MeVRe1[[2, All, All]];
    theoreticalYield14MeV = fitYield14MeV /. optResult14MeVRe1[[2, All, All]]];

  (*Display results*)
  Print[Style[energyDescription <> ": Effective Fission Distance Reff
    derived from experimental charge distribution", 16]];

Print["Analysis Results"];
Print[
  "Calculation results demonstrating that the effective fission distance Reff " <>
  "derived from optimization calculations
  accurately reproduces experimental values " <>

```

```
"(confirming agreement between JENDL-5 experimental and theoretical values, "<>
"and validating calculations using Mathematica ver11.2 FindMinimum)";
```

```
(*Create visualization plot*)
plotOptions = {Joined → {True, True}, PlotRange → {{15, 80}, {10-12, 5}},
  Epilog → Inset[Style[isotopeName, Bold, 20], Scaled@{0.14, 0.9}],
  PlotMarkers → Automatic, PlotStyle →
    {Directive[PointSize[1/100], Red], Directive[PointSize[1/100], Blue]},
  Frame → True, FrameLabel → {"Atomic Number", "Fission Yield (Independent)"},
  LabelStyle → Directive[Black, 19], FrameTicks → Automatic,
  FrameStyle → {Thick, Thick, Thick, Thick},
  PlotLegends → Placed[PointLegend[Automatic, {"JENDL-5", "Theoretical"},
    Joined → {True, True, True}, Joined → {True, True},
    LabelStyle → Directive[Black, 18], LegendFunction → "Frame",
    LegendLayout → "Column", LegendMarkers → Array[{Graphics@Disk[], 10} &, 3]],
    {{0.65, 0.25}, {1, 0.9}}], AspectRatio → 0.8, ImageSize → 450,
  Epilog → Inset[Style[isotopeName, Bold], Scaled@{0.1, 0.92}]];
Print[ListLogPlot[{experimentalData, theoreticalYield}, Evaluate[plotOptions]]];
```

```
Print[
```

```
"-----
---"];];
```

```
(*5*)
(*Correlation Analysis of Fragment Charge Product and Effective Fission Distance*)
(*Process data for each energy condition*)
Do[With[{condition = Which[i == 1, {energyPattern == 1 || energyPattern == 2 ||
  energyPattern == 3, correlationData0253eV, fittedYield0253eV,
  "1. Analysis for Incident Neutron Energy: 0.0253eV"}, i == 2,
  {energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  correlationData500keV, fittedYield500keV,
  "2. Analysis for Incident Neutron Energy: 500keV"}, i == 3,
  {energyPattern == 3 || energyPattern == 5, correlationData14MeV, fittedYield14MeV,
  "3. Analysis for Incident Neutron Energy: 14MeV"}]], If[condition[[1]],
Switch[condition[[2]], correlationData0253eV, correlationData0253eV =
Thread[{condition[[3]][[All, 1, 1]], condition[[3]][[All, 2]]}][[
  fitStartIndex ;; fitEndIndex]], correlationData500keV, correlationData500keV =
Thread[{condition[[3]][[All, 1, 1]], condition[[3]][[All, 2]]}][[
  fitStartIndex ;; fitEndIndex]], correlationData14MeV, correlationData14MeV =
Thread[{condition[[3]][[All, 1, 1]], condition[[3]][[All, 2]]}][[
  fitStartIndex ;; fitEndIndex]]], {i, 1, 3}];
```

```
Print[
```

```
"-----
-"];];
```

```
(*Result explanation and plotting*)
Module[{plotOptions = {Joined → {True, True, True}, PlotRange → {{15, 85}, {0.8, 1.3}},
  Frame → True, FrameLabel → {"Atomic Number", "Effective Distance (fm)"},
```



```

LabelStyle → Directive[Black, 19], FrameTicks → Automatic,
FrameStyle → {Thick, Thick, Thick, Thick}, AspectRatio → 1.1, ImageSize → 350}},
(*Define fitting function*)analyzeFittingResults[correlationData_, energyLabel_] :=
Module[{distanceFunction, coeffA, coeffB, coeffC, chargeNumber, normalizedFormula},
Print[Style[energyLabel, FontSize → 16]];
(*Fit quadratic function*)distanceFunction =
Fit[correlationData, {1, x, x^2}, x];
(*Extract coefficients*){coeffC, coeffB, coeffA} =
CoefficientList[distanceFunction, x];
(*Calculate characteristic charge number*)kValue = -coeffA;
chargeNumber = coeffB/kValue;
mValue = coeffC;
(*Display formula*)Print[Column[{Style[HoldForm[Reff] ==
N[mValue, 6] + N[kValue, 6] * (N[chargeNumber, 6] - x) * x, FontSize → 16]}]];
distanceFunction (*Return function for later use*)];
Print["\nAnalysis Results:"];
Print["1. The effective fission distance
Reff shows quadratic dependence on fragment charge"];
Print["2. This dependence reflects fundamental laws of charge
distribution in fission process"];
Print["3. Similar dependence is maintained across different incident energies\n"];
(*Create comparison plot*)plotData = Select[{correlationData0253eV,
correlationData500keV, correlationData14MeV}, Length[#] > 0 &];

(*Create data-dependent color and label lists*)colors = {};
labels = {};
If[Length[correlationData0253eV] > 0, AppendTo[colors, Blue];
AppendTo[labels, "0.0253 eV"]];
If[Length[correlationData500keV] > 0, AppendTo[colors, Green];
AppendTo[labels, "500 keV"]];
If[Length[correlationData14MeV] > 0, AppendTo[colors, Red];
AppendTo[labels, "14 MeV"]];

plotData = Select[{correlationData0253eV,
correlationData500keV, correlationData14MeV}, Length[#] > 0 &];

(*Execute plot*)
Print[ListPlot[plotData, Evaluate[plotOptions],
PlotStyle → {Directive[PointSize[1/100], #] & /@ colors},
PlotLegends → Placed[LineLegend[colors, labels, LabelStyle → 14], {0.82, 0.85}],
Epilog → {Inset[Style[isotopeName, Bold, 15], Scaled@{0.15, 0.85}],
Inset[Style[databaseName, Bold, 15], Scaled@{0.15, 0.90}]}]];

(*Define distance functions for each energy level*)
Module[{fitResult}, (*Define fitting and display functions*)
fitAndPrint[correlationData_, energyLabel_] :=
Module[{distanceFunction, coeffA, coeffB, coeffC, chargeNumber, normalizedFormula},
Print[Style[energyLabel, FontSize → 16]];
(*Fit with quadratic function*)
distanceFunction = Fit[correlationData, {1, x, x^2}, x];
(*Extract coefficients*){coeffC, coeffB, coeffA} =

```

```

CoefficientList[distanceFunction, x];
(*Calculate characteristic charge number*) kValue = -coeffA;
chargeNumber = coeffB/kValue;
mValue = coeffC;
(*Display formula*) Print[Column[{Style[HoldForm[Reff] ==
    N[mValue, 6] + N[kValue, 6] * (N[chargeNumber, 6] - x) * x, FontSize -> 16]}]];
distanceFunction (*Return function*);
(*For 0.0253 eV case*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3, distanceFunction0253eV =
    fitAndPrint[correlationData0253eV, "Incident Neutron Energy: 0.0253 eV case"]];
(*For 500 keV case*) If[energyPattern == 2 || energyPattern == 3 ||
    energyPattern == 4 || energyPattern == 5, distanceFunction500keV =
    fitAndPrint[correlationData500keV, "Incident Neutron Energy: 500 keV case"]];
(*For 14 MeV case*) If[energyPattern == 3 || energyPattern == 5, distanceFunction14MeV =
    fitAndPrint[correlationData14MeV, "Incident Neutron Energy: 14 MeV case"]];
Print["\nAnalysis Results:"];
Print["1. The effective fission distance
    Reff shows quadratic dependence on fragment charge number"];
Print["2. This dependence reflects fundamental laws of charge
    distribution in the fission process"];
Print["3. Similar dependence is maintained across different incident energies\n"];]

(*6*) (*Display and Analysis of Reff Values by Atomic Number*)
(*Output header for display*) Print[Style[
    "Table of Effective Fission Distance (Reff) Values by Atomic Number [Unit: fm]:",
    Bold, 16]];
Print[Style["Displaying calculated values (pre-fitting)
    and post-fitting values for each energy", 14]];
Print[Style["Fitting calculation used fragment values from atomic number "<>
    ToString[fitStartZ] <> " to " <> ToString[fitEndZ], 14]];

(*Create headers based on energy pattern*)
tableHeaders = Switch[energyPattern, 1,
    {"Z1", "Z2", "Reff [fm]\n(0.0253 eV)\nCalculated", "Fitted Value"},
    2, {"Z1", "Z2", "Reff [fm]\n(0.0253 eV)\nCalculated", "Fitted Value",
        "Reff [fm]\n(500 keV)\nCalculated", "Fitted Value"}, 3,
    {"Z1", "Z2", "Reff [fm]\n(0.0253 eV)\nCalculated", "Fitted Value",
        "Reff [fm]\n(500 keV)\nCalculated", "Fitted Value",
        "Reff [fm]\n(14 MeV)\nCalculated", "Fitted Value"}, 4,
    {"Z1", "Z2", "Reff [fm]\n(500 keV)\nCalculated", "Fitted Value"}, 5,
    {"Z1", "Z2", "Reff [fm]\n(500 keV)\nCalculated", "Fitted Value",
        "Reff [fm]\n(14 MeV)\nCalculated", "Fitted Value"}];

(*Function to get fitted value*)
getFittedDistanceValue[atomicNumber_, distanceFunction_] :=
    If[fitStartZ <= atomicNumber <= fitEndZ,
        NumberForm[N[distanceFunction /. x -> atomicNumber], {6, 5}], "-"];

(*Create data table*)
tableData =
    Table[Module[{z1 = z, z2 = atomicNumber - z}, Flatten[{z1, z2, (*0.0253 eV data*)

```

```

Which[energyPattern == 1 || energyPattern == 2 || energyPattern == 3,
  {NumberForm[N[effectiveDistance0253eV[z1, z2] /. fittedYield0253eV], {6, 6}],
   getFittedDistanceValue[z1, distanceFunction0253eV]}, True, {}],
(*500 keV data*)Which[energyPattern == 2 || energyPattern == 3 ||
  energyPattern == 4 || energyPattern == 5,
  {NumberForm[N[effectiveDistance500keV[z1, z2] /. fittedYield500keV], {6, 6}],
   getFittedDistanceValue[z1, distanceFunction500keV]}, True, {}],
(*14 MeV data*)Which[energyPattern == 3 || energyPattern == 5,
  {NumberForm[N[effectiveDistance14MeV[z1, z2] /. fittedYield14MeV], {6, 6}],
   getFittedDistanceValue[z1, distanceFunction14MeV]},
  True, {}]]], {z, 23, 69}];

(*Output formatted table*)
Grid[Prepend[tableData, tableHeaders], Frame → All, Alignment → Center,
  Background → {None, {LightGray, None}}, ItemStyle → {Bold, "Text"},
  Dividers → {Join[{2}, Table[2 i + 2, {i, 1, Length[tableHeaders] / 2 - 1}]] → True,
   {2 → True}}, Spacings → {1.5, 1.2}]

(*7*) (*Generate Effective Fission Distance Functions*)
(*Generate functions for each energy region*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3,
  distanceData0253eV = Table[{x, atomicNumber - x} → distanceFunction0253eV,
    {x, fitStartZ - 6, fitEndZ + 6}]];

If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  distanceData500keV = Table[{x, atomicNumber - x} → distanceFunction500keV,
    {x, fitStartZ - 6, fitEndZ + 6}]];

If[energyPattern == 3 || energyPattern == 5, distanceData14MeV =
  Table[{x, atomicNumber - x} → distanceFunction14MeV, {x, fitStartZ - 6, fitEndZ + 6}]];

(*Define effective distance functions*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3, effDistanceFunc0253eV =
  Thread[Thread[effectiveDistance0253eV[distanceData0253eV[[All, 1, 1]],
    distanceData0253eV[[All, 1, 2]]]] → distanceData0253eV[[All, 2]]];

If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  effDistanceFunc500keV =
  Thread[Thread[effectiveDistance500keV[distanceData500keV[[All, 1, 1]],
    distanceData500keV[[All, 1, 2]]]] → distanceData500keV[[All, 2]]];

If[energyPattern == 3 || energyPattern == 5, effDistanceFunc14MeV =
  Thread[Thread[effectiveDistance14MeV[distanceData14MeV[[All, 1, 1]],
    distanceData14MeV[[All, 1, 2]]]] → distanceData14MeV[[All, 2]]];

(*Calculate final yield data*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3,
  finalYield0253eV = fitYield0253eV /. effDistanceFunc0253eV];

If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  finalYield500keV = fitYield500keV /. effDistanceFunc500keV];

If[energyPattern == 3 || energyPattern == 5,

```

```

finalYield14MeV = fitYield14MeV /. effDistanceFunc14MeV];

(*Display separator*)
Print[
  "-----
  -"];

(*8*)(*Comparison of Experimental and Theoretical Fission Yields*)
(*Display analysis summary*)
Print["Analysis of Fission Yields: Comparison
      between Experimental Data and Theoretical Calculations (Ex=0)"];
Print["\nTheoretical Analysis Results using Effective Fission
      Distance Reff proportional to fragment charge product,"];
Print["with zero Fermi Energy (Ex=0)"];
Print["- Quantitative reproduction of
      experimentally observed asymmetric fission yield distributions"];

(*Create common plot settings*)
commonPlotSettings = {Joined → {True, True},
  PlotRange → {{15, 80}, {10-12, 100}}, PlotMarkers → Automatic,
  Frame → True, FrameLabel → {"Atomic Number", "Fission Yield (Independent)
  "}, LabelStyle → Directive[Black, 19], FrameTicks → Automatic,
  FrameStyle → {Thick, Thick, Thick, Thick}, AspectRatio → 0.8, ImageSize → 450};

(*Legend settings*)
legendSettings = Placed[PointLegend[Automatic,
  {"JENDL-5 (Experimental)", "Theoretical curve (Fermi Energy=0)"},
  Joined → {True, True}, LabelStyle → Directive[Black, 15],
  LegendFunction → "Frame", LegendLayout → "Column",
  LegendMarkers → Array[Graphics@Disk[], 10] & , 3], {{0.26, 0.23}, {0.2, 0.9}}];

(*Plot style settings*)
plotStyles = {Directive[PointSize[1/100], Red],
  Directive[PointSize[1/100], Blue], Directive[PointSize[1/100], Green]};

(*Generate plots for each energy region*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3,
  Print["1. Analysis for Incident Neutron Energy: 0.0253eV"];
  Print[ListLogPlot[{yieldData0253eV[[fitStartIndex ;; fitEndIndex]],
    finalYield0253eV}, Evaluate[commonPlotSettings],
    PlotStyle → plotStyles, PlotLegends → legendSettings,
    Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.16, 0.9}]}];];

If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  Print["2. Analysis for Incident Neutron Energy: 500keV"];
  Print[ListLogPlot[{yieldData500keV[[fitStartIndex ;; fitEndIndex]],
    finalYield500keV}, Evaluate[commonPlotSettings],

```

```

PlotStyle → plotStyles, PlotLegends → legendSettings,
Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.16, 0.9}]}];];];

If[energyPattern == 3 || energyPattern == 5,
Print["3. Analysis for Incident Neutron Energy: 14MeV"];
Print[ListLogPlot[{yieldData14MeV[[fitStartIndex ;; fitEndIndex]], finalYield14MeV},
Evaluate[commonPlotSettings], PlotStyle → plotStyles, PlotLegends → legendSettings,
Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.16, 0.9}]}];];];

(*9*) (*Analysis of Effective Fission Distance and Fission Probability*)
(*Display section separator*)Print[
"-----
-"];
Print["Analysis of Effective Fission Distance and Fission Probability"];
Print[""];
Print["Analysis Contents:"];
Print["1. Calculation of Effective
      Fission Distance (Reff) for each incident neutron energy"];
Print["2. Evaluation of fission probability using  $\eta$  function"];
Print["3. Derivation of normalization factor  $\kappa$  (=  $E_x/\text{Reff}$ )"];
Print[""];
Print["The vertical axis  $\kappa$  represents the ratio of Fermi Energy( $E_x$ )"];
Print["to effective fission distance (Reff)."];
Print[
"  $\kappa \approx 1$  suggests the fission Fermi Energy is proportional to effective distance."];
Print[
"-----
-"];

(*Analysis and visualization module*)
Module[{}, (*Process for each incident neutron energy*)
(*1. Calculate effective fission distance function values*)
(*2. Calculate fission probability using  $\eta$  function*)
(*3. Calculate normalization factor  $\kappa$ *)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3, distanceData0253eV =
Table[{x, atomicNumber - x} → distanceFunction0253eV, {x, fitStartZ, fitEndZ}];
distanceFunc0253eV = Thread[Thread[effectiveDistance0253eV[distanceData0253eV[[All,
1, 1]], distanceData0253eV[[All, 1, 2]]]] → distanceData0253eV[[All, 2]]];
normFactor0253eV = Thread[{distanceData0253eV[[All, 1, 1]],
fittedYield0253eV[[All, 2]] [[fitStartIndex ;; fitEndIndex]] /
distanceFunc0253eV[[All, 2]]}];];
If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
distanceData500keV =
Table[{x, atomicNumber - x} → distanceFunction500keV, {x, fitStartZ, fitEndZ}];
distanceFunc500keV = Thread[Thread[effectiveDistance500keV[distanceData500keV[[All,
1, 1]], distanceData500keV[[All, 1, 2]]]] → distanceData500keV[[All, 2]]];
normFactor500keV = Thread[{distanceData500keV[[All, 1, 1]],
fittedYield500keV[[All, 2]] [[fitStartIndex ;; fitEndIndex]] /
distanceFunc500keV[[All, 2]]}];];
If[energyPattern == 3 || energyPattern == 5, distanceData14MeV =
Table[{x, atomicNumber - x} → distanceFunction14MeV, {x, fitStartZ, fitEndZ}];

```

```

distanceFunc14MeV = Thread[Thread[effectiveDistance14MeV[distanceData14MeV[[All,
    1, 1]], distanceData14MeV[[All, 1, 2]]]] → distanceData14MeV[[All, 2]]];
normFactor14MeV = Thread[{distanceData14MeV[[All, 1, 1]],
    fittedYield14MeV[[All, 2]][[fitStartIndex ;; fitEndIndex]] /
    distanceFunc14MeV[[All, 2]]}];];
(*Common plot options*)
plotOptions =
{Joined → {True, True}, PlotRange → {{15, 80}, {0.9, 1.1}}, PlotMarkers → Automatic,
  Frame → True, FrameLabel → {"Atomic Number", "Normalization Factor  $\kappa$  = Ex/Reff"},
  LabelStyle → Directive[Black, 19], FrameTicks → Automatic,
  FrameStyle → {Thick, Thick, Thick, Thick}, AspectRatio → 1, ImageSize → 400};
(*Create visualization based on energy pattern*)
Switch[energyPattern, 1, Print[ListPlot[{normFactor0253eV},
  Evaluate[plotOptions], PlotStyle → {Directive[PointSize[1/100], Blue]},
  PlotLegends → Placed[PointLegend[{"0.0253eV"}, LabelStyle → 14,
    LegendFunction → "Frame"], {{0.975, 0.925}, {1, 0.9}}],
  Epilog → {Inset[Style[isotopeName, Bold, 14], Scaled@{0.15, 0.95}],
    Inset[Style[databaseName, Bold, 14], Scaled@{0.15, 0.90}]}], 2, Print[
ListPlot[{normFactor0253eV, normFactor500keV}, Evaluate[plotOptions], PlotStyle →
  {Directive[PointSize[1/100], Blue], Directive[PointSize[1/100], Green]},
  PlotLegends → Placed[PointLegend[{"0.0253eV", "500keV"}, LabelStyle → 14,
    LegendFunction → "Frame"], {{0.975, 0.925}, {1, 0.9}}],
  Epilog → {Inset[Style[isotopeName, Bold, 14], Scaled@{0.15, 0.95}],
    Inset[Style[databaseName, Bold, 14], Scaled@{0.15, 0.90}]}], 3,
Print[ListPlot[{normFactor0253eV, normFactor500keV, normFactor14MeV},
  Evaluate[plotOptions], PlotStyle → {Directive[PointSize[1/100], Blue],
    Directive[PointSize[1/100], Green], Directive[PointSize[1/100], Red]},
  PlotLegends → Placed[PointLegend[{"0.0253eV", "500keV", "14MeV"},
    LabelStyle → 14, LegendFunction → "Frame"], {{0.975, 0.925}, {1, 0.9}}],
  Epilog → {Inset[Style[isotopeName, Bold, 14], Scaled@{0.15, 0.95}],
    Inset[Style[databaseName, Bold, 14], Scaled@{0.15, 0.90}]}], 4, Print[
ListPlot[{normFactor500keV}, Evaluate[plotOptions],
  PlotStyle → {Directive[PointSize[1/100], Green]},
  PlotLegends → Placed[PointLegend[{"500keV"}, LabelStyle → 14,
    LegendFunction → "Frame"], {{0.975, 0.925}, {1, 0.9}}],
  Epilog → {Inset[Style[isotopeName, Bold, 14], Scaled@{0.15, 0.95}],
    Inset[Style[databaseName, Bold, 14], Scaled@{0.15, 0.90}]}], 5, Print[
ListPlot[{normFactor500keV, normFactor14MeV}, Evaluate[plotOptions], PlotStyle →
  {Directive[PointSize[1/100], Green], Directive[PointSize[1/100], Red]},
  PlotLegends → Placed[PointLegend[{"500keV", "14MeV"}, LabelStyle → 14,
    LegendFunction → "Frame"], {{0.975, 0.925}, {1, 0.9}}],
  Epilog → {Inset[Style[isotopeName, Bold, 14], Scaled@{0.15, 0.95}],
    Inset[Style[databaseName, Bold, 14], Scaled@{0.15, 0.90}]}];];];
Print[
  "-----
  -"];

(*10*) (*Initialize Fermi Energy Variables and Main Calculation Function*)
(*Initialize Fermi Energy*)

```

```

fermiEnergy0253eV = .;
fermiEnergy500keV = .;
fermiEnergy14MeV = .;

(*Initialize parameter lists for each energy region*)
paramList0253eV = {};
paramList500keV = {};
paramList14MeV = {};

paramList5 = {};
paramList6 = {};
paramList7 = {};

(*Nuclear Fission Calculation Main Function*)
CalculateFissionYieldsWithfermi[energyPattern_] := Module[{tempData, results = {}},
  For[energyIndex = startEnergyIndex, energyIndex ≤ endEnergyIndex,
    energyIndex++, (*Set parameters for each energy region*)
    {promptNeutronCount, incidentEnergy, fermiEnergy, parameterList, yieldList,
      neutronVarList, effectiveDist, distanceFunc} = Switch[energyIndex, 1,
      {promptNeutrons1, neutronEnergy1, fermiEnergy0253eV, paramList0253eV,
        fissionYield0253eV, paramList5, effectiveDist0253eV, distanceFunction0253eV},
      (*Thermal*) 2, {promptNeutrons2, neutronEnergy2, fermiEnergy500keV,
        paramList500keV, fissionYield500keV, paramList6, effectiveDist500keV,
        distanceFunction500keV}, (*Intermediate*) 3, {promptNeutrons3,
        neutronEnergy3, fermiEnergy14MeV, paramList14MeV, fissionYield1400keV,
        paramList7, effectiveDist14MeV, distanceFunction14MeV} (*Fast*)];
  tempData = Reap[For[protonNumber1 = 23, protonNumber1 ≤ atomicNumber - 23,
    protonNumber1++, For[neutronCount1 = 0, neutronCount1 ≤ neutronNumber,
      neutronCount1++, protonNumber2 = atomicNumber - protonNumber1;
      neutronCount2 = neutronNumber - neutronCount1 - Round[promptNeutronCount];
      massNumber1 = protonNumber1 + neutronCount1;
      massNumber2 = protonNumber2 + neutronCount2;

      (*Check fragment existence*)

      If[(protonNumber1 == 22 && 16 ≤ neutronCount1 ≤ 41) ||
        (protonNumber1 == 23 && 17 ≤ neutronCount1 ≤ 42) ||
        (protonNumber1 == 24 && 18 ≤ neutronCount1 ≤ 43) ||
        (protonNumber1 == 25 && 19 ≤ neutronCount1 ≤ 44) ||
        (protonNumber1 == 26 && 19 ≤ neutronCount1 ≤ 46) ||
        (protonNumber1 == 27 && 20 ≤ neutronCount1 ≤ 48) ||
        (protonNumber1 == 28 && 20 ≤ neutronCount1 ≤ 50) ||
        (protonNumber1 == 29 && 23 ≤ neutronCount1 ≤ 51) ||
        (protonNumber1 == 30 && 24 ≤ neutronCount1 ≤ 53) ||
        (protonNumber1 == 31 && 25 ≤ neutronCount1 ≤ 55) ||
        (protonNumber1 == 32 && 26 ≤ neutronCount1 ≤ 57) ||
        (protonNumber1 == 33 && 27 ≤ neutronCount1 ≤ 59) ||
        (protonNumber1 == 34 && 31 ≤ neutronCount1 ≤ 60) ||
        (protonNumber1 == 35 && 32 ≤ neutronCount1 ≤ 62) ||
        (protonNumber1 == 36 && 33 ≤ neutronCount1 ≤ 64) ||
        (protonNumber1 == 37 && 34 ≤ neutronCount1 ≤ 65) ||
        (protonNumber1 == 38 && 35 ≤ neutronCount1 ≤ 67) ||

```

```

(protonNumber1 == 39 && 37 <= neutronCount1 <= 69) ||
(protonNumber1 == 40 && 38 <= neutronCount1 <= 70) ||
(protonNumber1 == 41 && 40 <= neutronCount1 <= 72) ||
(protonNumber1 == 42 && 41 <= neutronCount1 <= 73) ||
(protonNumber1 == 43 && 42 <= neutronCount1 <= 75) ||
(protonNumber1 == 44 && 43 <= neutronCount1 <= 76) ||
(protonNumber1 == 45 && 44 <= neutronCount1 <= 77) ||
(protonNumber1 == 46 && 45 <= neutronCount1 <= 78) ||
(protonNumber1 == 47 && 46 <= neutronCount1 <= 83) ||
(protonNumber1 == 48 && 47 <= neutronCount1 <= 84) ||
(protonNumber1 == 49 && 48 <= neutronCount1 <= 86) ||
(protonNumber1 == 50 && 49 <= neutronCount1 <= 87) ||
(protonNumber1 == 51 && 52 <= neutronCount1 <= 88) ||
(protonNumber1 == 52 && 53 <= neutronCount1 <= 90) ||
(protonNumber1 == 53 && 55 <= neutronCount1 <= 91) ||
(protonNumber1 == 54 && 56 <= neutronCount1 <= 93) ||
(protonNumber1 == 55 && 57 <= neutronCount1 <= 96) ||
(protonNumber1 == 56 && 58 <= neutronCount1 <= 97) ||
(protonNumber1 == 57 && 60 <= neutronCount1 <= 98) ||
(protonNumber1 == 58 && 61 <= neutronCount1 <= 99) ||
(protonNumber1 == 59 && 62 <= neutronCount1 <= 100) ||
(protonNumber1 == 60 && 64 <= neutronCount1 <= 101) ||
(protonNumber1 == 61 && 65 <= neutronCount1 <= 102) ||
(protonNumber1 == 62 && 66 <= neutronCount1 <= 103) ||
(protonNumber1 == 63 && 67 <= neutronCount1 <= 104) ||
(protonNumber1 == 64 && 70 <= neutronCount1 <= 105) ||
(protonNumber1 == 65 && 71 <= neutronCount1 <= 106) ||
(protonNumber1 == 66 && 72 <= neutronCount1 <= 107) ||
(protonNumber1 == 67 && 73 <= neutronCount1 <= 108) ||
(protonNumber1 == 68 && 75 <= neutronCount1 <= 109) ||
(protonNumber1 == 69 && 76 <= neutronCount1 <= 110) ||
(protonNumber1 == 70 && 78 <= neutronCount1 <= 111) ||
(protonNumber1 == 71 && 79 <= neutronCount1 <= 111) ||
(protonNumber1 == 72 && 81 <= neutronCount1 <= 116) ||
(protonNumber1 == 73 && 82 <= neutronCount1 <= 117) ||
(protonNumber1 == 74 && 84 <= neutronCount1 <= 118) ||
(protonNumber1 == 75 && 85 <= neutronCount1 <= 119),
(*Check nuclear chart range for second fragment*)
If[(protonNumber2 == 22 && 16 <= neutronCount2 <= 41) ||
(protonNumber2 == 23 && 17 <= neutronCount2 <= 42) ||
(protonNumber2 == 24 && 18 <= neutronCount2 <= 43) ||
(protonNumber2 == 25 && 19 <= neutronCount2 <= 44) ||
(protonNumber2 == 26 && 19 <= neutronCount2 <= 46) ||
(protonNumber2 == 27 && 20 <= neutronCount2 <= 48) ||
(protonNumber2 == 28 && 20 <= neutronCount2 <= 50) ||
(protonNumber2 == 29 && 23 <= neutronCount2 <= 51) ||
(protonNumber2 == 30 && 24 <= neutronCount2 <= 53) ||
(protonNumber2 == 31 && 25 <= neutronCount2 <= 55) ||
(protonNumber2 == 32 && 26 <= neutronCount2 <= 57) ||
(protonNumber2 == 33 && 27 <= neutronCount2 <= 59) ||

```



```

(protonNumber2 == 34 && 31 <= neutronCount2 <= 60) ||
(protonNumber2 == 35 && 32 <= neutronCount2 <= 62) ||
(protonNumber2 == 36 && 33 <= neutronCount2 <= 64) ||
(protonNumber2 == 37 && 34 <= neutronCount2 <= 65) ||
(protonNumber2 == 38 && 35 <= neutronCount2 <= 67) ||
(protonNumber2 == 39 && 37 <= neutronCount2 <= 69) ||
(protonNumber2 == 40 && 38 <= neutronCount2 <= 70) ||
(protonNumber2 == 41 && 40 <= neutronCount2 <= 72) ||
(protonNumber2 == 42 && 41 <= neutronCount2 <= 73) ||
(protonNumber2 == 43 && 42 <= neutronCount2 <= 75) ||
(protonNumber2 == 44 && 43 <= neutronCount2 <= 76) ||
(protonNumber2 == 45 && 44 <= neutronCount2 <= 77) ||
(protonNumber2 == 46 && 45 <= neutronCount2 <= 78) ||
(protonNumber2 == 47 && 46 <= neutronCount2 <= 83) ||
(protonNumber2 == 48 && 47 <= neutronCount2 <= 84) ||
(protonNumber2 == 49 && 48 <= neutronCount2 <= 86) ||
(protonNumber2 == 50 && 49 <= neutronCount2 <= 87) ||
(protonNumber2 == 51 && 52 <= neutronCount2 <= 88) ||
(protonNumber2 == 52 && 53 <= neutronCount2 <= 90) ||
(protonNumber2 == 53 && 55 <= neutronCount2 <= 91) ||
(protonNumber2 == 54 && 56 <= neutronCount2 <= 93) ||
(protonNumber2 == 55 && 57 <= neutronCount2 <= 96) ||
(protonNumber2 == 56 && 58 <= neutronCount2 <= 97) ||
(protonNumber2 == 57 && 60 <= neutronCount2 <= 98) ||
(protonNumber2 == 58 && 61 <= neutronCount2 <= 99) ||
(protonNumber2 == 59 && 62 <= neutronCount2 <= 100) ||
(protonNumber2 == 60 && 64 <= neutronCount2 <= 101) ||
(protonNumber2 == 61 && 65 <= neutronCount2 <= 102) ||
(protonNumber2 == 62 && 66 <= neutronCount2 <= 103) ||
(protonNumber2 == 63 && 67 <= neutronCount2 <= 104) ||
(protonNumber2 == 64 && 70 <= neutronCount2 <= 105) ||
(protonNumber2 == 65 && 71 <= neutronCount2 <= 106) ||
(protonNumber2 == 66 && 72 <= neutronCount2 <= 107) ||
(protonNumber2 == 67 && 73 <= neutronCount2 <= 108) ||
(protonNumber2 == 68 && 75 <= neutronCount2 <= 109) ||
(protonNumber2 == 69 && 76 <= neutronCount2 <= 110) ||
(protonNumber2 == 70 && 78 <= neutronCount2 <= 111) ||
(protonNumber2 == 71 && 79 <= neutronCount2 <= 111) ||
(protonNumber2 == 72 && 81 ≤ neutronCount2 ≤ 116) ||
(protonNumber2 == 73 && 82 ≤ neutronCount2 ≤ 117) ||
(protonNumber2 == 74 && 84 ≤ neutronCount2 ≤ 118) ||
(protonNumber2 == 75 && 85 ≤ neutronCount2 ≤ 119),

```

```

Switch[energyIndex, 1, paramList5 = Union[AppendTo[paramList0253eV,
fermiEnergy0253eV[protonNumber1, protonNumber2]], 2,
paramList6 = Union[AppendTo[paramList500keV, fermiEnergy500keV[
protonNumber1, protonNumber2]], 3, paramList7 = Union[AppendTo[
paramList14MeV, fermiEnergy14MeV[protonNumber1, protonNumber2]]];
(*Calculate fission parameters*)effectiveDistVal =

```

```

distanceFunc /. x → protonNumber1;
coulombEnergy = (1.44 * protonNumber1 * protonNumber2) / effectiveDistVal;
qValue = (getNuclearMass[atomicNumber, atomicNumber + neutronNumber] -
  getNuclearMass[protonNumber1, massNumber1] -
  getNuclearMass[protonNumber2, massNumber2] -
  promptNeutronCount * 1.008665) * 931.4940954;
effectiveEnergy = coulombEnergy - qValue;
(*Calculate fission probability with fermi correction*)
probability = 1 / (1 + Exp[2 * Pi / (neutronSeparationEnergy + incidentEnergy) *
  Sqrt[protonNumber1 * protonNumber2 / (protonNumber1 + protonNumber2)] /
  reducedMass * (effectiveEnergy -
    fermiEnergy[protonNumber1, protonNumber2])]);
 Sow[{protonNumber1, probability}, yieldList];]]], {yieldList}, Rule][[
  2, All, 1]];
(*Process results*) fragmentData = Part[yieldList /. tempData];
processYields[data_] :=
  (Total@# / {Length@#, Total@data[[All, 2]] / 2} &) /@ GatherBy[data, First];
AppendTo[results, {energyIndex, processYields[fragmentData]}];
results]

(*Execute calculation with Pattern selection*)
{startEnergyIndex, endEnergyIndex} =
  Switch[energyPattern, 1, {1, 1}, 2, {1, 2}, 3, {1, 3}, 4, {2, 2}, 5, {2, 3}];

(*Main calculation*)
results = CalculateFissionYieldsWithfermi[energyPattern];
{yieldData0253eVCalc, yieldData500keVCalc, yieldData14MeVCalc} =
  Switch[energyPattern, 1, {results[[1, 2]], Null, Null}, 2, {results[[1, 2]],
    results[[2, 2]], Null}, 3, {results[[1, 2]], results[[2, 2]], results[[3, 2]]}, 4,
    {Null, results[[1, 2]], Null}, 5, {Null, results[[1, 2]], results[[2, 2]]}];

(*11*)

(*Common Plot Generation Functions for Fission Yields*)
(*Define general yield plot function*)
CreateFissionYieldPlot[experimentalData_, calculatedData_, energyLabel_, plotColor_] :=
  ListLogPlot[{experimentalData, calculatedData}, (*Basic plot settings*)
    Joined → {True, True}, PlotRange → {{15, 80}, {10-12, 100}}, PlotMarkers →
    Automatic, (*Style settings*)PlotStyle → {Directive[PointSize[1/100], Red],
    Directive[PointSize[1/100], plotColor]}, (*Frame settings*)
    Frame → True, FrameLabel → {"Atomic Number", "Fission Yield (Independent)"},
    LabelStyle → Directive[Black, 19], FrameTicks → Automatic,
    FrameStyle → {Thick, Thick, Thick, Thick}, (*Legend settings*)
    PlotLegends → Placed[PointLegend[Automatic, {"JENDL-5", "Theoretical Curve"},
    Joined → {True, True, True}, Joined → {True, True},
    LabelStyle → 16, LegendFunction → "Frame", LegendLayout → "Column",
    LegendMarkers → Array[{Graphics@Disk[], 10} &, 3]], {{0.72, 0.25}, {1, 0.9}}],
    (*Layout settings*)AspectRatio → 0.8, ImageSize → 400, (*Title and isotope
    label*)Epilog → Inset[Style[isotopeName, Bold, 18], Scaled@{0.14, 0.94}]];

(*Define data analysis function*)
AnalyzeIsotopeYield[yieldData_, label_] :=
  Module[{maxZ1, maxZ2, maxYield1, maxYield2, peakAvgYield},
    (*Display analysis header*)Print[label];

```

```

(*Find primary peak*)
maxZ1 = Position[yieldData, Max[yieldData[[All, 2]]]][[1, 1]] + fitStartZ - 1;
maxZ2 = atomicNumber - maxZ1;
maxYield1 = Max[yieldData[[All, 2]]];
maxYield2 = yieldData[[maxZ2 - fitStartZ + 1]][[2]];
(*Display isotope information*)
For[atomicNum = 23, atomicNum ≤ 71, atomicNum++,
  If[maxZ1 == atomicNum, Print["Primary Fragment: ", ElementData[atomicNum, "Name"],
    "(Z=", atomicNum, ")", "; Yield: ", maxYield1, " MeV"]];
  If[maxZ2 == atomicNum, Print["Secondary Fragment: ", ElementData[atomicNum, "Name"],
    "(Z=", atomicNum, ")", "; Yield: ", maxYield2, " MeV"]];];
(*Calculate and display average peak yield*)
peakAvgYield = (maxYield1 + maxYield2) / 2;
Print["Average Peak Yield: ", peakAvgYield, " MeV"];
Print[
  "-----
  ---"];];

(*12*) (*Optimization Program for Fermi Energy*) (*Display program description*)
Print[
  "Theoretical Analysis and Experimental Comparison of Fission Yield Distributions"];
Print[""];
Print["Calculation Process:"];
Print["1. Evaluate logarithmic differences between
  JENDL-5 experimental data and theoretical calculations"];
Print["2. Optimize Fermi Energy (Ex) using least squares method"];
Print["3. Generate theoretical curves using optimized Ex"];
Print["4. Compare and verify experimental vs theoretical values"];
Print[""];
Print["Optimization Goals:"];
Print[
  " · Theoretical reproduction of experimentally observed asymmetric fission yields"];
Print[" · Understanding fission mechanisms at each incident neutron energy"];
Print[" · Systematic determination of Fermi Energy (Ex)"];
Print[""];
Print["Evaluation Methods:"];
Print[
  " · Minimize sum of squared logarithmic differences between theory and experiment"];
Print[" · Parameter optimization using FindMinimum function"];
Print[" · Validation of theoretical curves with optimized parameters"];
Print[
  "-----
  -"];];

(*Main optimization loop for each energy region*)
For[energyRegion = startEnergyIndex, energyRegion ≤ endEnergyIndex, energyRegion++,

(*Initialize variables for each energy region*)
If[energyRegion == 1,

```

```

fermiParams0253eV = Union[paramList5] (*Thermal neutron parameters*);
If[energyRegion == 2, fermiParams500keV = Union[paramList6]
  (*Intermediate energy parameters*)];
If[energyRegion == 3, fermiParams14MeV = Union[paramList7]
  (*Fast neutron parameters*)];

(*Prepare experimental data*)
If[energyRegion == 1,
  expData = yieldData0253eV[[fitStartIndex ;; fitEndIndex]] (*JENDL-5 0.0253eV*);
If[energyRegion == 2, expData = yieldData500keV[[fitStartIndex ;; fitEndIndex]]
  (*JENDL-5 500keV*)];
If[energyRegion == 3, expData = yieldData14MeV[[fitStartIndex ;; fitEndIndex]]
  (*JENDL-5 14MeV*)];

(*Prepare theoretical calculation data*)
If[energyRegion == 1,
  yieldData0253eVTheory = yieldData0253eVCalc[[fitStartIndex ;; fitEndIndex]]];
If[energyRegion == 2, yieldData500keVTheory =
  yieldData500keVCalc[[fitStartIndex ;; fitEndIndex]]];
If[energyRegion == 3, yieldData14MeVTheory =
  yieldData14MeVCalc[[fitStartIndex ;; fitEndIndex]]];

(*Store optimized parameters*)
If[energyRegion == 1, fittedParams0253eV = optResult0253eVRe2[[2, All, All]]];
If[energyRegion == 2, fittedParams500keV = optResult500keVRe2[[2, All, All]]];
If[energyRegion == 3, fittedParams14MeV = optResult14MeVRe2[[2, All, All]]];
(*Display optimized parameters*)
If[energyRegion == 1, Print[fittedParams0253eV[[fitStartIndex ;; fitEndIndex]]];
If[energyRegion == 2, Print[fittedParams500keV[[fitStartIndex ;; fitEndIndex]]];
If[energyRegion == 3, Print[fittedParams14MeV[[fitStartIndex ;; fitEndIndex]]];
(*Calculate theoretical yields with optimized parameters*)
If[energyRegion == 1, theoreticalYield0253eV =
  yieldData0253eVTheory /. optResult0253eVRe2[[2, All, All]]];
If[energyRegion == 2, theoreticalYield500keV =
  yieldData500keVTheory /. optResult500keVRe2[[2, All, All]]];
If[energyRegion == 3, theoreticalYield14MeV =
  yieldData14MeVTheory /. optResult14MeVRe2[[2, All, All]]];
(*Generate and display plots for each energy region*)
If[energyRegion == 1, Print["1. Analysis for Incident Neutron Energy: 0.0253eV"];
  Print[CreateFissionYieldPlot[expData,
    theoreticalYield0253eV, "0.0253eV", Blue]]];
If[energyRegion == 2, Print["2. Analysis for Incident Neutron Energy: 500keV"];
  Print[CreateFissionYieldPlot[expData, theoreticalYield500keV, "500keV", Blue]]];
If[energyRegion == 3, Print["3. Analysis for Incident Neutron Energy: 14MeV"];
  Print[CreateFissionYieldPlot[expData, theoreticalYield14MeV, "14MeV", Blue]]];
(*Display separator*)Print[
  "-----
  ---"];];

```

```

(*13*) (*Analysis and Visualization of Optimization Results*)
(*Display analysis title*)
Print["Quantitative Analysis Results of Fermi Energy Ex"];
Print["Based on Optimization Calculations using Experimental Fission Yield Data"];

(*Process and display results for each energy region*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3,
  Print["1. Analysis for Incident Neutron Energy: 0.0253eV"];
  Print[fermiData0253eV = Thread[{fittedParams0253eV[[All, 1, 1]],
    fittedParams0253eV[[All, 2]]}][[fitStartIndex ;; fitEndIndex]]];];

If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  Print["2. Analysis for Incident Neutron Energy: 500keV"];
  Print[fermiData500keV = Thread[{fittedParams500keV[[All, 1, 1]],
    fittedParams500keV[[All, 2]]}][[fitStartIndex ;; fitEndIndex]]];];

If[energyPattern == 3 || energyPattern == 5,
  Print["3. Analysis for Incident Neutron Energy: 14MeV"];
  Print[fermiData14MeV = Thread[{fittedParams14MeV[[All, 1, 1]],
    fittedParams14MeV[[All, 2]]}][[fitStartIndex ;; fitEndIndex]]];];

Print[
  "-----
  -"];

Print[" Systematic Analysis Results of Fermi Energy Ex"];
Print[" Using Optimized Effective Fission Distance Reff"];

(*Define common plot settings*)
plotBaseSettings = {PlotRange -> {{15, 75}, {-8, 12}}, PlotMarkers -> Automatic,
  Frame -> True, FrameLabel -> {"Atomic Number", "Energy (MeV)"},
  LabelStyle -> Directive[Black, 19], FrameTicks -> Automatic,
  FrameStyle -> {Thick, Thick, Thick, Thick}, AspectRatio -> 1.1, ImageSize -> 400};

(*Create visualization based on energy pattern*)
Switch[energyPattern, 1, (*0.0253eV only*) plotData = {fermiData0253eV, {}, {}};
  Print[ListPlot[Select[plotData, Length[#] > 0 &],
    Joined -> {True, True}, Evaluate@plotBaseSettings, PlotStyle ->
      {Directive[PointSize[1/100], Blue], Directive[PointSize[1/100], Green],
        Directive[PointSize[1/100], Red]}, PlotLegends ->
        Placed[PointLegend[Automatic, {"0.0253eV"}, Joined -> {True, True, True},
          LabelStyle -> 14, LegendFunction -> "Frame", LegendLayout -> "Column",
          LegendMarkers -> Array[{Graphics@Disk[], 10} &, 3]], {{0.955, 0.95}, {1, 0.9}}],
    Epilog -> {Inset[Style[isotopeName, 20, Bold], Scaled@{0.15, 0.95}],
      Inset[Style[databaseName, 20, Bold], Scaled@{0.15, 0.90}]}], 2,
  (*0.0253eV and 500keV*) plotData = {fermiData0253eV, fermiData500keV, {}};
  Print[ListPlot[Select[plotData, Length[#] > 0 &],
    Joined -> {True, True}, Evaluate@plotBaseSettings, PlotStyle ->
      {Directive[PointSize[1/100], Blue], Directive[PointSize[1/100], Green],
        Directive[PointSize[1/100], Red]}, PlotLegends ->
        Placed[PointLegend[Automatic, {"0.0253eV", "500keV"}, Joined -> {True, True, True},

```

```

    LabelStyle → 14, LegendFunction → "Frame", LegendLayout → "Column",
    LegendMarkers → Array[{Graphics@Disk[], 10} &, 3], {{0.955, 0.95}, {1, 0.9}}},
    Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.15, 0.95}],
    Inset[Style[databaseName, 20, Bold], Scaled@{0.15, 0.90}]}],
3, (*All three energies*)plotData = {fermiData0253eV,
fermiData500keV, fermiData14MeV};
Print[ListPlot[Select[plotData, Length[#] > 0 &], Joined → {True, True},
Evaluate@plotBaseSettings, PlotStyle → {Directive[PointSize[1/100], Blue],
Directive[PointSize[1/100], Green], Directive[PointSize[1/100], Red]},
PlotLegends → Placed[PointLegend[Automatic, {"0.0253eV", "500keV", "14MeV"},
Joined → {True, True, True}, LabelStyle → 14,
LegendFunction → "Frame", LegendLayout → "Column",
LegendMarkers → Array[{Graphics@Disk[], 10} &, 3], {{0.955, 0.95}, {1, 0.9}}},
Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.15, 0.95}],
Inset[Style[databaseName, 20, Bold], Scaled@{0.15, 0.90}]}],
4, (*500keV only*)plotData = {fermiData500keV};
Print[ListPlot[plotData, Joined → True, PlotRange → {{20, 75}, {-8, 12}},
PlotMarkers → Automatic, PlotStyle → Directive[PointSize[1/100], Blue],
Frame → True, LabelStyle → Directive[Black, 19],
FrameTicks → Automatic, FrameStyle → {Thick, Thick, Thick, Thick},
PlotLegends → Placed[PointLegend[{Blue}, {"500keV"}], Joined → True,
LabelStyle → 14, LegendFunction → "Frame", LegendLayout → "Column",
LegendMarkers → {Graphics@Disk[]}], {{0.955, 0.95}, {1, 0.9}}], AspectRatio →
1.1, Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.15, 0.95}],
Inset[Style[databaseName, 20, Bold], Scaled@{0.15, 0.90}]}], 5,
(*500keV and 14MeV*)plotData = {{}, fermiData500keV, fermiData14MeV};
Print[ListPlot[Select[plotData, Length[#] > 0 &], Joined → {True, True},
PlotRange → {{20, 75}, {-8, 12}}, PlotMarkers → Automatic, PlotStyle →
{Directive[PointSize[1/100], Green], Directive[PointSize[1/100], Red]},
Frame → True, LabelStyle → Directive[Black, 19], FrameTicks → Automatic,
FrameStyle → {Thick, Thick, Thick, Thick},
PlotLegends → Placed[PointLegend[Automatic, {"500keV", "14MeV"},
Joined → {True, True}, LabelStyle → 14, LegendFunction → "Frame",
LegendLayout → "Column", LegendMarkers → Array[{Graphics@Disk[], 10} &, 3],
{{0.955, 0.95}, {1, 0.9}}], AspectRatio → 1.1,
Epilog → {Inset[Style[isotopeName, 20, Bold], Scaled@{0.15, 0.95}],
Inset[Style[databaseName, 20, Bold], Scaled@{0.15, 0.90}]}];
(*14*) (*Final Analysis and Visualization of Nuclear Species*)
(*Fragment Analysis Function*)
AnalyzeIsotopeYield[yieldData_, label_] := Module[{centerZ = Floor[atomicNumber/2],
(*Calculate center atomic number*)rangeStart = Floor[atomicNumber/2] - 10,
(*Lower bound*)rangeEnd = Floor[atomicNumber/2] + 10, (*Upper bound*)
maxZ1, maxZ2, maxYield1, maxYield2, peakAvgYield, filteredData},
(*Display analysis header*)Print[label];
(*Filter data to only include atomic numbers within our range*)
filteredData = Select[yieldData, rangeStart ≤ First[#] ≤ rangeEnd &];
(*Find maximum yield within our range*)maxYield1 = Max[filteredData[[All, 2]]];
maxZ1 = First[First[Select[filteredData, #[[2]] == maxYield1 &]]];
maxZ2 = atomicNumber - maxZ1;
maxYield2 = yieldData[[maxZ2 - First[yieldData][[1]] + 1, 2]];
(*Display fragment information*)Print["Secondary Fragment: ",
ElementData[maxZ1, "Name"], "(Z=", maxZ1, "); Yield: ", maxYield1, " MeV"];
Print["Primary Fragment: ", ElementData[maxZ2, "Name"],
"(Z=", maxZ2, "); Yield: ", maxYield2, " MeV"];

```

```

(*Calculate and display average peak yield*)
peakAvgYield = (maxYield1 + maxYield2) / 2;
Print["Average Peak Yield: ", peakAvgYield, " MeV"];
Print[
  "-----
  ---"];];

(*Perform isotope analysis for each energy region*)
If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3, AnalyzeIsotopeYield[
  fermiData0253eV, "1. Analysis for Incident Neutron Energy: 0.0253eV"]];

If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,
  AnalyzeIsotopeYield[fermiData500keV,
    "2. Analysis for Incident Neutron Energy: 500keV"]];

If[energyPattern == 3 || energyPattern == 5, AnalyzeIsotopeYield[
  fermiData14MeV, "3. Analysis for Incident Neutron Energy: 14MeV"];
Print[
  "-----
  ---"];];

(*Define logarithmic scale transformation function*)
LogScaleTransform[value_] := Rescale[Log10[value], {-8, 1}, {-8, 12}];

(*Common plot settings for combined visualization*)
combinedPlotSettings =
{Joined → {True}, PlotRange → {{15, 75}, {-10, 12}}, PlotMarkers → Automatic,
  Frame → True, FrameLabel → {{Style["Energy (MeV)", 19, Black],
    Style["Fission Yield (Independent)", 19, Black]},
    {Style["Atomic Number", 19, Black], None}},
  LabelStyle → Directive[Black, 19], FrameTicks →
    {{Automatic, {LogScaleTransform[10^#], If[# == 0, 1, Superscript[10, #]]} &} /@
      {-8, -6, -4, -2, 0, 2}}, {Automatic, None}},
  FrameStyle → {Thick, Thick, Thick, Thick}, AspectRatio → 1.1,
  ImageSize → 400, Axes → {True, False}};

(*Plot generation function*)
CreateEnergyPlot[fermiData_, yieldData_, energy_, color_] := Module[{scaledYieldData},
  scaledYieldData = ({#[[1]], LogScaleTransform@#[[2]]} &) /@ yieldData;
  ListPlot[{fermiData, scaledYieldData[[fitStartIndex ;; fitEndIndex]]},
    Evaluate[combinedPlotSettings],
    PlotStyle → {Directive[PointSize[1/100], color], Directive[PointSize[1/100],
      GrayLevel[0.6 - 0.2 * Position[{Blue, Green, Red}, color][[1, 1]]]}},
    PlotLegends → Placed[PointLegend[Automatic, {"Fermi Energy",
      "Charge Distribution (" <> databaseName <> ")"}, Joined → True,
      LabelStyle → 14, LegendFunction → "Frame", LegendLayout → "Column",
      LegendMarkers → Array[{Graphics@Disk[], 10} &, 2], {{0.94, 0.19}, {1, 0.9}}],
    Epilog → {Inset[Style[ToString[isotopeName] <> " " <> energy, 18, Bold],
      Scaled@{0.4, 0.94}]}];];

(*Generate plots for each energy region*)
Module[{}, If[energyPattern == 1 || energyPattern == 2 || energyPattern == 3,
  Print[CreateEnergyPlot[fermiData0253eV, yieldData0253eV, "0.0253eV", Blue]]];
  If[energyPattern == 2 || energyPattern == 3 || energyPattern == 4 || energyPattern == 5,

```

```

Print[CreateEnergyPlot[fermiData500keV, yieldData500keV, "500keV", Green]]];
If[energyPattern == 3 || energyPattern == 5,
  Print[CreateEnergyPlot[fermiData14MeV, yieldData14MeV, "14MeV", Red]]];];

(*Final separator*)
Print[
  "-----
  -"];

Select Nuclear Species:
1. U-235_Data_JENDL5_CalculationData
2. U-233_Data_JENDL5_CalculationData
3. U-238_Data_JENDL5_CalculationData
4. Th-232_Data_JENDL5_CalculationData
5. Np-237_Data_JENDL5_CalculationData
6. Pu-239_Data_JENDL5_CalculationData
7. Pu-240_Data_JENDL5_CalculationData
8. Pu-242_Data_JENDL5_CalculationData
9. Am-241_Data_JENDL5_CalculationData

Attempting to load file from:
C:\Users\HM202\OneDrive\デスクトップ\14用Fermi-mathematica3\U-233_Data_JENDL5
_CalculationData.m


Successfully loaded: U-233_Data_JENDL5_CalculationData.m

1. Incident Neutron Energy: 0.0253eV: Effective Fission
   Distance Reff derived from experimental charge distribution

Analysis Results

Calculation results demonstrating that the effective fission distance Reff
derived from optimization calculations accurately reproduces experimental
values (confirming agreement between JENDL-5 experimental and theoretical
values, and validating calculations using Mathematica ver11.2 FindMinimum)

```





2. Incident Neutron Energy: 500keV: Effective Fission

Distance R_{eff} derived from experimental charge distribution

Analysis Results

Calculation results demonstrating that the effective fission distance R_{eff} derived from optimization calculations accurately reproduces experimental values (confirming agreement between JENDL-5 experimental and theoretical values, and validating calculations using Mathematica ver11.2 FindMinimum)




3. Incident Neutron Energy: 14MeV: Effective Fission

Distance R_{eff} derived from experimental charge distribution


Analysis Results

Calculation results demonstrating that the effective fission distance R_{eff} derived from optimization calculations accurately reproduces experimental values (confirming agreement between JENDL-5 experimental and theoretical values, and validating calculations using Mathematica ver11.2 FindMinimum)



Analysis Results:

1. The effective fission distance R_{eff} shows quadratic dependence on fragment charge
2. This dependence reflects fundamental laws of charge distribution in fission process
3. Similar dependence is maintained across different incident energies



Incident Neutron Energy: 0.0253 eV case

$$\text{Reff} = -0.526457 + 0.000828859 (91.9944 - x) x$$

Incident Neutron Energy: 500 keV case

$$\text{Reff} = -0.413533 + 0.000763672 (92.0009 - x) x$$

Incident Neutron Energy: 14 MeV case

$$\text{Reff} = -0.370316 + 0.000758605 (91.9936 - x) x$$

Analysis Results:

1. The effective fission distance Reff shows quadratic dependence on fragment charge number
2. This dependence reflects fundamental laws of charge distribution in the fission process
3. Similar dependence is maintained across different incident energies

Table of Effective Fission Distance

(Reff) Values by Atomic Number [Unit: fm]:

Displaying calculated values

(pre-fitting) and post-fitting values for each energy

Fitting calculation used fragment values from atomic number 28 to 64

Z1	Z2	Reff [fm] (0.0253 eV) Calculated	Fitted Value	Reff [fm] (500 keV) Calculated	Fitted Value	Reff [fm] (14 MeV) Calculated	Fitted Value
23	69	0.173735	-	0.264092	-	0.001312	-

Out[73]=

24	68	0.440352	-	0.600763	-	0.358764	-
25	67	0.733043	-	0.780927	-	0.712389	-
26	66	0.872429	-	0.836569	-	0.874641	-
27	65	0.917859	-	0.891059	-	0.968770	-
28	64	0.958323	0.95873	0.954013	0.95499	0.987376	0.98897
29	63	0.988092	0.98773	0.981916	0.98171	1.015340	1.01551
30	62	1.014680	1.01508	1.006720	1.00692	1.040110	1.04054
31	61	1.041260	1.04077	1.031170	1.03059	1.064930	1.06406
32	60	1.064410	1.06481	1.052770	1.05274	1.086270	1.08605
33	59	1.087800	1.08718	1.074290	1.07336	1.108120	1.10653
34	58	1.107770	1.10790	1.092580	1.09245	1.126040	1.12549
35	57	1.127790	1.12696	1.110880	1.11002	1.144320	1.14293
36	56	1.144330	1.14436	1.125940	1.12605	1.159010	1.15886
37	55	1.160730	1.16010	1.140950	1.14056	1.174080	1.17327
38	54	1.173370	1.17419	1.152600	1.15355	1.185390	1.18616
39	53	1.186390	1.18661	1.164540	1.16500	1.197430	1.19753
40	52	1.196360	1.19739	1.173720	1.17493	1.205950	1.20739
41	51	1.206540	1.20650	1.183410	1.18333	1.215380	1.21573
42	50	1.213120	1.21395	1.189590	1.19021	1.220960	1.22255
43	49	1.220300	1.21975	1.195990	1.19555	1.227980	1.22786
44	48	1.223470	1.22389	1.199050	1.19937	1.231140	1.23164
45	47	1.227250	1.22637	1.202730	1.20166	1.234930	1.23392
46	46	1.227220	1.22720	1.202750	1.20243	1.234630	1.23467
47	45	1.227310	1.22636	1.202770	1.20166	1.234870	1.23391
48	44	1.223370	1.22387	1.199100	1.19937	1.230990	1.23162
49	43	1.220410	1.21972	1.195900	1.19556	1.228200	1.22783
50	42	1.213210	1.21392	1.189570	1.19021	1.221160	1.22251
51	41	1.206610	1.20645	1.183390	1.18334	1.215370	1.21568
52	40	1.196340	1.19733	1.173750	1.17494	1.205940	1.20733
53	39	1.186330	1.18655	1.164560	1.16501	1.197380	1.19746
54	38	1.173350	1.17411	1.152570	1.15356	1.185350	1.18608
55	37	1.160750	1.16002	1.140980	1.14058	1.174230	1.17318
56	36	1.144340	1.14426	1.125920	1.12607	1.158950	1.15876
57	35	1.127890	1.12685	1.110940	1.11003	1.144410	1.14282
58	34	1.107730	1.10779	1.092550	1.09247	1.125850	1.12537
59	33	1.087750	1.08706	1.074290	1.07338	1.107890	1.10640
60	32	1.064310	1.06468	1.052790	1.05276	1.086100	1.08591
61	31	1.040920	1.04063	1.031210	1.03061	1.064740	1.06391

62	30	1.014490	1.01494	1.006760	1.00694	1.039850	1.04039
63	29	0.987850	0.98758	0.982040	0.98174	1.015070	1.01535
64	28	0.957981	0.95856	0.953961	0.95501	0.987199	0.98879
65	27	0.917859	-	0.891059	-	0.968770	-
66	26	0.872429	-	0.836569	-	0.874641	-
67	25	0.733043	-	0.780927	-	0.712389	-
68	24	0.440352	-	0.600763	-	0.358764	-
69	23	0.173735	-	0.264092	-	0.001312	-

Analysis of Fission Yields: Comparison


between Experimental Data and Theoretical Calculations ($E_x=0$)

Theoretical Analysis Results using Effective


Fission Distance R_{eff} proportional to fragment charge product,
with zero Fermi Energy ($E_x=0$)

- Quantitative reproduction of experimentally observed asymmetric fission yield distributions


1. Analysis for Incident Neutron Energy: 0.0253eV



2. Analysis for Incident Neutron Energy: 500keV



3. Analysis for Incident Neutron Energy: 14MeV




Analysis of Effective Fission Distance and Fission Probability

Analysis Contents:

1. Calculation of Effective Fission Distance (R_{eff}) for each incident neutron energy
2. Evaluation of fission probability using η function
3. Derivation of normalization factor κ ($= E_x/R_{eff}$)

The vertical axis κ represents the ratio of Fermi Energy (E_x) to effective fission distance (R_{eff}).

$\kappa \approx 1$ suggests the fission Fermi Energy is proportional to effective distance.



Theoretical Analysis and Experimental Comparison of Fission Yield Distributions

Calculation Process:

1. Evaluate logarithmic differences
between JENDL-5 experimental data and theoretical calculations
2. Optimize Fermi Energy (E_x) using least squares method
3. Generate theoretical curves using optimized E_x
4. Compare and verify experimental vs theoretical values

Optimization Goals:


- Theoretical reproduction of experimentally observed asymmetric fission yields
- Understanding fission mechanisms at each incident neutron energy
- Systematic determination of Fermi Energy (E_x)

Evaluation Methods:

- Minimize sum of squared logarithmic differences between theory and experiment
 - Parameter optimization using FindMinimum function
 - Validation of theoretical curves with optimized parameters
-


```
{fermiEnergy0253eV[28, 64] → -0.0833296,
fermiEnergy0253eV[29, 63] → 2.01281, fermiEnergy0253eV[30, 62] → 0.0051406,
fermiEnergy0253eV[31, 61] → 2.26128, fermiEnergy0253eV[32, 60] → 0.0553276,
fermiEnergy0253eV[33, 59] → 2.48408, fermiEnergy0253eV[34, 58] → 0.711195,
fermiEnergy0253eV[35, 57] → 2.88152, fermiEnergy0253eV[36, 56] → 0.942236,
fermiEnergy0253eV[37, 55] → 2.36049, fermiEnergy0253eV[38, 54] → -0.752924,
fermiEnergy0253eV[39, 53] → 0.518531, fermiEnergy0253eV[40, 52] → -1.15782,
fermiEnergy0253eV[41, 51] → 1.06713, fermiEnergy0253eV[42, 50] → -0.733975,
fermiEnergy0253eV[43, 49] → 2.10285, fermiEnergy0253eV[44, 48] → 0.114401,
fermiEnergy0253eV[45, 47] → 2.75653, fermiEnergy0253eV[46, 46] → 1.0127,
fermiEnergy0253eV[47, 45] → 2.88412, fermiEnergy0253eV[48, 44] → -0.0429136,
fermiEnergy0253eV[49, 43] → 2.38583, fermiEnergy0253eV[50, 42] → -0.467831,
fermiEnergy0253eV[51, 41] → 1.31279, fermiEnergy0253eV[52, 40] → -1.08283,
fermiEnergy0253eV[53, 39] → 0.529508, fermiEnergy0253eV[54, 38] → -0.647293,
fermiEnergy0253eV[55, 37] → 2.58896, fermiEnergy0253eV[56, 36] → 1.15508,
fermiEnergy0253eV[57, 35] → 3.3461, fermiEnergy0253eV[58, 34] → 0.8776,
fermiEnergy0253eV[59, 33] → 2.64287, fermiEnergy0253eV[60, 32] → 0.127973,
fermiEnergy0253eV[61, 31] → 1.75197, fermiEnergy0253eV[62, 30] → -0.113578,
fermiEnergy0253eV[63, 29] → 1.78125, fermiEnergy0253eV[64, 28] → -0.578362}
```

1. Analysis for Incident Neutron Energy: 0.0253eV





```
{fermiEnergy500keV[28, 64] → -1.69349,
fermiEnergy500keV[29, 63] → 1.59853, fermiEnergy500keV[30, 62] → 0.517702,
fermiEnergy500keV[31, 61] → 2.50861, fermiEnergy500keV[32, 60] → 1.10133,
fermiEnergy500keV[33, 59] → 3.27337, fermiEnergy500keV[34, 58] → 1.32517,
fermiEnergy500keV[35, 57] → 3.01614, fermiEnergy500keV[36, 56] → 0.745945,
fermiEnergy500keV[37, 55] → 1.86415, fermiEnergy500keV[38, 54] → -1.1034,
fermiEnergy500keV[39, 53] → -0.0332203, fermiEnergy500keV[40, 52] → -1.65117,
fermiEnergy500keV[41, 51] → 1.1597, fermiEnergy500keV[42, 50] → -0.327135,
fermiEnergy500keV[43, 49] → 1.9173, fermiEnergy500keV[44, 48] → 0.290692,
fermiEnergy500keV[45, 47] → 3.22393, fermiEnergy500keV[46, 46] → 1.6604,
fermiEnergy500keV[47, 45] → 3.30737, fermiEnergy500keV[48, 44] → 0.390916,
fermiEnergy500keV[49, 43] → 1.7041, fermiEnergy500keV[50, 42] → -0.386687,
fermiEnergy500keV[51, 41] → 1.08283, fermiEnergy500keV[52, 40] → -1.6015,
fermiEnergy500keV[53, 39] → -0.00992231, fermiEnergy500keV[54, 38] → -1.20282,
fermiEnergy500keV[55, 37] → 1.91424, fermiEnergy500keV[56, 36] → 0.654925,
fermiEnergy500keV[57, 35] → 3.12227, fermiEnergy500keV[58, 34] → 1.21286,
fermiEnergy500keV[59, 33] → 3.23614, fermiEnergy500keV[60, 32] → 1.10074,
fermiEnergy500keV[61, 31] → 2.56429, fermiEnergy500keV[62, 30] → 0.580128,
fermiEnergy500keV[63, 29] → 1.87671, fermiEnergy500keV[64, 28] → -1.90914}
```

2. Analysis for Incident Neutron Energy: 500keV



```
{fermiEnergy14MeV[28, 64] → -2.87266,
fermiEnergy14MeV[29, 63] → 0.885907, fermiEnergy14MeV[30, 62] → 0.236148,
fermiEnergy14MeV[31, 61] → 3.41819, fermiEnergy14MeV[32, 60] → 1.81499,
fermiEnergy14MeV[33, 59] → 4.95121, fermiEnergy14MeV[34, 58] → 2.54786,
fermiEnergy14MeV[35, 57] → 4.38075, fermiEnergy14MeV[36, 56] → 1.6851,
fermiEnergy14MeV[37, 55] → 3.09141, fermiEnergy14MeV[38, 54] → -0.263817,
fermiEnergy14MeV[39, 53] → 1.12156, fermiEnergy14MeV[40, 52] → -1.63273,
fermiEnergy14MeV[41, 51] → 0.590958, fermiEnergy14MeV[42, 50] → -1.93086,
fermiEnergy14MeV[43, 49] → 1.51887, fermiEnergy14MeV[44, 48] → 0.253395,
fermiEnergy14MeV[45, 47] → 3.28848, fermiEnergy14MeV[46, 46] → 1.189,
fermiEnergy14MeV[47, 45] → 3.19322, fermiEnergy14MeV[48, 44] → -0.00439671,
fermiEnergy14MeV[49, 43] → 2.02161, fermiEnergy14MeV[50, 42] → -1.45194,
fermiEnergy14MeV[51, 41] → 0.664598, fermiEnergy14MeV[52, 40] → -1.54983,
fermiEnergy14MeV[53, 39] → 1.16958, fermiEnergy14MeV[54, 38] → -0.189329,
fermiEnergy14MeV[55, 37] → 3.60976, fermiEnergy14MeV[56, 36] → 1.76543,
fermiEnergy14MeV[57, 35] → 4.80426, fermiEnergy14MeV[58, 34] → 2.3699,
fermiEnergy14MeV[59, 33] → 4.70766, fermiEnergy14MeV[60, 32] → 1.73979,
fermiEnergy14MeV[61, 31] → 3.29477, fermiEnergy14MeV[62, 30] → -0.0125451,
fermiEnergy14MeV[63, 29] → 0.621029, fermiEnergy14MeV[64, 28] → -2.87646}
```

3. Analysis for Incident Neutron Energy: 14MeV



Quantitative Analysis Results of Fermi Energy Ex

Based on Optimization Calculations using Experimental Fission Yield Data

1. Analysis for Incident Neutron Energy: 0.0253eV

```
{{28, -0.0833296}, {29, 2.01281}, {30, 0.0051406}, {31, 2.26128}, {32, 0.0553276},
{33, 2.48408}, {34, 0.711195}, {35, 2.88152}, {36, 0.942236}, {37, 2.36049},
{38, -0.752924}, {39, 0.518531}, {40, -1.15782}, {41, 1.06713}, {42, -0.733975},
{43, 2.10285}, {44, 0.114401}, {45, 2.75653}, {46, 1.0127}, {47, 2.88412}, {48, -0.0429136},
{49, 2.38583}, {50, -0.467831}, {51, 1.31279}, {52, -1.08283}, {53, 0.529508},
{54, -0.647293}, {55, 2.58896}, {56, 1.15508}, {57, 3.3461}, {58, 0.8776}, {59, 2.64287},
{60, 0.127973}, {61, 1.75197}, {62, -0.113578}, {63, 1.78125}, {64, -0.578362}}
```

2. Analysis for Incident Neutron Energy: 500keV


```
{ {28, -1.69349}, {29, 1.59853}, {30, 0.517702}, {31, 2.50861}, {32, 1.10133}, {33, 3.27337},
  {34, 1.32517}, {35, 3.01614}, {36, 0.745945}, {37, 1.86415}, {38, -1.1034},
  {39, -0.0332203}, {40, -1.65117}, {41, 1.1597}, {42, -0.327135}, {43, 1.9173},
  {44, 0.290692}, {45, 3.22393}, {46, 1.6604}, {47, 3.30737}, {48, 0.390916}, {49, 1.7041},
  {50, -0.386687}, {51, 1.08283}, {52, -1.6015}, {53, -0.00992231}, {54, -1.20282},
  {55, 1.91424}, {56, 0.654925}, {57, 3.12227}, {58, 1.21286}, {59, 3.23614},
  {60, 1.10074}, {61, 2.56429}, {62, 0.580128}, {63, 1.87671}, {64, -1.90914} }
```

3. Analysis for Incident Neutron Energy: 14MeV

```
{ {28, -2.87266}, {29, 0.885907}, {30, 0.236148}, {31, 3.41819}, {32, 1.81499},
  {33, 4.95121}, {34, 2.54786}, {35, 4.38075}, {36, 1.6851}, {37, 3.09141}, {38, -0.263817},
  {39, 1.12156}, {40, -1.63273}, {41, 0.590958}, {42, -1.93086}, {43, 1.51887},
  {44, 0.253395}, {45, 3.28848}, {46, 1.189}, {47, 3.19322}, {48, -0.00439671},
  {49, 2.02161}, {50, -1.45194}, {51, 0.664598}, {52, -1.54983}, {53, 1.16958},
  {54, -0.189329}, {55, 3.60976}, {56, 1.76543}, {57, 4.80426}, {58, 2.3699}, {59, 4.70766},
  {60, 1.73979}, {61, 3.29477}, {62, -0.0125451}, {63, 0.621029}, {64, -2.87646} }
```

Systematic Analysis Results of Fermi Energy Ex

Using Optimized Effective Fission Distance Reff



1. Analysis for Incident Neutron Energy: 0.0253eV

Secondary Fragment: silver(Z=47); Yield: 2.88412 MeV

Primary Fragment: rhodium(Z=45); Yield: 2.75653 MeV

Average Peak Yield: 2.82033 MeV

2. Analysis for Incident Neutron Energy: 500keV

Secondary Fragment: silver(Z=47); Yield: 3.30737 MeV

Primary Fragment: rhodium(Z=45); Yield: 3.22393 MeV



Average Peak Yield: 3.26565 MeV


3. Analysis for Incident Neutron Energy: 14MeV

Secondary Fragment: cesium(Z=55); Yield: 3.60976 MeV

Primary Fragment: rubidium(Z=37); Yield: 3.09141 MeV

Average Peak Yield: 3.35058 MeV





```
In[161]:= EmitSound[Sound[SoundNote[]]]
```