

HTML



HTML Forms

HTML forms

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  |   <title>Forms in HTML</title>
5  </head>
6  <body>
7  |   <form action="">
8  |   |   <label for="fname">First Name:</label>
9  |   |   <br>
10 |   |   <input type="text">
11 |   </form>
12 </body>
13 </html>
```

First Name:

<input> - used to accept data from the user

<label> - used to organize the inputs by name

The best way to collect data is with the use of **<form>**. **HTML** forms are made up of inputs and labels, to allow information to be clearly organized when submitted.

<form> attributes:

Action – defines what happens to the data when the form is submitted

Method – specifies the HTTP method used during form submission


HTML inputs & attributes

There are total of 22 different input types.

```

1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <title>Forms in HTML</title>
5    </head>
6    <body>
7      <form action="">
8        <input type="button" /> <br>
9        <input type="checkbox" /> <br>
10       <input type="color" /> <br>
11       <input type="date" /> <br>
12       <input type="datetime-local" /> <br>
13       <input type="email" /> <br>
14       <input type="file" /> <br>
15       <input type="hidden" /> <br>
16       <input type="image" /> <br>
17       <input type="month" /> <br>
18       <input type="number" /> <br>
19       <input type="password" /> <br>
20       <input type="radio" /> <br>
21       <input type="range" /> <br>
22       <input type="reset" /> <br>
23       <input type="search" /> <br>
24       <input type="submit" /> <br>
25       <input type="tel" /> <br>
26       <input type="text" /> <br>
27       <input type="time" /> <br>
28       <input type="url" /> <br>
29       <input type="week" /> <br>
30     </form>
31   </body>
32 </html>

```



There are total of 15 different input attributes:

1. Value
2. Read-only
3. Disabled
4. Size
5. Max-length
6. Min/max
7. Multiple
8. Pattern
9. Placeholder
10. Required
11. Step
12. Autofocus
13. Height/width
14. List
15. Autocomplete

HTML inputs & attributes

There are total of 15 different input attributes:

1. **Value** – specifies initial value of the input field.
2. **Read-only** – doesn't allow the user to change the value.
3. **Disabled** – similar to read-only.
4. **Size** – specifies size of input field.
5. **Max-length** – limits characters that can be inputted.
6. **Min/max** - specifies the min and max values for an input field.
7. **Multiple** – lets the user to input multiple values.
8. **Pattern** - specifies a regular expression that the input's value is checked against.
9. **Placeholder** - specifies a hint that describes the expected value of an input.
10. **Required** – User must fill in data for form to be submitted.
11. **Step** - specifies the number intervals.
12. **Autofocus** – input is highlighted when page is loaded.
13. **Height/width** - specifies the height and width of an image input.
14. **List** - contains pre-defined options.
15. **Autocomplete** - specifies whether a form should have autocomplete on or off.

Not every attribute works with every input field.

HTML fieldsets

A `<fieldset>` element is used to group a set of inputs (similar to a `<div>`) and assigns a label at the top.

A `<legend>` specifies the name at the top of the `<fieldset>`.

Who won the Ballon D'or in 2005?

☐ Dennis Bergkamp

☐ Ronaldinho Gaucho

☐ Ricardo Kaka

☐ Ruud Van Nistelrooy

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <title>Forms in HTML</title>
5    </head>
6    <body>
7      <form action="">
8        <fieldset>
9          <legend>Who won the Ballon D'or in 2005?</legend>
10         <input type="radio" name="quiz" />
11         <label for="">Dennis Bergkamp</label><br />
12
13         <input type="radio" name="quiz" />
14         <label for="">Ronaldinho Gaucho</label><br />
15
16         <input type="radio" name="quiz" />
17         <label for="">Ricardo Kaka</label> <br />
18
19         <input type="radio" name="quiz" />
20         <label for="">Ruud Van Nistelrooy</label>
21       </fieldset>
22     </form>
23   </body>
24 </html>
```


HTML textareas

```
1 <!DOCTYPE html>
2 <html lang="en">
3   <head>
4     <title>Forms in HTML</title>
5   </head>
6   <body>
7     <textarea rows="5" cols="33">
8       The textarea element gives the user
9       a larger input field to write some
10      data/information.
11    </textarea>
12  </body>
13 </html>
```

```
<style>
  textarea {
    resize: none;
  }
</style>
```

We can add some CSS to stop the user from having the ability to resize the `<textarea>`.

The textarea element gives the user a larger input field to write some data/information.

The textarea element gives the user a larger input field to write some data/information.

In the first `<textarea>`, we can see a small symbol in the bottom right. That symbol allows us to change the shape of the `<textarea>` and “`resize: none;`” stops that.