



Image Analysis Collaboratory



ACITE

Core for Imaging Technology & Education



Figure 1. The spatial distribution of the ^{125}I -2-deoxyglucose signal in the brain at 10 min (a), 30 min (b), 60 min (c) and 90 min (d) after injection. The images were obtained from a single subject. The signal intensity is highest in the central region of the brain and decreases towards the periphery.

4.2. The spatial distribution of the ^{125}I -2-deoxyglucose signal

The spatial distribution of the ^{125}I -2-deoxyglucose signal in the brain is shown in Figure 1. The signal intensity is highest in the central region of the brain and decreases towards the periphery.


4.3. The temporal distribution of the ^{125}I -2-deoxyglucose signal

The temporal distribution of the ^{125}I -2-deoxyglucose signal in the brain is shown in Figure 2. The signal intensity is highest at 10 min and decreases towards 90 min.



<i>Mean:</i>	4803	2074
<i>Display range:</i>	188-19540	112-7768

<i>Mean:</i>	4803	2074
<i>Display range:</i>	188-19540	188-19540



7768

19540


**Do NOT trust your eyes,
rely on numbers!**

Which kind has more fluidity?


Displayfile: Brightness & Contrast

Display a file: Brightness & Contrast

Which image has more fluorescence?



Mean:	4803	2074
Display range:	188- 19540	112- 7768



Mean:	4803	2074
Display range:	188- 19540	188- 19540


Do NOT trust your eyes,
rely on numbers!


Images and Colors

Lookup Tables (LUTs)

LUT = how the grey values are displayed

LUTs do not change the pixel values

	Image (8 bit)	Displayed color
	0	
	1	
	...	
	100	
	...	
	255	

	=			
	136	106	152	179
	109	209	236	179
	103	179	189	132
	123	186	192	169