

# Assessed Individual Coursework 2 — Flying Planner

## 1 Overview

Your task is implement a Flying Planner which uses a graph library to represent airline data, and which supports searching. You should carefully test all of the code you write, generating new test files as necessary, and include illustrations of your Flying Planner user interface in your report.

The coursework aims to reinforce your understanding of course material, specifically the following learning objectives:

- Gain an understanding of a range of graph classes and their use to represent realistic data.
- Gain further experience in object-oriented software engineering with a non-trivial class hierarchy: specifically selecting an appropriate class; reusing existing classes; extending existing classes.
- Using generic code: reusing generic graph classes, and parameterising a class with different types.
- You will also gain general software engineering experience, specifically downloading and using open source software, using a general method for a specific purpose, and issues with reusing existing code.
- Gain further experience with Java programming.

## 2 JGraphT

JGraphT is a Java library of graph theory data structures and algorithms. **Note that we will be using JGraphT version 1.3.0 which is not the latest released version of the library.**

### 2.1 Preliminary Part: Installation and get familiar with JGraphT

To use the library, you need to have a personal copy of the Open Source JGraphT graph library in your working environment. As we explain below, this could be automatically done with Maven. Further down in this section you can also find the instructions to manually install in Eclipse, and under Linux.

You can get more information about JGraphT on its public website, and more information about the classes the library provides in its Javadoc documentation available online:

- <https://jgrapht.org/>
- <https://jgrapht.org/javadoc-1.3.0/>

### 2.2 GitLab-Student and Maven

A coursework starting point project is available as a repository on GitLab-Student:

<https://gitlab-student.macs.hw.ac.uk/f28da-2021-2022/students/F28DA-2021-2022-CW2>

As JGraphT releases are published to the Maven Central Repository, this coursework project includes the necessary dependency in the Maven setting (pom.xml file).

```
<groupId>org.jgrapht</groupId>
<artifactId>jgrapht-core</artifactId>
<version>1.3.0</version>
```

On GitLab-Student, or on an IDE supporting Maven, you should not need to manually install JGraphT as it will be installed by Maven. The following subsections give you however instructions on how to manually install JGraphT. These instructions could be informative to read and help you understand better how such Java library works.

## 2.3 (Optional) Instructions to manually install JGraphT

### 2.3.1 JGraphT package download

The following instructions are for JGraphT version 1.3.0 on a POSIX compatible machine (e.g., GNU/Linux, UNIX, MacOS).

- Download the desired version of JGraphT library by following the instructions on <http://jgrapht.org/> or go directly to <https://sourceforge.net/projects/jgrapht/files/JGraphT/Version1.3.0/>
- Decompress and extract the tarball (this will create a 88M jgrapht-1.3.0 directory):

```
tar zxvf jgrapht-1.3.0.tar.gz
```

- Delete the tarball (as it is no longer needed once you unpacked it):

```
rm jgrapht-1.3.0.tar.gz
```

In the following, we assume that the extracted jgrapht-1.3.0 directory is located at `${HOME}/jgrapht-1.3.0/`. If you extracted the package to some other location, adjust accordingly.

### 2.3.2 Setup for Eclipse integration

To use and integrate JGraphT in Eclipse, you need to *Configure the Java Build Path* of your project. You will need to apply the following changes in *Libraries*:

- Add the external archive jgrapht-core-1.3.0.jar
- Once the archive is added, you can attach its sources by deploying its menu and edit *Source attachment* to point to the external directory location `${HOME}/jgrapht-1.3.0/source/jgrapht-code/src/`. This will make the sources of JGraphT directly available within Eclipse for documentation and debugging purposes.
- Similarly, you can add the documentation by editing *Javadoc location path* to be `${HOME}/jgrapht-1.3.0/javadoc/`. This will make the documentation of JGraphT directly available within Eclipse.

### 2.3.3 Setup for command line compilation and execution

- Add JGraphT's core JAR file jgrapht-core-1.3.0.jar to your class path by adding the following commands at the end of your `.profile` file in your home directory. Alternatively, you could pass the additional class path information to `javac` and `java` with the `-cp` command line argument.

The following line adds JGraphT's core JAR to your class path (this could be repeated for other JGraphT JAR, e.g., to run JGraphT's HelloJGraphT demo you will need to also include jgrapht-io-1.3.0.jar).

```
export CLASSPATH=${HOME}/jgrapht-1.3.0/lib/jgrapht-core-1.3.0.jar:$CLASSPATH
```

- Execute your new `.profile` for the setting to be taken into account:

```
source ~/.profile
```

### 2.3.4 JGraphT demonstration programs

You can compile and run the demonstration programs provided in the JGraphT source directory. To do so, go to the JGraphT source directory, compile, and execute the HelloJGraphT demo program (the compiled classes will be put in the bin directory):

```
cd ${HOME}/jgrapht-1.3.0
cd source/jgrapht-demo/src/main/java
mkdir -p bin
javac -d bin org/jgrapht/demo/HelloJGraphT.java
java -cp ./bin:${CLASSPATH} org.jgrapht.demo.HelloJgraphT
```

Executing other demo programs, e.g. PerformanceDemo - takes several minutes!

## 3 Coursework Parts

### 3.1 Part A: Representing direct flights and least cost connections

Write a program FlyingPlannerMainPartA (containing a single main method) to represent the following direct flights with associated costs as a graph. For the purpose of this exercise assume that flights operate in both directions with the same cost, e.g., Edinburgh ↔ Heathrow denotes a pair of flights, one from Edinburgh to Heathrow, and another from Heathrow to Edinburgh.

*Hint:* Flights are directed, i.e., from one airport to another, and weighted by the ticket cost, hence use the JGraphT's SimpleDirectedWeightedGraph class. You should display the contents of the graph (and may omit the weights).

Flight	Cost
Edinburgh ↔ Heathrow	£80
Heathrow ↔ Dubai	£130
Heathrow ↔ Sydney	£570
Dubai ↔ Kuala Lumpur	£170
Dubai ↔ Edinburgh	£190
Kuala Lumpur ↔ Sydney	£150

Extend your program to search the flights graph to find the least cost journey between two cities consisting of one or more direct flights.

*Hint:* use methods from the DijkstraShortestPath class to find the journey.

A possible interface for your program might be one where you suggest a start and an end city and the cost of the entire journey is added up and printed.

The following airports are used :

Edinburgh  
Heathrow

...

Please enter the start airport: Edinburgh

Please enter the destination airport: Kuala Lumpur

Shortest (i.e. cheapest) path:

1. Edinburgh -> Dubai
2. Dubai -> Kuala Lumpur

Cost of shortest (i.e. cheapest) path = £ 360

*Java hint:* You can redefine the `.toString()` method in your classes to customise printing.

**By mid Week 10:** Implement the main method your `FlyingPlannerMainPartA` program. This program does not need to use or implement the provided interfaces! No test is provided nor necessary for his part.

## 3.2 Part B: Use provided flights dataset, add flight information

You should now write a program `FlyingPlannerPartBC` (containing a single main method) which will make use of your class `FlyingPlanner` (this is the central class of your program although it does not have to have a main method).

### 3.2.1 Add flight information

Your program should be operating on a flight graph that will now include the following information about each flight. The flight number (e.g., BA345); the departure time; the arrival time; the flight duration; and the ticket price (e.g., 100). All times should be recorded in 24 hour hh:mm format (e.g., 18:30). Individual flight durations are under 24h.

Use the additional flight information to print the least cost journey in a format similar to the following example. The key aspects are

1. the sequence of connecting flights (with the least cost);
2. the total cost for the journey.

An example journey for Part B (and Part C) might resemble the following when the departure city is Newcastle upon Tyne (England, UK) and the destination Newcastle (NSW, Australia):

Journey for Newcastle (NCL) to Newcastle (NTL)

Leg	Leave	At	On	Arrive	At
1	Newcastle (NCL)	19:18	KL7893	Amsterdam (AMS)	20:04
2	Amsterdam (AMS)	07:47	CX0831	Hong Kong (HKG)	17:02
3	Hong Kong (HKG)	07:48	CX7100	Brisbane (BNE)	14:27
4	Brisbane (BNE)	16:28	QF0640	Newcastle (NTL)	17:29

Total Journey Cost = £1035  
Total Time in the Air = 10:61

*Java hint:* You should use `String.format` to align the information you are printing.

### 3.2.2 Use provided flights dataset

Build your graph of flights using the provided flights dataset and its reader (`FlightsReader`). The dataset is composed of a list of airports (indexed by a three character code), and a list of flights (indexed by a flight code). The list of airports and flights originated from the Open Flights (<https://openflights.org/>) open source project. In addition to these initial lists the following information were automatically and randomly generated: the flight numbers, departure and arrival times, cost.

### Interfaces to implement

For the purpose of printing such journey, and to complete this part,

- your `FlyingPlanner` class should implement the `IFlyingPlannerPartB<Airport,Flight>` interface;
- your `Journey` class should implement the `IJourneyPartB<Airport,Flight>` interface;

- your `Airport` class should implement the `IAirportPartB` interface;
- your `Flight` class should implement the `IFlight` interface.

**By the end of Week 11:** Implement the main method of your `FlyingPlannerMainPartBC` program and the methods of `FlyingPlanner`, `Journey`, `Airport`, `Flight` according to the provided interfaces. Your `FlyingPlanner` class should pass the Part B test cases of the provided `FlyingPlannerProvidedTest` JUnit test class. Implement additional test cases in `FlyingPlannerTest`.

## 4 Part C: Advanced features

Extend your `FlightPlanner` class with the following extensions.

### 4.1 Journey duration

Extend your program to calculate the total time in the air, i.e., the sum of the durations of all flights in the journey and the total trip time.

*Hint:* you will need to write functions to perform arithmetic on 24 hour clock times.

### 4.2 Least hops

Extend your program to locate journeys with the fewest number of changeovers. Extend your program to offer the possibility to exclude one or more airports from the journey search.

### 4.3 Directly connected order

Extend your program to calculate for an airport the number of directly connected airports. Two airports are directly connected if there exist two flights connecting them in a single hop in both direction. Extend your program to calculate the set of airports reachable from a given airport that have strictly more direct connections.

*Hint:* use a directed acyclic graph, available in `JGraphT`.

### 4.4 Meet-Up search

Extend your program to offer the possibility to search for a least-hop/least-price meet-up place for two people located at two different airports. The meet-up should be different than the two starting airports. Extend your program to offer the possibility to search for a least time meet-up place for two people located at two different airports (considering a given starting time).

## Interfaces to implement

To complete this part

- your `FlyingPlanner` class should implement the `IFlyingPlannerPartC<Airport,Flight>` interface;
- your `Journey` class should implement the `IJourneyPartC<Airport,Flight>` interface;
- your `Airport` class should implement the `IAirportPartC` interface;
- your `Flight` class should implement the `IFlight` interface.

In order to score full marks, it will be enough to fully implement *two out of the four* advanced features. Still, try to implement as many as you can, as implementing more than the minimal two advanced features can help you recuperate some of the marks you drop elsewhere in this coursework.

**By the end of Week 12:** Implement the methods of `FlyingPlanner`, `Journey`, `Airport`, `Flight` according to the provided interfaces. Your `FlyingPlanner` class should pass the Part C test cases of the provided `FlyingPlannerProvidedTest` JUnit test class. Implement additional test cases in `FlyingPlannerTest`.

## 5 Coding Style

Your mark will be based partly on your coding style. Here are some recommendations:

- Variable and method names should be chosen to reflect their purpose in the program.
- Comments, indenting, and whitespaces should be used to improve readability.
- No variable declarations should appear outside methods (“instance variables”) unless they contain data which is to be maintained in the object from call to call. In other words, variables which are needed only inside methods, whose value does not have to be remembered until the next method call, should be declared inside those methods.
- All variables declared outside methods (“instance variables”) should be declared `private` (not `protected`) to maximise information hiding. Any access to the variables should be done with accessor methods (like `getVar()` and `setVar(...)` for a private variable `var`).
- Use appropriate stream when printing output: normal output should be on the standard output (using `System.out`). Error or warning notifications should be on the standard error output (using `System.err`).

## 6 Note on plagiarism and collusion

- The coursework is an **individual** coursework.
- You are permitted to **discuss** the coursework with your with your classmates. You can **get help** from lecturer and lab helpers in lab sessions. You can get help and **ask questions** to lecturer, via GitLab-Student or by email or at the beginning or end of lecture sessions, or during the office hour of the lecturer.
- Coursework reports must be written in your **own words** and any code in their coursework must be your **own code**. If some text or code in the coursework has been taken from other sources, these sources must be **properly referenced**. Failure to reference work that has been obtained from other sources or to copy the words and/or code of another student is **plagiarism** and if detected, this will be reported to the School's Discipline Committee. If a student is found guilty of plagiarism, the penalty could involve voiding the course.
- Students must **never** give hard or soft copies of their coursework reports or code to another student. Students must always **refuse** any request from another student for a copy of their report and/or code.
- Sharing a coursework report and/or code with another student is **collusion**, and if detected, this will be reported to the School's Discipline Committee. If found guilty of collusion, the penalty could involve voiding the course.
- **Special note for re-using available code:** If you are re-using code that you have not yourself written, then this must clearly be indicated. At all time, you have to make clear what part is not yours, and what in fact is your contribution. Re-using existing code and amending it is perfectly fine, as long as you are not trying to pass it on as your own work, so you must clearly state where it is taken from. A brief additional explanation of why you chose this code would be an added benefit and even adds value to your work. If your code is found elsewhere by the person marking your work, and you have not mentioned this, you may find yourself having to go before a disciplinary committee and face grave consequences.

## 7 Submission

Submit an archive file (e.g., a .zip or .tar.gz) electronically on Canvas.

- Follow the subdirectory of the template files provided on GitLab-Student. This should include all<sup>1</sup> the .java source files of your program as well as your jUnit 4 test cases FlyingPlannerTest.java. Do **not** include the compiled .class files.

You should fork the F28DA-2021-2022-CW2 on GitLab-Student and regularly commit your work. You should **not** invite any other students to your project nor share your code with other students. Remember that the final submission is through Canvas.

- A short report in .pdf, .rtf, .odt, .doc or .docx format only. Your report should indicate the implementation and representation choices you made for Part B and C, show screenshots of running Part B, known limitations of your implementation of each part, a description of test data and testing outcomes, and includes reasons why test data was chosen.

**Your coursework is due to be submitted by Monday, 28 February 2022, at 15:30.**

The course applies the University's coursework policy:

- No individual extension for coursework submissions.
- Deduction of 30% from the mark awarded for up to 5 working days late submission.
- Submission more than 5 working days late will not get a mark.
- If you have mitigating circumstances for an extension, talk to your Personal Tutor and submit a Mitigating Circumstances (MC) form with supporting documentation to the School Office.

## 8 Marking Scheme

- Coding style, program compiles, produces a meaningful output (Part A/Part B). Submissions which do not compile will receive 0 marks. (25 marks)
- Report with clear structure, content and appropriate length, screen-shots of Part B showing normal run and erroneous use with incorrect user input. (30 marks)
- Implementation the methods for Part B and Part C in FlyingPlanner, Airport, Flight, and Journey. (30 marks)
- Quality of your own test cases. (15 marks)

**Your coursework is due to be submitted by 15:30 on Friday, April 1st, 2022.** The course applies the University's submission of coursework policy.

- No individual extension for coursework submissions.
- Deduction of 30% from the mark awarded for up to 5 working days late submission.
- Submission more than 5 working days late will not get a mark.
- If you have mitigating circumstances for an extension, talk to your Personal Tutor and submit an MC form with supporting documentation to the School's Office.

---

<sup>1</sup>Submit also the Java files provided (whether you have altered them or not). You should not modify the interfaces provided. If you consider you need to add or modify some method signatures in the interfaces, please speak first to the lecturer of the course.