


BUILDING NAME	BUILDING TAG NUMBER
BURN BUILDING	860-B-6011D

N:13515

RESTRICTED

VECTOR

Saudi Aramco 2615 ENG.105/053
CADD-01



EL. +114.980
▼ TOP OF PARAPET

EL. +113.680
▼ TOP OF STAIR TOWER ROOF SLAB

EL. +112.235
▼ TOP OF PARAPET

EL. +111.010
▼ FOURTH FLOOR/TOP OF ROOF SLAB

EL. +110.510
▼ U/S OF BEAM

EL. +108.340
▼ FFL THIRD FLOOR

INSULATED METAL PERSONNEL DOORS
AND FRAME WITH PAINT FINISH (TYP)

EL. +105.670
▼ FFL SECOND FLOOR

EL. +103.000
▼ FFL FIRST FLOOR

EL. +100.300
▼ FFL GROUND FLOOR

EL. +100.000
▼ H.P.P.

NON-COMBUSTIBLE WATERPROOF COATING
ON 75mm MIN SCREED LAID AT 1:100 FALL
ON REINFORCED CONCRETE ROOF SLAB

FAIRFACED CMU WALLS (TYP)

STEEL ESCAPE STAIRS ON
STRUCTURAL STEEL FRAME

FOUNDATIONS SHOWN INDICATIVE REFER
TO STRUCTURAL ENGINEERS DETAILS



C SECTION

PP-477066
SH 001

SCALE 1:100M


<p>NOTES:</p> <p>1. ALL DIMENSIONS ARE IN MILLIMETRES AND ALL LEVELS ARE IN METRES UNLESS NOTED OTHERWISE.</p> <p>2. FOR NOTES AND LEGEND REFER TO DRAWING PP-477066-001.</p>
--

LEGEND

	- IN-SITU REINFORCED CONCRETE WALL/SLAB
	- 200mm (NOMINAL) THICK CONCRETE MASONRY UNIT (CMU) WALL
<div style="border: 1px solid black; padding: 2px; display: inline-block;">101</div>	- ROOM NUMBER
<p>EL.</p> <p>F.F.L.</p> <p>H.P.P.</p> <p>U/S</p>	<p>- ELEVATION</p> <p>- FINISHED FLOOR LEVEL</p> <p>- HIGH POINT OF PAVING</p> <p>- UNDER SIDE</p>

REFERENCE DRAWINGS	
FIRE TRAINING AREA BURN BUILDING PLANS	PP-477066.001

<div style="border: 1px solid black; padding: 5px; display: inline-block;"> B </div>		<div style="border: 1px solid black; border-radius: 15px; padding: 10px; text-align: center;"> <p>PREVIOUSLY ISSUED AS DRAWING No. PP-47406T-001.</p> </div>													
DI	02/17/23	SRD	MB	JM											
DI	10/11/22														
AF#	DATE	BY	CH'D	APP	PRJ	PRO	HSE	CIV	ELE	COM					



<p align="center">REVISION VALIDATION</p> <p>THIS REVISION NO. B IS COVERED, FOR ALL APPROVAL AND CERTIFICATION REQUIREMENTS, PER SAEP-334, UNDER DRAWING COMPLETION CERTIFICATE NO: 10-14815-0001-000</p>				
<p align="center">DESIGN CERTIFICATION (DESIGN AGENCY)</p>		<p align="center">REVIEW FOR KEY DRAWINGS <input type="checkbox"/> REQUIRED (SAUDI ARAMCO)</p>		<p align="center">OTHER</p>
ENGG./DATE TBA	CERTIFIED BY/DATE TBA	CONST. AGENCY/DATE	OPERATIONS/DATE	BY/DATE

REV.NO.	DATE	REVISION DESCRIPTION
B	02/17/23	ISSUED FOR PROPOSAL
JOB ORDER/EWO NO.		THIS REVISION IS NOT TO BE USED FOR CONSTRUCTION UNTIL CERTIFIED AND DATED
10-14815-000		

SAUDI ARABIAN OIL COMPANY						DRAWING NO.	ARC
ELEVATIONS AND SECTION							
FIRE TRAINING AREA BURN BUILDING							
JFGP ISF & FSF							
JAFURAH				SAUDI ARABIA			
PLANT NO.	INDEX	DRAWING NUMBER		SHT. NO.	REV. NO.		
860	X	PP-477067		001			