General

Name Tank

EEprom Size 448 bytes

Throttle Source: THR Trim idle only: No Warning: Yes

Reversed: No

Trims Step: Fine Display: Never Extended: No

Center Beep None

Switch SA↑ SB↑ SC↑ SD↑ SF↑

Warnings

Pot Warnings Mode: OFF

Other Extended Limits: No Display Checklist: No Global

Functions: Yes

Timers	Time	Switch	Countdown Start	Min.call	Persist
TMR1	00:00:00	L01	Silent	No	NOT
TMR2	00:00:00	L02	Silent	No	NOT
TMR3	00:00:00	0FF	Silent	No	NOT

Modules

Internal Protocol: 0FF

Radio System

External Protocol: DIY Multiprotocol Module Channels: 1-16 Radio Module Receiver: 0 Radio protocol: ??? Subtype: 2 Option

value: 0

Trainer port Mode: Master/Jack

Flight modes

Flight mo	de Switc	h F.I	n F.	.Out	TrmR	Trml	E Ti	rmT	TrmA
FM0		0	0		0	0	0		0
FM1		0	0		FM0	FM0	FN	10	FM0
FM2		0	0		FM0	FM0	FN	10	FM0
FM3		0	0		FM0	FM0	FN	10	FM0
FM4		0	0		FM0	FM0	FN	10	FM0
FM5		0	0		FM0	FM0	FN	10	FM0
FM6		0	0		FM0	FM0	FN	10	FM0
FM7		0	0		FM0	FM0	FN	10	FM0
FM8		0	0		FM0	FM0	FN	10	FM0
Global va	rs GV1	GV2	GV3	GV4	GV5	GV6	GV7	GV8	GV9
Name									
Unit									
Prec	0.	0.	0.	0.	0.	0.	0.	0.	0
Min	-1024	l - <mark>1</mark> 024	- 1024	- 1024	1 - 1024	I - <mark>10</mark> 24	- 1024	4 - 102	4 - 1024
Max	1024	1024	1024	1024	1024	1024	1024	1024	1024
Popup	N	N	N	N	N	N	N	N	N
Flight mo	de								
FM0	0	0	0	0	0	0	0	0	0

FM1	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM2	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM3	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM4	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM5	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM6	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM7	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
FM8	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0	FM0
Inputs									
I1:Gas		Ele We	eight	(+100%	s)				
I2:Sei		Ail We	eight	(+100%	s)				
I3:Tow	•	Thr We	eight	(+100%	s)				
I4:Sho	1	Rud We	eight	(+100%	s)				
Mixers									
CH1		I1:Gas		-					
CH2		I2:Sei	. Wei	ght(+1	.00%)				
CH3		I3:Tov	√ Wei	ght(+1	.00%)				
CH4		I4:Sho) Wei	ght(+1	.00%)				
CH16		SH Wei	_ght(-	+100%)					
Outputs									
Channel		rimMiı		Max		ect Cu	ırve	PPM	Linear
CH1	+0.09			+100.0				1500	N
CH2	+0.09			+100.0				1500	N
СНЗ	+0.09			+100.0				1500	N
CH4	+0.09			+100.0				1500	N
CH16	+0.09		90.0%	+100.0	9% NOR			1500	N
Logical S			_						
L1		as > 1		_					
L2		(L01 OR L02) AND SH↑							
L14	TELE1:A1 < 6								
	Global Functions								
GF1		Volun		2) No	repea	t			
Special F									
SF1		- Rese							
SF2		- Rese	-	-	•				
SF9	L14	- Play	/ Tra	ck (lo	wbat)	Repe	at 30	S	
	Telemetry								
Protocol	FrSky S.PORT								
	1	- 16	Cri.	tical·	- 12	· T_1	emetr	V	
RSSI Alarms		o: Ena		cicac.	\ 1 2	, let	cinc cr	y	

Altimetry Vario source: ---Vario limits > Sink max: -10; Sink
min: -0.5; Climb min: 0.5; Climb max: 10; Center
silent: No

Top Bar Volts source: ----; Altitude source: ---Multi Enable
sensors

Telemetry Sensors

Name	Туре	Parameters
TELE1:A1	Custom	<pre>Id: F1 Instance: 1 Unit: V Precision: 0.0 Ratio: 13.2 Offset: 0.0 Auto Offset: N Filter: Y Positive: N Log: Y</pre>
TELE2:A2	Custom	<pre>Id: F2 Instance: 1 Unit: V Precision: 0.0 Ratio: 0 Offset: 0.0 Auto Offset: N Filter: Y Positive: N Log: Y</pre>
TELE3:RSSI	Custom	<pre>Id: F0 Instance: 1 Unit: Precision: 0. Ratio: 0 Offset: 0 Auto Offset: N Filter: Y Positive: N Log: Y</pre>
TELE4:TRSS	Custom	<pre>Id: FFFE Instance: 1 Unit: dB Precision: 0. Ratio: 0 Offset: 0 Auto Offset: N Filter: Y Positive: N Log: Y</pre>
TELE5:RQly	Custom	Id: FFFC Instance: 1 Unit: Precision: 0. Ratio: 0 Offset: 0 Auto Offset: N Filter: Y Positive: N Log: Y
TELE6:TQly	Custom	<pre>Id: FFFD Instance: 1 Unit: Precision: 0. Ratio: 0 Offset: 0 Auto Offset: N Filter: Y Positive: N Log: Y</pre>

Telemetry Screens

1:	Numbers		
		Source	Source
		TELE3:RSSI	TELE4:TRSS
		TELE1:A1	TELE2:A2