Advanced Reconnaissance & Attack Surface Mapping

Task 01: Passive OSINT & Subdomain Enumeration

I performed passive reconnaissance and subdomain enumeration on the target domain using tools such as Subfinder, Assetfinder, and OWASP Amass to discover publicly available subdomains from multiple OSINT sources. Additionally, I used crt.sh to identify historical subdomains from SSL certificate logs and DNSDumpster to gather DNS records and analyze the domain's infrastructure.

1.Subfinder

Purpose: Passive subdomain enumeration tool.

Used to find subdomains from public data sources (APIs, certificates, datasets).

Command:

```
subfinder -d hackthissite.org -all -recursive -silent -o sub1.txt
```

Flags:

-d → Target domain
-all → Use all available data sources
-recursive → Search deeper subdomains
-silent → Show clean output only
-o → Save results to file

POC:

```
┌──(hyena㉿hyena)-[~/Desktop/subdomain]
└─$ subfinder  -d hackthissite.org  -all -recursive -silent -o subfinder.txt
irc.hackthissite.org
mail.hackthissite.org
forums.hackthissite.org
irc-www.hackthissite.org
hackthissite.org
wolf.irc-v6.hackthissite.org
lille.irc.hackthissite.org
mirror.hackthissite.org
stats.hackthissite.org
new-irc.hackthissite.org
hp.hackthissite.org
www.irc.hackthissite.org
irc-v6.hackthissite.org
lille.irc-v6.hackthissite.org
status-new.hackthissite.org
email.hackthissite.org
git.hackthissite.org
h5ai.hackthissite.org
legal.hackthissite.org
psrp.hackthissite.org
status.hackthissite.org
api.hackthissite.org
irc-hub.hackthissite.org
qdb.hackthissite.org
mta-sts.hackthissite.org
ctf.hackthissite.org
wolf.irc.hackthissite.org
www.hackthissite.org
irc-ipv6.hackthissite.org
irc-wolf.hackthissite.org
```

2. Assetfinder

Purpose: **Lightweight passive subdomain finder.**

Used to discover additional subdomains that other tools may miss.

Command:

assetfinder --subs-only hackthissite.org

Flag:

subs-only → Show only subdomains

POC:

```
┌──(hyena㉿hyena)-[~/amass_Linux_amd64]
└─$ assetfinder  --subs-only hackthissite.org
hackthissite.org
api.hackthissite.org
ctf.hackthissite.org
email.hackthissite.org
forums.hackthissite.org
git.hackthissite.org
h5ai.hackthissite.org
hp.hackthissite.org
irc.hackthissite.org
irc-hub.hackthissite.org
irc-www.hackthissite.org
lille.irc.hackthissite.org
wolf.irc.hackthissite.org
www.irc.hackthissite.org
legal.hackthissite.org
mirror.hackthissite.org
osrp.hackthissite.org
gdb.hackthissite.org
stats.hackthissite.org
status.hackthissite.org
www.hackthissite.org
irc.hackthissite.org
irc-v6.hackthissite.org
lille.irc.hackthissite.org
lille.irc-v6.hackthissite.org
hackthissite.org
hackthissite.org
```

assetfinder --subs-only hackthissite.org > sub2.txt

This command will save result to a file.

3.Amass

Purpose: Advanced OSINT subdomain enumeration tool.

Used for deep discovery including historical and correlated domains.

Command:

amass enum -passive -d hackthissite.org -o sub3.txt

Flags:

enum → Enumeration mode
-passive → Use passive sources only
-d → Target domain
-o → Save output

POC:

```
┌──(hyena㉿hyena)-[~]
└─$ amass enum -passive -d hackthissite.org -o hackthissite_subdomains.txt
hackthissite.org (FQDN) --> mx_record --> alt2.aspmx.l.google.com (FQDN)
hackthissite.org (FQDN) --> mx_record --> aspmx5.googlemail.com (FQDN)
hackthissite.org (FQDN) --> mx_record --> aspmx4.googlemail.com (FQDN)
hackthissite.org (FQDN) --> mx_record --> aspmx3.googlemail.com (FQDN)
hackthissite.org (FQDN) --> mx_record --> aspmx.l.google.com (FQDN)
hackthissite.org (FQDN) --> mx_record --> aspmx2.googlemail.com (FQDN)
hackthissite.org (FQDN) --> mx_record --> alt1.aspmx.l.google.com (FQDN)
1-v3dev-cdn.hackthissite.org (FQDN) --> cname_record --> v3dev.hackthissite.org (FQDN)
1-v3stage-cdn.hackthissite.org (FQDN) --> cname_record --> v3stage-cdn.hackthissite.org (FQDN)
2-v3stage-cdn.hackthissite.org (FQDN) --> cname_record --> v3stage-cdn.hackthissite.org (FQDN)
qdb.hackthissite.org (FQDN) --> cname_record --> irc-www.hackthissite.org (FQDN)
hp.hackthissite.org (FQDN) --> a_record --> 137.74.187.100 (IPAddress)
email.hackthissite.org (FQDN) --> cname_record --> email.hackmail.org (FQDN)
psrp.hackthissite.org (FQDN) --> cname_record --> hackmail.org (FQDN)
4-v3stage-cdn.hackthissite.org (FQDN) --> cname_record --> v3stage-cdn.hackthissite.org (FQDN)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.100 (IPAddress)
16276 (ASN) --> managed_by --> OVH (RIROrganization)
16276 (ASN) --> announces --> 137.74.0.0/16 (Netblock)
alt2.aspmx.l.google.com (FQDN) --> a_record --> 142.251.127.27 (IPAddress)
alt2.aspmx.l.google.com (FQDN) --> aaaa_record --> 2607:f8b0:400e:c17::1b (IPAddress)
vm-200.outbound.firew ll.hackthissite.org  (FQDN) --> a_record --> 137.74.187.157 (IPAddress)
www.hackthissite.org (FQDN) --> a_record --> 137.74.187.102 (IPAddress)
www.hackthissite.org (FQDN) --> a_record --> 137.74.187.104 (IPAddress)
www.hackthissite.org (FQDN) --> a_record --> 137.74.187.103 (IPAddress)
www.hackthissite.org (FQDN) --> a_record --> 137.74.187.101 (IPAddress)
www.hackthissite.org (FQDN) --> a_record --> 137.74.187.100 (IPAddress)
irc.hackthissite.org (FQDN) --> a_record --> 137.74.187.150 (IPAddress)
irc.hackthissite.org (FQDN) --> a_record --> 185.24.222.13 (IPAddress)
irc.hackthissite.org (FQDN) --> aaaa_record --> 2a02:2770:9:0:21a:4aff:fe68:f705  (IPAddress)
vm-150.outbound.firewall.hackthissite.org  (FQDN) --> a_record --> 137.74.187.158 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.157 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.102 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.104 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.103 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.101 (IPAddress)
```

➔ **Combing Result of all the Subdomains finder tools to get all the domains effectively.**

```
┌──(hyena㉿hyena)-[~/Desktop/Cybyster/Week01/Task_01]
└─$ cat assetfinder.txt  output.txt  subfinder.txt  hackthissite_subdomains.txt  | sort -u  > all_subdomain.txt
```

All Subdomains

```
┌──(hyena㉿hyena)-[~/Desktop/Cybyster/Week01/Task_01]
└─$ cat assetfinder.txt  output.txt  subfinder.txt  hackthissite_subdomains.txt  | sort -u  > all_subdomain.txt

┌──(hyena㉿hyena)-[~/Desktop/Cybyster/Week01/Task_01]
└─$ cat all_subdomain.txt
0 (ASN) --> announces --> 2406:d500:7::/48 (Netblock)
0 (ASN) --> announces --> 5.220.0.0/14 (Netblock)
0 (ASN) --> announces --> 89.106.200.0/21 (Netblock)
0 (ASN) --> managed_by --> Not routed (RIROrganization)
0-v3dev-cdn.hackthissite.org (FQDN) --> cname_record --> v3dev.hackthissite.org (FQDN)
0-v3stage-cdn.hackthissite.org (FQDN) --> cname_record --> v3stage-cdn.hackthissite.org (FQDN)
101.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> hackthissite.org (FQDN)
102.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> hackthissite.org (FQDN)
103.25.56.0/22 (Netblock) --> contains --> 103.25.56.55 (IPAddress)
115.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> api.hackthissite.org (FQDN)
116.202.0.0/15 (Netblock) --> contains --> 116.203.6.3 (IPAddress)
117.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> api.hackthissite.org (FQDN)
118.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> api.hackthissite.org (FQDN)
119.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> api.hackthissite.org (FQDN)
123.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> pi.hackthissite.org (FQDN)
133.187.74.137.in-addr.arpa (FQDN) --> ptr_record --> mirror.hackthissite.org (FQDN)
136557 (ASN) --> announces --> 103.25.56.0/22 (Netblock)
136557 (ASN) --> announces --> 2406:d500:2::/48 (Netblock)
136557 (ASN) --> managed_by --> HOST-AS-AP Host Universal Pty Ltd (RIROrganization)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.100 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.101 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.102 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.103 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.104 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.115 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.116 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.117 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.118 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.119 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.133 (IPAddress)
137.74.0.0/16 (Netblock) --> contains --> 137.74.187.134 (IPAddress)
```

4.CRT.sh

Purpose: Certificate Transparency search engine.

Used to find historical subdomains from SSL certificate logs.

Command:

curl -s "https://crt.sh/?q=%25.hackthissite.org&output=json" | jq -r '.[].name_value' | sort -u

Flags

curl → Fetch data from website

-s → Silent mode

%25 → Wildcard search (%.domain.com)

output=json → Structured output

jq → Extract subdomain names

sort -u → Remove duplicates

POC:



crt.sh ID	Logged At	Not Before	Not After	Common Name	Matching Identities	Issuer Name
24709094335	2026-03-01	2026-03-01	2026-05-30	lille.irc.hackthissite.org	irc.hackthissite.org irc-v6.hackthissite.org lille.irc.hackthissite.org lille.irc-v6.hackthissite.org	C=US, O=Let's Encrypt, CN=R12
24709093493	2026-03-01	2026-03-01	2026-05-30	lille.irc.hackthissite.org	irc.hackthissite.org irc-v6.hackthissite.org lille.irc.hackthissite.org lille.irc-v6.hackthissite.org	C=US, O=Let's Encrypt, CN=R12
24668715572	2026-02-27	2026-02-27	2026-05-28	ctf.hackthissite.org	ctf.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24668693220	2026-02-27	2026-02-27	2026-05-28	ctf.hackthissite.org	ctf.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24668110978	2026-02-27	2026-02-27	2026-05-28	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24668103264	2026-02-27	2026-02-27	2026-05-28	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24648823315	2026-02-26	2026-02-26	2026-05-27	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=E7
24648822224	2026-02-26	2026-02-26	2026-05-27	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=E7
24531059147	2026-02-20	2026-02-20	2026-05-21	h5ai.hackthissite.org	h5ai.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24531035607	2026-02-20	2026-02-20	2026-05-21	h5ai.hackthissite.org	h5ai.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24213665858	2026-02-06	2026-02-06	2026-05-07	wolf.irc.hackthissite.org	irc.hackthissite.org irc-v6.hackthissite.org wolf.irc.hackthissite.org wolf.irc-v6.hackthissite.org	C=US, O=Let's Encrypt, CN=R12
24213650498	2026-02-06	2026-02-06	2026-05-07	wolf.irc.hackthissite.org	irc.hackthissite.org irc-v6.hackthissite.org wolf.irc.hackthissite.org wolf.irc-v6.hackthissite.org	C=US, O=Let's Encrypt, CN=R12
24005083098	2026-01-27	2026-01-27	2026-04-27	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24005079444	2026-01-27	2026-01-27	2026-04-27	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=R13
24005095901	2026-01-27	2026-01-27	2026-04-27	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=E7
24005066735	2026-01-27	2026-01-27	2026-04-27	hackthissite.org	*.hackthissite.org hackthissite.org	C=US, O=Let's Encrypt, CN=E7
23876102673	2026-01-20	2026-01-20	2026-04-20	psrp.hackthissite.org	psrp.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
23871662028	2026-01-20	2026-01-20	2026-04-20	psrp.hackthissite.org	psrp.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
23859718407	2026-01-19	2026-01-19	2026-04-19	status.hackthissite.org	status.hackthissite.org	C=US, O=Let's Encrypt, CN=E7
23859701735	2026-01-19	2026-01-19	2026-04-19	status.hackthissite.org	status.hackthissite.org	C=US, O=Let's Encrypt, CN=E7
23500724883	2026-01-01	2026-01-01	2026-04-01	email.hackthissite.org	email.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
23500709106	2026-01-01	2026-01-01	2026-04-01	email.hackthissite.org	email.hackthissite.org	C=US, O=Let's Encrypt, CN=R13
23469169024	2025-12-31	2025-12-31	2026-03-31	lille.irc.hackthissite.org	irc.hackthissite.org irc-v6.hackthissite.org lille.irc.hackthissite.org lille.irc-v6.hackthissite.org	C=US, O=Let's Encrypt, CN=R12
23469152444	2025-12-31	2025-12-31	2026-03-31	lille.irc.hackthissite.org	irc.hackthissite.org irc-v6.hackthissite.org lille.irc.hackthissite.org lille.irc-v6.hackthissite.org	C=US, O=Let's Encrypt, CN=R12
23421043348	2025-12-28	2025-12-28	2026-03-28	ctf.hackthissite.org	ctf.hackthissite.org	C=US, O=Let's Encrypt, CN=R13

4.DNSDumpster

Purpose: Online DNS reconnaissance tool.

Used to find:

- A records (IP addresses)
- MX records (mail servers)
- NS records (name servers)
- Infrastructure mapping

Used through browser at dnsdumpster.com.

POC:

dnsdumpster.com

Host	IP	ASN	ASN Name	Open Services (from DB)	RevIP
api.hackthissite.org	137.74.187.115 api.hackthissite.org	ASN:16276 137.74.0.0/16	OVH, FR France		1
ctf.hackthissite.org	185.199.108.153	ASN:54113 185.199.108.0/24	FASTLY - Fastly, Inc. United States	http: GitHub.com title: Site not found tech: Varnish GitHub Pages https: GitHub.com title: Site not found cn: .github.io tech: GitHub Pages Varnish	50049 1
email.hackthissite.org	172.239.57.117 k8s-svc-lander-namecheap-expired-01.us-ord.parklogic.net	ASN:63949 172.239.32.0/19	AKAMAI-LINODE-AP Akamai Connected Cloud, SG United States		38316 63
forums.hackthissite.org	137.74.187.100 hackthissite.org	ASN:16276 137.74.0.0/16	OVH, FR France	https: HackThisSite title: Hack This Site cn: hackthisjogneh42n5o7gbzrewxee3vyu6ex37ukyvdw6jm66npakiyd.onion tech: jQuery:1.8.1	4
git.hackthissite.org	137.74.187.145	ASN:16276 137.74.0.0/16	OVH, FR France		1
h5ai.hackthissite.org	185.199.111.153 cdn-185-199-111-	ASN:54113 185.199.111.0/24	FASTLY - Fastly, Inc. United States	http: GitHub.com title: Site not found tech: GitHub Pages	458373