
Row 1




So... would your AI agent pay this invoice?

It's written in Hinglish, and it's asking for the money to go to a new account.

Here's the thing: that account belongs to an attacker.

Visual: results/video/clean/hook_email.png
On-screen label: none
Words: 33 words · about 14 s at 140 words per minute

Row 2



Hi, I'm Huzaifa.

Quick note: Hinglish is just Hindi and English mixed, typed in English letters.

It's how millions of us text.


Before this hackathon, AgentDojo, MCP and Meta's models were already out there.

This week, I built MixShield on top of them: a set of attacks in three languages, a guard for AI agents, and this playground.

Let me show you.

Visual: video_input/clips/home.mp4 (playground home page, slow scroll, 15 s)
On-screen label: none
Words: 62 words · about 27 s at 140 words per minute


Row 3



Okay, first, an agent with no protection reads that email... and yep, it just pays the attacker.

Visual: video_input/clips/run1.mp4
On-screen label: SIMULATION · 2x, sped up
Words: 17 words · about 7 s at 140 words per minute

Row 4



Now let's run the same agent, but with MixShield in front.

Llama Prompt Guard 2 gives this email almost zero.

It doesn't see a problem.

So Muse Spark Open takes a look.

You can see the real call going out, and the answer coming back.

It catches it, and the gate blocks the payment.

Nothing leaves the account.

Visual: video_input/clips/run2.mp4

On-screen label: SIMULATION + live Meta model calls · 2x, sped up

Words: 58 words · about 25 s at 140 words per minute

Row 5




But a guard shouldn't block normal work.

So here, a real model, Muse Spark Open, is the agent, paying a normal bill to a saved account.

You can see its calls... and MixShield lets it through.

Visual: video_input/clips/run3.mp4
On-screen label: Real model: Muse Spark Open · live calls · 2x, sped up
Words: 36 words · about 15 s at 140 words per minute

Row 6




You can also try to fool it yourself.

Here's a Hinglish attack from our attack set: flagged, and it tells you why.

And here's a normal Hinglish message: no flag.

Visual: video_input/clips/fool.mp4 ("Try to fool MixShield" tab)
On-screen label: Live: Muse Spark Open
Words: 30 words · about 13 s at 140 words per minute

Row 7



So where do Meta's models come in?

Muse Spark Open checks every message the agent reads.

Muse Spark ran our agent tests.


And the two Llama guards are what we compared against.

Visual: results/video/clean/meta_models.png

On-screen label: none

Words: 32 words · about 14 s at 140 words per minute

Row 8



And here's why this matters.


On our test set, Llama Guard catches eighty-four percent of attacks in English, but under seventy in Hinglish.

MixShield catches ninety-nine point five, with zero false alarms.

It's not perfect, though: two out of twenty-seven new attacks still got through.

Visual: results/video/clean/hook_numbers.png
On-screen label: Test split
Words: 45 words · about 19 s at 140 words per minute

Row 9




It's all open source.

You just add one command in front of your MCP server, or try it live on Hugging Face right now.

Visual: video_input/clips/space.mp4
On-screen label: huggingface.co/spaces/HP0077/mixshield
Words: 24 words · about 10 s at 140 words per minute

Row 10



Because AI safety shouldn't stop at English.

Visual: results/video/clean/end_card.png

On-screen label: none

Words: 7 words · about 3 s at 140 words per minute

Totals

344 words

At 140 words per minute the voice takes 2:27 (10 rows).

Row 1: 33 words, about 14 s
Row 2: 62 words, about 27 s
Row 3: 17 words, about 7 s
Row 4: 58 words, about 25 s
Row 5: 36 words, about 15 s
Row 6: 30 words, about 13 s
Row 7: 32 words, about 14 s
Row 8: 45 words, about 19 s
Row 9: 24 words, about 10 s
Row 10: 7 words, about 3 s