

Basic Slides Template for Bristol

Aegon Huke

18 Jun 2023

Section 1

Usage

Section 1.1

Usage

Make Pages

Headings

✂ Level 1-2 Headings

This template converts headings with levels 1 and 2 to section pages. To create section pages like this section, type the following codes:

= Usage

== Make Pages

✂ Level 3 Headings

The level 3 headings are hidden but will be shown in the following slides. The function `#slide` is used to create a slide. For example,

=== Headings

`#slide[...]`

This is to keep the structure clear in the source document.

✂ Level 4 Headings

This is shown like the above line.

Slide Normal and Empty

Use `#slide` function to create a normal slide with the title and footer. If a subtitle is needed, use the optional parameter `subtitle` of this function, like:

```
#slide(subtitle: [Normal])[...]
```

The whole thing is arranged in a grid.

✈ Empty Slides

This is an empty slides created by `#empty` function, like:

```
#empty[...]
```

Section 1.1

Usage

Elements

A leaflet is something like this:

Leaflet

The leaflet looks like the `block` in Beamer. As the name `block` has been taken by Typst itself, we use the `leaflet` as its name.

Create a leaflet with the following code:

```
#leaflet(title: [Some Title])[...]
```


Tables

A table looks like this:

A	B	C
11	12	13
21	22	23
31	32	33

Note that we write the header cells with the function `#th`, like
`#th[A]`, `#th[B]`, `#th[C]`

Section 2

Skills

This is a magic command to arrange your content.

Logo



Notes

- ▶ This logo is collected from the official site of the University of Bristol,
- ▶ ...

Please find instructions on the documentation of Typst.

The color red is adjusted to `rgb(171, 31, 45)`, looks like .

```
#text(fill: red, [...])
```

Thank You!