

Hamiltonian Zoo

Nike Dattani*

Harvard-Smithsonian Center for Astrophysics, McMaster University

and Whoever Else Contributes

No Matter Where They're From

(Dated: May 18, 2018)

* n.dattani@cfa.harvard.edu

I. MODEL HAMILTONIANS

1. *Coulomb*

A. Electronic Structure

1. *Born-Oppenheimer Model*

2. *Watson Model*

B. Fine and Hyperfine Structure

1. *Stark*

2. *Zeeman*

3. *Frosch-Foley*

4. *Spin-orbit*

5. *Orbit-orbit*

6. *Spin-other-orbit (Gaunt)*

7. *Fermi Contact*

C. Special Relativity

1. *Dirac*

2. *Klein-Gordon*

3. *Darwin ($1e^-$)*

4. *Darwin ($2e^-$)*

5. *Mass Velocity*

6. *Breit-Pauli*

1. *Rigid Rotor Harmonic Oscillator*

2. *Centrifugal distortion*

3. *Centrifugal distortion*

F. Long-range Interactions

1. *van der Waals*

2. *Lenard-Jones*

3. *Casimir-Polder*

4. *Resonance dipole-dipole*

5. *Meath*

6. *Axilrod-Teller*

G. Hubbard Models

1. *Bose-Hubbard (Boson Hubbard)*

2. *Fermi-Hubbard (Fermi Hubbard)*

3. *Jaynes-Cummings-Hubbard*

H. Open Quantum Systems

1. *Rabi model*

2. *Spin-Boson*

3. *Feynman-Vernon*

4. *Leggett-Caldeira*

5. *Ishizaki-Fleming*

2. Richardson-Gaudin

3. Exactly solvable pairing Hamiltonians

SU(2), Rank 1 algebra

$$H_{\text{SU}(2)} = \sum_i \epsilon_i n_i - g \sum_{ij} P_i^+ P_j \quad (3)$$

SO(5), Rank 2 algebra

$$H_{\text{SO}(5)} = \sum_i \epsilon_i n_i - g \sum_{ijk} P_{ik}^+ P_{jk} \quad (4)$$

SO(8), Rank 4 algebra

$$H_{\text{SO}(8)} = \sum_i \epsilon_i n_i - g_T \sum_{ijk} P_{ik}^+ P_{jk} - g_S \sum_{ijk} D_{ik}^+ D_{jk} \quad (5)$$

4. *t*-J model

J. Models of Superfluidity

1. 2D *p*-wave Fermi superfluid

$$H_{2DFSF} = \sum_i \epsilon_i a_i^\dagger a_i + \frac{i\Delta_i}{2} (a_i^\dagger a_{-i}^\dagger + \text{H.c.}) \quad (6)$$

II. SPIN HAMILTONIANS

A. Ising

B. Heisenberg

C. J1-J2 Model

D. Majumdar-Ghosh

E. AKLT Model

F. Kitaev Models

1. *Toric Code*

2. *Ocko-Yoshida*

3. *Honeycomb Model*

$$H_{\text{Honeycomb}} = -J_x \sum_{x\text{-links}} x_i x_j - J_y \sum_{y\text{-links}} y_i y_j - J_z \sum_{z\text{-links}} z_i z_j \quad (7)$$

G. 2-level systems (spin-1/2 particles)

$$z \equiv \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}, x \equiv \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, y \equiv \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad (8)$$

$$s_+ \equiv \begin{pmatrix} 0 & 1 \\ 0 & 0 \end{pmatrix} = \frac{x + iy}{2} \quad (9)$$

$$s_- \equiv \begin{pmatrix} 0 & 0 \\ 1 & 0 \end{pmatrix} = \frac{x - iy}{2} \quad (10)$$

$$s_\alpha \equiv \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix} = \frac{\mathbb{1} + z}{2} \equiv b \quad (11)$$

$$s_\beta \equiv \begin{pmatrix} 0 & 0 \\ 0 & 1 \end{pmatrix} = \frac{\mathbb{1} - z}{2} \quad (12)$$

H. 3-level systems (spin-1 particles)

$$z_3 \equiv \begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & -1 \end{pmatrix}, x \equiv \begin{pmatrix} 0 & 1 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}, y \equiv \begin{pmatrix} 0 & -i & 0 \\ i & 0 & -i \\ 0 & i & 0 \end{pmatrix} \quad (13)$$

$$s_{3+} \equiv \begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 0 & 0 & 0 \end{pmatrix} = \frac{x_3 + iy_3}{2} \quad (14)$$

$$s_{3-} \equiv \begin{pmatrix} 0 & 0 & 0 \\ 1 & 0 & 0 \\ 0 & 1 & 0 \end{pmatrix} = \frac{x_3 - iy_3}{2} \quad (15)$$

$$s_{3,1} \equiv \begin{pmatrix} 1 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} = \frac{\mathbb{1} + z}{2} \equiv t \quad (16)$$

$$s_{3,2} \equiv \begin{pmatrix} 0 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{pmatrix} \quad (17)$$

$$s_{3,3} \equiv \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 1 \end{pmatrix} = \frac{\mathbb{1} - z}{2} \equiv t \quad (18)$$

I. 4-level systems (spin-3/2 particles)

$$z_4 \equiv \begin{pmatrix} 3 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -3 \end{pmatrix}, x_4 \equiv \begin{pmatrix} 0 & \sqrt{3} & 0 & 0 \\ \sqrt{3} & 0 & 2 & 0 \\ 0 & 2 & 0 & \sqrt{3} \\ 0 & 0 & \sqrt{3} & 0 \end{pmatrix}, y_4 \equiv \begin{pmatrix} 0 & -\sqrt{3}i & 0 & 0 \\ \sqrt{3}i & 0 & 2 & 0 \\ 0 & 2 & 0 & -\sqrt{3}i \\ 0 & 0 & \sqrt{3}i & 0 \end{pmatrix} \quad (19)$$

$$s_{4+} \equiv \begin{pmatrix} 0 & \sqrt{3} & 0 & 0 \\ 0 & 0 & 2 & 0 \\ 0 & 0 & 0 & \sqrt{3} \\ 0 & 0 & 0 & 0 \end{pmatrix} \equiv \frac{x_{3/2} + iy_{3/2}}{2} \equiv \frac{x_{4 \times 4} + iy_{4 \times 4}}{2} \quad (20)$$

$$s_{4-} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 \\ \sqrt{3} & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 \\ 0 & 0 & \sqrt{3} & 0 \end{pmatrix} \equiv \frac{x_4 - iy_4}{2} \quad (21)$$

$$s_{4,1} \equiv \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = \frac{1}{2} (z_2 + z_1 z_2 + z_1 - \mathbb{1}) \quad (22)$$

$$s_{4,2} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = \quad (23)$$

$$s_{4,3} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 \end{pmatrix} = \quad (24)$$

$$s_{4,4} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} = \quad (25)$$

$$\equiv \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} = \frac{1}{2} (\mathbb{1} - z_1 + z_1 z_2 + z_2) \quad (26)$$

$$\equiv \begin{pmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 1 \end{pmatrix} = \frac{1}{2} (\mathbb{1} - z_2 + z_1 z_2 + z_1) \quad (27)$$

J. 5-level systems (spin-2 particles)

$$z_5 \equiv \begin{pmatrix} 2 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & -2 \end{pmatrix}, x_5 \equiv \begin{pmatrix} 0 & 2 & 0 & 0 & 0 \\ 2 & 0 & \sqrt{6} & 0 & 0 \\ 0 & \sqrt{6} & 0 & \sqrt{6} & 0 \\ 0 & 0 & \sqrt{6} & 0 & 2 \\ 0 & 0 & 0 & 2 & 0 \end{pmatrix}, y_5 \equiv \begin{pmatrix} 0 & -2i & 0 & 0 & 0 \\ 2i & 0 & -\sqrt{6}i & 0 & 0 \\ 0 & \sqrt{6}i & 0 & -\sqrt{6}i & 0 \\ 0 & 0 & \sqrt{6}i & 0 & -2i \\ 0 & 0 & 0 & 2i & 0 \end{pmatrix} \quad (28)$$

$$s_{5+} \equiv \begin{pmatrix} 0 & 2 & 0 & 0 & 0 \\ 0 & 0 & \sqrt{6} & 0 & 0 \\ 0 & 0 & 0 & \sqrt{6} & 0 \\ 0 & 0 & 0 & 0 & 2 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} \equiv \frac{x_{5 \times 5} + iy_{5 \times 5}}{2} \equiv \frac{x_{(5)} + iy_{(5)}}{2} \quad (29)$$

$$s_{5-} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ 2 & 0 & 0 & 0 & 0 \\ 0 & \sqrt{6} & 0 & 0 & 0 \\ 0 & 0 & \sqrt{6} & 0 & 0 \\ 0 & 0 & 0 & 2 & 0 \end{pmatrix} \equiv \frac{x_{5 \times 5} + iy_{5 \times 5}}{2} \equiv \frac{x_{(5)} + iy_{(5)}}{2} \quad (30)$$

$$s_{5,1} \equiv \begin{pmatrix} 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \quad (31)$$

$$s_{5,2} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \quad (32)$$

$$s_{5,3} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \quad (33)$$

$$s_{5,4} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix} = \quad (34)$$

$$s_{5,5} \equiv \begin{pmatrix} 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 \end{pmatrix} = \quad (35)$$

Wavefunction Zoo

K. Electronic Structure Ansätze

1. Hartree Product

2. Configuration Interaction

3. Coupled Cluster

$CC(n)$

$Bruckner-CC(n)$

$EOM-CC(n)$

$EOM-IP-CC(n)$

$FS-CC(n)$

$DLPNO-CC(n)$

$MR-EOM$

4. Geminals

$AP1roG/pCCD$

$APIG$

$APSetG$

APG

Potential Zoo

L. Diatomics

Morse

Lenard-Jones

Morse/Long-range

Tiemann

Morse-Rosen

M. Triatomics

Jensen

Schwenke

PolyMLR

N. Torsion Potentials

Functional Zoo

Function Zoo

Master Equation Zoo

Particle Zoo

https://en.wikipedia.org/wiki/Particle_zoo

Complexity Zoo (founded by Scott Aaronson of UWaterloo)

https://complexityzoo.uwaterloo.ca/Complexity_Zoo

Algorithms Zoo (founded by Stephen Jordan of NIST)

<https://math.nist.gov/quantum/zoo/>