KDS Final Fix Verification Report

Complete 8-terminal stack — every fix shipped this engagement, re-verified end-to-end against the real 323-ticket dataset

Test date: 2026-10-04 (final consolidated round)
Scope: headchef (pass terminal) + burgersandcold / pnp / bakery / pizza (pass-linked sections, fixed tile width, 1 row) + bar / restcoffee / grabandgo (independent standalone terminals, fixed tile width, 2 rows) — all 8 running their own kdsnats + kds-webserver-main + kds-poller-main instance, real SQLite schema, real Electron GUI for every terminal.
Dataset: all 323 real production ticket text files (2026/10/03–10/04) replayed chronologically through the real poller ingestion path, plus targeted live scenarios (staggered real tickets, cross-screen tickets, round-2 tickets) for fixes that need a controlled setup to observe clearly.
Result: every fix shipped this engagement — the original 8 (K07, D06, K02, D03, D07, D01, D08, D02) plus the 4 found and fixed today (standalone-mode K02 hardening, board sort order, completed-tickets-stay-visible, new-round-gets-its-own-tile) — holds correctly across the full 8-terminal stack. Automated suite: 64/64 passing (60 webserver + 4 poller).

Contents

1. Executive summary
2. The 8-terminal stack, live with real data
3. Fixed-tile GUI configuration
4. Board sort order (oldest-first)
5. Completed tickets stay visible until Close Order
6. A new ticket round gets its own tile
7. Standalone-mode hardening (K02)
8. Close Order requires an explicit action, in both modes
9. Re-verification: K07, D06, D03, D07, D01, D08, D02
10. Automated test suite summary
11. Environment notes

1. Executive summary


All 12 fixes verified across the complete 8-terminal stack. This final round rebuilt the entire mesh from scratch (fresh schema, fresh 323-ticket replay), re-confirmed the 8 fixes from the original engagement plan (K07/D06/K02/D03/D07/D01/D08/D02), and specifically re-verified the 4 issues found and fixed during this session's live GUI walkthrough: a standalone-mode gap in K02's enforcement, the board's sort order, a board-visibility bug that hid completed tickets, and — at the user's explicit direction after a live demonstration — a product-level change so a new ticket round for an already-open order gets its own tile instead of silently merging into the original.

Fix	Status this round
Fixed-tile GUI config	**Verified on all 8 terminals — 1 row (pass-linked), 2 rows (standalone)**
Board sort order	**Verified live with staggered real tickets**
Completed tickets stay visible	**Verified live, both pass-mode and standalone**
New round gets its own tile	**Verified live on real multi-round data + 2 new automated tests**
Standalone-mode K02 hardening	**Re-confirmed, full 8-terminal matrix unchanged**
Close Order requires explicit action	**Re-confirmed, pass-mode and standalone**


K07, D06, D03, D07, D01, D08, D02	**All re-confirmed unaffected by today's changes**

2. The 8-terminal stack, live with real data


Every terminal below is running the real Electron application, its own webserver and poller, against the final patched binaries. headchef's board reflects the real 323-ticket replay directly; the four assigned sections (burgersandcold, pnp, bakery, pizza) and three standalone terminals (bar, restcoffee, grabandgo) are shown with representative orders for their own screens.




headchef (pass terminal) — real replayed data, 1-row fixed tile width, oldest-first sort.




burgersandcold (pass-linked section) — 1-row fixed tile width.




pnp (pass-linked section) — 1-row fixed tile width.




bakery (pass-linked section) — 1-row fixed tile width.



pizza (pass-linked section) — 1-row fixed tile width.



bar (standalone) — 2-row fixed tile width, clean 2×2 grid.



restcoffee (standalone) — 2-row fixed tile width, clean 2×2 grid.



grabandgo (standalone) — 2-row fixed tile width.

3. Fixed-tile GUI configuration

Requested config: fixed order width on every terminal; 1 row for the pass terminal and its linked sections (headchef, pnp, burgersandcold, bakery, pizza); 2 rows for the independent standalone terminals (restcoffee, bar, grabandgo).

`Fixed-tile config matrix` config


Scenario: Query /getconfig on all 8 terminals.

Expected: headchef/pnp/burgersandcold/bakery/pizza → fixedtilesize=true, rows=1. restcoffee/bar/grabandgo → fixedtilesize=true, rows=2.


Actual: **PASS** — confirmed on every terminal (see §2 screenshots for the visual layout difference).

4. Board sort order (oldest-first)


Found during this session's live walkthrough: tickets appeared in scrambled order rather than oldest-first. Root cause: the test mesh's `showoldestfirst` flag was `false` while this machine's real production config has it `true` — a test-harness config drift, not a product bug (same category as an earlier color-scheme mismatch caught in this engagement). Fixed by syncing the real production value across all 8 terminal configs.



Before: scrambled order, all near-identical bulk-replay timestamps.




After: 5 tickets published 20s apart, correctly distinguishable and ordered.




CHK 1 and CHK 2 correctly lead the board in chronological order after the fix.

5. Completed tickets stay visible until Close Order

Found during the live walkthrough: a ticket whose items were all complete disappeared from the board entirely — taking the Send to Table button with it before it could be used. Root cause: `HTML_order_belongs_to_screen` gated visibility on "at least one item still OPEN" instead of the order's own status. Product decision: a completed-but-not-yet-closed ticket now stays on the board until an explicit Close Order.




Before fix would have hidden these; now CHK 1/2/4 stay visible with working Send to Table buttons, despite every item being complete.




After explicitly closing one of them: that tile disappears, the others remain — full lifecycle confirmed.

6. A new ticket round gets its own tile

Found during the live walkthrough and confirmed as a deliberate product decision: a ticket reusing an already-open order's reference (a new round fired for the same table) used to silently merge into the original tile. This is now replaced — every round gets its own fresh tile, reusing the original reference with a derived round suffix (e.g. `-R1`), so kitchen staff see each round as its own distinct ticket.



Round 1 only: Table 15, Penny.



After round 2 arrives: CHK 1 (round 1) untouched, CHK 2 (round 2, reference -R1) is its own new tile.

Confirmed working at real-world scale during the final mesh replay: a real multi-round ticket in the dataset ("kelvin drinks") correctly split into 4 separate tiles (original + 3 rounds) instead of one merged tile. A void-only ticket (no new items) was separately confirmed to still merge into the existing tile rather than spinning up an empty one.

`TestProcessMessage_StillOpenOrderGetsItsOwnNewTileForNextRound` NEW

Scenario: A still-open order's next round of items.

Expected: The original order is left untouched; the new round's items land on a fresh order with a derived reference (original-R1).

Actual: PASS

`TestProcessMessage_VoidOnlyTicketStillMergesIntoExistingOrder` NEW

Scenario: A void-only ticket (no new items) referencing an already-open order.

Expected: Still merges into the existing tile - must never spin up an empty new one.

Actual: PASS

7. Standalone-mode hardening (K02)

From the previous round of this engagement: K02's enforcement on `/closeitem`/`/senditemtotable` checked only `Flags.Passmode`, which also silently blocked standalone terminals from completing their own items. Fixed, and re-confirmed unchanged this round.

Terminal	Category	/closeitem	/senditemtotable
headchef	pass-mode	**200**	**200**
burgersandcold / pnp / bakery / pizza	plain section	**403**	**403**
restcoffee / bar / grabandgo	standalone	**200**	**403 (still correctly pass-only)**



Bar (standalone) showing an open item with the checkbox available, no longer blocked.



After bar's own /closeitem call: HTTP 200, item correctly completed.

8. Close Order requires an explicit action, in both modes

At the user's request, confirmed that completing every item on an order never closes it by itself — closing remains an explicit Close Order action, in both pass-mode and standalone-mode.

Terminal	Mode	Items completed	Order status after
headchef	pass-mode	2 of 2	**OPEN**
bar	standalone	all	**OPEN**

`TestCloseItemsHandler_CompletingAllItemsNeverClosesOrder`
Scenario: Both items on a 2-item order marked complete in sequence.
Expected: Order stays OPEN.
Actual: **PASS**

`TestCloseItemsHandler_CompletingAllItemsOnStandaloneTerminalNeverClosesOrder`
Scenario: A standalone terminal's only item marked complete.
Expected: Order stays OPEN.
Actual: **PASS**

9. Re-verification: K07, D06, D03, D07, D01, D08, D02

Every fix from the original engagement plan was re-run against the fresh mesh and the real 323-ticket replay.

Fix	Guarantee	This round's result
K07	Closing an order on one screen never force-closes another screen's still-open items.	**Confirmed: closed a bar test order; headchef's 322 open orders unchanged.**
D06	Items added to an existing order reach every terminal that already has it.	**This run's UDP bind race landed on bakery (not the origin) — confirmed 287 references shared between headchef and bakery with matching item data.**
D03	Repeated identical dish names keep their own distinct modifiers.	**Confirmed on real order 146: 7 burger instances (2 well done, 1 medium, 4 medium well incl. one add-pineapple), zero cross-contamination.**
D07	A stray control byte no longer fragments one build-your-own dish.	**Confirmed on real order 9: 4 "breakfast your way" instances, each correctly isolated.**
D01	A fully-sent-but-not-bumped order auto-starts a new order on its next ticket.	**Confirmed: original order 79 (fully sent) left untouched; new order 325 correctly started fresh.**
D08	A same-day reused reference resolves by table, not just recency.	**Automated suite only — no naturally-occurring ambiguous case in this dataset.**
D02	A terminal that misses a broadcast self-heals via periodic reconciliation.	**Confirmed: deliberately-reverted item on pnp self-healed to COMPLETE/sent within the 2-minute cycle.**

10. Automated test suite summary

64/64 tests passing across both repositories. kds-webserver-main: 60/60. kds-poller-main: 4/4 (including the 2 new round-tile tests added this session). Zero failures.

```
$ cd kds-webserver-main && go test ./...
ok      github.com/reverent911/kds-webserver

$ cd kds-poller-main && go test ./...
ok      github.com/reverent911/kds-poller/pkg
```

11. Environment notes

Mesh	8 fresh SQLite DBs seeded from this machine's own real production schema; all 8 kdsnats + kds-webserver-main + kds-poller-main instances rebuilt from the final patched source and restarted clean.
Ticket ingestion	All 323 real tickets replayed chronologically through headchef's poller; additional targeted live tickets (byte-patched real tickets preserving authentic structure) used to construct controlled scenarios for the sort-order, round-tile, and cross-screen tests.
GUI	All 8 terminals have their own Electron GUI instance, launched against the final config and patched frontend. Standalone terminals (bar, restcoffee, grabandgo) and the pass-linked sections without naturally-routed real tickets were seeded with representative test orders for a meaningful board screenshot.
Known test-rig constraint	The single-machine UDP port-2021 bind race (pre-existing, documented) determines which one terminal receives live UDP new-order broadcasts directly each run - this round it landed on bakery, giving a fresh live D06 cross-terminal

	observation; other terminals still converge via the D02 reconciliation pass regardless.