

link github : [HRD2305/Tugas-ReactJS-Lanjutan-4](https://github.com/HRD2305/Tugas-ReactJS-Lanjutan-4)

code program

AdminDashboard.jsx

```
import { useState, useEffect } from 'react';

const AdminDashboard = () => {
  const [isMobile, setIsMobile] = useState(window.innerWidth <= 768);

  useEffect(() => {
    const handleResize = () => setIsMobile(window.innerWidth <= 768);
    window.addEventListener('resize', handleResize);
    return () => window.removeEventListener('resize', handleResize);
  }, []);

  return (
    <div style={{...dsStyles.layout, flexDirection: isMobile ? 'column' : 'row'}}>
      <div style={{
        ...dsStyles.sidebar,
        width: isMobile ? '100%' : '240px',
        height: isMobile ? 'auto' : '100vh',
        boxSizing: 'border-box'
      }}>
        <h3 style={{ color: 'white', margin: 0 }}>Admin Panel</h3>
        <nav style={{...dsStyles.nav, flexDirection: isMobile ? 'row' : 'column'}}>
          <div style={dsStyles.navItem}><img alt="Dashboard icon" data-bbox="545 612 565 628"/> Dashboard</div>
          <div style={dsStyles.navItem}><img alt="User icon" data-bbox="545 632 565 648"/> User</div>
        </nav>
      </div>

      <div style={dsStyles.main}>
        <header style={dsStyles.header}>
          <h2>Admin Dashboard</h2>
          <button onClick={() => {localStorage.clear(); window.location.href='/login'}} style={dsStyles.logoutBtn}>
            Keluar
          </button>
        </header>
        <div style={{...dsStyles.grid, gridTemplateColumns: isMobile ? '1fr' : 'repeat(3, 1fr)'}}>
```

```

        <div style={dsStyles.statCard}>Statistik Sistem</div>
        <div style={dsStyles.statCard}>Laporan Pengguna</div>
        <div style={dsStyles.statCard}>Log Keamanan</div>
      </div>
    </div>
  </div>
);
};

const dsStyles = {
  layout: { display: 'flex', minHeight: '100vh', width: '100vw',
fontFamily: 'sans-serif' },
  sidebar: { backgroundColor: '#1e293b', padding: '20px' },
  nav: { marginTop: '20px', display: 'flex', gap: '15px' },
  navItem: { color: '#94a3b8', cursor: 'pointer' },
  main: { flex: 1, backgroundColor: '#f8fafc', padding: '20px' },
  header: { display: 'flex', justifyContent: 'space-between',
alignItems: 'center' },
  grid: { display: 'grid', gap: '20px', marginTop: '20px' },
  statCard: { backgroundColor: 'white', padding: '20px', borderRadius:
'12px', boxShadow: '0 2px 4px rgba(0,0,0,0.05)' },
  logoutBtn: { padding: '8px 16px', backgroundColor: '#ef4444', color:
'white', border: 'none', borderRadius: '6px', cursor: 'pointer' }
};

export default AdminDashboard;

```

Home.jsx

```

import { useNavigate } from 'react-router-dom';

const Home = () => {
  const navigate = useNavigate();
  const role = localStorage.getItem('role');

  return (
    <div style={styles.wrapper}>
      {/* Navbar Responsif */}
      <nav style={styles.navbar}>
        <div style={styles.logo}>MyApps</div>
        <div style={styles.navLinks}>
          {role === 'admin' && (
            <button onClick={() => navigate('/admin')}
style={styles.adminBtn}>Admin</button>

```

```

    ))
    <button onClick={() => {localStorage.clear();
navigate('/login')}} style={styles.logoutBtn}>Keluar</button>
  </div>
</nav>

  <header style={styles.hero}>
    <h1 style={styles.title}>Selamat Datang!</h1>
    <p style={styles.subtitle}>Akses Anda sebagai:
<b>{role}</b></p>
  </header>

  <main style={styles.content}>
    /* Konten otomatis menyusun sendiri karena grid minmax */
    <div style={styles.card}><h3>Info 1</h3><p>Konten A</p></div>
    <div style={styles.card}><h3>Info 2</h3><p>Konten B</p></div>
  </main>
</div>
);
};

const styles = {
  wrapper: { minHeight: '100vh', backgroundColor: '#f8fafc' },
  navbar: {
    display: 'flex',
    flexWrap: 'wrap', // Membungkus konten jika layar terlalu sempit
    justifyContent: 'space-between',
    alignItems: 'center',
    padding: '10px 5%',
    backgroundColor: '#fff',
    gap: '10px'
  },
  logo: { fontSize: '20px', fontWeight: 'bold', color: '#3b82f6' },
  navLinks: { display: 'flex', gap: '10px' },
  adminBtn: { padding: '6px 12px', backgroundColor: '#10b981', color:
'white', border: 'none', borderRadius: '4px' },
  logoutBtn: { padding: '6px 12px', backgroundColor: '#f1f5f9', border:
'none', borderRadius: '4px' },
  hero: { textAlign: 'center', padding: '40px 20px', backgroundColor:
'#fff' },
  title: { fontSize: 'clamp(24px, 5vw, 32px)', margin: '0' },
  subtitle: { color: '#64748b' },
  content: {

```

```

        display: 'grid',
        // Otomatis menentukan jumlah kolom berdasarkan lebar layar
        (minimal 280px per kartu)
        gridTemplateColumns: 'repeat(auto-fit, minmax(280px, 1fr))',
        gap: '20px',
        padding: '20px 5%'
    },
    card: { backgroundColor: '#fff', padding: '20px', borderRadius:
'12px', boxShadow: '0 2px 4px rgba(0,0,0,0.1)' }
};

export default Home;

```

Login.jsx

```

import { useNavigate } from 'react-router-dom';

const Login = () => {
    const navigate = useNavigate();

    const handleLogin = (role) => {
        // Menyimpan role ke localStorage untuk otorisasi [cite: 12]
        localStorage.setItem('role', role);

        // Navigasi berdasarkan role yang dipilih
        if (role === 'admin') {
            navigate('/admin');
        } else {
            navigate('/');
        }
    };

    return (
        <div style={styles.container}>
            <div style={styles.card}>
                <h2 style={styles.title}>Selamat Datang</h2>
                <p style={styles.subtitle}>Silakan pilih akses masuk Anda</p>

                <div style={styles.buttonGroup}>
                    <button
                        onClick={() => handleLogin('user')}
                        style={{...styles.button, ...styles.buttonUser}}
                    >
                        Masuk sebagai User
                    </button>
                </div>
            </div>
        </div>
    );
};

```

```

        </button>

        <div style={styles.divider}>atau</div>

        <button
          onClick={() => handleLogin('admin')}
          style={{...styles.button, ...styles.buttonAdmin}}
        >
          Masuk sebagai Admin
        </button>
      </div>
    </div>
  </div>
);
};

const styles = {
  container: {
    height: '100vh',
    width: '100vw',
    display: 'flex',
    justifyContent: 'center',
    alignItems: 'center',
    backgroundColor: '#f3f4f6',
    margin: 0,
    padding: '20px',
    boxSizing: 'border-box',
  },
  card: {
    backgroundColor: '#fff',
    padding: 'clamp(20px, 5vw, 40px)',
    borderRadius: '16px',
    boxShadow: '0 10px 25px rgba(0,0,0,0.1)',
    width: '100%',
    maxWidth: '400px',
    textAlign: 'center',
  },
  title: { margin: '0 0 10px 0', color: '#1f2937', fontSize: '24px' },
  subtitle: { color: '#6b7280', marginBottom: '30px', fontSize: '14px' },
  buttonGroup: { display: 'flex', flexDirection: 'column', gap: '12px' },
  button: {

```

```

padding: '12px',
borderRadius: '8px',
border: 'none',
cursor: 'pointer',
fontWeight: '600',
transition: 'opacity 0.2s'
},
buttonUser: { backgroundColor: '#3b82f6', color: 'white' },
buttonAdmin: { backgroundColor: '#10b981', color: 'white' },
divider: { margin: '10px 0', color: '#9ca3af', fontSize: '12px',
textTransform: 'uppercase' }
};

export default Login;

```

Unauthorized.jsx

```

const Unauthorized = () => (
  <div style={{
    height: '100vh',
    display: 'flex',
    flexDirection: 'column',
    justifyContent: 'center',
    alignItems: 'center',
    backgroundColor: '#fff1f2'
  }}>
    <h1 style={{ fontSize: '72px', margin: 0, color: '#be123c'
}}>403</h1>
    <h2 style={{ color: '#9f1239' }}>Akses Terlarang!</h2>
    <p style={{ color: '#fb7185', maxWidth: '300px', textAlign:
'center' }}>
      Maaf, Anda tidak memiliki izin administrator untuk mengakses
halaman ini.
    </p>
    <button
      onClick={() => window.location.href = '/'}
      style={{
        marginTop: '20px',
        padding: '10px 20px',
        backgroundColor: '#be123c',
        color: 'white',
        border: 'none',
        borderRadius: '5px',
        cursor: 'pointer'

```

```

    }}
  >
    Kembali ke Beranda
  </button>
</div>
);

export default Unauthorized;

```

ProtectedRoute.jsx

```

import { Navigate, Outlet } from 'react-router-dom';

const ProtectedRoute = ({ allowedRoles }) => {
  // Mengambil data role dari storage tanpa teks tambahan
  const userRole = localStorage.getItem('role');

  if (!userRole) {
    return <Navigate to="/login" replace />;
  }

  if (!allowedRoles.includes(userRole)) {
    return <Navigate to="/unauthorized" replace />;
  }

  return <Outlet />;
};

export default ProtectedRoute;

```

Index.css

```

html, body, #root {
  margin: 0;
  padding: 0;
  width: 100%;
  min-height: 100vh;
  display: block;
  box-sizing: border-box;
}

body {
  font-family: 'Inter', sans-serif;
  background-color: #f3f4f6;
  -webkit-font-smoothing: antialiased;
}

```

```
}
```

App.jsx

```
import { BrowserRouter as Router, Routes, Route } from
'react-router-dom';
import Login from './pages/Login';
import Home from './pages/Home';
import AdminDashboard from './pages/AdminDashboard';
import Unauthorized from './pages/Unauthorized';
import ProtectedRoute from './routes/ProtectedRoute';

function App() {
  return (
    <Router>
      <Routes>
        <Route path="/login" element={<Login />} />
        <Route path="/unauthorized" element={<Unauthorized />} />

        { /* Akses User & Admin */ }
        <Route element={<ProtectedRoute allowedRoles={['user',
'admin']] />} />
          <Route path="/" element={<Home />} />
        </Route>

        { /* Akses Khusus Admin */ }
        <Route element={<ProtectedRoute allowedRoles={['admin']] />} />
          <Route path="/admin" element={<AdminDashboard />} />
        </Route>
      </Routes>
    </Router>
  );
}

export default App;
```