
# **GUI\_FileChooser**

## **Revision history**

2019-03-05	Don Ferguson	Original draft
2019-03-11	Don Ferguson	Expanded API section, added filename conventions
2019-04-13	Don Ferguson	Add parameters 4,5, 6

#### **SCOPE**

This function is called by any module requiring the user to interact with the local or remote OS file services to find and/or choose a file for subsequent manipulation, such as creating a new file, opening, deleting, copying, backup and restore activities.



Draft FILE CHOOSER window

#### **LOOK AND FEEL**

Defined by the Java WindowBuilder FileChooser component, as above.

## **USED BY**

All HRE users.

#### **ACTIONS**

Users may:

- Set the folder to search in
- Change the format from the default (above) to a detail list form
- Search within the file system by selecting folders from those displayed
- Choose from searching within Recent Items, Desktop, Documents, This PC or their connected network
- Enter the filename/type they wish to search for or Open, Delete, or Save.

#### **FILE NAMING CONVENTIONS**

Refer to 03.22 Overview - File Naming Conventions.

## **DATA CONTROLLED BY THIS MODULE**

Any HRE file.

#### **REQUIRED DATA CONTROLLED BY OTHER MODULES**

None.

## **REQUIRED SERVICES – Dependencies**

First-Order Dependencies	Second-Order Dependencies	Higher-Order Dependencies

# **APPLICATION PROGRAMMING INTERFACE (API)**

The calling module will pass to this module the following parameters:

- 1. The Dialog type ("Open", "Save" or "Delete") as a String
- 2. The Filename type(s) (e.g, "HRE files (\*.hre)") as a String
- 3. The filename filter (e.g., "hre") as a String
- 4. A filename if a default is required, as a String
- 5. A folder to start the search in (defaulting to the User Home directory) as a String
- 6. A searchmode (as Integer), where 1 = FILES\_ONLY, 2 = DIRECTORIES\_ONLY.

This module will return to the caller (via public fields defined in the main GUI Interface code) two string variables containing the chosen folder name and filename.

Actions for each of the calling modules are defined in the following tables:

### Open type calls:

Caller:	04.06 Project Restore	04.08 Project Copy	04.02 Project Open
Purpose:	Find place where HRE	Find place where Project	Find place where Project
	Project backup files exist	file exists	file exists
File type:	*.hrez	*.hre	*.hre
Return:	Current filename and folder	Current filename and	Current filename and
	name	folder name	folder name
Purpose:	Find place where zipped		
	External files exist (assume		
	will be unzipped by BR		
	code)		
File type:	*.zip		
Return:	Current filename and		
	folder name		

#### Save type calls:

Caller:	04.06 Project Restore	04.08 Project Copy	04.04 Project New
Purpose:	Set place to put new file	Set place to put new file	Set place to put new file
File type:	*.hre	*.hre	*.hre
Return:	New filename and folder	New filename and folder	New filename and folder
	name	name	name
Purpose:	Set place to put restored		
	External files (assume will		
	be unzipped by BR code)		

File type:	*.zip
Return:	New folder name

# Delete type calls:

Caller	04.10 Project Delete
Purpose:	Find place where file exists
File type:	*.hre
Return:	Current filename and
	folder name

# WARNING CONDITIONS

File name error warnings may be issued by the underlying OS.

# **ERROR CONDITIONS**

None.