# **GUI\_ProjectOpen – Open a Project**

# **Revision history**

	<u>'</u>	
2017-06-21	Robin Lamacraft	Original draft
2018-05-27	Rod Thompson	Inserted diagrams, actions
2018-06-08 Rod Thompson		Replace graphic and Window Interaction Map
		Replace 'screen' with 'window'
		Replace 'BR_PanelConfig' with 'BR_WindowConfig'
		Replace 'BR_Notification" with 'BR_Message Patterns'
2018-06-09	Don Ferguson	Updated Required Services (Dependencies), added issue list to
		Scope
2018-06-14	Rod Thompson	Edit
	-	Add WARNING CONDITION
		Add PROCESS FLOW CHART
2018-06-16	Don Ferguson	Removed ProjectRecent as a dependency, as this module performs
		those functions anyway
2018-06-17	Don Ferguson	Added to Scope Issues 2 & 4 and Actions item 4
2018-06-26	Rod Thompson	Remove Issues Notes
	·	Replace window graphic & WINDOW INTERACTION MAP
		Replace PROCES FLOW CHART
		Add PROJECT FILESET and NOTES
		Revise LOOK and FEEL
		Revise ACTIONS
2018-07-03	Rod Thompson	Add Use Case 1
		Replace Process flowchart
2018-07-05	Rod Thompson	Amend Use Cases
		Add TESTING
2018-07-17	Don Ferguson	Edited Use cases; added commentary on plugins
2018-12-09	Rod Thompson	Replace graphic, Add location detail
		Add LOGGING section
2018-12-12	Rod Thompson	Replace graphic (add Connect to New Server button)
		Add Use Case 3
		Add Issues (SCOPE)
		Add 'Connect to New Server' button (LOOK AND FEEL)
		Replace Process Flowchart (pages-2 & 3)
		Addition to NOTES
		Add Use Case 6 detail

## **SCOPE**

This GUI module is called from the Main Menu (GUI\_UserInterface), or from GUI\_ProjectNew to open an existing HRE project for use.

#### Issues:

- 1) The process of opening a Project utilising the double-mouse-click on the Project filename in a file -explorer requires consideration and documentation.
- 2) Handling of Image files between the Server and Client.

# **PROJECT FILESET**

A set of files required for normal use of HRE projects consists of:

- an H2 database
- A 'User' Auxiliary file
- A 'Project' Auxiliary file
- folders of external files (images, etc) [optional].

Refer to 03.32 Overview – Auxiliary (Non Database) Files for details.

#### **NOTES**

On the first occasion that each user initiates HRE operation, a User Auxiliary file is created for that user. As projects are created or opened for the first time, a Project Auxiliary file (for each Project) is created, and User entries added. This system provides a linkage between Users and Projects.

A list of projects (local and remote) that can be accessed by the User is displayed for selection. This data is read from the User Auxiliary File where projects have previously been worked on by the user. Other Projects may be accessible:


- on the local computer, accessed via browsing the OS file explorer, or
- on a server where advice of such projects is notified to the User, and access is granted by an administrator.

First time access to a project on a Server, requires a different approach to the Project Open. See Use Case 3.

#### **LOOK AND FEEL**

The window has several parts:

- A top panel with the window name, and window size control icons
- The upper right icon buttons provide the following universal features:
  - The 'Output' icon enables <u>Output</u> of the Recent Projects list by sending the contents of the Recent Projects tabular display to a file or to a printer.
  - The 'Reminder' icon displays the Reminder content for this window
  - The Help icon displays context <u>Help</u> about the use of this window
- A '<u>Projects'</u> scrollable tabular display area which shows all of the user's accessible projects. If the selected project is located in a server, access that server is established (if the user is already logged into that server); or otherwise via a login process. (GUI\_ServerLogin)
- A 'Browse' button provides access through the OS file explorer to search for other projects located on the user's computer
- The 'Server Login' button allows selection of various servers known to this installation of HRE. On use, access is provided to select a server and project (where administration has provided accessibility)
- A 'Connect to New Server' button, allows access to a Server (not previously used and hence not recorded in the User AUX file); a search of the files for HRE Projects, and opening of a selected project. Assumes User rights. The buttons:
  - "Summary" opens a ProjectSummary window, displaying a summary of the project
  - o "Open" performs the project open functions on the selected project
  - o "Cancel" exits without action.



PROJECT OPEN Window - Mockup

Shape, Size, Color, Layout etc. determined in design.

On screen location
Initially inherited from the HRE main display
Window located immediately below the Project menu
button
On screen location and scale are the only User changeable settings

## **ACTIONS**

The fundamental operations are:

- 1. Open the window according to its saved window Layout (BR WindowConfig)
- 2. Write a 'Project Open' time to the Session table
- 3. HRE has 3 possible installation variants:
  - <u>Isolated mode</u> -where HRE acts as an application entirely within one computer
  - Mixed mode- where HRE has both some project files stored locally and some are stored remotely on a local network server or in some external internet service
  - <u>Remote mode</u> where no user data is stored on the local computer and all data must be transferred across a network.
- 4. Accordingly, the GUI\_ProjectOpen module has to adapt to each of these modes. Isolated mode requires no login capability, but the other 2 modes require this interface to adapt itself according to the type of request. To achieve this the GUI\_ServerLogin module and the BR\_ServerServices module have to provide access and the business rules to control these aspects
- 5. Displays a list of projects available to this client user (as controlled by access rights). Projects not available could possibly be greyed out, but listed
- 6. Allows the user to select one project to open
- 7. The Project Summary button allows the user to view in a new window, summary information about the selected Project
- 8. If a Remote project:
  - Check the status of a remote project to identify whether it is currently unavailable because of backups in progress or other system actions

- Check status of the selected project to see whether it is already open by other users
- If already in use, notify all concurrent users of this user joining for update activity.
   This is to be done using the BR\_Message Patterns and GUI\_Message Patterns modules.
- 9. Open the selected project files
- 10. Populate the user's HRE instance with default settings, then overlay these with the user's personal settings from this user's last status data from their last use of this project
- 11. When the project is used for the first time by the user, as appropriate add records to the User Auxiliary File and Project Auxiliary File.

#### **USED BY**

All HRE users.

## **DATA CONTROLLED BY THIS MODULE**

1. None.

# REQUIRED DATA CONTROLLED BY OTHER MODULES

1. None.

# **REQUIRED SERVICES – Dependencies**

First-Order Dependencies	Second-Order Dependencies	Higher-Order Dependencies
04.14 GUI_ProjectSummary		
05.75 GUI Server Login	05.32 GUI_SelectConfiguration	
	07.24 BR Setting	BR AppData
		BR UserData
		07.02 BR EntityLink
	07.17 BR_WindowConfig	See below
	03.66 GUI_Message Patterns	See below
03.66 GUI MessagePatterns		
07.17 BR_WindowConfig	07.06 BR_GuiElement	10.02 SS_DirectRequest
_	07.29 BR Translation	11.01 DBA DatabaseValidateReques
	08.01 BCS Bridge	11.02 DBA DatabaseMapRequest
		11.03 DBA_DatabaseTransaction
		12.01 DBE PerformDatabaseReques
07.04 BR_Files	05.20 GUI_Logging	07.02 BR_EntityLink
Also	07.25 BR Schema	07.26 BR Substitution
local file system interface	07.25 BK_Schema	07.20 BR_Substitution 07.01 BR_EncodedString
modules		07.01 BK_Effedded3tfffig
remote server connection		
modules		
remote or external file system		
modules		
07.43 BR_ServerServices	Needed	
07.16 BR_MessagePatterns	07.02 BR_EntityLink	
	07.01 BR_EncodedString	
	07.11 BR_Logging	
	Call Stack	
	07.24 BR_Setting	
	GUI Translation	
07.21 BR_Project	07.06 BR_GuiElement	07.06 BR_GuiElement
		07.02 BR_EntityLink
		BR_FieldTranslation
		07.16 BR_MessagePatterns
	07.02 BR EntityLink	NIL
	07.29 BR Translation	07.02 BR EntityLink
	_	BR Field
		07.06 BR GuiElement

First-Order Dependencies	Second-Order Dependencies	Higher-Order Dependencies
		07.16 BR_MessagePatterns
	07.03 BR_FieldDefinition	NIL
07.11 Add BR_Logging		

## **APPLICATION PROGRAMMING INTERFACE (API)**

- 1. Single call, with parameters:
  - a. Has local projects (Boolean)
  - b. Has remote projects (Boolean)
  - c. Recent server ID (HRE\_serverID)
  - d. Recent projects list object (HRE recent project ID)
  - e. Default project storage location(HRE project storage path ID).

#### LOGGING

Use of this module will create log entries.

## **Commit Logging**

This occurs for each of the following functions – in the listed tables:

Function	Database Table
Close Session	128
Move and/or resize window	305/306?

#### General Log

This includes:

Project Open

#### **EVENT ACTIONS**

1) Keyboard actions

NIL

2) Mouse actions

Drag and drop mouse actions to move and resize the window Setting changes saved to database for User>Project>Window Left key

- a. Mouse key click on Server name pulldown expands Server list, and allows selection
- b. Mouse key click on a Project Name, causes the pathname and project name to be shown in the text boxes
- c. Mouse key click on the 'un-checked' radio button, selects that button, and 'de-selects' the other
- d. Mouse key click on each button, operates the button
- e. Mouse key click on icons (detailed below)

## Right key

### to be determined

- 3) Icon actions
  - a. left mouse key click on icons in the Window Control group:
    - a. 'X' icon

(closes the window)

NOTE: Same action as in use of the 'Cancel' button

b. 'Box' icon

Toggles the window size between full window, and the preset window size

c. 'Dash' icon

Minimizes the window, to an icon on the window toolbar.

A click on the toolbar icon restores the display to its previous setting

b. Left mouse key click on the 'Output' icon:

(opens the 'Output' window for output to File or Printer)

c. left mouse key click on 'Reminder' icon:


(opens 'Reminder' window for this 'Send to Colleague' Message display)

- d. left mouse key click on the 'Configuration' icon (opens the Configuration Window for this Project Open window)
- e. left mouse click on 'Help ' icon: (opens the Help System, searches for the section on 'Send to Colleague Message')
- 4) Keyboard shortcuts

to be determined

#### WARNING CONDITIONS

 When the 'Cancel' button is used, a reminder warning message is displayed. Warning Message (WM-PO1)



## **Text Version**

WARNING

A Project has been selected. This user action will result in the Project, not being opened for use.


Press CANCEL for return to this window for further attention.

Press OK to proceed, which will close this window.


#### **ERROR CONDITIONS**


1. Need details of the condition that raised the error, example message and possible next steps.


# WINDOW INTERACTION MAP



# **PROCESS FLOW CHART**







Open - detail

## **USE CASES**

- 1) HRE Software and Project version differences (Single computer or Client to Single Server)
- 2) HRE Software and Project version differences (Server based multi-user)
- 3) Open an unknown Project on a Server previously not accessed by the User
- 4) Single user open one HRE Project (local computer)
- 5) Single user open one HRE project (remote computer)
- 6) Single user opening 2 HRE Projects concurrently (local computer)
- 7) Single user opening 2 HRE Projects concurrently (one local, one remote)
- 8) Single user opening 2 HRE Projects concurrently (both remote)
- 9) Read-Only open (as distinct from normal Read-Write)

NOTE: Where the Use Case identifies 'version difference' this can be either a difference in HRE software/database version numbers OR a difference in installed HRE plugins. Where the difference is only in installed plugins, a database open should only be allowed if (a) the user has full admin rights, and (b) the software has an extra plugin compared to the database set.

Further consideration is required of all possible version/plugin differences, otherwise there is a possibility that installing a plugin will make it impossible to open an existing Project database.

#### Use Case 1

Single Computer, or Client to Single Server - HRE Software and Project version difference

Where the database version is lower than the software, then the database is in need of upgrading. Where the database version is higher than the software, no access is allowed.

Where the upgrade is possible (software determination), then carry out the upgrade. Save the database, and update AUX file record database version.

When access is not possible, additional information needs to be provided to the User (i.e., software and database version numbers).

#### Use Case 2

Server based project (multi-user) - HRE Software and Project version difference

An administrator probably determines the software versions of client installations. Project versions and client HRE versions will generally match.

An exception may be a guest client user. In which case the user rights are likely to be limited. If rights are open, and the guest user has a newer version of software, then any data saved by the guest user may cause problems for the broader user base, so an upgrade of the database should no be allowed.

Another exception may exist where multiple organisations share a common project on a server. Rights will have to determine action taken where a project/software version difference is detected.

A new specification is required (BR series) to define requirements resulting from HRE software version changes. The presumption is that with each software version upgrade, a set of rules will be established for project database upgrades, embedded in the software.


#### Use Case 3

Open an unknown Project on a Server previously not accessed by the User

Assume the User can access the Server computer, and has the Rights to access the Project. Using the "Connect to New Server" button on the HRE Client initiates the process displayed below.

#### Notes:

- 1) This would require that the Project Database AUX file be amended by an Administrator, to include the new User. Is this an unacceptable limitation on the use of HRE?
- 2) Accessing projects (previously unknown) in this manner will require that the Project can be opened by use of the 'double-mouse-click' on the project database filename in the Server file explorer. This methodology for opening a project is presently recorded as requiring later consideration. There may be other implications.



A User can open two Projects on their computer, by using two instances of the HRE Client application, then opening a selected project in each.

## **TESTING**

Testing to prove the functionality of this module in use with others of the HRE application. Limited 'Project' functionality (see below).

Prior testing of the module in the code development process is assumed.

General requirements	Code element requirements
HRE installation	Main GUI
1) Single computer	Project Open
2) Client-Server	Project Close
3) Test Project database fileset	ExitHRE

# **Process**

- 1) Run HRE
  - a. Open the Test Project
  - b. Add data to the project
  - c. Close the Project
  - d. Exit HRE
- 2) Check result (how?)
- 3)

See Test Plan document.