# GUI\_ProjectOpen - Open a Project

## **Revision history**

2017-06-21	Robin Lamacraft	Original draft	
2018-05-27	Rod Thompson	Inserted diagrams, actions	
2018-06-08	Rod Thompson	Replace graphic and Window Interaction Map	
		Replace 'screen' with 'window'	
		Replace 'BR_PanelConfig' with 'BR_WindowConfig'	
		Replace 'BR_Notification" with 'BR_Message Patterns'	
2018-06-09	Don Ferguson	Updated Required Services (Dependencies), added issue list	
		to Scope	
2018-06-14	Rod Thompson	Edit	
		Add WARNING CONDITION	
		Add PROCESS FLOW CHART	
2018-06-16	Don Ferguson	Removed ProjectRecent as a dependency, as this module	
		performs those functions anyway	
2018-06-17	Don Ferguson	Added to Scope Issues 2 & 4 and Actions item 4	
2018-06-26	Rod Thompson	Remove Issues Notes	
		Replace window graphic & WINDOW INTERACTION MAP	
		Replace PROCES FLOW CHART	
		Add PROJECT FILESET and NOTES	
		Revise LOOK and FEEL	
		Revise ACTIONS	
2018-07-03	Rod Thompson	Add Use Case 1	
		Replace Process flowchart	
2018-07-05	Rod Thompson	Amend Use Cases	
		Add TESTING	
2018-07-17	Don Ferguson	Edited Use cases; added commentary on plugins	

### **SCOPE**

This GUI module is called from the Main Menu (GUI\_UserInterface), or from GUI\_ProjectNew to open an existing HRE project for use.

## PROJECT FILESET

A set of files required for normal use of HRE projects consists of:

- an H2 database
- A 'User' Auxiliary file
- A 'Project' Auxiliary file
- folders of external files (images, etc) [optional].

Refer to 03.32 Overview - Auxiliary (Non Database) Files for details.

## **NOTES**

On the first occasion that each user initiates HRE operation, a User Auxiliary file is created for that user. As projects are created or opened for the first time, a Project Auxiliary file (for each Project) is created, and User entries added. This system provides a linkage between Users and Projects.

A list of projects (local and remote) that can be accessed by the User is displayed for selection. This data is read from the User Auxiliary File where projects have previously been worked on by the user. Other Projects may be accessible:


• on the local computer, accessed via browsing the OS file explorer, or

• on a server where advice of such projects is notified to the User, and access is granted by an administrator.

#### LOOK AND FEEL

The window has several parts:

- A top panel with the window name, and window size control icons
- The upper right icon buttons provide the following universal features:
  - The 'Output' icon enables <u>Output</u> of the Recent Projects list by sending the contents of the Recent Projects tabular display to a file or to a printer.
  - The 'Reminder' icon displays the Reminder content for this window
  - The 'Configuration' icon enables the user to create and retrieve recent or favorite <u>Configurations</u> of this window's layout
  - o The Help icon displays context Help about the use of this window
- A '<u>Projects'</u> scrollable tabular display area which shows all of the user's accessible projects. If the selected project is located in a server, access that server is established (if the user is already logged into that server); or otherwise via a login process. (GUI\_ServerLogin)
- A 'Browse' button provides access through the OS file explorer to search for other projects located on the user's computer
- The "Server Login" button allows selection of various servers known to this installation of HRE. On use, access is provided to select a server and project (where administration has provided accessibility)
- The buttons:
  - "Summary" opens a ProjectSummary window, displaying a summary of the project
  - "Open" performs the project open functions on the selected project
  - "Cancel" exits without action.



PROJECT OPEN Window - Mockup

## **ACTIONS**

### The fundamental operations are:

- 1. Open the window according to its saved window Layout (BR WindowConfig)
- 2. HRE has 3 possible installation variants:
  - <u>Isolated mode</u> -where HRE acts as an application entirely within one computer
  - <u>Mixed mode</u>- where HRE has both some project files stored locally and some are stored remotely on a local network server or in some external internet service
  - Remote mode where no user data is stored on the local computer and all data must be transferred across a network.
- 3. Accordingly, the GUI\_ProjectOpen module has to adapt to each of these modes. Isolated mode requires no login capability, but the other 2 modes require this interface to adapt itself according to the type of request. To achieve this the GUI\_ServerLogin module and the BR\_ServerServices module have to provide access and the business rules to control these aspects
- 4. Displays a list of projects available to this client user (as controlled by access rights). Projects not available could possibly be greyed out, but listed
- 5. Allows the user to select one project to open
- 6. The Project Summary button allows the user to view in a new window, summary information about the selected Project
- 7. If a Remote project:
  - Check the status of a remote project to identify whether it is currently unavailable because of backups in progress or other system actions
  - Check status of the selected project to see whether it is already open by other users
  - If already in use, notify all concurrent users of this user joining for update activity.
     This is to be done using the BR\_Message Patterns and GUI\_Message Patterns modules.
- 8. Open the selected project files
- 9. Populate the user's HRE instance with default settings, then overlay these with the user's personal settings from this user's last status data from their last use of this project
- 10. When the project is used for the first time by the user, as appropriate add records to the User Auxiliary File and Project Auxiliary File.

## **USED BY**

All HRE users.

### **DATA CONTROLLED BY THIS MODULE**

1. None.

# **REQUIRED DATA CONTROLLED BY OTHER MODULES**

1. None.

# **REQUIRED SERVICES – Dependencies**

First-Order Dependencies	Second-Order Dependencies	Higher-Order Dependencies
	(if not already listed)	(if not already listed)
04.14 GUI_ProjectSummary		
05.75 GUI_Server Login	05.32 GUI_SelectConfiguration	
	07.24 BR_Setting	
03.66 GUI_MessagePatterns	Already included in 1st order	
07.17 BR_WindowConfig	07.06 BR_GuiElement	10.02 SS_DirectRequest
	07.29 BR_Translation	11.01 DBA_DatabaseValidateRequest
	08.01 BCS_Bridge	11.02 DBA_DatabaseMapRequest
		11.03 DBA_DatabaseTransaction
		12.01 DBE_PerformDatabaseRequest

First-Order Dependencies	Second-Order Dependencies (if not already listed)	Higher-Order Dependencies (if not already listed)
O7.04 BR_Files Also  Iocal file system interface modules  remote server connection modules  remote or external file system modules	05.20 GUI_Logging 07.25 BR_Schema	07.02 BR_EntityLink 07.26 BR_Substitution 07.01 BR_EncodedString
07.43 BR_ServerServices		
07.16 BR_MessagePatterns	Already listed	
07.21 BR_Project	Already listed	

## **APPLICATION PROGRAMMING INTERFACE (API)**

- 1. Single call, with parameters:
  - a. Has local projects (Boolean)
  - b. Has remote projects (Boolean)
  - c. Recent server ID (HRE\_serverID)
  - d. Recent projects list object (HRE\_recent project ID)
  - e. Default project storage location(HRE project storage path ID).

#### **EVENT ACTIONS**

1) Keyboard actions

NIL

2) Mouse actions

## Left key

- a. Mouse key click on Server name pulldown expands Server list, and allows selection
- b. Mouse key click on a Project Name, causes the pathname and project name to be shown in the text boxes
- c. Mouse key click on the 'un-checked' radio button, selects that button, and 'de-selects' the other
- d. Mouse key click on each button, operates the button
- e. Mouse key click on icons (detailed below)

# Right key

## to be determined

- 3) Icon actions
  - a. left mouse key click on icons in the Window Control group:
    - a. 'X' icon

(closes the window)

NOTE: Same action as in use of the 'Cancel' button

b. 'Box' icon

Toggles the window size between full window, and the preset window size

c. 'Dash' icon

Minimizes the window, to an icon on the window toolbar.

A click on the toolbar icon restores the display to its previous setting

b. Left mouse key click on the 'Output' icon:

(opens the 'Output' window for output to File or Printer)

c. left mouse key click on 'Reminder' icon:

(opens 'Reminder' window for this 'Send to Colleague' Message display)


d. left mouse key click on the 'Configuration' icon (opens the Configuration Window for this Project Open window)

- e. left mouse click on 'Help ' icon: (opens the Help System, searches for the section on 'Send to Colleague Message')
- 4) Keyboard shortcuts

to be determined

### WARNING CONDITIONS

1. When the 'Cancel' button is used, a reminder warning message is displayed. Warning Message (WM-PO1)



### **Text Version**

WARNING

A Project has been selected. This user action will result in the Project, not being opened for use.


Press CANCEL for return to this window for further attention.

Press OK to proceed, which will close this window.


#### **ERROR CONDITIONS**


1. Need details of the condition that raised the error, example message and possible next steps.

## WINDOW INTERACTION MAP



# **PROCESS FLOW CHART**





## **USE CASES**

- 1) HRE Software and Project version differences (Single computer or Client to Single Server)
- 2) HRE Software and Project version differences (Server based multi-user)
- 3) Single user open one HRE Project (local computer)
- 4) Single user open one HRE project (remote computer)
- 5) Single user opening 2 HRE Projects concurrently (local computer)
- 6) Single user opening 2 HRE Projects concurrently (one local, one remote)
- 7) Single user opening 2 HRE Projects concurrently (both remote)
- 8) Read-Only open (as distinct from normal Read-Write)

NOTE: Where the Use Case identifies 'version difference' this can be either a difference in HRE software/database version numbers OR a difference in installed HRE plugins. Where the difference is only in installed plugins, a database open should only be allowed if (a) the user has full admin rights, and (b) the software has an extra plugin compared to the database set.

Further consideration is required of all possible version/plugin differences, otherwise there is a possibility that installing a plugin will make it impossible to open an existing Project database.

#### Use Case 1

Single Computer, or Client to Single Server - HRE Software and Project version difference

Where the database version is lower than the software, then the database is in need of upgrading. Where the database version is higher than the software, no access is allowed.

Where the upgrade is possible (software determination), then carry out the upgrade. Save the database, and update AUX file record database version.

When access is not possible, additional information needs to be provided to the User (i.e., software and database version numbers).

#### Use Case 2

Server based project (multi-user) - HRE Software and Project version difference

An administrator probably determines the software versions of client installations. Project versions and client HRE versions will generally match.

An exception may be a guest client user. In which case the user rights are likely to be limited. If rights are open, and the guest user has a newer version of software, then any data saved by the guest user may cause problems for the broader user base, so an upgrade of the database should no be allowed.

Another exception may exist where multiple organisations share a common project on a server. Rights will have to determine action taken where a project/software version difference is detected.

A new specification is required (BR series) to define requirements resulting from HRE software version changes. The presumption is that with each software version upgrade, a set of rules will be established for project database upgrades, embedded in the software.

### **TESTING**

Testing to prove the functionality of this module in use with others of the HRE application. Limited 'Project' functionality (see below).

Prior testing of the module in the code development process is assumed.

General requirements	Code element requirements	
HRE installation	Main GUI	
1) Single computer	Project Open	
2) Client-Server	Project Close	
3) Test Project database fileset	ExitHRE	

#### **Process**

- 1) Run HRE
  - a. Open the Test Project
  - b. Add data to the project
  - c. Close the Project
  - d. Exit HRE
- 2) Check result (how?)
- 3)

See Test Plan document.