

## BR\_REMINDER – Reminder Services

### Revision history

2017-03-22	Robin Lamacraft	Original draft
2018-04-17	John Lucas	Minor edits

### SCOPE

This module must be used to store and evaluate reminders to be displayed on the screen. Reminders are user-created text to aid the user to be consistent in data entry. Reminders in TMG were associated with a number of screen data entry screens or complex data editing screens. In HRE, a Reminder can be located like TMG on a screen basis. In some situations they can be additionally associated with particular sub-sections of a screen.

### ACTIONS

The text of a reminder can be an encoded string in RTF format to provide layout and formatting with these operations:

1. Define a new Reminder
2. Each Reminder has a unique HRE\_ID
3. View or Edit a Reminder
4. Check before deleting a Reminder that there is no action that uses that Reminder.

### USED BY:

GUI\_Reminder.

### DATA CONTROLLED BY THIS MODULE:

1. User Reminder Database Table.

### REQUIRED DATA CONTROLLED BY OTHER MODULES:

1. HRE\_ID
2. User Translation
3. Application GUI Index Table
4. Panel Configuration.

### REQUIRED SERVICES

1. BR\_EncodedString
2. BR\_AppData
3. BR\_EntityLink
4. BR\_UserTranslation.

### APPLICATION PROGRAMMING INTERFACE (API)

1. **Need Details.**

### WARNING CONDITIONS

1. **Need details of the condition that raised the warning, example message and possible next steps.**

### ERROR CONDITIONS

1. **Need to record the condition that raised the error, example message and possible next steps.**