

## **BR\_REMINDER – Reminder Services**

Robin Lamacraft 2017-03-22

### **SCOPE**

This module must be used to store and evaluate reminders to be displayed on the screen. Reminders are user-created text to aid the user to be consistent in data entry. Reminders in TMG were associated with a number of screen data entry screens or complex data editing screens. In HRE, a Reminder can be located like TMG on a screen basis. In some situations they can be additionally associated with particular sub-sections of a screen.

### **ACTIONS**

The text of can be an encoded string in RTF format to provide layout and formatting with these operations:

1. Define a new Reminder
2. Each Reminder has a unique HRE\_ID
3. View or Edit a Reminder
4. Check before deleting a Reminder that there is no action that uses that Reminder.

**USED BY:** GUI\_Reminder.

### **DATA CONTROLLED BY THIS MODULE:**

1. User Reminder Database Table.

### **REQUIRED DATA CONTROLLED BY OTHER MODULES:**

1. HRE\_ID
2. User Translation
3. Application GUI Index Table
4. Panel Configuration.

### **REQUIRED SERVICES**

1. BR\_EncodedString
2. BR\_AppData
3. BR\_EntityLink
4. BR\_UserTranslation.

### **APPLICATION PROGRAMMING INTERFACE (API)**

1. **Need Details.**

### **WARNING CONDITIONS**

1. **Need details of the condition that raised the warning, example message and possible next steps.**

### **ERROR CONDITIONS**

1. **Need to record the condition that raised the error, example message and possible next steps.**