
# **GUI\_FileChooser**

#### **Revision history**

2019-03-05	Don Ferguson	Original draft

#### **SCOPE**

This function is called by any module requiring the user to interact with the local or remote OS file services to find and/or choose a file for subsequent manipulation, such as creating a new file, opening, deleting, copying and restoring activities.



File Chooser GUI screen - Mockup

#### **LOOK AND FEEL**

Defined by the Java WindowBuilder FileChooser component, as above.

#### **USED BY**

All HRE users.

## **ACTIONS**

Users may:

- Set the folder to search in
- Change the format from the default (above) to a detail list form
- Search within the file system by selecting folders from those displayed
- Choose from searching within Recent Items, Desktop, Documents, This PC or their connected network
- Enter the filename/type they wish to search for or Open, Delete, or Save.

## **DATA CONTROLLED BY THIS MODULE**

Any HRE file.

## **REQUIRED DATA CONTROLLED BY OTHER MODULES**

None.

## **REQUIRED SERVICES – Dependencies**

First-Order Dependencies	Second-Order Dependencies	Higher-Order Dependencies
07.04 BR_Files		

## **APPLICATION PROGRAMMING INTERFACE (API)**

The calling module will pass to this module the following data as Strings:

- 1. The Dialog type (Open, Save or Delete)
- 2. The Filename extension type(s) (e.g, \*.hre, \*.hrep, etc).

This module will return to the caller a File variable containing the chosen folder & filename.

## **WARNING CONDITIONS**

None, other than file name error warnings that may be issued directly by the underlying OS.

## **ERROR CONDITIONS**

None.