

GUI_NotepadDefnSelect – Notepad Definition Select

Robin Lamacraft 2017-03-26

SCOPE

Notepad Definition instances are used as controlling structures for the creation and use of Notepads associated with Entities and Links within HRE. This GUI module displays in a tabular display all Notepad Definitions for one particular Node or Link Entity Type.

Initially, this GUI_NotepadDefnSelect screen lists all Notepads Definition instances of that Node or Link Entity Type. Later in the development, once Filters are implemented, a filter may be used to reduce the number of objects that are displayed. This screen allows for the creation of a new Notepad, either from scratch or as a clone of an existing Notepad.

LOOK AND FEEL

The screen has 2 sections:

- Heading section:
 - The Node or Link Entity Type (focus preset – selection available)
 - A collection of command buttons
 - “Configure” to access the configuration alternatives for this screen
 - “Output” to open a screen that will output the contents of the Notepad Definition List as a file or print it. Later, when Subsets are implemented, the rows of tabular screens will each have a checkbox, that will select marked rows for printing, deletion or to create a subset of their HRE-IDs.
- Notepad Definition List section:
 - At its top, a collection of command buttons:
 - “Add New” creates an empty Notepad Definition instance with a new ID
 - “Add Clone” copies the selected Notepad Definition instance with a new ID
 - “Edit” opens the GUI_NotepadDefnEdit screen to edit the selected Notepad Definition instance
 - “Delete” opens the GUI_NotepadDefnDelete screen to delete the selected Notepad Definition instance.
 - A scrollable resizable tabular display with one row per Notepad Definition instance:
 - Common columns available:
 - Notepad Definition instance Visible ID
 - Notepad Definition instance Primary or Selected Name
 - Notepad Encoding type.
 - The choice of displayed fields and their format and order is specified in the screen opened by the “Configure” button. Here previously saved configurations can be selected or a new configuration created
 - Clicking on a row of the table selects that Notepad Definition instance
 - Double-clicking on a row of the table opens the GUI_NotepadDefnEdit screen on that selected definition
 - Initially, there will be an ability to sort the rows on one column, but later that feature will be extended to allow sorting on several columns at once.

[Needs a mockup diagram here]

METHODS

The fundamental operations are:

1. Open the Screen according to its saved Screen Layout (BR_PanelConfig)
2. Populate the tabular display with values for the focus type

3. Allow clicking on a row to select an object
4. "Output" saves the table as a file or prints it.

USED BY

Any data type using Notepad Definitions that has a GUI-NotepadDefnSelect variant. Because these are GUI elements that create events which must be directed to the single place where each is acted upon, each of these GUI screens must have unique identities. This means that the basic screen layout can be defined as an abstract class where each separate real class contains the object type specific code listening for events.

DATA CONTROLLED BY THIS MODULE:

1. None.

REQUIRED DATA CONTROLLED BY OTHER MODULES:

1. HRE_ID
2. Panel Configuration.

REQUIRED SERVICES

1. GUI_PanelConfigEdit
2. GUI_NotepadDefnDelete
3. GUI_Output
4. BR_Setting
5. BR_UserTranslation
6. BR_PanelConfig
7. BR_EntityLink
8. BR_Notepad.

APPLICATION PROGRAMMING INTERFACE (API)

1. Need Details.

EVENT ACTIONS

1. Need details of event (keyboard or mouse) and the description of the action.

WARNING CONDITIONS

1. Need details of the condition that raised the warning, example message and possible next steps.

ERROR CONDITIONS

1. Need to record the condition that raised the error, example message and possible next steps.