

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

All Classes and Interfaces

All Classes and InterfacesInterfacesClasses

Class

Description

[Address](#)

[AddressApiController](#)

[AddressDTO](#)

[AddressDTOService](#)

[AddressesServiceApplication](#)

[AddressesServiceApplicationTests](#)

[AddressRepository](#)

[AddressService](#)

[AddressValidationService](#)

[SwaggerConfig](#)

[User](#)

[UserApiController](#)

[UserDTO](#)

[UserDTOService](#)

[UserRepository](#)

[UserService](#)

[WebConfig](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

All Packages

Package Summary

Package

Description

[com.addresses.service](#)

[com.addresses.service.config](#)

[com.addresses.service.database.entity](#)

[com.addresses.service.database.repository](#)

[com.addresses.service.database.service](#)

[com.addresses.service.service](#)

[com.addresses.service.web](#)

[com.addresses.service.web.config](#)

[com.addresses.service.web.dto](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Packages

Package

Description

[com.addresses.service](#)

[com.addresses.service.config](#)

[com.addresses.service.database.entity](#)

[com.addresses.service.database.repository](#)

[com.addresses.service.database.service](#)

[com.addresses.service.service](#)

[com.addresses.service.web](#)

[com.addresses.service.web.config](#)

[com.addresses.service.web.dto](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service](#)

Class `AddressesServiceApplication`

[java.lang.Object](#)

`com.addresses.service.AddressesServiceApplication`

@SpringBootApplication public class `AddressesServiceApplication` extends [Object](#)

• Constructor Summary

Constructors

Constructor

Description

[`AddressesServiceApplication\(\)`](#)

• Method Summary

All MethodsStatic MethodsConcrete Methods

Modifier and Type

Method

Description

static void

[`main\(String\[\] args\)`](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`,
`toString`, `wait`, `wait`, `wait`

• Constructor Details

◆ `AddressesServiceApplication`

```
public AddressesServiceApplication()
```

• Method Details

◆ `main`

```
public static void main(String[] args)
```

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service](#)

Class `AddressesServiceApplicationTests`

[java.lang.Object](#)

`com.addresses.service.AddressesServiceApplicationTests`

@SpringBootTest class `AddressesServiceApplicationTests` extends [Object](#)

• Constructor Summary

Constructors

Constructor

Description

[`AddressesServiceApplicationTests\(\)`](#)

• Method Summary

All MethodsInstance MethodsConcrete Methods

Modifier and Type

Method

Description

(package private) void
[`contextLoads\(\)`](#)

Methods inherited from class `java.lang.Object`

`clone`, `equals`, `finalize`, `getClass`, `hashCode`, `notify`, `notifyAll`,
`toString`, `wait`, `wait`, `wait`

• Constructor Details

◆ `AddressesServiceApplicationTests`

`AddressesServiceApplicationTests()`

• Method Details

◆ `contextLoads`

`@Test void contextLoads()`

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description |](#)
- [Related Packages |](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service

package com.addresses.service

- [Related Packages](#)
 - [Package](#)
 - [Description](#)
 - [com.addresses.service.config](#)
 - [com.addresses.service.service](#)
 - [com.addresses.service.web](#)
- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [AddressesServiceApplication](#)
 - [AddressesServiceApplicationTests](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package com.addresses.service

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- java.lang.[Object](#)
 - ◆ com.addresses.service.[AddressesServiceApplication](#)
 - ◆ com.addresses.service.[AddressesServiceApplicationTests](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.config](#)

Class SwaggerConfig

[java.lang.Object](#)

[com.addresses.service.config.SwaggerConfig](#)

@Configuration public class SwaggerConfig extends [Object](#)

• Constructor Summary

Constructors

Constructor

Description

[SwaggerConfig\(\)](#)

• Method Summary

All MethodsInstance MethodsConcrete Methods

Modifier and Type

Method

Description

[org.springdoc.core.GroupedOpenApi
addressApi\(\)](#)

[org.springdoc.core.GroupedOpenApi](#)

userApi()

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Constructor Details

◆ **SwaggerConfig**

public SwaggerConfig()

• Method Details

◆ **addressApi**

@Bean public org.springdoc.core.GroupedOpenApi addressApi()

◆ **userApi**

@Bean public org.springdoc.core.GroupedOpenApi userApi()

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description |](#)
- [Related Packages |](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.config

package com.addresses.service.config

- [Related Packages](#)
 - [Package](#)
 - [Description](#)
 - [com.addresses.service](#)
 - [com.addresses.service.service](#)
 - [com.addresses.service.web](#)
- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [SwaggerConfig](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package com.addresses.service.config

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- java.lang.[Object](#)
 - ◆ com.addresses.service.config.[SwaggerConfig](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.database.entity](#)

Class Address

[java.lang.Object](#)

[com.addresses.service.database.entity.Address](#)

@Entity public class Address extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private [Boolean](#)
[defaultAddress](#)

private [Date](#)
[deliveryDate](#)

private [Long](#)
[id](#)

private [Integer](#)
[postalCode](#)

```
private String  
postOffice
```

```
private String  
street
```

```
private String  
streetNumber
```

```
private User  
user
```

```
private Long  
userId
```

• Constructor Summary

Constructors

Constructor

Description

Address()

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

void

initializeDeliveryDate()

void

populateUserId()

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

◆ id

private Long id

♦ **streetNumber**

private String streetNumber

♦ **street**

private String street

♦ **postalCode**

private Integer postalCode

♦ **postOffice**

private String postOffice

♦ **defaultAddress**

private Boolean defaultAddress

♦ **deliveryDate**

private Date deliveryDate

♦ **userId**

private Long userId

♦ **user**

private User user

• **Constructor Details**

♦ **Address**

public Address()

• **Method Details**

♦ **populateUserId**

public void populateUserId()

♦ **initializeDeliveryDate**

public void initializeDeliveryDate()

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.database.entity](#)

Class User

[java.lang.Object](#)

[com.addresses.service.database.entity.User](#)

@Entity public class User extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private final [Set](#)<[Address](#)>
[addresses](#)

private [String](#)
[firstName](#)

private [Long](#)
[id](#)

private [String](#)
[lastName](#)

• Constructor Summary

Constructors

Constructor

Description

User()

User(String name, String surname)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

void

addAddress(Address address)

void

removeAddress(Address address)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

♦ id

private Long id

♦ firstName

private String firstName

♦ lastName

private String lastName

♦ addresses

private final Set<Address> addresses

• Constructor Details

◆ **User**

public User()

◆ **User**

public User(String name, String surname)

• **Method Details**

◆ **addAddress**

public void addAddress(Address address)

◆ **removeAddress**

public void removeAddress(Address address)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description I](#)
- [Related Packages I](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.database.entity

package com.addresses.service.database.entity

- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [Address](#)

 - [User](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package **com.addresses.service.database.entity**

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- [java.lang.Object](#)
 - ◆ [com.addresses.service.database.entity.Address](#)
 - ◆ [com.addresses.service.database.entity.User](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.database.repository](#)

Interface AddressRepository

All Superinterfaces:

```
org.springframework.data.repository.CrudRepository<Address, Long>,
org.springframework.data.jpa.repository.JpaRepository<Address, Long>,
org.springframework.data.repository.ListCrudRepository<Address, Long>,
org.springframework.data.repository.ListPagingAndSortingRepository<Address, Long>,
org.springframework.data.repository.PagingAndSortingRepository<Address, Long>,
org.springframework.data.repository.query.QueryByExampleExecutor<Address>,
org.springframework.data.repository.Repository<Address, Long>
```

public interface AddressRepository extends

org.springframework.data.jpa.repository.JpaRepository<[Address](#), [Long](#)>

• Method Summary

All Methods Instance Methods Abstract Methods

Modifier and Type

Method

Description

long

[countByUser_Id](#)([Long](#) userId)

[List](#)<[Address](#)>

[findByUser_Id](#)([Long](#) userId)

```
List<Address>  
findByUserAndStreetNumberAndStreetAndPostalCodeAndPostOffice(User user,  
String streetNumber, String street, Integer postalCode,  
String postOffice)
```

Methods inherited from interface org.springframework.data.repository.CrudRepository

```
count, delete, deleteAll, deleteAll, deleteAllById, deleteById,  
existsById, findById, save
```

Methods inherited from interface org.springframework.data.jpa.repository.JpaRepository

```
deleteAllByIdInBatch, deleteAllInBatch, deleteAllInBatch,  
deleteInBatch, findAll, findAll, flush, getById, getOne,  
getReferenceById, saveAllAndFlush, saveAndFlush
```

Methods inherited from interface org.springframework.data.repository.ListCrudRepository

```
findAll, findAllById, saveAll
```

Methods inherited from interface org.springframework.data.repository.ListPagingAndSortingRepository

```
findAll
```

Methods inherited from interface org.springframework.data.repository.PagingAndSortingRepository

```
findAll
```

Methods inherited from interface org.springframework.data.repository.query.QueryByExampleExecutor

```
count, exists, findAll, findBy, findOne
```

• Method Details

♦ findByUser_Id

```
List<Address> findByUser_Id(Long userId)
```

♦ countByUser_Id

```
long countByUser_Id(Long userId)
```

♦ findByUserAndStreetNumberAndStreetAndPostalCodeAndPostOffice

```
List<Address> findByUserAndStreetNumberAndStreetAndPostalCodeAndPostOffice(User user,  
String streetNumber, String street, Integer postalCode, String postOffice)
```

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- Nested |
- Field |
- Constr |
- [Method](#)

- Detail:
- Field |
- Constr |
- Method

SEARCH:

Package [com.addresses.service.database.repository](#)

Interface UserRepository

All Superinterfaces:

```
org.springframework.data.repository.CrudRepository<User, Long>,
org.springframework.data.jpa.repository.JpaRepository<User, Long>,
org.springframework.data.repository.ListCrudRepository<User, Long>,
org.springframework.data.repository.ListPagingAndSortingRepository<User, Long>,
org.springframework.data.repository.PagingAndSortingRepository<User, Long>,
org.springframework.data.repository.query.QueryByExampleExecutor<User>,
org.springframework.data.repository.Repository<User, Long>
```

public interface UserRepository extends org.springframework.data.jpa.repository.JpaRepository<[User](#),[Long](#)>

• Method Summary

Methods inherited from

interface org.springframework.data.repository.CrudRepository

count, delete, deleteAll, deleteAll, deleteAllById, deleteById, existsById, findById, save

Methods inherited from

interface org.springframework.data.jpa.repository.JpaRepository

deleteAllByIdInBatch, deleteAllInBatch, deleteAllInBatch, deleteInBatch, findAll, findAll, flush, getById, getOne, getReferenceById, saveAllAndFlush, saveAndFlush

Methods inherited from

interface org.springframework.data.repository.ListCrudRepository

`findAll, findAllById, saveAll`

Methods inherited from

interface org.springframework.data.repository.ListPagingAndSortingRepository

`findAll`

Methods inherited from

interface org.springframework.data.repository.PagingAndSortingRepository

`findAll`

Methods inherited from

interface org.springframework.data.repository.query.QueryByExampleExecutor

`count, exists, findAll, findBy, findOne`

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Package:
- Description |
- Related Packages |
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.database.repository

package com.addresses.service.database.repository

- Interfaces
- Class
- Description
- [AddressRepository](#)

- [UserRepository](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package com.addresses.service.database.repository

Package Hierarchies:

- [All Packages](#)

Interface Hierarchy

- org.springframework.data.repository.query.QueryByExampleExecutor<T>
 - ◆ org.springframework.data.jpa.repository.JpaRepository<T,ID> (also extends org.springframework.data.repository.ListCrudRepository<T,ID>, org.springframework.data.repository.ListPagingAndSortingRepository<T,ID>)
 - ◇ com.addresses.service.database.repository.[AddressRepository](#)
 - ◇ com.addresses.service.database.repository.[UserRepository](#)
- org.springframework.data.repository.Repository<T,ID>
 - ◆ org.springframework.data.repository.CrudRepository<T,ID>
 - ◇ org.springframework.data.repository.ListCrudRepository<T,ID>
 - org.springframework.data.jpa.repository.JpaRepository<T,ID> (also extends org.springframework.data.repository.ListPagingAndSortingRepository<T,ID>, org.springframework.data.repository.query.QueryByExampleExecutor<T>)
 - com.addresses.service.database.repository.[AddressRepository](#)
 - com.addresses.service.database.repository.[UserRepository](#)
 - ◆ org.springframework.data.repository.PagingAndSortingRepository<T,ID>
 - ◇ org.springframework.data.repository.ListPagingAndSortingRepository<T,ID>
 - org.springframework.data.jpa.repository.JpaRepository<T,ID> (also extends org.springframework.data.repository.ListCrudRepository<T,ID>, org.springframework.data.repository.query.QueryByExampleExecutor<T>)
 - com.addresses.service.database.repository.[AddressRepository](#)
 - com.addresses.service.database.repository.[UserRepository](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.database.service](#)

Class AddressService

[java.lang.Object](#)

[com.addresses.service.database.service.AddressService](#)

@Service public class AddressService extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private final [AddressRepository](#)
[addressRepository](#)

private final [UserRepository](#)
[userRepository](#)

• Constructor Summary

Constructors

Constructor

Description

All Classes and Interfaces

AddressService(AddressRepository addressRepository,
UserRepository userRepository)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

void

deleteAddress(Long id)

Address

findAddressById(Long addressId)

List<Address>

findAddressesByUserId(Long userId)

List<Address>

getAllAddresses()

boolean

isDuplicateAddress(Address address)

Address

saveAddress(Address address)

Address

updateAddress(AddressDTO addressDTO)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

◆ **addressRepository**

private final AddressRepository addressRepository

◆ **userRepository**

private final UserRepository userRepository

• Constructor Details

◆ AddressService

@Autowired public AddressService(AddressRepository addressRepository,
UserRepository userRepository)

• Method Details

◆ saveAddress

public Address saveAddress(Address address) throws Exception
Throws:
Exception

◆ getAllAddresses

public List<Address> getAllAddresses()

◆ updateAddress

public Address updateAddress(AddressDTO addressDTO)

◆ deleteAddress

public void deleteAddress(Long id)

◆ findAddressesByUserId

public List<Address> findAddressesByUserId(Long userId)

◆ findAddressById

public Address findAddressById(Long addressId)

◆ isDuplicateAddress

public boolean isDuplicateAddress(Address address)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.database.service](#)

Class UserService

[java.lang.Object](#)

[com.addresses.service.database.service.UserService](#)

@Service public class UserService extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private final [UserRepository](#)
[userRepository](#)

• Constructor Summary

Constructors

Constructor

Description

[UserService](#) ([UserRepository](#) userRepository)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

void

deleteUser(Long id)

List<User>

getAllUsers()

User

getUserById(Long id)

User

saveUser(User user)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

◆ userRepository

private final UserRepository userRepository

• Constructor Details

◆ UserService

@Autowired public UserService(UserRepository userRepository)

• Method Details

◆ saveUser

public User saveUser(User user)

◆ getUserById

public User getUserById(Long id)

◆ getAllUsers

public List<User> getAllUsers()

◆ **deleteUser**

```
public void deleteUser(Long id)
```

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description I](#)
- [Related Packages I](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.database.service

package com.addresses.service.database.service

- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [AddressService](#)
 - [UserService](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package **com.addresses.service.database.service**

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- [java.lang.Object](#)
 - ◆ [com.addresses.service.database.service.AddressService](#)
 - ◆ [com.addresses.service.database.service.UserService](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.service](#)

Class AddressDTOService

[java.lang.Object](#)

com.addresses.service.service.AddressDTOService

@Service public class AddressDTOService extends [Object](#)

• Constructor Summary

Constructors

Constructor

Description

[AddressDTOService\(\)](#)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

[AddressDTO](#)

[convertToDTO](#)([Address](#) address)

[List](#)<[AddressDTO](#)>

All Classes and Interfaces

convertToDTOList (List<Address> addressList)

Address

convertToEntity (AddressDTO addressDTO)

List<Address>

convertToEntityList (List<AddressDTO> addressDTOList)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Constructor Details

◆ AddressDTOService

public AddressDTOService()

• Method Details

◆ convertToDTO

public AddressDTO convertToDTO(Address address)

◆ convertToEntity

public Address convertToEntity(AddressDTO addressDTO)

◆ convertToDTOList

public List<AddressDTO> convertToDTOList(List<Address> addressList)

◆ convertToEntityList

public List<Address> convertToEntityList(List<AddressDTO> addressDTOList)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.service](#)

Class AddressValidationService

[java.lang.Object](#)

[com.addresses.service.service.AddressValidationService](#)

@Service public class AddressValidationService extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private [Map](#)<[Integer](#), [String](#)>
[validPostalCodes](#)

• Constructor Summary

Constructors

Constructor

Description

[AddressValidationService\(\)](#)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

void

[init\(\)](#)

boolean

[isValidPostalCodeCombination\(Integer postalCode, String postOffice\)](#)

private void

[loadPostalCodes\(\)](#)

Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#),
[toString](#), [wait](#), [wait](#), [wait](#)

• Field Details

◆ validPostalCodes

private [Map<Integer,String>](#) validPostalCodes

• Constructor Details

◆ AddressValidationService

public AddressValidationService()

• Method Details

◆ init

@PostConstruct public void init()

◆ loadPostalCodes

private void loadPostalCodes()

◆ isValidPostalCodeCombination

public boolean isValidPostalCodeCombination([Integer](#) postalCode, [String](#) postOffice)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.service](#)

Class UserDTOService

[java.lang.Object](#)

[com.addresses.service.service.UserDTOService](#)

@Service public class UserDTOService extends [Object](#)

• Constructor Summary

Constructors

Constructor

Description

[UserDTOService\(\)](#)

• Method Summary

All MethodsInstance MethodsConcrete Methods

Modifier and Type

Method

Description

[UserDTO](#)

[convertToDTO\(\)](#) ([User](#) user)

[User](#)

convertToEntity(UserDTO userDTO)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Constructor Details

◆ **UserDTOService**

public UserDTOService()

• Method Details

◆ **convertToDTO**

public UserDTO convertToDTO(User user)

◆ **convertToEntity**

public User convertToEntity(UserDTO userDTO)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description |](#)
- [Related Packages |](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.service

package com.addresses.service.service

- [Related Packages](#)
 - [Package](#)
 - [Description](#)
 - [com.addresses.service](#)
 - [com.addresses.service.config](#)
 - [com.addresses.service.web](#)
- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [AddressDTOService](#)
 - [AddressValidationService](#)
 - [UserDTOService](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package com.addresses.service.service

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- java.lang.[Object](#)
 - ◆ com.addresses.service.service.[AddressDTOService](#)
 - ◆ com.addresses.service.service.[AddressValidationService](#)
 - ◆ com.addresses.service.service.[UserDTOService](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.web.config](#)

Class WebConfig

[java.lang.Object](#)

com.addresses.service.web.config.WebConfig

All Implemented Interfaces:

[org.springframework.web.servlet.config.annotation.WebMvcConfigurer](#)

@Configuration public class WebConfig extends [Object](#) implements [org.springframework.web.servlet.config.annotation.WebMvcConfigurer](#)

• Constructor Summary

Constructors

Constructor

Description

[WebConfig\(\)](#)

• Method Summary

All MethodsInstance MethodsConcrete Methods

Modifier and Type

Method

Description

void

[addCorsMappings](#)(org.springframework.web.servlet.config.annotation.CorsRegi

Methods inherited from class java.lang.Object

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#),
[toString](#), [wait](#), [wait](#), [wait](#)

Methods inherited from interface org.springframework.web.servlet.config.annotation.WebMvcConfigu

[addArgumentResolvers](#), [addFormatters](#), [addInterceptors](#),
[addResourceHandlers](#), [addReturnValueHandlers](#), [addViewControllers](#),
[configureAsyncSupport](#), [configureContentNegotiation](#),
[configureDefaultServletHandling](#), [configureHandlerExceptionResolvers](#),
[configureMessageConverters](#), [configurePathMatch](#),
[configureViewResolvers](#), [extendHandlerExceptionResolvers](#),
[extendMessageConverters](#), [getMessageCodesResolver](#), [getValidator](#)

• Constructor Details

◆ WebConfig

public WebConfig()

• Method Details

◆ addCorsMappings

public void addCorsMappings(org.springframework.web.servlet.config.annotation.CorsRegistry regist

Specified by:

[addCorsMappings](#) in

interface org.springframework.web.servlet.config.annotation.WebMvcC

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description |](#)
- [Related Packages |](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.web.config

package com.addresses.service.web.config

- [Related Packages](#)
 - [Package](#)
 - [Description](#)
 - [com.addresses.service.web](#)
 - [com.addresses.service.web.dto](#)
- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [WebConfig](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package com.addresses.service.web.config

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- java.lang.[Object](#)
 - ◆ com.addresses.service.web.config.[WebConfig](#) (implements org.springframework.web.servlet.config.annotation.WebMvcConfigurer)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.web.dto](#)

Class AddressDTO

[java.lang.Object](#)

[com.addresses.service.web.dto.AddressDTO](#)

public class AddressDTO extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private [Boolean](#)
[defaultAddress](#)

private [Date](#)
[deliveryDate](#)

private [Long](#)
[id](#)

private [Integer](#)
[postalCode](#)


```
private String  
postOffice
```

```
private String  
street
```

```
private String  
streetNumber
```

```
private Long  
userId
```

• Constructor Summary

Constructors

Constructor

Description

AddressDTO()

• Method Summary

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

♦ id

private Long id

♦ **streetNumber**

private String streetNumber

♦ **street**

private String street

♦ **postalCode**

private Integer postalCode

♦ **postOffice**

private String postOffice

♦ **userId**

private Long userId

♦ **defaultAddress**

private Boolean defaultAddress

♦ **deliveryDate**

private Date deliveryDate

• **Constructor Details**

♦ **AddressDTO**

public AddressDTO()

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.web.dto](#)

Class UserDTO

[java.lang.Object](#)

[com.addresses.service.web.dto.UserDTO](#)

public class UserDTO extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private [String](#)
[firstName](#)

private [Long](#)
[id](#)

private [String](#)
[lastName](#)

• Constructor Summary

Constructors

Constructor

Description

UserDTO()

• Method Summary

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

♦ id

private Long id

♦ firstName

private String firstName

♦ lastName

private String lastName

• Constructor Details

♦ UserDTO

public UserDTO()

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- [Package:](#)
- [Description |](#)
- [Related Packages |](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.web.dto

package com.addresses.service.web.dto

- [Related Packages](#)
 - [Package](#)
 - [Description](#)
 - [com.addresses.service.web](#)
 - [com.addresses.service.web.config](#)
- [Classes](#)
 - [Class](#)
 - [Description](#)
 - [AddressDTO](#)
 - [UserDTO](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package **com.addresses.service.web.dto**

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- [java.lang.Object](#)
 - ◆ [com.addresses.service.web.dto.AddressDTO](#)
 - ◆ [com.addresses.service.web.dto.UserDTO](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.web](#)

Class AddressApiController

[java.lang.Object](#)

com.addresses.service.web.AddressApiController

@RestController @RequestMapping("/addresses-service/address") public class AddressApiController
extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private final [AddressDTOService](#)
[addressDTOService](#)

private final [AddressService](#)
[addressService](#)

private final [AddressValidationService](#)
[addressValidationService](#)

• Constructor Summary

Constructors

Constructor

Description

[AddressApiController](#)([AddressService](#) addressService,
[AddressDTOService](#) addressDTOService,
[AddressValidationService](#) addressValidationService)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

org.springframework.http.ResponseEntity<?>
[deleteAddress](#)([Long](#) addressId)

org.springframework.http.ResponseEntity<?>
[getAddressById](#)([Long](#) addressId)

org.springframework.http.ResponseEntity<?>
[getAddressesByUserId](#)([Long](#) userId)

org.springframework.http.ResponseEntity<?>
[saveAddress](#)([AddressDTO](#) addressDTO)

org.springframework.http.ResponseEntity<?>
[updateAddress](#)([AddressDTO](#) addressDTO)

Methods inherited from class [java.lang.Object](#)

[clone](#), [equals](#), [finalize](#), [getClass](#), [hashCode](#), [notify](#), [notifyAll](#),
[toString](#), [wait](#), [wait](#), [wait](#)

• Field Details

◆ **addressService**

private final [AddressService](#) addressService

◆ **addressDTOService**

private final [AddressDTOService](#) addressDTOService

◆ **addressValidationService**

private final [AddressValidationService](#) addressValidationService

• Constructor Details

♦ AddressApiController

```
@Autowired public AddressApiController(AddressService addressService,  
AddressDTOService addressDTOService,  
AddressValidationService addressValidationService)
```

• Method Details

♦ getAddressByUserId

```
@GetMapping("/user/{userId}")  
public org.springframework.http.ResponseEntity<?> getAddressByUserId(@PathVariable  
Long userId)
```

♦ saveAddress

```
@PostMapping  
public org.springframework.http.ResponseEntity<?> saveAddress(@RequestBody  
AddressDTO addressDTO)
```

♦ updateAddress

```
@PutMapping  
public org.springframework.http.ResponseEntity<?> updateAddress(@RequestBody  
AddressDTO addressDTO)
```

♦ getAddressById

```
@GetMapping("/{addressId}")  
public org.springframework.http.ResponseEntity<?> getAddressById(@PathVariable  
Long addressId)
```

♦ deleteAddress

```
@DeleteMapping("/{addressId}")  
public org.springframework.http.ResponseEntity<?> deleteAddress(@PathVariable  
Long addressId)
```

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Summary:
- [Nested I](#)
- [Field I](#)
- [Constr I](#)
- [Method](#)

- Detail:
- [Field I](#)
- [Constr I](#)
- [Method](#)

SEARCH:

Package [com.addresses.service.web](#)

Class UserApiController

[java.lang.Object](#)

com.addresses.service.web.UserApiController

@RestController @RequestMapping("/addresses-service") public class UserApiController extends [Object](#)

• Field Summary

Fields

Modifier and Type

Field

Description

private final [UserDTOService](#)
[userDTOService](#)

private final [UserService](#)
[userService](#)

• Constructor Summary

Constructors

Constructor

Description

UserAPIController(UserService userService,
UserDTOService userDTOService)

• Method Summary

All Methods Instance Methods Concrete Methods

Modifier and Type

Method

Description

org.springframework.http.ResponseEntity<?>
saveUser(UserDTO userDTO)

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll,
toString, wait, wait, wait

• Field Details

◆ userService

private final UserService userService

◆ userDTOService

private final UserDTOService userDTOService

• Constructor Details

◆ UserAPIController

@Autowired public UserAPIController(UserService userService,
UserDTOService userDTOService)

• Method Details

◆ saveUser

@PostMapping("/user")
public org.springframework.http.ResponseEntity<?> saveUser(@RequestBody
UserDTO userDTO)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

- Package:
- Description |
- [Related Packages |](#)
- [Classes and Interfaces](#)

SEARCH:

Package com.addresses.service.web

package com.addresses.service.web

- Related Packages
 - Package
 - Description
 - [com.addresses.service](#)
 - [com.addresses.service.web.config](#)
 - [com.addresses.service.web.dto](#)
 - [com.addresses.service.config](#)
 - [com.addresses.service.service](#)
- Classes
 - Class
 - Description
 - [AddressApiController](#)
 - [UserApiController](#)

JavaScript is disabled on your browser.

[Skip navigation links](#)

- [Overview](#)
- [Package](#)
- [Class](#)
- [Tree](#)
- [Index](#)
- [Help](#)

SEARCH:

Hierarchy For Package com.addresses.service.web

Package Hierarchies:

- [All Packages](#)

Class Hierarchy

- java.lang.[Object](#)
 - ◆ com.addresses.service.web.[AddressApiController](#)
 - ◆ com.addresses.service.web.[UserApiController](#)