hi-precision.com.ph (8-741

674 N. S. Amoranto Sr. Avenue, Quezon City

Name : CAHULOGAN, JEMAR SEMACIO

PID : R0301275

Age: 30 Sex:MALE

Source: REFERRAL

Clinician: N/A

Lab. Number : **2226013712**

Birthdate : 05-15-1991 Dispatch : PICK-UP

Page : 1 of 1

Nationality : FILIPINO

Date Requested : 03-21-2022 12:53 PM Received : 03-21-2022 01:42 PM Release Date : 03-21-2022 02:32 PM

Test Result

PCR

COVID-19 Antigen (Rapid)

Date & Time of Collection

March 21,2022 1:00PM

Specimen Type

NASAL SWAB

Result

NEGATIVE

Comment

A negative test result does not rule out SARS-CoV-2 infection and may

be confirmed with a molecular assay.

NOTE: The results are best interpreted by a healthcare professional and are not intended to be used as the sole means

for diagnosis or management.

Specimen rechecked, result/s verified.



SCAN TO VERIFY RESULTS QR CODE IS VALID FOR 14 DAYS

> PCR: MAGSINØ, JUDY ANN C. Lic. #0096410

CAPARROS, IRENE B. Lic. # 0070468

QUALITY CONTROL

YAÑEZ, SOCORRO C., MD Lic. # 0050160

REGISTERED MEDICAL TECHNOLOGIST

PATHOLOGIST