

User's function

Sign in

```
--input username
--input password

select user_id from account
  where username = 'input_username'
 and password = 'input_password';
```

Sign up

```
--auto generate auto_user_id;
--input information;

--examine the same username
select username from account
  where username = 'input_username';

--if username is unique, then create a new account.
insert into customers
values ('auto_user_id',
      'input_first_name',
      'input_middle_name',
      'input_last_name',
      'phone_number',
      'date_of_birth',
      );
```

Edit information

```
update table customers
set first_name = 'input_first_name',
  middle_name = 'input_middle_name',
  last_name = 'input_last_name',
  phone_number = 'input_phone_number',
  date_of_birth = 'input_date_of_birth'
where user_id = 'the current userid';
```

Set address

```
--auto generate auto_address_id;
```

```
insert into address
values( 'auto_address_id',
       'address_line_1',
       'address_line_2',
       'city',
       'zipcode',
       'state',
       'current_user_id');
```

Delete address

```
delete from address
where address_id = 'target_address_id';
```

Set payment method

```
--auto generate auto_payment_id;

insert into paymentmethod
values( 'method_id',
       'holdername',
       'card_number',
       'expiration_date',
       'svc',
       'user_id');
```

Delete payment method

```
delete from paymentmethod
where method_id = 'target_method_id';
```

Check order

```
select * from order
where user_id = 'the current userid';
```

Add to cart

```
insert into cartdetail
values ('the current userid',
       'target productid',
       'product_number');
```

```

update cart
set shipping_price = 5,
    price = shipping_price + (select sum(product_price * product_number)
                             from product natural join cartdetail
                             where user_id = 'current_user_id'),
    tax = price * 1.05
where user_id = 'current_user_id';

```

Add one in cart

```

update cartdetail
set product_number = product_number + 1
where user_id = 'current_user_id'
and product_id = 'current_product_id';

update cart
set shipping_price = 5,
    price = shipping_price + (select sum(product_price * product_number)
                             from product natural join cartdetail
                             where user_id = 'current_user_id'),
    tax = price * 1.05
where user_id = 'current_user_id';

```

Minus one in cart

```

update cartdetail
set product_number = product_number - 1
where user_id = 'current_user_id'
and product_id = 'current_product_id';

update cart
set shipping_price = 5,
    price = shipping_price + (select sum(product_price * product_number)
                             from product natural join cartdetail
                             where user_id = 'current_user_id'),
    tax = price * 1.05
where user_id = 'current_user_id';

```

Delete from cart

```

delete from cartdetail
where user_id = 'current_user_id'

```

```

and product_id = 'product_id';

update cart
set shipping_price = 5,
    price = shipping_price + (select sum(product_price * product_number)
                             from product natural join cartdetail
                             where user_id = 'current_user_id'),
    tax = price * 1.05
where user_id = 'current_user_id';

```

Check cart

```

--get current cartid
select user_id from cart
where user_id = 'current userid';

--get cart information
select tax from cart
where user_id = 'current userid';

select price from cart
where user_id = 'current userid';

select shipping_price from cart
where user_id = 'current userid';

--get product information
with current_cart as(
    select product_id from cartdetail
    where user_id = 'current userid'
)
select *
from product
where product_id in current_cart;

```

Search product

```

select * from product
where prodcut_name like '%key word%';

```

Employee's function

Check product

```
select * from product;
```

Add product

```
insert into product
values ('productid',
       'product_name',
       'product_price',
       'prodcut_company',
       'product_capacity',
       'expiration_date',
       'upc_code');

--set product store
insert into inventory
values ('store_id',
       'product_id',
       'number of product in this store');

--set product type
insert into productbelongto
values ('product_id',
       'category_name');

--set product brand
insert into brandbelongto
values ('product_id',
       'barnd_name');
```

Delete product

```
delete from product
where product_id = 'productid';
```

Check size from warehouse

Check store

```
select * from store;
```

Add store

```
--auto generate auto_store_id;
insert into store
values ('auto_store_id',
       'store_name',
       'store_address',
       'phone_number',
       'open_time',
       'close_time',
       'description');

--set vendors
insert into vendors
values ('store_id',
       'vendor_name');
```

Delete store

```
delete from store
where store_id = 'target_store_id';
```

Add product type

```
insert into product_type
values ('category_name',
       'description');
```

Delete product type

```
delete from product_type
where category_name = 'target_product_type';
```

Add brand

```
insert into brand
values ('brand_name',
       'brand_descroption',
       'brand_company');
```

Delete product brand

```
delete from brand  
where brand_name = 'target_brand_name';
```

Delete vendors

```
delete from vendors  
where vendor_name = 'target_vendor_name';
```