

[illegible]

UI	Logic	Database
FeedUiState.kt	FeedUiState, FeedUiState, FeedUiState, FeedUiState, FeedUiState	1
FeedViewModel.kt	FeedViewModel, FeedViewModel, FeedViewModel, FeedViewModel, FeedViewModel	3
FeedScreen.kt	FeedScreen, FeedScreen, UI, FeedScreen	3
FeedRepository.kt	Firebase, FeedRepository, FeedRepository, FeedRepository, FeedRepository	4

□□□□ □□□□ □□□□□ □(□□)□ □□□□□ □□

[illegible]

■ myTeamId → myTeamIds (■■ ■ ID → ■■ ■ ID ■■■■ ■■)

□□ □ (□□ □□)

```
val myTeamId: String = ""  
// ■■■ ■■■■ ■ ID ■■■ ■■
```

 $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$

```
val myTeamIds: Set = emptySet()
// 000 0000 0 ID 000 00 00
```

```

    100: 0000 00 0000 00 0 0000 000000, 0000 00 00 0000 00 0 0000. 00 00 0000 00
    101(autoAccept)00 00 00 0000, 00 0000 0 00 00 "  "00 0000 0000 0000 0 00 0000 000000.
    102Set(000)00 00 00 0 ID 00 000000 000000.

```

□□□□□ □□ □□□□ □□(□□□□)□ □□□□□ □□

■■■■■■ ■■■■■■ ■■■■■■ '■■■' ■■■■■■ ■■■■■■. ■■■■■■ ■ ■■■■■■ ■■■■■■, ■■■■■■-■■■■■-■■■ ■ ■■■■■■ ■■■■■■ ■■■■■■, ■■■■■■
 ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■

init — **initialization**

```
init {
  loadPreferenceThenFetch()
}
```

```
init {
    loadPreferenceThenFetch()
    observeResetSignal() // ■■
    observeMyTeamIds() // ■■
}
```


■ ■ ■ (■■ ■■)

```
val teams = snapshot.documents.mapNotNull {  
  doc ->  
  doc.toObject(Team::class.java)  
}
```

■ ■ ■ (■■■ ■■)

```
val teams = snapshot.documents.mapNotNull {  
  doc ->  
  doc.toObject(Team::class.java)  
  ?.takeIf { it.teamId.isNotBlank() }  
}
```

■ ■ ■ ■: Firebase■ ■ ■■■■ ■■■ ■, ■■ teamId ■■ ■■■■ ■■■ ■■■■ ■■■ ■■■■. ■■ ■■■■ ■■■■
■■■■ ■■■■ ■ ■■(■ ■■)■ ■■■■ ■■■ ■■■■ ■■■■. takeIf { it.teamId.isNotBlank() }■ ■■■■ teamId■ ■■ ■■
■■■■ ■■■■.

■ fetchAllActiveTeams — ■ ID■ ■■■■ ■ ■■■ ■■

■ ■ ■ (■■ ■■)

```
val teams = snapshot.documents.mapNotNull {  
  doc ->  
  doc.toObject(Team::class.java)  
}
```

■ ■ ■ (■■■ ■■)

```
val teams = snapshot.documents.mapNotNull {  
  doc ->  
  doc.toObject(Team::class.java)  
  ?.takeIf { it.teamId.isNotBlank() }  
}
```

■ ■ ■ ■: ■■ ■■(LIST ■)■■■ ■■ ■■■ ■■■■ ■■■■. ■■ ■■ ■■ ■ ■■■■ ■■■■ teamId■ ■■ ■■ ■■■■
■■■ ■■ ■■■■.

■ observeResetSignal() — ■■■ ■■■ ■■ ■■ ■■ ■■

■■ ■■■ ■■

```
fun observeResetSignal(): Flow = callbackFlow {  
  val userId = auth.currentUser?.uid  
  val listener = db.collection("resetSignals")  
    .document(userId)  
    .addSnapshotListener { snapshot, error ->  
      val resetAt = snapshot?.getLong("resetAt")  
      trySend(resetAt) // ■■ ■■  
    }  
  awaitClose { listener.remove() }  
}
```

■ ■ ■ ■: ■■■■ Firebase■ resetSignals/{■■ID} ■■■ ■■■■ ■■■ ■ ■■■ ■■■ ■■■ FeedViewModel■
■■■ ■■■■. FeedViewModel■ ■ ■■■ ■■ ■■ ■■■ ■■■ ■■■ ■■■■. ■■ ■■ ■■ ■■■■ ■■■■
■■■■■.

■ observeMyTeamIds() — ■ ■ ■■ ■■■ ■■ ■■ ■■

TeamIds

```
fun observeMyTeamIds(): Flow> = callbackFlow {  
    val userId = auth.currentUser?.uid  
    val listener = db.collection("users")  
        .document(userId)  
        .addSnapshotListener { snapshot, error ->  
            val teamIds = snapshot?.get("teamIds") as? List  
            trySend(teamIds ?: emptyList())  
        }  
    awaitClose { listener.remove() }  
}
```

FeedRepository: Firebase users/{userId} teamIds snapshot (autoAccept) teamIds snapshot, FeedViewModel FeedViewModel FeedViewModel 'FeedViewModel'.

FeedViewModel

FeedUiState	myTeamId → myTeamIds (Set)	FeedViewModel
FeedUiState	myTeamId → myTeamIds (Set)	FeedViewModel
FeedViewModel	observeMyTeamIds() FeedViewModel	FeedViewModel
FeedViewModel	observeResetSignal() FeedViewModel	FeedViewModel
FeedScreen	'FeedScreen' FeedScreen	FeedScreen
FeedRepository	teamId FeedRepository	FeedRepository
FeedRepository	observeResetSignal() FeedRepository	FeedRepository
FeedRepository	observeMyTeamIds() FeedRepository	FeedRepository

FeedRepository: "FeedRepository" FeedRepository, FeedRepository FeedRepository FeedRepository.