## Random Flora Tables v. 1.1



**Attribution - Non Commercial - Share Alike 4.0 International** 

(CC BY-NC-SA 4.0)

**Sebastian Romu** 

## **Random Flora Tables**

These tables exist to generate random flora for use in fantasy or alien worlds. The range of result is skewed in favour of unique and fantastic plants. One is always free to choose results instead of rolling as desired.

**Planetary Gravity Index:** Indicative of the average force of gravity for the selected world. A range from +5 to -5 where each point is roughly +/-10% of Earth standard, with a centre point of 0 (1G - Earth standard gravity).

**Planetary Aura Index:** A range from +5 (lush planet teeming with life) to -5 (barren asteroid, or moon), with a centre point of 0 (Earth equivalent).

<u>Table 1: Main Flora Type (1d100</u> - Roll Once)

| 1d100 Roll | Main Flora Type |
|------------|-----------------|
| 1-30       | Woody           |
| 31-85      | Herbaceous      |
| 86-90      | Algae           |
| 91-100     | Fungus          |

Table 2: Primary Habitat (1d100 - Roll Once\*)

| Woody | Herbaceous | Algae  | Fungus | Habitat         |
|-------|------------|--------|--------|-----------------|
| 1-5   | 1-35       | 1-80   | 1-10   | Aquatic         |
| 6-10  | 36-40      | 81-90  | 11-40  | Sub-Terrestrial |
| 11-99 | 41-99      | 91-98  | 41-99  | Terrestrial     |
| 100   | 100        | 99-100 | 100    | Avian**         |

<sup>\*</sup> Subtract 5 times the Planetary Gravity Index.

Sub-Table 2a: Aquatic Sub-Habitat (1d100 - Roll Once)

| 1d100 Roll | Sub-Habitat Type                     |
|------------|--------------------------------------|
| 1-30       | Salt-Water (Ocean/Sea/Salt-Lake/Etc) |
| 31-90      | Fresh Water (Rivers/Lakes/Etc)       |
| 91-100     | Brackish (Swamp/Bog/Dead-Lake/Etc)   |

<sup>\*\*</sup> Airborne plants will drift in air currents.

Sub-Table 2b: Other Sub-Habitat (1d100 - Roll Once)

| 1d100 Roll | Sub-Habitat Type                             |
|------------|--|
| 1-5        | Roll Twice; Considered as Desert if repeated |
| 6-10       | Desert / Waste                               |
| 11-40      | Plains / Savannah                            |
| 41-50      | Marsh / Swamp \ Bog                          |
| 51-80      | Forest / Jungle                              |
| 81-90      | Hills / Scrub                                |
| 91-95      | Mountains                                    |
| 96-100     | Roll Twice; Considered as Tundra if repeated |

<u>Sub-Table 2c: Rarity (1d100 – Roll once for each sub-habitat type)</u>

| 1d100 Roll | Rarity                          |
|------------|---------------------------------|
| 1-15       | Very Common                     |
| 16-50      | Common                          |
| 5180       | Uncommon                        |
| 81-94      | Rare                            |
| 95-99      | Very Rare                       |
| 100        | Unique (extremely limited area) |

**Table 3: Grouping (1d100 - Roll Once)** 

| Table 5. Groupin | 9 (IUIO           | Kon Once              |                          |                       |
|------------------|-------------------|-----------------------|--------------------------|-----------------------|
| Flora Type       | Solitary<br>(1-2) | Small Patch<br>(1-12) | Medium Patch<br>(12-120) | Large Patch<br>(100+) |
| Woody            | 1-20              | 21-40                 | 41-80                    | 81-100                |
| Herbaceous       | 1-30              | 31-50                 | 51-90                    | 91-100                |
| Algae/Fungus     | 1-25              | 26-70                 | 71-95                    | 96-100                |

Table 4: Size (1d100 - Roll Once)

| Flora Type | Huge    | Large    | Average     | Small     | Tiny    |  |
|------------|---------|----------|-------------|-----------|---------|--|
|            | (>10 m) | (1-10 m) | (25 cm-1 m) | (5-25 cm) | (<5 cm) |  |
| Woody      | 1-15    | 16-45    | 46-80       | 81-98     | 99-100  |  |
| Herbaceous | 1-10    | 11-20    | 21-70       | 71-95     | 96-100  |  |
| Algae      | 1-2     | 3-15     | 16-65       | 66-85     | 86-100  |  |
| Fungus     | 1       | 2-10     | 11-30       | 31-60     | 61-100  |  |

Table 5: Main Body (1d100 - Roll Once)

| Flora Type | Colonial<br>Mass | Creeper/<br>Vine | Stem /<br>Trunk | Multiple<br>Stems / Trunks | Re-roll<br>Twice |
|------------|------------------|------------------|-----------------|----------------------------|------------------|
| Woody      | 1-2              | 3-20             | 21-70           | 71-99                      | 100              |
| Herbaceous | 1-3              | 4-35             | 36-70           | 71-98                      | 99-100           |
| Algae      | 1-70             | 71-75            | 76-85           | 86-99                      | 100              |
| Fungus     | 1-20             | 21-30            | 31-70           | 71-99                      | 100              |

Table 5a: Branches (1d100 - Roll Once)

| Flora Type | Radial | Ordered | Random | None   |
|------------|--------|---------|--------|--------|
| Woody      | 1-55   | 56-75   | 76-99  | 100    |
| Herbaceous | 1-45   | 46-50   | 51-85  | 86-100 |
| Algae/     | 1-25   | 26-60   | 61-90  | 91-100 |
| Fungus     | 1-2    | 3-5     | 6-15   | 16-100 |

Table 5b: Roots (1d100 - Roll Once)

| Flora Type | Тар  | Tubers | Fibrous | Advantageous | Bulb  | Rhizoid | None   |
|------------|------|--------|---------|--------------|-------|---------|--------|
| Woody      | 1-35 | 36-37  | 38-84   | 85-93        | 94-95 | 96-99   | 100    |
| Herbaceous | 1-35 | 36-45  | 46-83   | 84-77        | 78-90 | 91-99   | 100    |
| Algae      | 1    | 2      | 3-4     | 5-15         | 16-19 | 20-50   | 51-100 |
| Fungus     | 1-3  | 4-9    | 10-15   | 16-20        | 21-30 | 31-90   | 91-100 |

Table 5c: Surface Coverage (1d100 - Roll Once each for Main Body, Branches and Roots)

| Flora Type   | Smooth | Waxy  | Rough | Scaly | Flaky | Other | Re-Roll<br>Twice |
|--------------|--------|-------|-------|-------|-------|-------|------------------|
| Woody        | 1-30   | 31-40 | 41-70 | 71-84 | 85-97 | 98-99 | 100              |
| Herbaceous   | 1-59   | 60-79 | 80-85 | 86-90 | 91-94 | 95-99 | 100              |
| Algae/Fungus | 1-65   | 65-70 | 71-75 | 76-82 | 83-90 | 91-99 | 100              |

Table 5d: Colour / Pattern (1d100 – Roll Once each for Main body, Branches and Roots)

**1d100** Roll

1-10 11-20

21-25

26-40

41-60

61-75

76-80

81-85 86-90

91-95

96-100

Pattern Spotted

Mottled

Patches

Stripes

Solid

Phases

Translucent Iridescent

Luminescent

Blushed

Re-Roll Twice\*

| 1d100 Roll | Colour         |  |
|------------|----------------|--|
| 1-5        | Red            |  |
| 6-10       | Orange         |  |
| 11-20      | Yellow         |  |
| 21-45      | Green          |  |
| 46-50      | Blue           |  |
| 51-55      | Violet         |  |
| 56-60      | Black          |  |
| 61-65      | Grey           |  |
| 66-70      | White          |  |
| 71-80      | Brown          |  |
| 81-85      | Silver         |  |
| 86-90      | Copper         |  |
| 91-95      | Gold           |  |
| 96-100     | Re-Roll Twice* |  |

<sup>\*</sup> Ignore results above 95.

Table 6: Leaves (1d100 - Roll Once)

| Flora Type | Broad | Needles | Compound | Blades | Scales | Re-roll<br>Twice | None       |
|------------|-------|---------|----------|--------|--------|------------------|------------|
| Woody      | 1-55  | 56-70   | 71-94    | 95-97  | 98     | 99               | 100        |
| Herbaceous | 1-45  | 46-50   | 51-85    | 86-97  | 98     | 99               | 100        |
| Algae      | 1-2   | 3       | 4-10     | 11     | 12-15  | 16-30            | 31-<br>100 |
| Fungus*    | 1-25  | 26-50   | 51-60    | 61-80  | 81-90  | 91-95            | 96-<br>100 |

<sup>\*</sup> Results are shape of cap structure; Location is always terminal; Skip to Table 6b.

Table 6a: Leaf Location (1d100 - Roll Once)

|            | Terminal | Branch<br>Points | Random<br>Interval | Regular<br>Interval | Stem /<br>Trunk | Other/<br>Re-Roll Twice* |
|------------|----------|------------------|--------------------|---------------------|-----------------|--------------------------|
| 1d100 Roll | 1-30     | 31-50            | 51-70              | 71-90               | 91-98           | 99-100                   |

<sup>\*</sup> Ignore results above 98.

Table 6b: Leaf Shape/Margin (1d100 - Roll Once Each)

|       | Leaf S                                  | hape   |  | Leaf   | Margin      |
|-------|---|--------|--|--------|-------------|
| 1d100 | Shape                                   | 1d100  | Shape                                  | 1d100  | Margin      |
| Roll  | _                                       | Roll   | _                                      | Roll   |             |
| 1-3   | Acicular (Needle-shaped)                | 56-58  | Aristate (With spine-like              | 1-15   | Smooth      |
|       |   |        | tip)                                   |        |             |
| 4-6   | Subulate (Awl shaped)                   | 59-61  | Orbicular (Circular)                   | 16-30  | Sinuate     |
| 7-10  | Lanceolate (Pointed at both ends)       | 62-64  | Obtuse (Bluntly tipped)                | 31-40  | Undulate    |
| 11-14 | Linear (Parallel margins,               | 65-67  | Elliptic (Oval-shaped, small           | 41-45  | Spiny       |
|       | elongate)                               |        | or no point)                           |        |             |
| 15-17 | Falcate (Sickle-shaped)                 | 68-70  | Reniform (Kidney-shaped)               | 46-55  | Lobate      |
| 18-21 | Spear-Shaped (Pointed barbed base)      | 70-72  | Spatulate (Spoon shaped)               | 56-60  | Crenate     |
| 22-25 | Hastate (Triangular with basal lobes)   | 73-75  | Truncate (Squared off apex)            | 61-70  | Dentate     |
| 26-28 | Deltoid (Triangular)                    | 76-78  | Flabellate (Fan-shaped)                | 71-75  | Denticulate |
| 29-32 | Rhomboid (Diamond-shaped)               | 79-81  | Lobed (Deeply indented margins)        | 76-85  | Serate      |
| 33-35 | Cuneate (Wedge-shaped, accute base)     | 82-83  | Pinnatisect (Deep opposite lobing)     | 86-90  | Serrulate   |
| 36-39 | Cordate (Heart shaped, stem in cleft)   | 84-87  | Poly-Foliate (2-7 leaflets)            | 91-95  | Ciliate     |
| 40-43 | Obcordate (Heart-shaped,                | 88-92  | Palmate (Hand-like)                    | 96-100 | Re-Roll     |
|       | stem at point)                          |        |  |        | Twice**     |
| 44-47 | Ovate (Egg-shaped, wide at base)        | 93-96  | Pedate (Palmate divided lateral lobes) |        |             |
| 48-51 | Obovate (Egg-shaped,<br>narrow at base) | 97-98  | Digitate (Finger-like lobes)           |        |             |
| 52-56 | Acuminate (Taper to long point)         | 99-100 | Re-Roll Twice*                         |        |             |

Table 6c: Leaf Surface (1d100 – Roll Once each for topside and underside)

|               | Smooth | Waxy  | Scaly | Hairy | Velvety | Dusty | Sticky | Other /<br>Re-Roll<br>Twice* |
|---------------|--------|-------|-------|-------|---------|-------|--------|------------------------------|
| 1d100<br>Roll | 1-25   | 26-40 | 41-55 | 56-65 | 66-80   | 81-90 | 91-96  | 97-100                       |

<sup>\*</sup> Ignore results above 96.

<sup>\*</sup> Ignore results above 98.

\*\* Ignore results above 95.

Table 6d: Leaf Venation (1d100 - Roll Once)

| 1d100 Roll | Venation  |
|------------|---|
| 1-10       | Arcuate (Secondary veins bending toward apex)           |
| 11-20      | Cross-Venulate (Small veins connecting secondary veins) |
| 21-30      | Dichotomous (Veins branching in symmetric pairs)        |
| 31-45      | Longitudinal (Veins aligned mostly along axis of leaf)  |
| 46-60      | Palmate (Several primary veins diverging from a point)  |
| 61-70      | Parallel (Veins arranged axially, not intersecting)     |
| 71-80      | Pinnate (secondary veins paired oppositely)             |
| 81-90      | Reticulate (Smaller veins forming a network)            |
| 91-99      | None  |
| 100        | Re-roll Twice*  |

<sup>\*</sup> Ignore results above 99.

Table 6d: Leaf numbers (1d100 - Roll Once)

|            | Single (1) | Pairs<br>(2) | Whorls<br>(3-5) | Clusters<br>(6+) | Other / Re-Roll<br>Twice* |
|------------|------------|--------------|-----------------|------------------|---------------------------|
| 1d100 Roll | 1-20       | 21-40        | 41-60           | 61-95            | 96-100                    |

<sup>\*</sup> Ignore results above 95.

Table 6e: Leaf Colour / Pattern (1d100 - Roll Once each)

| I d D I C O C I E C C I | coloui / l'accel | 11 (±4±00 100 | ii Olice cacily |
|-------------------------|------------------|---------------|-----------------|
| 1d100 Roll              | Colour           | 1d100 Roll    | Pattern         |
| 1-5                     | Red              | 1-10          | Spotted         |
| 6-10                    | Orange           | 11-20         | Mottled         |
| 11-20                   | Yellow           | 21-25         | Patches         |
| 21-45                   | Green            | 26-40         | Stripes         |
| 46-50                   | Blue             | 41-60         | Solid           |
| 51-55                   | Violet           | 61-75         | Phases          |
| 56-60                   | Black            | 76-80         | Translucent     |
| 61-65                   | Grey             | 81-85         | Iridescent      |
| 66-70                   | White            | 86-90         | Luminescent     |
| 71-80                   | Brown            | 91-95         | Blushed         |
| 81-85                   | Silver           | 96-100        | Re-Roll Twice*  |
| 86-90                   | Copper           |               |                 |
| 91-95                   | Gold             |               |                 |
| 06 100                  | Do Doll Tuios*   |               |                 |

<sup>96-100</sup> Re-Roll Twice\*

\* Ignore results above 95.

**Table 7: Reproduction (1d100 - Roll Once)** 

| Flora Type | Seeds | Suckers* | Budding /<br>Fragmentation* | Other* | Re-Roll<br>Twice |  |  |  |  |  |
|------------|-------|----------|-----------------------------|--------|------------------|--|--|--|--|--|
| Woody      | 1-80  | 81-92    | 93-98                       | 99     | 100              |  |  |  |  |  |
| Herbaceous | 1-63  | 64-85    | 86-98                       | 99     | 100              |  |  |  |  |  |
| Algae      | 1-2   | 3-6      | 7-90                        | 91-99  | 100              |  |  |  |  |  |
| Fungus     | 1-89  | 90-95    | 96-98                       | 99     | 100              |  |  |  |  |  |

<sup>\*</sup> Skip to Table 8: Diet Type.

Table 7a: Seeds (1d100 - Roll Once)

| Seed Type         | Grain | Nut   | Fruit | Spore | Other  |
|-------------------|-------|-------|-------|-------|--------|
| Woody             | 1-5   | 6-50  | 51-94 | 95-99 | 100    |
| Herbaceous        | 1-40  | 41-45 | 46-80 | 81-99 | 100    |
| Algae /<br>Fungus | 1-2   | 3-4   | 5-6   | 7-90  | 91-100 |

**Table 7b: Primary Dispersal (1d100 - Roll Once)** 

| Seed Type | Animal | Wind  | Water | Gravity | Other  |
|-----------|--------|-------|-------|---------|--------|
|           |        |       |       | _       |        |
| Grain     | 1-20   | 21-40 | 41-60 | 61-98   | 99-100 |
| Nut       | 1-45   | 46-53 | 54-60 | 61-98   | 99-100 |
| Fruit     | 1-60   | 61-65 | 66-85 | 86-98   | 99-100 |
| Spore     | 1-40   | 41-83 | 84-90 | 91-98   | 99-100 |

Table 7c: Flower Type (1d100 - Roll Once)

| Tubic 7 c. 1 lo | WC. Type | (±u±oo | Kon Once | <u>-                                    </u> |              |       |        |
|-----------------|----------|--------|----------|--|--------------|-------|--------|
| Seed Type       | None*    | Single | Pairs    | Bunches                                      | Compoun<br>d | Spray | Other  |
| Grain           | 1-2      | 3-5    | 6-10     | 11-30  | 31-50        | 51-90 | 91-100 |
| Nut             | 1-2      | 3-40   | 41-60    | 61-80  | 81-90        | 91-95 | 96-100 |
| Fruit           | 1-3      | 4-30   | 31-60    | 61-70  | 71-80        | 81-90 | 91-100 |
| Spore           | 1-40     | 41-50  | 51-60    | 61-70  | 71-80        | 81-90 | 91-100 |
| Other           | 1-10     | 11-20  | 21-30    | 31-50  | 51-70        | 71-90 | 91-100 |

<sup>\*</sup> Skip to Table 8: Diet Type.

Table 7d: Flower Shape (1d100 - Roll Once)

| Flower Type | Funnel | Spike | Disc  | Cone               | Bell  | Sphere | Complex |
|-------------|--------|-------|-------|--------------------|-------|--------|---------|
| Single      | 1-18   | 19-20 | 21-40 | 41-60              | 61-85 | 86-90  | 91-100  |
| Pairs       | 1-20   | 21-25 | 26-30 | 31- <del>4</del> 5 | 46-80 | 81-90  | 91-100  |
| Bunches     | 1-10   | 11-30 | 31-50 | 51-70              | 71-90 | 91-95  | 96-100  |
| Compound    | 1-3    | 4-25  | 26-50 | 51-70              | 71-80 | 81-95  | 96-100  |
| Spray       | 1-10   | 11-15 | 16-25 | 26- <del>4</del> 0 | 41-80 | 81-90  | 91-100  |
| Other       | 1-15   | 16-30 | 31-45 | 46-60              | 61-75 | 76-90  | 91-100  |

**Table 7e: Flower Size (1d100 - Roll Once)** 

|       | Tiny<br>(<5 mm) | Small<br>(5-10 mm) | Average (1-5 cm) | _     | Huge<br>(>10 cm) |
|-------|-----------------|--------------------|------------------|-------|------------------|
| 1d100 | 1-10            | 11-40              | 41-80            | 81-95 | 96-100           |

Table 7f: Shape / Number of Petals (1d100 - Roll once each)

| Table 71. | Silape / Hullibel Ol | retais (It | 1100 - Koli Olice eaci |
|-----------|----------------------|------------|------------------------|
| 1d100     | Petal Shape          | 1d100      | Number                 |
| 1-10      | Round                | 1-10       | None*                  |
| 11-25     | Curly                | 11-30      | 1d6                    |
| 26-40     | Wavy                 | 31-60      | 3d4                    |
| 41-50     | Toothed              | 61-90      | 4d6                    |
| 51-65     | Oval                 | 91-100     | 5d20                   |
| 66-80     | Blade                |            |                        |
| 81-85     | Thread               |            |                        |
| 86-90     | Feathery             |            |                        |
| 91-100    | Re-Roll Twice**      |            |                        |

<sup>\*</sup> Skip to Table7h: Flower Location.

Table 7g: Petal Surface (1d100 - Roll once each for inside and outside)

| Table / 9: 1 ctal ballace (Tat |            |          | <b></b>    |           | <del></del> |             | <u> </u> | <del>4.00.4.0</del> |                              |
|--------------------------------|------------|----------|------------|-----------|-------------|-------------|----------|---------------------|------------------------------|
|                                | Smoot<br>h | Wax<br>y | Veine<br>d | Scal<br>y | Hairy       | Velvet<br>y | Dusty    | Sticky              | Other /<br>Re-Roll<br>Twice* |
| 1d100<br>Roll                  | 1-15       | 16-30    | 31-40      | 41-45     | 46-60       | 61-80       | 81-90    | 91-96               | 97-100                       |

<sup>\*</sup> Ignore results above 96.

Table 7h: Flower Location (1d100 - Roll Once)

| 14516 7 111 1 10 | abie 7 iii i io ii o i i c i c i c i c i c i c |        |                      |          |        |                |  |  |  |  |  |
|------------------|--|--------|----------------------|----------|--------|----------------|--|--|--|--|--|
|                  | Terminal                                       | Branch | h   Random   Regular |          | Stem / |                |  |  |  |  |  |
|                  |  | Points | Interval             | Interval | Trunk  | Re-Roll Twice* |  |  |  |  |  |
| 1d100 Roll       | 1-30   | 31-50  | 51-70                | 71-90    | 91-98  | 99-100         |  |  |  |  |  |

<sup>\*</sup> Ignore results above 98.

<sup>\*\*</sup> Ignore further results above 90.

**Table 7i: Flower Scent (1d100 - Roll Once)** 

|       | None | Sweet | Musky | Foul  | Other / Specific |
|-------|------|-------|-------|-------|------------------|
| 1d100 | 1-10 | 11-60 | 61-80 | 81-95 | 96-100           |

Table 7j: Flower Frequency (1d100\* - Roll Once)

|      | • | Annual<br>(Once) | Poly-Annual<br>(2-7 years) | Perennial<br>(Yearly) | Other  |
|------|---|------------------|----------------------------|-----------------------|--------|
| 1d10 | 0 | 1-40             | 41-60                      | 61-90                 | 91-100 |

<sup>\* +15</sup> if Woody.

Table 7k: Flower Colour / Pattern (1d100 - Roll Once each)

| Tubic 7 Ki i lov | ter colour / r ac | tern (±a±oo | Ron Once each  |
|------------------|-------------------|-------------|----------------|
| 1d100 Roll       | 1d100 Roll Colour |             | Pattern        |
| 1-10             | Red               | 1-8         | Spotted        |
| 11-20            | Orange            | 9-13        | Mottled        |
| 21-30            | Yellow            | 14-20       | Patches        |
| 31-40            | Green             | 21-30       | Stripes        |
| 41-50            | Blue              | 31-50       | Solid          |
| 51-60            | Violet            | 51-55       | Phases         |
| 61-62            | Black             | 56-60       | Translucent    |
| 63-65            | Grey              | 61-65       | Iridescent     |
| 66-75            | White             | 66-70       | Luminescent    |
| 76-80            | Brown             | 71-84       | Blushed        |
| 81-85            | Silver            | 85-89       | Mimicry        |
| 86-90            | Copper            | 90-92       | Night Blooming |
| 91-95            | Gold              | 93-95       | Night Closing  |
| 96-100           | Re-Roll Twice*    | 96-100      | Re-Roll Twice* |

<sup>\*</sup> Ignore results above 95.

Table 7I: Stamens and Pistils (1d100 - Roll Once each)

| 1d100  | Stamens | 1d100  | Pistils |
|--------|---------|--------|---------|
| 1-10   | 0       | 1-20   | 0       |
| 11-30  | 1-3     | 21-40  | 1       |
| 31-70  | 4-9     | 41-75  | 2-4     |
| 71-100 | 10+     | 76-100 | 5+      |

Table 8: Diet Type (1d100 - Roll Once)

| Flora Type | Photo/<br>Chemo-<br>synthetic | Predaceous | Decay | Parasitic | Symbiotic | Re-roll<br>Twice<br>/ Other |
|------------|-------------------------------|------------|-------|-----------|-----------|-----------------------------|
| Woody      | 1-89                          | 90         | 91-95 | 96-98     | 99        | 100                         |
| Herbaceous | 1-85                          | 86-87      | 88-93 | 93-96     | 97-98     | 99-100                      |
| Algae      | 1-92                          | 93         | 94    | 95        | 96-99     | 100                         |
| Fungus     | 1-5                           | 6-8        | 9-90  | 91-94     | 95-99     | 99-100                      |

Table 8a: Tropism (1d100 - Roll once)

| Tubic out trop | abic out it opioin (14100 Kon office) |                   |       |       |       |        |        |                   |  |  |
|----------------|---------------------------------------|-------------------|-------|-------|-------|--------|--------|-------------------|--|--|
| Flora Type     | None                                  | Gravity           | Light | Heat  | Touch | Motile | Mobile | Re-Roll<br>Twice* |  |  |
| Woody          | 1-2                                   | 3-55              | 56-83 | 84-87 | 88-97 | 98     | 99     | 100               |  |  |
| Herbaceous     | 1-5                                   | 6- <del>4</del> 0 | 41-82 | 83-87 | 88-97 | 98     | 99     | 100               |  |  |
| Algae          | 1-20                                  | 21-35             | 36-60 | 71-85 | 86-90 | 91-94  | 95-98  | 99-100            |  |  |
| Fungus         | 1-30                                  | 31-70             | 71-80 | 81-90 | 91-96 | 97-98  | 99     | 100               |  |  |

<sup>\*</sup> Ignore results above 99

Table 9: Sentience (1d100 - Roll Once\*)

| Table Di Gentience (Table 1 Kon Gines ) |                  |            |  |  |  |  |
|---|------------------|------------|--|--|--|--|
| Diet Type                               | Non-<br>Sentient | Sentient** |  |  |  |  |
| Photosynthetic / Chemosynthetic         | 1-99             | 100        |  |  |  |  |
| Predacious                              | 1-97             | 98-100     |  |  |  |  |
| Decay                                   | 1-99             | 100        |  |  |  |  |
| Parasitic                               | 1-98             | 99-100     |  |  |  |  |
| Symbiotic                               | 1-98             | 99-100     |  |  |  |  |
| Other                                   | 1-97             | 98-100     |  |  |  |  |

<sup>\*</sup> Add 5 times the Planetary Aura Index and +10 if Motile; +20 if Mobile;

Table 9a: Sentience Type (1d100 - Roll Once)

|            | Instinctual | Hive** | Animal | Cunning<br>Animal | Sapient |
|------------|-------------|--------|--------|-------------------|---------|
| 1d100 Roll | 1-75        | 76-79  | 80-89  | 90-99             | 100     |

<sup>\*</sup> Add 5 times the Planetary Aura Index; +5 if Symbiotic; +10 if Predacious.

<sup>\*\*</sup> Re-Roll to determine apparent Sentience of Hive Mind; Ignore results of "Hive".

Table 10: Edibility (1d100 - Roll Once each for Leaves/Flowers/Fruit/Bark/Stem/Roots)

| Flora Type | Non-<br>Edible | Edible | Nutritious/<br>Tasty | Medicinal/<br>Other | Re-roll<br>Twice* |
|------------|----------------|--------|----------------------|---------------------|-------------------|
| Woody      | 1-40           | 41-65  | 66-80                | 81-99               | 100               |
| Herbaceous | 1-15           | 16-45  | 46-60                | 61-99               | 100               |
| Algae      | 1-60           | 61-85  | 86-90                | 91-99               | 100               |
| Fungus     | 1-30           | 31-60  | 61-86                | 85-99               | 100               |

<sup>\*</sup> Ignore results of 100; Results are sub-portion of feature.

**Table 10a: Edible Preparation (1d100 – Roll twice for each edible portion)** 

| Preparation  | Raw  | Roasted | Boiled | Ground | Steeped | Blanched | Dried  |
|--------------|------|---------|--------|--------|---------|----------|--------|
| Edible       | 1-15 | 16-30   | 31-50  | 51-60  | 61-75   | 76-85    | 86-100 |
| Nutritious / | 1-30 | 31-45   | 46-55  | 56-65  | 66-75   | 76-80    | 81-100 |
| Tasty        |      |         |        |        |         |          |        |

Table 10b: Medicinal Properties (1d1000 - Roll Once)

| 1d100 | Property       | 1d100 | Property        | 1d100  | Property         |
|-------|----------------|-------|-----------------|--------|------------------|
| Roll  | ' '            | Roll  |                 | Roll   | , ,              |
| 1     | Abortifacient  | 33    | Calmative       | 65     | Hydragogue       |
| 2     | Acrid          | 34    | Cardiac         | 66     | Hypnotic         |
| 3     | Adjuvant       | 35    | Carminative.    | 67     | Insecticide      |
| 4     | Alterative     | 36    | Cathartic       | 68     | Irritant         |
| 5     | Analgesic      | 37    | Caustic         | 69     | Laxative         |
| 6     | Anaphrodisiac  | 38    | Cholagogue      | 70     | Mucilaginous     |
| 7     | Anesthetic     | 39    | Coagulant       | 71     | Narcotic         |
| 8     | Anodyne        | 40    | Colourant       | 72     | Nauseant         |
| 9     | Anthelmintic   | 41    | Counterirritant | 73     | Nephretic        |
| 10    | Antibiotic     | 42    | Demulcent       | 74     | Nervine          |
| 11    | Anticoagulant  | 43    | Deodourant      | 75     | Oil              |
| 12    | Antiemetic     | 44    | Depressant      | 76     | Oxytocic         |
| 13    | Antifungal     | 45    | Depurative      | 77     | Pectoral         |
| 14    | Antihydrotic   | 46    | Detergent       | 78     | Poison           |
| 15    | Antilithic     | 47    | Diaphoretic     | 79     | Purgative        |
| 16    | Antinauseant   | 48    | Digestive       | 80     | Refridgerant     |
| 17    | Antiperodic    | 49    | Disinfectant    | 81     | Restorative      |
| 18    | Antiphlogistic | 50    | Diuretic        | 82     | Rubefacient      |
| 19    | Antipyretic    | 51    | Dye             | 83     | Sedative         |
| 20    | Antiscorbutic  | 52    | Emmenagogue     | 84     | Sialagogue       |
| 21    | Antiscrufulous | 53    | Emetic          | 85     | Soporific        |
| 22    | Antiseptic     | 54    | Emollient       | 86     | Specific         |
| 23    | Antispasmodic  | 55    | Errihine        | 87     | Stimulant        |
| 24    | Antitussive    | 56    | Euphoriant      | 88     | Stomachic        |
| 25    | Aperient       | 57    | Expectorant     | 89     | Vasodialator     |
| 26    | Aphrodisiac    | 58    | Febrifuge       | 90     | Vermicide        |
| 27    | Appetizer      | 59    | Fungicide       | 91     | Vermifuge        |
| 28    | Aromatic       | 60    | Galactagogue    | 92     | Vesicant         |
| 29    | Astringent     | 61    | Glue            | 93     | Vulnerary        |
| 30    | Balsam         | 62    | Hallucinogen    | 94     | Wax              |
| 31    | Bitter         | 63    | Haemostatic     | 95     | Mystical / Other |
| 32    | Bitter tonic.  | 64    | Hepatic         | 96-100 | Re-Roll Twice    |

Table 10c: Medicinal Preparation (1d100 - Roll Once for each property from table 10b)

| 1d100 Roll | Preparation   | 1d100 Roll | Preparation    |
|------------|---------------|------------|----------------|
| 1-5        | Bath          | 56-60      | Ointment       |
| 6-10       | Cold Compress | 61-65      | Poultice       |
| 11-15      | Cold Extract  | 66-73      | Powder         |
| 16-20      | Crushed       | 74-76      | Rubbed         |
| 21-25      | Decoction     | 77-80      | Syrup          |
| 26-28      | Essence       | 81-85      | Tincture       |
| 29-35      | Fomentation   | 86-89      | Vapour / Smoke |
| 36-38      | Grated        | 90-93      | Wash           |
| 39-45      | Ground        | 94-95      | Whole          |
| 46-51      | Infusion      | 96-98      | Other          |
| 52-55      | Juice         | 99-100     | Re-Roll Twice  |