

Homework 1

Haoyang Sun

Abstract

This is my abstract!

**HOMEWORK
SOLUTION**

Published Sep 28, 2026

1. QUESTION 1

1.a. Proof

Start by taking logs on both sides of the return expression:

$$\log R_{e,t+1} = \log(1 + \exp(\log D_{t+1} - \log P_{t+1})) + \log P_{t+1} - \log P_t \quad (1)$$

For simplicity, I denote $r_{e,t+1} = \log R_{e,t+1}$, $p_{t+1} = \log P_{t+1}$, $d_{t+1} = \log D_{t+1}$, and $dp_{t+1} = \log D_{t+1} - \log P_{t+1}$, then, by a Taylor expansion in dp_{t+1} (which is stationary with mean $\bar{dp}$), we get

$$r_{e,t+1} = \log(1 + \exp(\bar{dp})) + \frac{\exp(\bar{dp})}{1 + \exp(\bar{dp})}(dp_{t+1} - \bar{dp}) + p_{t+1} - p_t. \quad (2)$$

Denote $\kappa = 1/(1 + \exp(\bar{dp}))$, and $\kappa_0 = \log(1 + \exp(\bar{dp})) - \bar{dp} \exp(\bar{dp})/(1 + \exp(\bar{dp})) = -\log \kappa - (1 - \kappa) \log(1/\kappa - 1)$. The log-linearization becomes

$$r_{e,t+1} = \kappa_0 + (1 - \kappa)dp_{t+1} + p_{t+1} - p_t. \quad (3)$$

Moving p_t to the left-hand side and the other terms to the right-hand side, we get

$$\begin{aligned} p_t &= \kappa_0 + (1 - \kappa)d_{t+1} - r_{e,t+1} + \kappa p_{t+1} \\ &= \kappa_0 + (1 - \kappa)d_{t+1} - r_{e,t+1} + \kappa [\kappa_0 + (1 - \kappa)d_{t+2} - r_{e,t+2} + \kappa p_{t+2}] \\ &= \kappa_0(1 + \kappa + \dots + \kappa^{H-1}) \\ &\quad + (1 - \kappa)(d_{t+1} + \kappa d_{t+2} + \dots + \kappa^{H-1}d_{t+H}) \\ &\quad - [r_{e,t+1} + \kappa r_{e,t+2} + \dots + \kappa^{H-1}r_{e,t+H}] \\ &\quad + \kappa^H p_{t+H} \end{aligned} \quad (4)$$

The log dividend-price ratio dp_t can then be written as

$$\begin{aligned} dp_t &= -\kappa_0(1 + \kappa + \dots + \kappa^{H-1}) \\ &\quad + [r_{e,t+1} + \kappa r_{e,t+2} + \dots + \kappa^{H-1}r_{e,t+H}] \\ &\quad - d_t + (1 - \kappa)(d_{t+1} + \kappa d_{t+2} + \dots + \kappa^{H-1}d_{t+H}) \\ &\quad - \kappa^H p_{t+H} \\ &= -\kappa_0(1 + \kappa + \dots + \kappa^{H-1}) \\ &\quad + [r_{e,t+1} + \kappa r_{e,t+2} + \dots + \kappa^{H-1}r_{e,t+H}] \\ &\quad - d_t + d_{t+1} + \kappa(d_{t+1} - d_{t+2}) + \dots + \kappa^{H-1}(d_{t+H-1} - d_{t+H}) \\ &\quad + \kappa^H d_{t+H} - \kappa^H p_{t+H} \\ &= \kappa_0 \frac{\kappa^H - 1}{1 - \kappa} + \sum_{h=1}^H \kappa^{h-1} r_{e,t+h} - \sum_{h=1}^H \kappa^{h-1} \Delta d_{t+h} + \kappa^H dp_{t+H} \end{aligned} \quad (5)$$

where $\Delta d_{t+1} := d_{t+1} - d_t$. Notice that the identity above holds ex post (state by state), so it also holds in conditional expectation at time t , giving

$$dp_t = \kappa_0 \frac{\kappa^H - 1}{1 - \kappa} + \sum_{h=1}^H \kappa^{h-1} \mathbb{E}_t r_{e,t+h} - \sum_{h=1}^H \kappa^{h-1} \mathbb{E}_t \Delta d_{t+h} + \kappa^H \mathbb{E}_t dp_{t+H} \quad (6)$$

Letting $H \rightarrow \infty$ and imposing the no-bubble (transversality) condition

$$\lim_{H \rightarrow \infty} \kappa^H \mathbb{E}_t dp_{t+H} = 0 \quad (7)$$

we obtain equation (1.3):

$$dp_t = \kappa_0 \frac{-\kappa_0}{1 - \kappa} + \sum_{h=1}^{\infty} \kappa^{h-1} \mathbb{E}_t r_{e,t+h} - \sum_{h=1}^{\infty} \kappa^{h-1} \mathbb{E}_t \Delta d_{t+h} \quad (8)$$

1.b.




Figure 1: Equation 1.4 variance-decomposition slopes vs. horizon H (EQ Dataset, 1928–2021; overlapping monthly starts; $\kappa = 1/(1 + e^{\bar{dp}}) = 0.9642$).

We can infer from the figure that, valuation ratio dp_t can predict log run return, and the volatility of price mainly comes from the volatility of discount rate.

1.c. VAR

Using equation

$$b_{re}^{(H)} = 1_{re}(\Gamma + \kappa^H \Gamma^{H+1})(I - \kappa \Gamma)^{-1} \frac{Cov(z_t, dp_t)}{Var(dp_t)} \quad (9)$$

$$b_{dd}^{(H)} = -1_{dd}(\Gamma + \kappa^H \Gamma^{H+1})(I - \kappa \Gamma)^{-1} \frac{Cov(z_t, dp_t)}{Var(dp_t)} \quad (10)$$

and $b_{dp}^{(H)} = 1 - b_{re}^{(H)} - b_{dd}^{(H)}$.




Figure 2: VAR-implied Equation 1.4 variance-decomposition terms vs. horizon H . Overlapping-annual VAR(1) on $Z_t = [\Delta d_t, r_{e,t}, dp_t]'$ estimated by OLS (EQ Dataset, 1928–2021; $\kappa = 0.9642$, as in 1(b)). $b_{dp}^{(H)}$ is imposed as $1 - b_{re}^{(H)} - b_{\Delta d}^{(H)}$.

1.d.

As $H \rightarrow \infty$, the

$$b_{re}^{(\infty)} = 1_{re} \Gamma(I - \kappa \Gamma)^{-1} \frac{Cov(z_t, dp_t)}{Var(dp_t)} \quad (11)$$

$$b_{\Delta d}^{(\infty)} = -1_{\Delta d} \Gamma(I - \kappa \Gamma)^{-1} \frac{Cov(z_t, dp_t)}{Var(dp_t)} \quad (12)$$

The calculated numbers are $b_{re}^{(\infty)} = 0.4892$, $b_{\Delta d}^{(\infty)} = 0.5096$, and $b_{dp}^{(\infty)} = 0.0012$. These numbers show that valuation ratio dp can both predict dividend growth and returns, and half of price volatility is attribute to dividend growth variance, half is attribute to discount rate variance. This result is not aligned with Cochrane(2011).

1.e. *Alternative log-linear present-value identity*

Using the same trick,

$$R_{e,t+1} = \frac{P_{t+1} + D_{t+1}}{D_{t+1}} \frac{D_{t+1}}{D_t} \frac{D_t}{P_t + D_t} \frac{P_t + D_t}{P_t} \quad (13)$$

, the log one-period return can be written as

$$r_{e,t+1} = -\log(1 - e^{-dy_{t+1}}) + \Delta d_{t+1} + \log(1 - e^{-dy_t}) + dy_t \quad (14)$$

where $dy_t := \log\left(1 + \frac{D_t}{P_t}\right)$ and $\log(1 - e^{-dy_t}) = \log \frac{D_t}{P_t + D_t}$.

Applying a Taylor expansion of $\log(1 - e^{-dy_t})$ in dy_t around its mean $\bar{dy}$, we have

$$\log(1 - e^{-dy_t}) = \log(1 - e^{-\bar{d}y}) + \frac{e^{-\bar{d}y}}{1 - e^{-\bar{d}y}}(dy_t - \bar{d}y) + O((dy_t - \bar{d}y)^2) \quad (15)$$

Letting $\kappa = e^{-\bar{d}y}$ to simplify the expression,

$$\log(1 - e^{-dy_t}) = \log(1 - \kappa) + \frac{\kappa}{1 - \kappa}(dy_t - \bar{d}y) + O((dy_t - \bar{d}y)^2) \quad (16)$$

Then the return is log-linearized as

$$r_{e,t+1} = -\frac{\kappa}{1 - \kappa}(dy_{t+1} - \bar{d}y) + \Delta d_{t+1} + \frac{\kappa}{1 - \kappa}(dy_t - \bar{d}y) + dy_t \quad (17)$$

and

$$\begin{aligned} \frac{dy_t}{1 - \kappa} &= r_{e,t+1} - \Delta d_{t+1} + \kappa \frac{dy_{t+1}}{1 - \kappa} \\ &= r_{e,t+1} - \Delta d_{t+1} \\ &\quad + \kappa \left[r_{e,t+2} - \Delta d_{t+2} + \kappa \frac{dy_{t+2}}{1 - \kappa} \right] \\ &= r_{e,t+1} - \Delta d_{t+1} + \kappa [r_{e,t+2} - \Delta d_{t+2}] \\ &\quad + \dots + \kappa^{H-1} [r_{e,t+H} - \Delta d_{t+H}] + \kappa^H \frac{dy_{t+H}}{1 - \kappa} \\ &= \sum_{h=1}^H \kappa^{h-1} r_{e,t+h} - \sum_{h=1}^H \kappa^{h-1} \Delta d_{t+h} + \kappa^H \frac{dy_{t+H}}{1 - \kappa} \end{aligned} \quad (18)$$

Thus, the log-linearization identity is

$$dy_t = (1 - \kappa) \left(\sum_{h=1}^H \kappa^{h-1} r_{e,t+h} - \sum_{h=1}^H \kappa^{h-1} \Delta d_{t+h} \right) + \kappa^H dy_{t+H} \quad (19)$$

Taking the conditional expectation at time t , the identity also holds

$$dy_t = (1 - \kappa) \left(\sum_{h=1}^H \kappa^{h-1} \mathbb{E}_t r_{e,t+h} - \sum_{h=1}^H \kappa^{h-1} \mathbb{E}_t \Delta d_{t+h} \right) + \kappa^H \mathbb{E}_t dy_{t+H} \quad (20)$$

Imposing the no-bubble assumption, the last term vanishes as $h \rightarrow \infty$,

$$\lim_{H \rightarrow \infty} \kappa^H E_t \log \left(\frac{P_t + D_t}{P_t} \right) \rightarrow 0 \quad (21)$$

2. QUESTION 2

2.a.




Figure 3: Adjusted R^2 of the regressions of the average future excess equity return $\frac{1}{H} \sum_{h=1}^H x R_{e,t+h}$ on D_t/P_t , plotted against the horizon $H = 1, \dots, 15$ years.

Valuation ratio $\frac{D}{P}$ predicts returns in the long run better than in the short run.

2.b.

Estimating $xR_{e,t+1} = a + b \cdot D_t/P_t + \varepsilon_t$ by OLS on $T = 1117$ monthly start dates (1927:12–2020:12) gives $\hat{a} = -0.0314$ and $\hat{b} = 2.8038$. The five standard errors for $\hat{b}$, all built from $\widehat{\text{Var}}[\hat{\theta}] = \frac{1}{T} Q^{-1} \hat{S} Q^{-1}$ with $Q = \frac{1}{T} \sum_{\tau} x_{\tau} x_{\tau}'$, are:

Standard error method	$\hat{b}$	s.e. ($\hat{b}$)	t -statistic
(i) OLS	2.8038	0.3798	7.38
(ii) White (1980)	2.8038	0.6587	4.26
(iii) Newey-West (1987), 11 lags	2.8038	1.2990	2.16
(iv) Hansen-Hodrick (1980), 11 lags	2.8038	1.4537	1.93
(v) Newey-West (1987, 1994), $L = 24$	2.8038	1.2304	2.28

The lag length in (v) is data-driven: the Newey and West (1994, Eq. 2.2) rule gives $L = a \cdot T^{1/3}$ with $a = 2.31$, hence $L = 24$. The Hansen-Hodrick estimate in (iv) is positive definite in this sample, so no truncation was needed.

2.c.

I report Amihud and Hurvich (2004) estimation.

$$\frac{D_{t+1}}{P_{t+1}} = \frac{\hat{\theta}}{0.0111} + \frac{\hat{\phi}}{0.7197} \frac{D_t}{P_t} + \hat{\varepsilon}_{t+1} \quad (22)$$

$$\hat{\phi}^c = \hat{\phi} + \frac{1}{T}(1 + 3\hat{\phi}) + \frac{3}{T^2}(1 + 3\hat{\phi}) = 0.7540, \quad T = 95 \quad (23)$$

$$\hat{u}_{t+1}^c = \frac{D_{t+1}}{P_{t+1}} - \left(\hat{\theta} + \hat{\phi}^c \frac{D_t}{P_t} \right) \quad (24)$$

$$xR_{e,t+1} = \underset{-0.0314}{\hat{a}} + \underset{2.3412}{\hat{b}} \frac{D_t}{P_t} + \underset{-13.4837}{\hat{b}_u} \hat{u}_{t+1}^c + \hat{\varepsilon}_{t+1} \quad (25)$$

Amihud and Hurvich estimation gives a smaller value than OLS estimation. This is because OLS estimation is upper biased in small sample as innovations of dividend-price ratio and excess return are positive correlated, and the AR(1) estimation is lower biased.

2.d.




Figure 4: Forecasts of the one-year-ahead excess return for $t + 1$ from December 1940 to December 2021: the out-of-sample forecast $\hat{E}_t^{OS}[xR_e] = a_t + b_t D_t/P_t$ with a_t, b_t estimated on an expanding window, the in-sample forecast $\hat{E}_t^{IS}[xR_e] = \hat{a} + \hat{b} D_t/P_t$ from Equation 2.2, and the expanding-window historical mean $\bar{xR}_{e,t}$.

Each expanding window runs from the pair $(t, t + 1) = (\text{December } 1927, \text{December } 1928)$ through the pair one month before the forecast pair (for the first forecast, through (November 1939, November 1940), 144 pairs), and $\bar{xR}_{e,t}$ averages $xR_{e,t+1}$ over the same window. Over the 973 forecasts with $t + 1$ from December 1940 to December 2021,

$$R_{OS}^2 = 1 - \frac{\sum_t (xR_{e,t+1} - \hat{E}_t^{OS}[xR_e])^2}{\sum_t (xR_{e,t+1} - \mu_{xR})^2} = 1 - \frac{26.7838}{26.8327} = 0.0018 \quad (26)$$

where μ_{xR} is the sample mean of $xR_{e,t+1}$ over the same 973 months; no degrees-of-freedom adjustment is applied.




Figure 5: R^2_{OS} over 600-month (50-year) rolling windows of the out-of-sample forecast errors, plotted at each window's last month from December 1990 to December 2021 (first window: January 1941 to December 1990). a_t and b_t are the expanding-window estimates above; SST uses the sample mean of $xR_{e,t+1}$ within each window.

2.e.




Figure 6: Forecasts of the one-year-ahead excess return for $t + 1$ from December 1940 to December 2021: the restricted out-of-sample forecast $\hat{E}_t^{OS}[xR_e] = (\bar{G}_t - 1) + \bar{G}_t D_t/P_t$, the in-sample forecast $\hat{E}_t^{IS}[xR_e] = \hat{a} + \hat{b} D_t/P_t$ from Equation 2.2, and the expanding-window historical mean $\bar{xR}_{e,t}$.

The sample, forecast dates, expanding windows, $\hat{E}_t^{IS}[xR_e]$ and $\bar{xR}_{e,t}$ are those of Question 2(d). $\bar{G}_t$ averages $e^{\Delta d}$ over the same expanding window; for the first forecast it uses Δd from December 1927 to

November 1939 (144 months), so $\bar{G}_t = 1.0000$. Over the 973 forecasts with $t + 1$ from December 1940 to December 2021,

$$R_{OS}^2 = 1 - \frac{\sum_t (xR_{e,t+1} - \hat{E}_t^{OS}[xR_e])^2}{\sum_t (xR_{e,t+1} - \mu_{xR})^2} = 1 - \frac{26.7797}{26.8327} = 0.0020 \quad (27)$$

where, as in Question 2(d), μ_{xR} is the sample mean of $xR_{e,t+1}$ over the same 973 months and no degrees-of-freedom adjustment is applied.




Figure 7: R_{OS}^2 of the restricted forecast over 600-month (50-year) rolling windows of the out-of-sample forecast errors, plotted at each window's last month from December 1990 to December 2021 (first window: January 1941 to December 1990). SST uses the sample mean of $xR_{e,t+1}$ within each window.

3. QUESTION 3

3.a. 3(a)

For each month τ I estimate the cross-firm regression

$$\text{MOM}_{j,\tau}^{CZ} = a_\tau + b_\tau \cdot \text{MOM}_{j,\tau} + \varepsilon_{j,\tau} \quad (28)$$

and plot the resulting $\hat{a}_\tau$, $\hat{b}_\tau$ and R_τ^2 below. My own signal compounds the 12 monthly returns over $\tau - 12, \dots, \tau - 1$, the same window used in the problem statement and by Chen and Zimmermann (2022).




Figure 8: Monthly intercepts $\hat{a}_\tau$ from the cross-firm regression of MOM_{CZ} on my MOM , June 1964 – December 2024 (727 months, on average 3,351 firms per month).





Figure 9: Monthly slopes $\hat{b}_\tau$.

Figure 10: Monthly R^2_τ .

3.b. 3(b)

Book equity is $BE = SE + TXDITC - BVPS$ from the fiscal year ending in calendar year $t - 1$, market equity is $ME = |PRC| \cdot SHROUT$ from December of year $t - 1$, and $BM = BE/ME$ is assigned at the end of June of year t and held fixed through May of year $t + 1$. Firm-months with $BE \leq 0$ are dropped, and a firm must already have at least two prior annual COMPUSTAT records before the fiscal year used. Following the sequence in footnote 6, SE is taken from SEQ where available (262,826 firm-years) and from CEQ + PSTK otherwise (a further 701). The extract carries no AT or LT, so the third route is unavailable and 20,686 firm-years are left without a book-equity value.

For each month τ I then estimate the cross-firm regression

$$BM_{j,\tau}^{CZ} = a_\tau + b_\tau \cdot BM_{j,\tau} + \varepsilon_{j,\tau} \quad (29)$$

using $BM_{CZ} = BM_{dec}$. Note that BM_{dec} in the Chen and Zimmermann (2022) data is already a book-to-market *ratio* rather than its log: 2.72% of its values are negative, its quartiles (0.36, 0.68, 1.17) are ratio-scale, and exponentiating it overflows. It is therefore used directly.




Figure 11: Monthly intercepts $\hat{a}_\tau$ from the cross-firm regression of BM_{CZ} on my BM , June 1964 – December 2024 (727 months, on average 2,478 firms per month).





Figure 12: Monthly slopes $\hat{b}_\tau$.

Figure 13: Monthly R^2_t .

3.c. 3(c)

Using only the Chen and Zimmermann (2022) versions of the signals ($BM_{CZ} = BM_{dec}$, $MOM_{CZ} = Mom12m$, $GP_{CZ} = GP$), I form decile portfolios under the five schemes below. Breakpoints are the signal deciles among NYSE-listed firms ($EXCHCD = 1$) for the NYSE schemes and among all sample firms for the general schemes; every firm is then assigned using those cut-offs. Annual schemes form deciles on the June signal of year t and hold July of t through June of $t + 1$; value weights use market equity at the formation date and are held fixed over the holding period. A stock with no usable CRSP return in a month is dropped from its decile that month and the remaining weights renormalise. Excess returns are net of RF from the Ken French three-factor file, and all three signals share a common sample beginning June 1963 (738 months).




Figure 14: Scheme (i): value-weighted, rebalanced annually at June, NYSE breakpoints.




Figure 15: Scheme (ii): equal-weighted, rebalanced annually at June, NYSE breakpoints.




Figure 16: Scheme (iii): value-weighted, rebalanced monthly, NYSE breakpoints.




Figure 17: Scheme (iv): value-weighted, rebalanced annually at June, general breakpoints.




Figure 18: Scheme (v): equal-weighted, rebalanced monthly, general breakpoints.

The fifteen HML portfolios (decile 10 — decile 1) have the following average excess returns, in percent per month, with t -statistics from Newey and West (1987, 1994) standard errors using the data-driven bandwidth L :

Scheme	Signal	HML (%/month)	t -stat	L
(i) VW, annual, NYSE	BM_{CZ}	0.370	1.66	7
(i) VW, annual, NYSE	MOM_{CZ}	0.354	1.46	3
(i) VW, annual, NYSE	GP_{CZ}	0.359	2.09	11
(ii) EW, annual, NYSE	BM_{CZ}	0.999	5.13	14
(ii) EW, annual, NYSE	MOM_{CZ}	-0.215	-0.97	11
(ii) EW, annual, NYSE	GP_{CZ}	0.533	3.16	13
(iii) VW, monthly, NYSE	BM_{CZ}	0.319	1.54	6
(iii) VW, monthly, NYSE	MOM_{CZ}	1.237	4.56	5
(iii) VW, monthly, NYSE	GP_{CZ}	0.343	2.01	11
(iv) VW, annual, general	BM_{CZ}	0.446	1.75	12
(iv) VW, annual, general	MOM_{CZ}	0.437	1.41	4
(iv) VW, annual, general	GP_{CZ}	0.424	1.90	10
(v) EW, monthly, general	BM_{CZ}	0.939	4.78	14
(v) EW, monthly, general	MOM_{CZ}	0.594	1.88	10
(v) EW, monthly, general	GP_{CZ}	0.593	2.85	13

3.d. 3(d)

$Q_{j,\tau}^X$ is the cross-firm percentile rank of signal X within month τ , on $[0, 1]$, so a slope is the excess return earned by moving a stock from the bottom to the top of that month's distribution. BM and GP are the Chen and Zimmermann (2022) signals; Dur is the firm-level equity duration of Gonçalves (2021b), whose $FF.YEAR = t$ observation is public at the end of June of year t and is therefore carried across July of t through June of $t + 1$. All seven specifications are estimated on the common sample of firm-months for which BM , GP and Dur are all available and market equity is positive, so the specifications are directly comparable: 617 months from July 1973 to November 2024, averaging 2,279 firms per cross-section. Each month's cross-sectional regression is run by OLS and by WLS with month- τ market-equity weights; the reported coefficients are time-series means of the monthly slopes, in percent per month, with Newey and West (1987, 1994) t -statistics in parentheses.

Spec	Method	a	b_{BM}	b_{GP}	b_{Dur}
(i)	OLS	0.56 (2.27)	0.93 (3.71)		
(i)	WLS	0.64 (2.96)	0.21 (0.68)		
(ii)	OLS	0.73 (2.48)		0.57 (3.50)	
(ii)	WLS	0.49 (2.16)		0.34 (1.50)	
(iii)	OLS	1.60 (6.98)			-1.15 (-5.95)
(iii)	WLS	1.30 (6.77)			-0.87 (-2.84)
(iv)	OLS	0.09 (0.32)	1.08 (4.31)	0.78 (5.01)	
(iv)	WLS	0.23 (0.79)	0.57 (1.76)	0.56 (2.78)	
(v)	OLS	1.35 (5.71)	0.32 (1.13)		-0.99 (-3.72)

Spec	Method	a	b_{BM}	b_{GP}	b_{Dur}
(v)	WLS	1.32 (3.97)	-0.21 (-0.56)		-0.84 (-2.09)
(vi)	OLS	1.40 (4.98)		0.27 (1.59)	-1.04 (-4.77)
(vi)	WLS	0.84 (2.39)		0.49 (1.70)	-0.54 (-1.30)
(vii)	OLS	0.72 (2.78)	0.63 (1.95)	0.56 (2.77)	-0.58 (-1.93)
(vii)	WLS	0.47 (1.23)	0.33 (1.27)	0.60 (2.32)	-0.22 (-0.55)

3.e. 3(e)

Decile portfolios are formed on BM_{CZ} , GP_{CZ} and Dur , rebalanced annually at June with NYSE breakpoints, both value-weighted and equal-weighted. Formation at June of year t uses the Chen and Zimmermann signals of that month together with the duration observation carrying $FF.YEAR = t$, which Gonçalves documents as public at the end of June of t ; membership and weights are then held over July of t through June of $t + 1$. $Dec_{p,\tau}^X$ is the average decile of signal X among the firms in portfolio p , weighted by the weight each firm carries in that portfolio, and is fixed at the June formation month. A specification containing k signals is estimated on the union of those signals' decile portfolios, so 10 portfolios for a univariate specification, 20 for a bivariate one and 30 for (vii). Estimation is pooled OLS with Driscoll and Kraay (1998) standard errors, over 618 months from July 1973 to December 2024, on the same common sample of firms used in 3(d).

Coefficients are in percent per month **per decile**, with Driscoll–Kraay t -statistics in parentheses.

Spec	Weighting	a	b_{BM}	b_{GP}	b_{Dur}
(i)	VW	0.61 (3.02)	0.035 (1.43)		
(ii)	VW	0.55 (2.25)		0.025 (1.18)	
(iii)	VW	1.20 (6.01)			-0.065 (-3.18)
(iv)	VW	-0.23 (-0.58)	0.102 (2.86)	0.095 (2.83)	
(v)	VW	1.26 (5.26)	0.003 (0.11)		-0.081 (-3.35)
(vi)	VW	1.45 (4.43)		-0.013 (-0.53)	-0.100 (-3.65)
(vii)	VW	1.77 (2.33)	-0.025 (-0.46)	-0.027 (-0.57)	-0.122 (-2.64)
(i)	EW	0.53 (2.07)	0.091 (4.18)		
(ii)	EW	0.74 (2.49)		0.052 (3.63)	
(iii)	EW	1.55 (6.37)			-0.097 (-6.12)
(iv)	EW	-0.21 (-0.66)	0.125 (5.31)	0.094 (5.99)	
(v)	EW	1.15 (4.07)	0.055 (1.62)		-0.078 (-2.69)
(vi)	EW	1.69 (5.07)		-0.008 (-0.40)	-0.114 (-5.08)
(vii)	EW	0.66 (0.95)	0.079 (1.56)	0.045 (1.23)	-0.061 (-1.23)

Consistent with footnote 10, the univariate slopes reproduce the corresponding HML averages of 3(c) once scaled by the nine decile steps: the value-weighted b_{BM} of 0.035 implies 0.32% per month against the 0.370% HML reported in scheme (i).

4. QUESTION 4

4.a.

Average excess log yields, log forward rates and log annual returns (Fama-Bliss discount bonds; xy averaged over 871 months from June 1952 to December 2024, xf over 871 months from June 1952 to December 2024, and xr over 859 months from June 1953 to December 2024), in percent:

H	average $xy_{b,t}^{(H)}$	average $xf_{b,t}^{(H)}$	average $xr_{b,t}^{(H)}$
2	0.1686	0.3372	0.3154
3	0.3278	0.6461	0.6069
4	0.4660	0.8805	0.8198
5	0.5639	0.9557	0.8719

where $xy_{b,t}^{(H)} = y_{b,t}^{(H)} - y_{b,t}^{(1)}$, $xf_{b,t}^{(H)} = f_{b,t}^{(H)} - y_{b,t}^{(1)}$ and $xr_{b,t}^{(H)} = r_{b,t}^{(H)} - r_{b,t}^{(1)}$, with $y_{b,t}^{(H)} = \log(1 + Y_{b,t}^{(H)})$, $f_{b,t}^{(H)} = H y_{b,t}^{(H)} - (H-1) y_{b,t}^{(H-1)}$ and $r_{b,t}^{(H)} = H y_{b,t-1}^{(H)} - (H-1) y_{b,t}^{(H-1)}$, where $t-1$ is the same month one year earlier.




Figure 19: Log yields $y_{b,t}^{(H)}$ of the Fama-Bliss discount bonds for $H = 1, \dots, 5$, June 1952 to December 2024 (shown $\times 100$).




Figure 20: Log forward rates $f_{b,t}^{(H)}$ for $H = 2, \dots, 5$, June 1952 to December 2024 (shown $\times 100$).




Figure 21: Log annual returns $r_{b,t}^{(H)}$ for $H = 2, \dots, 5$, June 1953 to December 2024 (shown $\times 100$).

4.b.

Regressions of the average annual hold-to-maturity excess return on the excess log yield,

$$\frac{1}{H} xr_{b,t:t+H}^{(H)} = a^{(H)} + b^{(H)} xy_{b,t}^{(H)} + \varepsilon_t^{(H)}, \quad xr_{b,t:t+H}^{(H)} = \sum_{h=1}^H xr_{b,t+h}^{(H-h+1)}, \quad (30)$$

estimated by OLS on overlapping monthly observations, where $t+h$ is the same month h years later and $xr_{b,t}^{(1)} = 0$. The t -statistics use Hansen and Hodrick (1980) standard errors with $L = 12H - 1$ monthly lags, the number of months by which consecutive H -year dependent variables overlap; each regression uses every month t for which its variables are available.

H	$b^{(H)}$	t -statistic (Hansen-Hodrick)
2	0.6774	3.57
3	0.5316	3.21
4	0.4141	2.52
5	0.3453	2.30

4.c.

Regressions of the one-year excess log return on the excess log forward rate,

$$xr_{b,t+1}^{(H)} = a^{(H)} + b^{(H)} xf_{b,t}^{(H)} + \varepsilon_{t+1}^{(H)}, \quad (31)$$

estimated by OLS on overlapping monthly observations, where $t+1$ is the same month one year later, using the 859 months with t from June 1952 to December 2023 for every H . The t -statistics use Newey and West (1987, 1994) standard errors: Bartlett weights with the lag length chosen by the Newey and West (1994) rule, as in Question 2(b) ($L = 23, 23, 24, 23$ for $H = 2, 3, 4, 5$).

H	$b^{(H)}$	t -statistic (Newey-West)
2	0.6774	3.23
3	0.8887	3.35
4	1.1163	3.62
5	0.9641	2.91

4.d.

Cochrane and Piazzesi (2005) factor, estimated from

$$\frac{1}{4} \sum_{H=2}^5 x r_{b,t+1}^{(H)} = \theta_0 + c p_t + u_t, \quad c p_t = \sum_{H=1}^5 \theta_H f_{b,t}^{(H)}, \quad (32)$$

by OLS on overlapping monthly observations, where $t + 1$ is the same month one year later and $f_{b,t}^{(1)} = y_{b,t}^{(1)}$, using the 859 months with t from June 1952 to December 2023.




Figure 22: The figure plots the fitted value $\hat{\theta}_0 + c p_t$ of $\frac{1}{4} \sum_{H=2}^5 x r_{b,t+1}^{(H)}$ (shown $\times 100$) for t from June 1952 to December 2024; grey areas mark NBER recession months (FRED USREC = 1). Months after December 2023 use the coefficients estimated through December 2023.

4.e.

Regressions of the one-year excess log return on the Cochrane-Piazzesi factor,

$$x r_{b,t+1}^{(H)} = a^{(H)} + b^{(H)} (\hat{\theta}_0 + c p_t) + \varepsilon_{t+1}^{(H)}, \quad (33)$$

estimated by OLS on overlapping monthly observations, where $t + 1$ is the same month one year later, using the 859 months with t from June 1952 to December 2023 for every H . The regressor is the fitted value $\hat{\theta}_0 + c p_t$ plotted in Question 4(d). The t -statistics use Newey and West (1987, 1994) standard errors: Bartlett weights with the lag length chosen by the Newey and West (1994) rule, as in Question 2(b) ($L = 23, 23, 23, 23$ for $H = 2, 3, 4, 5$).

H	$b^{(H)}$	t -statistic (Newey-West)
2	0.4418	4.16
3	0.8274	4.18
4	1.2517	4.45
5	1.4791	4.25