
Per-dataset realized (filled) vs. inner-selected (hollow) utility;
connector length is dataset-level optimism
SOFTLAB AR1
SOFTLAB AR4
SOFTLAB AR3
SOFTLAB AR5
SOFTLAB AR6
ReLink ZXing
ReLink Safe
ReLink Apache
PROMISE POI
PROMISE Xerces
PROMISE JEdit
PROMISE Xalan
PROMISE Camel
PROMISE Ant
PROMISE Log4j
PROMISE Tomcat
PROMISE Ivy
PROMISE Velocity
NASA PC4
NASA MW1
NASA PC1
NASA CM1
NASA PC3
JIRA Hive
JIRA Wicket
JIRA ActiveMQ
JIRA HBase
JIRA Groovy
JIRA Derby
JIRA JRuby
AEEEM Lucene
AEEEM EQ
AEEEM PDE
AEEEM Mylyn
AEEEM JDT
−0.050
−0.025
0.000
0.025
0.050
0.075
0.100
0.125
ΔAUC vs. baseline
AEEEM (n=5)
JIRA (n=7)
NASA (n=5)
PROMISE (n=10)
ReLink (n=3)
SOFTLAB (n=5)
outer (realized)
inner (selected)
grand mean +0.0279