






flat_LCDM_0p28; tolerance=0.03; common_all; N=104
Mean signed bias in R
0.000
−0.005
−0.010
−0.015
−0.020
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.0
0.5
1.0
1.5
2.0
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
0.0
0.2
0.4
0.6
0.8
1.0
68%
95%
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p28; tolerance=0.03; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p30; tolerance=0.03; common_all; N=104
Mean signed bias in R
0.000
−0.005
−0.010
−0.015
−0.020
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
2.0
1.5
1.0
0.5
0.0
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
1.0
0.8
0.6
0.4
0.2
0.0
68%
95%
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p30; tolerance=0.03; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p32; tolerance=0.03; common_all; N=104
Mean signed bias in R
0.000
−0.005
−0.010
−0.015
−0.020
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
2.0
1.5
1.0
0.5
0.0
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
1.0
0.8
0.6
0.4
0.2
0.0
68%
95%
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p32; tolerance=0.03; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p28; tolerance=0.05; common_all; N=111
Mean signed bias in R
0.0000
−0.0005
−0.0010
−0.0015
−0.0020
−0.0025
−0.0030
−0.0035
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.05
0.04
0.03
0.02
0.01
0.00
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
1.0
0.8
0.6
0.4
0.2
0.0
68%
95%
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p28; tolerance=0.05; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p30; tolerance=0.05; common_all; N=111
Mean signed bias in R
0.0000
−0.0005
−0.0010
−0.0015
−0.0020
−0.0025
−0.0030
−0.0035
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.05
0.04
0.03
0.02
0.01
0.00
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
1.0
0.8
0.6
0.4
0.2
0.0
68%
95%
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p30; tolerance=0.05; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p32; tolerance=0.05; common_all; N=111
Mean signed bias in R
0.0000
−0.0005
−0.0010
−0.0015
−0.0020
−0.0025
−0.0030
−0.0035
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.05
0.04
0.03
0.02
0.01
0.00
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
1.0
0.8
0.6
0.4
0.2
0.0
68%
95%
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p32; tolerance=0.05; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS



flat_LCDM_0p28; tolerance=0.07; common_all; N=113
Mean signed bias in R
0.000
−0.001
−0.002
−0.003
−0.004
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.05
0.04
0.03
0.02
0.01
0.00
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
68%
95%
1.0
0.8
0.6
0.4
0.2
0.0
Single SN
Constant GLS
Linear GLS


flat_LCDM_0p28; tolerance=0.07; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS


flat_LCDM_0p30; tolerance=0.07; common_all; N=113
Mean signed bias in R
0.000
−0.001
−0.002
−0.003
−0.004
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.05
0.04
0.03
0.02
0.01
0.00
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
68%
95%
1.0
0.8
0.6
0.4
0.2
0.0
Single SN
Constant GLS
Linear GLS


flat_LCDM_0p30; tolerance=0.07; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS


flat_LCDM_0p32; tolerance=0.07; common_all; N=113
Mean signed bias in R
0.000
−0.001
−0.002
−0.003
−0.004
−0.005
Single SN
Constant GLS
Linear GLS
Pooled RMSE in R
0.05
0.04
0.03
0.02
0.01
0.00
Single SN
Constant GLS
Linear GLS
Coverage (log-q intervals)
1.0
0.8
0.6
0.4
0.2
0.0
68%
95%
Single SN
Constant GLS
Linear GLS


flat_LCDM_0p32; tolerance=0.07; common target diagnostics
Bias in R
RMSE in R
68% coverage
95% coverage
Source redshift
Single SN
Constant GLS
Linear GLS