ECG Datasets for STEMI and NSTEMI Prediction: A Simple Review

Status	**SKELETON.** No dataset facts are filled in yet.
Date	2026-10-20
Written by	documenter (team: planner, coder, team-lead)
Plan	`PLAN.md` (approved by the user on 2026-10-20)

1. Summary (one page)

Waiting for verified facts. This page will answer three questions:

1. Which datasets are best for telling STEMI from NSTEMI, and why?
2. Which datasets are only good for "MI or no MI", for pretraining, or for testing?
3. Which datasets can be combined?

Words used in this report:

- **ECG** (electrocardiogram): a recording of the heart's electrical activity.
- **MI** (myocardial infarction): a heart attack. Part of the heart muscle dies because blood flow stops.
- **STEMI** (ST-elevation MI): a heart attack where the ECG shows a raised "ST segment" (one part of the ECG wave).
- **NSTEMI** (non-ST-elevation MI): a heart attack where the ECG does not show this raised ST segment.
- **Non-MI**: the patient did not have a heart attack.
- **Acute**: happening now (new), not an old heart attack from the past.
- **Label**: the answer attached to each ECG that a model learns from (for example "STEMI").

2. How this review was done

- **Goal.** We checked 11 ECG datasets. For each one, we asked 10 questions (see the table in section 3). We judged each dataset by one thing: can it help a model tell STEMI from NSTEMI, and both from non-MI? (`PLAN.md` §0)

- **Where the facts come from.** Three earlier reports (PDF files dated October 2026), the official dataset web pages, and the papers that describe each dataset. (`PLAN.md` §2)

- **What we downloaded.** Only small description files: tables about the ECGs and the short "header" file of each recording (a header is a small text file that says how the ECG was stored). We did **not** download the ECG signals themselves. (`PLAN.md` §3)

- **What we did not use.** Some data needs a special login and a signed agreement ("credentialed access"). The team did not use any of it. For MIMIC, the user will run a small counting script on their own computer, and that script only gives totals. (`STATUS.md`, user answer U1)

- **Counts.** All counts in this report come from the files we downloaded. They describe those files on the download date. They do not describe every copy of the dataset. (`PLAN.md` §0)

- **The "verified" rule.** Every fact in this report was checked against its source by the planner. Each fact shows its source in square brackets. If we could not find something, we write **"not found"** and say where we looked. We never guess. (`PLAN.md` §0; `results/verified_facts.md`)

- **Labels are described, not made.** This review does not create training labels. Two rules matter most:

  - If an ECG has no heart-attack code, that does **not** prove the patient had no heart attack.
  - A computer-written ECG report, or a general "MI" note, is **not** the same as a doctor's STEMI or NSTEMI diagnosis.

  (`data_contract.md` rules L1, L2, L3)

3. Summary table: 11 datasets × 10 questions

Short answers only. Details and sources are in section 5.

Dataset	1. Labels	2. Who labelled	3. Collection (where, when, who)	4. Setting	5. Device (brand, leads, rate, length)	6. STEMI vs NSTEMI?	7. Best model use	8. Combine with	9. Access	10. Size and license
PTB-XL	71 SCP-ECG report codes; diagnosis codes have a wording-based "likelihood"; infarct stage (new/old), filled in mainly for MI-coded ECGs [PN-PTBXL; WAGNER2020; OBS-PTBXL]	Up to 2 cardiologists; about 31% of first reports were written by the ECG machine [PN-PTBXL; WAGNER2020]	PTB (Physikalisch-Technische Bundesanstalt); Oct 1989 – Jun 1996; 18,869 patients; country not stated on the dataset page [PN-PTBXL; WAGNER2020]	Not found (site names are hidden) [PN-PTBXL; WAGNER2020]	Schiller AG, 11 device types; 12 leads; 500 Hz (first recorded at 400 Hz); 10 s [WAGNER2020; PN-PTBXL]	No. Only "MI" report statements: 5,469 ECGs [OBS-PTBXL]	Not STEMI vs NSTEMI. Maybe MI vs non-MI after doctor review; pretraining. *Planner view, needs supervisor sign-off*	Same rate, length and leads as the planned model input; has patient IDs. Full check later (S10) [PN-PTBXL]	Open, no login [PN-PTBXL]	21,799 ECGs; 3.0 GB; CC BY 4.0 [PN-PTBXL]
MIMIC-IV-ECG						not checked yet: needs credentialed access; the user will run the count script				
PTB Diagnostic	Free-text clinical notes in each header: reason for admission, infarct place, infarction date, ECG date [OBS-PTBDB; PN-PTBDB]	Not found [PN-PTBDB]	University Clinic Benjamin Franklin, Berlin, Germany; years not found; 290 people [PN-PTBDB; OBS-PTBDB]	Hospital cardiology department; ward type not found [PN-PTBDB]	PTB prototype (not a commercial machine); 15 channels (12 standard + 3 extra); 1000 Hz; 32–120 s [PN-PTBDB; OBS-PTBDB]	No. MI (148 patients) vs healthy (52). Has documented time since infarction [OBS-PTBDB]	Possible external test set for new MI vs healthy, after clinical review; too small for STEMI vs NSTEMI. *Planner view, needs supervisor sign-off*	Needs a speed change (1000 Hz), 12 of 15 channels and cutting; patient = folder; a Challenge copy exists. Full check later (S10) [PA2020]	Open, no login [PN-PTBDB]	549 records; 1.7 GB; ODC Attribution License v1.0 [PN-PTBDB]

SPH (Shandong)	AHA report statements: 44 main codes plus add-on words (like "acute", "old") [LIU2022; OBS-SPH]	Cardiologist's final report; all re-checked by an experienced cardiologist [LIU2022]	Shandong Provincial Hospital, Jinan, China; Aug 2019 – Aug 2020; adults; 24,666 patients [LIU2022; OBS-SPH]	Not found [LIU2022]	MedEx MECG-200; 12 leads; 500 Hz; 10–60 s [LIU2022]	No. "MI" statements in 260 ECGs; only 7 say "acute" [OBS-SPH]	Not STEMI vs NSTEMI. Maybe test set for "MI statement or not" after review; pretraining. *Planner view, needs supervisor sign-off*	Same rate and leads; longer ECGs need cutting; has patient IDs; different label system. Full check later (S10) [LIU2022]	Open, no login [FIGSHARE-SPH]	25,770 ECGs; 2.28 GB of signals; data CC0, paper CC BY 4.0 [FIGSHARE-SPH; LIU2022]
CPSC 2018	SNOMED CT codes (a large standard medical code list) in each header [OBS-CPSC; PN-CHALLENGE2021]	Not found for this dataset [PN-CHALLENGE2021; PA2020]	China Physiological Signal Challenge 2018, Nanjing, China; hospitals and years not found [PN-CHALLENGE2021]	Not found [PN-CHALLENGE2021; PA2020]	Device not found; 12 leads; 500 Hz; 6–144 s [PN-CHALLENGE2021]	Neither. No MI code. Has ST elevation and ST depression codes [DXMAP; OBS-CPSC]	Not an MI source; at most a set to review for ST changes; pretraining. *Planner view, needs supervisor sign-off*	Mostly longer than 10 s; **no patient ID**, but some patients have more than one recording; overlap with CPSC-Extra not checked. Full check later (S10) [PA2020]	Open, no login [PN-CHALLENGE2021]	6,877 recordings; whole Challenge release 12.6 GB; CC BY 4.0 [PN-CHALLENGE2021]
CPSC-Extra	SNOMED CT codes in each header [OBS-CPSCX; PN-CHALLENGE2021]	Not found for this dataset [PN-CHALLENGE2021; PA2020]	Unused data from CPSC 2018, China; hospitals, years and patients not found [PN-CHALLENGE2021; PA2020]	Not found [PN-CHALLENGE2021; PA2020]	Device not found; 12 leads; 500 Hz; about 10–98 s in a sample [OBS-CPSCX]	No. "MI" labels exist, but most say **old** MI [DXMAP; OBS-CPSCX]	Maybe "MI label or not" after doctor review; not STEMI vs NSTEMI; pretraining. *Planner view, needs supervisor sign-off*	Mostly longer than 10 s; no patient ID; same origin as CPSC 2018, overlap not checked. Full check later (S10)	Open, no login [PN-CHALLENGE2021]	3,453 recordings; CC BY 4.0 [PN-CHALLENGE2021; PA2020]

Georgia	SNOMED CT codes in each header [OBS-GEORGIA; PN-CHALLENGE2021]	Not found for this dataset [PN-CHALLENGE2021; PA2020]	Emory University, Atlanta, Georgia, USA; years not found; 15,742 patients (all parts) [PA2020; PN-CHALLENGE2021]	Not found [PN-CHALLENGE2021; PA2020]	Device not found; 12 leads; 500 Hz; 5–10 s [PN-CHALLENGE2021]	No. Only 7 "MI" labels; many ST and ischaemia labels [DXMAP]	Not an MI source; at most a set to review for ST changes; pretraining. *Planner view, needs supervisor sign-off*	5-s recordings need padding; **no patient ID**, but some patients have more than one recording. Full check later (S10) [PA2020]	Open, no login [PN-CHALLENGE2021]	10,344 recordings (public part); CC BY 4.0 [PN-CHALLENGE2021]
Ningbo										
Chapman-Shaoxing										
CODE-15%	6 yes/no rhythm and conduction labels ("ST" = sinus tachycardia, **not** ST elevation), plus "normal ECG" and death [ZEN-CODE15]	Full CODE: computer reports plus text from expert reports; unclear cases checked by medical students with a cardiologist. For this 15% part: not found [RIBEIRO2020; ZEN-CODE15]	Telehealth Network of Minas Gerais, Brazil; 2010–2016; 233,770 patients [ZEN-CODE15; RIBEIRO2020]	Full CODE: mostly primary care (local health centres) [RIBEIRO2020]	TEB ECGPC or Micromed ErgoPC 13; 12 leads; 400 Hz as shared; 7–10 s, padded with zeros [RIBEIRO2020; ZEN-CODE15]	Neither. No MI label at all [OBS-CODE15; ZEN-CODE15]	Pretraining only, or not useful. *Planner view, needs supervisor sign-off*	Needs a speed change (400 Hz) and a padding mask; has patient IDs; no MI labels. Full check later (S10) [ZEN-CODE15]	Open, no login [ZEN-CODE15]	345,779 ECGs; 46.3 GB (all files); CC BY 4.0 [ZEN-CODE15]
INCART	Beat-by-beat marks; diagnosis text per patient; rhythm text per record [README-INCART; OBS-INCART]	Beat marks: computer, then corrected by people. Diagnoses: author not found [README-INCART]	St.-Petersburg Institute of Cardiological Technics, Russia; years not found; 32 patients tested for heart artery disease [README-INCART; PN-INCART]	Holter (long recording while the person goes about their day) [README-INCART]	Model not found; 12 leads; 257 Hz; 30 min [README-INCART; OBS-INCART]	Neither. "Acute MI" text: 2 patients only [OBS-INCART]	Not useful for MI tasks; at most pretraining on short pieces. *Planner view, needs supervisor sign-off*	Very different kind of recording; needs speed change and cutting; Challenge copy has 74 records, not 75. Full check later (S10) [MCR p.4; PA2020]	Open, no login [PN-INCART]	75 records; 794.5 MB; ODC Attribution License v1.0 [PN-INCART]

4. Heart-attack labels in each dataset

Waiting for verified facts. For each dataset: which labels are about heart attacks, how many ECGs have them, whether they say "new" or "old", and whether STEMI and NSTEMI can be told apart.

Dataset	Heart-attack labels	Number of ECGs	New or old shown?	STEMI vs NSTEMI possible?
PTB-XL	14 "MI" report codes (5 of them are "injury" codes) [OBS-PTBXL]	5,469 ECGs from 4,670 patients [OBS-PTBXL]	Partly. 150 MI-coded ECGs have an "early" stage; 3,372 have stage "unknown" [OBS-PTBXL]	No. No code says STEMI or NSTEMI [OBS-PTBXL]
MIMIC-IV-ECG		not checked yet: needs credentialed access; the user will run the count script		not checked yet: needs credentialed access; the user will run the count script
PTB Diagnostic	Reason for admission "Myocardial infarction"; infarct place; infarction date [OBS-PTBDB]	368 records from 148 patients [OBS-PTBDB]	Yes, as documented time since infarction: 60 patients have an ECG 0–1 days after the infarction date [OBS-PTBDB]	No. No STEMI or NSTEMI label [OBS-PTBDB]
SPH (Shandong)	4 "MI" codes (anterior, inferior, anteroseptal, extensive anterior) [OBS-SPH; LIU2022]	260 ECGs from 242 patients [OBS-SPH]	Yes, as report words: "acute" 7 ECGs, "recent" 12, "old" 233, none 8 [OBS-SPH]	No. No statement says STEMI or NSTEMI [OBS-SPH]
CPSC 2018	None. Only ST elevation and ST depression codes (not MI codes) [DXMAP]	0 MI. ST elevation: 220 (publisher's count) [DXMAP]	No [DXMAP; OBS-CPSC]	No [DXMAP]
CPSC-Extra	Myocardial infarction; **old** MI; anterior MI [DXMAP]	Publisher's counts: MI 376, old MI 1,168, anterior MI 62 [DXMAP]	Partly: many are labelled "old"; none "acute" MI [DXMAP]	No [DXMAP]
Georgia	Myocardial infarction [DXMAP]	Publisher's count: 7 [DXMAP]	No [DXMAP]	No [DXMAP]
Ningbo				
Chapman-Shaoxing				
CODE-15%	None. The "ST" column means sinus tachycardia (a fast heart rhythm that starts in the heart's normal pacemaker), not ST elevation [ZEN-CODE15]	0 [OBS-CODE15]	No [OBS-CODE15]	No [OBS-CODE15; RIBEIRO2020]
INCART	Diagnosis text "Acute MI" and "Earlier MI" [OBS-INCART]	Acute MI: 6 records (2 patients). Earlier MI: 9 records (4 patients) [OBS-INCART]	Yes, as diagnosis text ("acute" / "earlier") [OBS-INCART]	No [OBS-INCART]

5. Each dataset in detail

Each part answers the same 10 questions. Each answer gives its source.

5.1 PTB-XL

In one line: a large, open set of 10-second clinical 12-lead ECGs. Its report codes come from cardiologists or from the ECG machine, and people checked most of the records. It has "MI" report statements, but nothing that says STEMI or NSTEMI.

1. **Labels.** Each ECG has codes from a standard list called SCP-ECG (a standard set of codes for ECG report statements). There are 71 codes. They describe the diagnosis, the shape of the wave, and the heart rhythm [PN-PTBXL]. Each code comes with a "likelihood" from 0 to 100 [OBS-PTBXL]. This number shows how sure **the wording of the report** sounds. It does not show how sure a doctor was. It was taken from key words in the report: for example "cannot rule out" = 15, "possible" = 50, "consistent with" = 100 [WAGNER2020, Table 4]. Only diagnosis codes have a likelihood. Shape and rhythm codes are set to 0, and so are diagnosis codes whose report gives no certainty word [WAGNER2020, Table 4]. Careful: the German words "Zustand nach" ("status post", meaning a past event) also give 100. **So likelihood 100 does not mean a new heart attack** [WAGNER2020, Table 4]. The codes fall into groups. One group is "MI" (14 codes). Other groups are ST/T changes (13 codes), conduction problems (11), enlarged heart (5),

normal (1), and codes with no group (27) [OBS-PTBXL]. There is also an "infarct stage" field (whether a heart attack looks new or old). It is empty for 16,187 of the 21,799 ECGs. It is filled in mainly for ECGs with MI statements, and every ECG with an MI code has a value [OBS-PTBXL]. Other fields give the heart's electrical direction and a free-text report [OBS-PTBXL]. Every ECG has at least one code [OBS-PTBXL].

2. **Who labelled them.** "Up to two cardiologists" (heart doctors) [PN-PTBXL]. The first report was written by a cardiologist for 67.13% of ECGs. For 31.2%, the ECG machine wrote it automatically (figures from the first release) [WAGNER2020]. The second check was not independent. The second person checked the first person's work [WAGNER2020]. In release 1.0.3, the files mark 16,056 ECGs (73.65%) as checked by a person. The authors call this a cautious (low) estimate [WAGNER2020; OBS-PTBXL]. 6,813 ECGs (31.25%) are marked as having a machine-written first report. 555 (2.55%) had a second opinion [OBS-PTBXL].
3. **Collection.** The ECGs come from PTB (Physikalisch-Technische Bundesanstalt). They were recorded with Schiller AG machines between October 1989 and June 1996 [PN-PTBXL; WAGNER2020]. The country is not stated on the dataset page [PN-PTBXL]. The page calls them "clinical 12-lead ECGs" [PN-PTBXL]. Release 1.0.3 has 21,799 ECGs from 18,869 patients. 2,111 patients have more than one ECG (at most 10) [OBS-PTBXL]. 11,354 ECGs are from men and 10,445 from women. Age is shown as "300" for people aged 90 or older (293 ECGs) [OBS-PTBXL; WAGNER2020]. **Do not use the recording dates to find years.** The dates were moved by a random amount for each patient, and the stored years run from 1984 to 2001 [WAGNER2020; OBS-PTBXL].
4. **Setting. Not found.** We looked at the dataset page and the paper. They only say that the recording site ("hospital etc.") was hidden ("pseudonymised") [PN-PTBXL; WAGNER2020]. The file has 51 different site numbers [OBS-PTBXL]. Nothing says ambulance, emergency room, ward or clinic.
5. **Device.** Schiller AG machines, 11 device types [WAGNER2020]. The most common device names are "CS100 3" (6,140 ECGs), "CS-12" (4,048) and "AT-6 C 5.5" (3,950) [OBS-PTBXL]. The ECGs were first recorded at 400 Hz (400 measurements per second) [WAGNER2020]. They are shared at 500 Hz and also at 100 Hz. The 100 Hz files are the same ECGs, not extra ones [PN-PTBXL]. 12 leads (12 views of the heart), 10 seconds [PN-PTBXL]. We opened 20 header files as a sample. All 20 had the lead order I, II, III, AVR, AVL, AVF, V1–V6, 500 Hz, 5,000 samples, and units in millivolts. This is a small sample and may not hold for every file [OBS-PTBXL].
6. **STEMI vs NSTEMI. No.** No code says STEMI or NSTEMI [OBS-PTBXL]. There are 14 "MI" report statements. Five of them are "subendocardial injury" codes (damage to the inner layer of the heart wall) [OBS-PTBXL]. 5,469 ECGs from 4,670 patients have at least one of them. For 2,975 ECGs, the report wording gave likelihood 100 [OBS-PTBXL]. This can include "status post" (a past event), so it does not mean a new heart attack [WAGNER2020, Table 4]. Counts per code: IMI 2,676; ASMI 2,357; ILMI 478; AMI 353; ALMI 288; INJAS 214; LMI 201; INJAL 145; IPLMI 51; IPMI 33; INJIN 18; INJLA 17; PMI 17; INJIL 15 [OBS-PTBXL]. The infarct stage helps a little. Stage I means "acute, early" and Stage III means "old" [WAGNER2020]. 150 MI-coded ECGs (128 patients) are at Stage I or I–II. 3,372 MI-coded ECGs have stage "unknown" [OBS-PTBXL]. The 150 ECGs are **a list for clinical review**, not acute-MI labels. 28 ECGs have a general "ST elevation" code and 1,009 have "ST depression". These codes belong to the ST/T group, not to the MI group [OBS-PTBXL]. All of these are statements in an ECG report. They are not a confirmed diagnosis of a heart attack (`data_contract.md` L2, L3). **So PTB-XL gives "MI statement or not" only, not STEMI vs NSTEMI.**
7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* Not a STEMI-vs-NSTEMI source. It could be an MI-vs-non-MI source, but only after doctors review the MI statements. An ECG with no MI code does not prove "no heart attack". Usable for pretraining (`data_contract.md` L1–L4, L11).
8. **Combining.** *(Partial. The full check comes in step S10.)* 500 Hz, 10 seconds and 12 standard leads. This matches the planned model input, so no change of speed is needed [PN-PTBXL; `data_contract.md` C1.3]. Each ECG has a patient number, so one patient can be kept in one group (training or testing). The data also comes already split into 10 groups ("folds") [OBS-PTBXL]. Count the 100 Hz copies once, not twice (`data_contract.md` O2). A copy of PTB-XL inside the 2021 PhysioNet Challenge has 21,837 recordings, which is the first-release count [PN-CHALLENGE2021]. Do not mix it with release 1.0.3 before checking which ECGs are the same (`data_contract.md` O8).
9. **Access.** Open. "Anyone can access the files, as long as they conform to the terms of the specified license" [PN-PTBXL]. We needed no login to download [OBS-DOWNLOAD].
10. **Size and license.** 21,799 ECGs from 18,869 patients (release 1.0.3); 3.0 GB unpacked; license CC BY 4.0 (free to use if you credit the authors); DOI 10.13026/kfzx-aw45; published 9 Nov 2022 [PN-PTBXL].

The paper describes the first release: 21,837 ECGs from 18,885 patients [WAGNER2020]. Do not mix the two counts (`data_contract.md` O8).

5.2 MIMIC-IV-ECG

Waiting for verified facts. STEMI vs NSTEMI: not checked yet: needs credentialed access; the user will run the count script.

5.3 PTB Diagnostic

In one line: a small, open, older set of long ECGs from one hospital cardiology department in Berlin. It is the only one of the 11 datasets that records **when** the heart attack happened. It has no STEMI or NSTEMI label.

1. **Labels.** There are no codes. Each recording's header has free-text clinical notes. These include fields such as "Reason for admission", "Acute infarction (localization)" (where the heart attack is), "Former infarction (localization)", "Infarction date (acute)", "ECG date", "Catheterization date" (date of a heart artery test), narrowing of the main heart arteries, and "Lytic agent" (a clot-dissolving drug) [OBS-PTBDB]. Reasons for admission, as records / patients [OBS-PTBDB]:

    - Myocardial infarction: 368 / 148
    - Healthy control: 80 / 52
    - n/a: 27 / 22
    - Cardiomyopathy (heart muscle disease): 17 records
    - Bundle branch block: 17 records
    - Dysrhythmia (abnormal heart rhythm): 16 records
    - Hypertrophy (thickened heart muscle): 7 records
    - Valvular heart disease: 6 records
    - Myocarditis (inflamed heart muscle): 4 records
    - Others: 2 records or fewer each

    The 148 MI patients and 52 healthy people match the class table on the dataset page [PN-PTBDB; OBS-PTBDB].

2. **Who labelled them. Not found.** The dataset page says most records include "a detailed clinical summary", but not who wrote it [PN-PTBDB].

3. **Collection.** The ECGs were "collected from healthy volunteers and patients with different heart diseases by Professor Michael Oeff … at the Department of Cardiology of University Clinic Benjamin Franklin in Berlin, Germany". PTB put them together [PN-PTBDB]. Collection years: **not found**. The page does not state them [PN-PTBDB]. The dates in the headers are around 1990. The page does not say if they are real or moved, so we do not use them as collection years [PN-PTBDB; OBS-PTBDB]. Number of people: the files have 290 patient folders [OBS-PTBDB]. The page says "294 subjects" in one place and "549 records from 290 subjects" in another. The files support 290 [PN-PTBDB; OBS-PTBDB].

4. **Setting.** A hospital cardiology department, with heart patients and healthy volunteers [PN-PTBDB]. Whether ward, intensive care, emergency room or clinic: **not found** [PN-PTBDB].

5. **Device.** "A non-commercial, PTB prototype recorder" (a test machine, not one sold in shops). It stores 2,000 units per millivolt [PN-PTBDB]. All 549 headers have 15 channels: the 12 standard leads plus 3 extra "Frank" leads (vx, vy, vz: extra leads that record the heart's electrical direction in 3D). Lead names are in lower case [OBS-PTBDB]. 1000 Hz. The header has no unit field. The dataset page gives the scale (2,000 units per millivolt) [PN-PTBDB; OBS-PTBDB]. Length: 32 to 120 seconds in the files. The page does not state the length [OBS-PTBDB; PN-PTBDB].

6. **STEMI vs NSTEMI. No.** There is no STEMI or NSTEMI label [OBS-PTBDB]. It can give MI vs no MI: 148 MI patients (368 records) vs 52 healthy people (80 records), plus people with other heart diseases [OBS-PTBDB].

    What is special here: documented time since infarction. We took "ECG date" minus "Infarction date

(acute)". The dates are read day first (day/month/year). We know this because in 374 of the 541 dated headers the first number is above 12, and the second number is never above 12 [OBS-PTBDB]. The time could be worked out for 343 of the 368 MI records [OBS-PTBDB]:

Days from infarction to ECG	MI records	MI patients (earliest ECG on or after the infarction date)
0–1	61	60
2–3	35	18
4–7	68	20
8–28	115	23
more than 28	63	2
ECG before the infarction date	1	–
Could not be worked out	25	25

So 60 MI patients have an ECG 0–1 days after the recorded infarction date [OBS-PTBDB]. **These are a documented time since infarction. They are not reviewed acute-MI labels. Doctors must review them first.** The two infarction-date fields disagree in 3 records [OBS-PTBDB]. There is also a field for where the heart attack is (for example inferior, antero-septal, infero-lateral) [OBS-PTBDB]. The "Lytic agent" field says, as written: Streptokinase (60 patients), Urokinase (20), Gamma-TPA (15) [OBS-PTBDB]. Whether this field says anything about STEMI is a question for the clinical supervisor. This report does not use it as a label.

7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* This is the only one of the 11 datasets with documented infarction dates. It gives a small review set: MI ECGs taken 0–1 days after the infarction (60 patients), plus 52 healthy people. After clinical review, it could be an external test set (data kept apart, used only to check a finished model) for "new MI vs healthy". It is too small, and has no STEMI/NSTEMI labels, so it cannot train a STEMI-vs-NSTEMI model (`data_contract.md` L4, L7).

8. **Combining.** *(Partial. The full check comes in step S10.)* 1000 Hz, so it must be changed to 500 Hz (`data_contract.md` C2.3). 15 channels: keep the 12 standard ones, which all 549 records have by name [OBS-PTBDB]. 32–120 seconds, so a rule for cutting is needed. Patient = the folder [OBS-PTBDB]. A copy is inside the 2021 PhysioNet Challenge (the `ptb` folder). It has 516 recordings instead of 549, and the paper gives no reason [PA2020, Table 2]. Do not use both without checking which ECGs are the same (`data_contract.md` O10). The Challenge says it "did not change the original data or labels", except for approximate SNOMED CT codes, hidden age and sex, and amplitude resolution [PA2020, §2.1.2].

9. **Access.** Open: "Anyone can access the files, as long as they conform to the terms of the specified license." We needed no login [PN-PTBDB; OBS-DOWNLOAD].

10. **Size and license.** 549 records from 290 people (the page also says 294 in one place). 1.7 GB unpacked. License: ODC Attribution License v1.0 (free to use if you credit the source). DOI 10.13026/C28C71. Published 25 Sept 2004 [PN-PTBDB; OBS-PTBDB].

5.4 SPH (Shandong Provincial Hospital)

In one line: an open set of adult ECGs from one Chinese hospital, re-checked by a cardiologist. It has "MI" statements with "acute / recent / old" words, but only 7 ECGs say "acute", and none says STEMI or NSTEMI.

1. **Labels.** The labels are standard report statements from the AHA (American Heart Association) list. There are 44 main codes, grouped A to M, plus add-on codes that change their meaning (codes 308–367, for example "acute" or "old"). One statement is a main code plus optional add-ons joined by "+". Several statements are separated by ";" [OBS-SPH; LIU2022, Table 2]. The most common are: normal ECG (13,905 ECGs), slow heart rhythm (sinus bradycardia, 2,711), T-wave abnormality (2,218) and ST deviation (1,829) [OBS-SPH].

2. **Who labelled them.** "The responsible cardiologist made the final diagnosis in consideration of the patient health record." Then "an experienced cardiologist re-checked all original diagnostic statements and made corrections" [LIU2022]. The statements were in Chinese. They were turned into AHA codes with translation rules. Any ECG with a statement that could not be translated was left out [LIU2022]. The MedEx system

measured ECG features, but only as a reference for the doctors [LIU2022].

3. **Collection.** Shandong Provincial Hospital, Jinan, China. August 2019 to August 2020. Adults only (age above 18). 25,770 ECGs from 24,666 patients, with at most 5 ECGs per patient [LIU2022; OBS-SPH]. Ages 18–95. 14,265 ECGs are from men and 11,505 from women [OBS-SPH]. The stored dates were moved by a random amount for each patient, so they are not the real collection dates [LIU2022]. Whether patients were in hospital or outpatients: not found [LIU2022].

4. **Setting. Not found.** We read the full paper. It does not mention inpatients, outpatients, emergency care or health check-ups [LIU2022].

5. **Device.** MedEx MECG-200. 500 Hz. 12 leads in the order I, II, III, aVR, aVL, aVF, V1–V6 [LIU2022]. The paper says "the record length is between 10 and 60 seconds" [LIU2022]. In the file, lengths are 10 to 56 seconds, and 18,842 ECGs are exactly 10 seconds [OBS-SPH].

6. **STEMI vs NSTEMI. No.** No statement says STEMI or NSTEMI [OBS-SPH]. Four "MI" codes exist: anterior (160), inferior (161), anteroseptal (165) and extensive anterior (166) MI (these name the part of the heart that is damaged). 260 ECGs from 242 patients have one [OBS-SPH]. Time words on these MI statements [OBS-SPH]:

    - "Acute" (code 330): 7 ECGs (7 patients).
    - "Recent" (331): 12 ECGs (9 patients).
    - "Old" (332): 233 ECGs (219 patients).
    - No time word: 8 ECGs.

    Most MI statements are "old": for example inferior + old 114, anteroseptal + old 75, anterior + old 47 [OBS-SPH; LIU2022, Table 2]. "ST deviation" with "elevation" appears in 37 ECGs (34 patients). Only 1 ECG has both an acute MI statement and ST elevation [OBS-SPH]. **The word "acute" here is part of the written report. It is not a confirmed new heart attack.** These are report statements, not checked diagnoses (`data_contract.md` L2, L3). **So SPH gives "MI statement or not" only. New (acute) MI is far too rare to learn from.**

7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* Not usable for STEMI vs NSTEMI (only 7 acute MI statements). It could be an external test set (data kept apart, used only to check a finished model) for "MI statement or not", after doctors review the statements. It could also be used for pretraining (`data_contract.md` L1, L4, L11).

8. **Combining.** *(Partial. The full check comes in step S10.)* 500 Hz and 12 leads match the planned model input (`data_contract.md` C1.3). The ECGs are 10–56 seconds long, so a rule for cutting them to the model's length is needed (`data_contract.md` Q9). Each ECG has a patient number. The paper warns against putting "records from the same patient" in both training and testing, and gives code to split them [LIU2022]. The label system (AHA) is different from PTB-XL (SCP-ECG) and the Challenge sets (SNOMED), so labels must be matched first [LIU2022]. The paper does not mention any overlap with other datasets [LIU2022].

9. **Access.** Open download from figshare. No login needed [FIGSHARE-SPH; OBS-DOWNLOAD].

10. **Size and license.** 25,770 ECGs from 24,666 patients [OBS-SPH]. The signal file `records.tar.gz` is about 2.28 GB (we did not download it). `metadata.csv` is about 1 MB [FIGSHARE-SPH]. The **data** is CC0 (no rights kept, free for any use) on figshare [FIGSHARE-SPH]. The **paper** is CC BY 4.0 [LIU2022]. Both are true: they apply to different things.

About the five Challenge datasets (5.5 to 5.9)

CPSC 2018, CPSC-Extra, Georgia, Ningbo and Chapman-Shaoxing are all shared inside the 2021 PhysioNet Challenge (a public contest to build ECG models) [PN-CHALLENGE2021]. Things that are the same for all five:

- **Labels** are SNOMED CT codes (a large standard list of medical codes) in the `#Dx` line of each header [PN-CHALLENGE2021].
- **No STEMI or NSTEMI code** appears in the Challenge label files [DXMAP].

- **Label quality varies.** The Challenge paper says: "The quality of the label depended on the clinical or research practices, and the Challenge included labels that were machine-generated, over-read by a single cardiologist, and adjudicated by multiple cardiologists." It does not say which method was used for which dataset [PA2020, §2.1.2]. The Challenge page adds that "some of the data and labels are likely to have errors" [PN-CHALLENGE2021].
- **What the Challenge changed:** only "approximate SNOMED CT codes", hidden age and sex, and amplitude resolution. Otherwise it "did not change the original data or labels" [PA2020, §2.1.2].

Two kinds of counts. Do not mix them up.

- **Publisher's count:** taken from the Challenge label files (`dx_mapping_scored.csv` and `dx_mapping_unscored.csv`, our copy of 2026-10-20). The publisher does not say exactly what these numbers count [DXMAP].
- **Sample count:** what we counted in a sample of one folder only (999 headers). It is not a count for the whole dataset [OBS-CPSC; OBS-CPSCX; OBS-GEORGIA].

5.5 CPSC 2018

In one line: an open set of Chinese ECGs from a 2018 contest. It has no heart-attack codes at all, only ST elevation and ST depression codes.

1. **Labels.** SNOMED CT codes in each header. Each header also has the fields Age, Sex, Dx, Rx, Hx and Sx [OBS-CPSC; PN-CHALLENGE2021]. In a sample of one folder (999 headers; one listed file could not be found on the server), every recording had at least one code [OBS-CPSC].

2. **Who labelled them. Not found** for this dataset. The paper that describes it could not be opened (the publisher's page refused access) [PN-CHALLENGE2021; PA2020]. Only the general Challenge statement above applies [PA2020, §2.1.2].

3. **Collection.** From the China Physiological Signal Challenge 2018, held "in Nanjing, China" [PN-CHALLENGE2021]. Hospitals and years: **not found** [PN-CHALLENGE2021]. For all CPSC data (including a hidden test part): 9,458 patients and 13,256 recordings; average age 61.1; 53% male [PA2020, Tables 1–2]. In the sample folder: 521 male and 478 female; ages 7 to 92 [OBS-CPSC]. For CPSC and CPSC-Extra, the Challenge page says: "All ages over 89 are provided as 92". So "92" means "over 89" [PN-CHALLENGE2021].

4. **Setting. Not found** [PN-CHALLENGE2021; PA2020].

5. **Device.** Machine: **not found**. "Each recording is between 6 and 144 seconds long with a sampling frequency of 500 Hz" [PN-CHALLENGE2021]. In the sample folder: 12 leads (I, II, III, aVR, aVL, aVF, V1–V6), 500 Hz, units in millivolts, 9 to 118 seconds. 364 of the 999 are exactly 10 seconds [OBS-CPSC].

6. **STEMI vs NSTEMI. Neither.** There is no MI code [DXMAP; OBS-CPSC].

   - ST elevation: 220 (publisher's count) / 31 (sample count).
   - ST depression: 869 (publisher's count) / 114 (sample count).

   ST changes alone do not mean a heart attack (`data_contract.md` L2).

7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* Not a source for MI, or for STEMI vs NSTEMI. The ST elevation and depression labels give, at most, a set to review for ST-change detection. Could be used for pretraining (`data_contract.md` L11).

8. **Combining.** *(Partial. The full check comes in step S10.)* 500 Hz and 12 leads. Most recordings are longer than 10 seconds, so a rule for cutting is needed [OBS-CPSC]. **There is no patient ID in the headers** [OBS-CPSC]. Yet CPSC has more recordings than patients (13,256 vs 9,458), so some patients have more than one recording [PA2020, Table 1]. These cannot be grouped, so the same patient could end up in both training and testing (`data_contract.md` S7). Overlap with CPSC-Extra has not been checked (`data_contract.md` O5).

9. **Access.** Open: "Anyone can access the files, as long as they conform to the terms of the specified license" [PN-CHALLENGE2021].

10. **Size and license.** 6,877 recordings in the Challenge training folder. The whole Challenge release is 12.6 GB. License: CC BY 4.0 [PN-CHALLENGE2021]. Number of patients in the shared part: **not found**.

5.6 CPSC-Extra

In one line: extra, unused ECGs from the same Chinese 2018 contest. It has "MI" labels, but **most of them say "old" MI**, and none says STEMI or NSTEMI.

1. **Labels.** SNOMED CT codes in each header, with the fields Age, Sex, Dx, Rx, Hx and Sx [OBS-CPSCX; PN-CHALLENGE2021]. We read a sample of one folder (999 headers; one listed file could not be found on the server) [OBS-CPSCX].

2. **Who labelled them. Not found** for this dataset [PN-CHALLENGE2021; PA2020]. Only the general Challenge statement above applies [PA2020, §2.1.2].

3. **Collection.** "Unused data from CPSC 2018 (the CPSC-Extra Database)", China [PN-CHALLENGE2021]. Hospitals and years: **not found**. 3,453 recordings, average 15.9 seconds long, average age 63.7, 53% male [PA2020, Table 2]. Number of patients: **not found** [PA2020]. In the sample folder: 533 male and 466 female; ages –1 to 92. "–1" is how it is written in the file, and the publisher does not explain what it means [OBS-CPSCX]. For CPSC and CPSC-Extra, the Challenge page says: "All ages over 89 are provided as 92". So "92" means "over 89" [PN-CHALLENGE2021].

4. **Setting. Not found** [PN-CHALLENGE2021; PA2020].

5. **Device.** Machine: **not found**. In the sample folder: 12 leads, 500 Hz, units in millivolts, about 10 to 98 seconds. 400 of the 999 are exactly 10 seconds [OBS-CPSCX].

6. **STEMI vs NSTEMI. No.** Heart-related labels, as publisher's count / sample count [DXMAP; OBS-CPSCX]:

Label	Publisher's count	Sample count (999)
Myocardial infarction	376	122
Old myocardial infarction	1,168	337
Anterior myocardial infarction	62	17
Myocardial ischaemia	384	101
Chronic (long-lasting) myocardial ischaemia	161	45
Acute myocardial ischaemia	1	1
ST elevation	66	23
ST depression	57	11
Inferior ST depression	1	1
ST interval abnormal	481	137
Nonspecific ST-T abnormality	1,290	384

   Most MI labels say "old" MI (1,168 "old MI" vs 376 "MI"). There is no "acute MI" label [DXMAP]. These are report labels, not checked diagnoses (`data_contract.md` L2, L3). So this dataset gives "MI label or not" only, and mostly old MI.

7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* After doctors review the labels, it could be a set for "MI label vs other" (`data_contract.md` L4). Not for STEMI vs NSTEMI. Could be used for pretraining.

8. **Combining.** *(Partial. The full check comes in step S10.)* 500 Hz and 12 leads. Most recordings are longer than 10 seconds [OBS-CPSCX]. **No patient ID** [OBS-CPSCX]. It comes from the same CPSC 2018 contest as CPSC 2018, so the two must be checked for shared recordings before use together (`data_contract.md` O5). Their file names start with different letters (A… vs Q…), but that proves nothing.

9. **Access.** Open [PN-CHALLENGE2021].

10. **Size and license.** 3,453 recordings. License: CC BY 4.0 (the whole Challenge) [PN-CHALLENGE2021; PA2020]. Number of patients: **not found**.

5.7 Georgia

In one line: an open set of short ECGs from Emory University in the south-east of the USA. It has almost no MI labels (7), but many ST and ischaemia labels.

1. **Labels.** SNOMED CT codes in each header, with the fields Age, Sex, Dx and Rx. 996 of the 999 sample headers also have Hx [OBS-GEORGIA; PN-CHALLENGE2021]. We read a sample of one folder (999 headers; one listed file could not be found on the server) [OBS-GEORGIA].

2. **Who labelled them. Not found** for this dataset [PN-CHALLENGE2021; PA2020]. Only the general Challenge statement above applies [PA2020, §2.1.2].

3. **Collection.** "Georgia 12-lead ECG Challenge (G12EC) Database, Emory University, Atlanta, Georgia, USA", "representing a large population from the Southeastern United States" [PA2020, §2.1.1]. For all Georgia data (including hidden parts): 15,742 patients and 20,678 recordings; average age 60.5; 54% male [PA2020, Tables 1–2]. The Challenge page says "This source contains 20,672 ECGs", 6 fewer. This is not explained (see section 9) [PN-CHALLENGE2021]. Years: **not found**. In the sample folder: 564 male and 435 female; ages 20 to 89; age missing in 24 [OBS-GEORGIA].

4. **Setting. Not found** [PN-CHALLENGE2021; PA2020].

5. **Device.** Machine: **not found**. "Each recording is between 5 and 10 seconds long with a sampling frequency of 500 Hz" [PN-CHALLENGE2021]. In the sample folder: 12 leads, 500 Hz, units in millivolts. 989 recordings are 10 seconds and 10 are 5 seconds [OBS-GEORGIA].

6. **STEMI vs NSTEMI. No.** Heart-related labels, as publisher's count / sample count [DXMAP; OBS-GEORGIA]:

Label	Publisher's count	Sample count (999)
Myocardial infarction	7	0
ST elevation	134	20
ST depression	38	5
Q-wave abnormal	464	73
Lateral ischaemia	903	73
Inferior ischaemia	451	43
Anterior ischaemia	281	39
Acute myocardial ischaemia	1	0
ST interval abnormal	992	60
Nonspecific ST-T abnormality	1,883	149

   With only 7 MI labels, this is not a heart-attack dataset. ST and ischaemia labels do not mean a heart attack (`data_contract.md` L2).

7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* Not an MI source (only 7 MI labels in the whole source). The ischaemia and ST labels give, at most, a set to review for ST-change detection. Could be used for pretraining.

8. **Combining.** *(Partial. The full check comes in step S10.)* 500 Hz and 12 leads. 5 to 10 seconds, so the 5-second recordings need a padding rule [OBS-GEORGIA; PN-CHALLENGE2021]. **There is no patient ID in the headers** [OBS-GEORGIA]. Yet there are more recordings than patients (20,678 vs 15,742), so some patients have more than one recording [PA2020, Table 1]. These cannot be grouped (`data_contract.md` S7).

9. **Access.** Open [PN-CHALLENGE2021].

10. **Size and license.** 10,344 recordings in the public training folder. License: CC BY 4.0 (the whole

Challenge) [PN-CHALLENGE2021].

5.8 Ningbo

Waiting for verified facts.

5.9 Chapman-Shaoxing

Waiting for verified facts.

5.10 CODE-15%

In one line: a very large, open set of Brazilian tele-ECGs (ECGs sent to a distant centre to be read). It has no heart-attack label of any kind.

1. **Labels.** Six yes/no labels: `1dAVb`, `RBBB`, `LBBB`, `SB`, `AF` and `ST` [ZEN-CODE15]. These are heart rhythm and conduction problems (problems with how the electrical signal travels). **Careful: `ST` means "sinus tachycardia" (a fast heart rhythm that starts in the heart's normal pacemaker). It does NOT mean ST elevation** [ZEN-CODE15]. There are also `normal_ecg` (set by an automatic system), `death`, `timey` (for the first exam only) and an age guessed by a computer model [ZEN-CODE15]. Number of "yes" answers: 1dAVb 5,716; RBBB 9,672; LBBB 6,026; SB 5,605; ST 7,584; AF 7,033; normal_ecg 134,657 [OBS-CODE15]. 308,004 exams have none of the six labels. 173,347 have none of the six and are also not marked "normal" [OBS-CODE15].
2. **Who labelled them.** For the full CODE dataset (the larger set this 15% comes from), labels came from three places: automatic statements from the Uni-G program, Minnesota codes (a standard coding system for ECGs), and "text labels extracted from the expert text reports" [RIBEIRO2020]. 34,512 unclear exams were "manually reviewed by medical students … under the supervision of a certified cardiologist" [RIBEIRO2020]. `normal_ecg` comes from an automatic system [ZEN-CODE15]. Whether the 15% part was labelled in exactly the same way: **not found**. The dataset page does not say [ZEN-CODE15].
3. **Collection.** Telehealth Network of Minas Gerais (TNMG), Brazil. It covers "811 out of the 853 municipalities" of the state. 2010 to 2016 [ZEN-CODE15; RIBEIRO2020]. 345,779 exams from 233,770 patients. 66,929 patients have more than one exam (at most 38) [OBS-CODE15].
4. **Setting.** For the full CODE dataset: "performed mostly in primary care facilities" (local health centres, not hospitals) [RIBEIRO2020]. For the 15% part, the paper's statement about full CODE is the only information we found.
5. **Device.** Full CODE: TEB ECGPC (Tecnologia Eletrônica Brasileira) or Micromed ErgoPC 13 machines. 7–10 seconds, first recorded at 300 to 600 Hz [RIBEIRO2020]. The shared files are all at 400 Hz. Each ECG is stored as 4,096 samples × 12 leads, in the order DI, DII, DIII, AVR, AVL, AVF, V1–V6 [ZEN-CODE15]. Shorter ECGs are filled with zeros at both ends. For example, a 7-second ECG has 2,800 real samples and 648 zeros at each end [ZEN-CODE15]. The unit of the stored numbers (for example millivolts): **not found** on the dataset page [ZEN-CODE15].
6. **STEMI vs NSTEMI. Neither.** There is no MI label, no ischaemia (low blood flow to the heart muscle) label, and no ST-segment label. The `ST` column is sinus tachycardia [OBS-CODE15; ZEN-CODE15]. The paper says it "did not test the accuracy of the DNN in the diagnosis of other classes", and names MI as future work [RIBEIRO2020].
7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* Pretraining only, or not useful for the heart-attack task (`data_contract.md` L11). Before use, someone must check the number scale (units) and change the speed from 400 Hz to the model's rate (`data_contract.md` C2.2).
8. **Combining.** *(Partial. The full check comes in step S10.)* 400 Hz, so the speed must be changed. 7–10 seconds with zero padding, so the model needs a "padding mask" that marks which samples are not real (`data_contract.md` P2) [ZEN-CODE15]. Each exam has a patient number [OBS-CODE15]. Full CODE: mostly primary care [RIBEIRO2020]. There are no MI labels to combine. Related releases exist (full CODE and the CODE test set). Check for shared ECGs before using them together (`data_contract.md` O10).
9. **Access.** CODE-15% is open, and we downloaded it without a login [ZEN-CODE15; OBS-DOWNLOAD]. The full CODE training data is **not** open: "Restrictions apply to the availability of the training set". It needs an individual request, is for non-commercial use only, and needs a data use agreement [RIBEIRO2020].
10. **Size and license.** 345,779 exams from 233,770 patients. `exams.csv` is 35.5 MB. The signals are in 18 zip files (17 of about 2.7 GB each, plus one of 782.6 MB). All files together are 46.3 GB. License: CC BY 4.0

[ZEN-CODE15].

5.11 INCART

In one line: a small, open set of 30-minute Holter recordings (long recordings made while the person goes about their day) from 32 patients in Russia. Only 2 patients have "acute MI" in their diagnosis text. This is a very different kind of recording from a 10-second resting ECG.

1. **Labels.** There are three kinds [README-INCART; OBS-INCART]:

    - Beat marks: a mark on each heartbeat, "over 175,000 beat annotations in all". These are stored in `.atr` files, which we did not download.
    - Diagnosis text for each patient, in `files-patients-diagnoses.txt` and in the first comment of each header (age, sex, diagnoses).
    - Rhythm and wave-shape text for each record, in `record-descriptions.txt` and the header comments. For example, record I03 says "ST elevation, PVCs" (PVCs = extra early heartbeats).

2. **Who labelled them.** Beat marks were "produced by an automatic algorithm and then corrected manually". However, their "locations have not been manually corrected" [README-INCART]. About the patient diagnoses, the README says: "Diagnoses were confirmed by enzyme check, coronary angiography, electrophysiological study, pressure monitoring where necessary." (These are a blood test, an X-ray test of the heart arteries, a test of the heart's electrical system, and pressure measurement.) Note the words "where necessary": this does **not** say that every diagnosis was confirmed by every test [README-INCART]. Who wrote the diagnoses: **not found**. "Additional verification was done by Sergey Ivanov and Alexei Rivin (Incart)" [README-INCART].

3. **Collection.** The data came from the St.-Petersburg Institute of Cardiological Technics (Incart), Saint Petersburg, Russia [README-INCART; PN-INCART]. 32 patients "undergoing tests for coronary artery disease" (disease of the heart arteries): 17 men and 15 women, aged 18–80 (average 58). None had a pacemaker [README-INCART]. Records were chosen on purpose, mostly ones "with ECGs consistent with ischemia, coronary artery disease, conduction abnormalities, and arrhythmias" [README-INCART]. So the records are a selected group, not a random sample of patients [README-INCART]. Years: **not found** [README-INCART; PN-INCART].

4. **Setting.** Holter: "75 annotated recordings extracted from 32 Holter records" [README-INCART]. Whether patients were in hospital or outpatients: **not found** [README-INCART].

5. **Device.** 12 standard leads, 257 Hz, 30 minutes [README-INCART]. All 75 headers show 12 signals, 257 Hz and 1,800 seconds, with leads in the order I, II, III, AVR, AVL, AVF, V1–V6 [OBS-INCART]. The scale differs between recordings: the headers show 12 different values, from 240 to 1,063 units per millivolt. The README says "250 to 1100", which does not quite match the headers [README-INCART; OBS-INCART]. The header has no unit field [OBS-INCART]. Machine brand and model: **not found** [README-INCART; PN-INCART].

6. **STEMI vs NSTEMI. Neither** [OBS-INCART].

    - "Acute MI" in the diagnosis text: 2 patients (patient 2: records I03–I05; patient 27: records I62–I64) = 6 records.
    - "Earlier MI": 4 patients (11, 21, 24, 32) = 9 records.
    - The record text "ST elevation" appears in I03, I59, I60 and I62. I59 and I60 belong to patient 26, who has no diagnosis text.

    These are short diagnosis texts, not reviewed labels. Two patients are far too few to learn from.

7. **Best model use.** *This is the planner's view. The clinical supervisor still needs to agree.* Not useful for STEMI vs NSTEMI, or for MI vs no MI: only 2 acute-MI patients, 30-minute Holter, 257 Hz. At most, it could be used for pretraining on short cut-out pieces. Whether INCART is in scope at all is still an open question (`data_contract.md` L11, Q8; [MCR p.8]).

8. **Combining.** *(Partial. The full check comes in step S10.)* 257 Hz, so the speed must be changed. 30-

minute Holter, so it must be cut into short pieces [OBS-INCART]. It is a different kind of recording from 10-second resting ECGs. All 10 "hard" dataset pairs in the earlier report involve INCART [MCR p.4]. Patient key: "patient N" (32 patients, 1 to 4 records each) [OBS-INCART]. The 2021 PhysioNet Challenge copy has 74 records instead of 75 [PA2020, Table 2]. **Never mix the two copies** (`data_contract.md` O3). Which record is missing: not checked.

9. **Access.** Open: "Anyone can access the files…". We needed no login [PN-INCART; OBS-DOWNLOAD].
10. **Size and license.** 75 records from 32 patients. 794.5 MB unpacked. License: ODC Attribution License v1.0 (free to use if you credit the source). DOI 10.13026/C2V88N. Published 1 May 2008 [PN-INCART].

6. Which datasets to use for which model

Waiting for verified facts.

Model	Datasets to use	Why
STEMI vs NSTEMI		
MI vs non-MI		
Pretraining only (the model first learns general ECG patterns, without heart-attack labels)		
External test only (data kept apart, used only to check the finished model)		
Not useful for this project		

7. Datasets that can and cannot be combined

Waiting for verified facts. "Combine" means putting two datasets together to train one model.

Key: **Yes** = can be combined. **After checks** = only after named checks. **No** = should not be combined. Each cell gives the reason (same patients, different labels, different recording speed, length or leads).

	PTB-XL	MIMIC	PTB-Diag	SPH	CPSC	CPSC-Ex	Georgia	Ningbo	Chapman	CODE-15	INCART
PTB-XL	–										
MIMIC		–									
PTB-Diag			–								
SPH				–							
CPSC					–						
CPSC-Ex						–					
Georgia							–				
Ningbo								–			
Chapman									–		
CODE-15										–	
INCART											–

8. Warnings

Datasets that could mislead a model. *Waiting for verified facts.*

- **Wrong setting:** *(waiting)*. Example of the problem: ECGs recorded at home or over many hours look different from a 10-second ECG taken in hospital.
- **Weak labels:** *(waiting)*. Example of the problem: labels written by a computer, or labels that do not say whether the heart attack is new or old.
- **Same patients or same ECGs in two places:** Example of the problem: if the same ECG is in both the training data and the test data, the model looks better than it really is.
    - **CPSC 2018 and Georgia have no patient ID, but some patients have more than one recording** (CPSC: 13,256 recordings from 9,458 patients; Georgia: 20,678 recordings from 15,742 patients). So recordings from one patient cannot be kept together. The same person could end up in both

training and testing [PA2020, Table 1; OBS-CPSC; OBS-GEORGIA]. CPSC-Extra also has no patient ID, and its number of patients was not found [OBS-CPSCX].
  - *(More items will be added.)*

9. What is not known yet

More items will be added. Each "not found" item will be listed here, with where we looked and who could answer it.

Conflicts inside the publishers' own files

- **INCART, number of patients with "transient ischemic attack (angina pectoris)".** The README says 5 patients. The file `files-patients-diagnoses.txt` lists 4 (patients 3, 7, 8 and 18 = 7 records). We could not resolve this. Only the publisher could [README-INCART; OBS-INCART].
- **Georgia, number of ECGs.** The Challenge page says "This source contains 20,672 ECGs". The Challenge paper gives 20,678 recordings. The 6-recording difference is not explained [PN-CHALLENGE2021; PA2020, Tables 1–2].

Appendix A. Other datasets worth checking (not reviewed in depth)

Waiting for verified facts. This part will briefly list a few other public datasets that may have STEMI or NSTEMI labels. They were **not** reviewed like the 11 datasets above. They are not in the tables in sections 3 and 4, in the advice in section 6, or in the table in section 7.

10. Sources

Will list every source used: the three PDFs (with page numbers), official web pages (with the date checked) and papers (with DOI or PMC link).

Earlier reports (in the folder `19-oct-2026/`)

- **[CMP]** `ECG_Dataset_Comparison_Simple_Report.pdf` (report date 16 Oct 2026).
- **[MCR]** `ECG_Metadata_Compatibility_Report.pdf` (analysis date 10 Oct 2026).
- **[NB]** `MI_Metadata_Compatibility_Colab.ipynb - Colab.pdf` (notebook run on 10 Oct 2026).

Web pages and papers

- **[PN-PTBXL]** PTB-XL, release 1.0.3, PhysioNet. https://physionet.org/content/ptb-xl/1.0.3/ (checked 2026-10-20).
- **[WAGNER2020]** Wagner P. et al. "PTB-XL, a large publicly available electrocardiography dataset." *Scientific Data*, 2020. https://pmc.ncbi.nlm.nih.gov/articles/PMC7248071/ (sections used: Methods > Data acquisition; Methods > Preprocessing; Data Records, Table 2; Table 11; Technical Validation > Quality Assessment for Annotation Data; Abstract).
- **[LIU2022]** Liu H. et al., 2022, *Scientific Data* (the SPH dataset paper). https://pmc.ncbi.nlm.nih.gov/articles/PMC9174207/ (sections used: Abstract; Methods > Data acquisition; Methods > Data processing; Data Records; Table 2; Usage Notes; Open Access statement).
- **[FIGSHARE-SPH]** SPH data on figshare, collection 5779802. https://doi.org/10.6084/m9.figshare.c.5779802.v1 ; file list and licenses from https://api.figshare.com/v2/collections/5779802/articles (data articles 17912441, 17912444, 17912507; checked 2026-10-20).
- **[ZEN-CODE15]** CODE-15% on Zenodo, record 4916206. https://zenodo.org/records/4916206 and https://zenodo.org/api/records/4916206 (checked 2026-10-20).
- **[RIBEIRO2020]** Ribeiro A.H. et al., 2020 (the CODE dataset paper). https://pmc.ncbi.nlm.nih.gov/articles/PMC7145824/ (sections used: Methods > Dataset acquisition; Methods > Training and validation set annotation; Discussion; Data availability).
- **[PN-PTBDB]** PTB Diagnostic ECG Database, release 1.0.0, PhysioNet. https://physionet.org/content/ptbdb/1.0.0/ (checked 2026-10-20).
- **[PA2020]** Perez Alday E.A. et al., 2020. "Classification of 12-lead ECGs: the PhysioNet/Computing in

Cardiology Challenge 2020", *Physiological Measurement*. https://pmc.ncbi.nlm.nih.gov/articles/PMC8015789/ (sections used: Table 2; §2.1.2).

- **[PN-INCART]** St Petersburg INCART 12-lead Arrhythmia Database, release 1.0.0, PhysioNet. https://physionet.org/content/incartdb/1.0.0/ (checked 2026-10-20).
- **[README-INCART]** The publisher's README file from the INCART release 1.0.0 file set (downloaded 2026-10-20; quoted word for word).
- **[PN-CHALLENGE2021]** PhysioNet/Computing in Cardiology Challenge 2021, release 1.0.3. https://physionet.org/content/challenge-2021/1.0.3/ (checked 2026-10-20), and the Challenge web page https://moody-challenge.physionet.org/2021/.
- **[DXMAP]** The Challenge 2021 label files `dx_mapping_scored.csv` and `dx_mapping_unscored.csv` (from the Challenge evaluation code; our copy downloaded 2026-10-20, checksum in `download_manifest.csv`; these files can change). They give a count per label for each source. What the counts count is **not defined** by the publisher. Counts are in `results/challenge_dx_mapping_counts.csv` (recounted by the planner).

Result files made by this team

All are in `results/`. Each one describes the files we downloaded on 2026-10-20, not every copy of the dataset.

- **[OBS-PTBXL]** PTB-XL counts: `ptb_xl_summary.md`, `ptb_xl_scp_counts.csv`, `ptb_xl_field_counts.csv`, `ptb_xl_mi_by_stadium.csv`, `ptb_xl_mi_early_stadium.csv`, `ptb_xl_headers.csv` (recounted by the planner).
- **[OBS-SPH]** SPH counts from `metadata.csv` and `code.csv`: `sph_summary.md`, `sph_code_counts.csv`, `sph_code_modifier_counts.csv`, `sph_mi_timing.csv` (recounted by the planner).
- **[OBS-CODE15]** CODE-15% counts from `exams.csv`: `code15_summary.md`, `code15_label_counts.csv` (recounted by the planner).
- **[OBS-PTBDB]** PTB Diagnostic counts from all 549 headers and the `RECORDS` / `CONTROLS` lists: `ptb_diagnostic_summary.md`, `ptb_diagnostic_comment_counts.csv`, `ptb_diagnostic_records.csv`, `ptb_diagnostic_mi_timing.csv`, `ptb_diagnostic_mi_patient_timing.csv`, `ptb_diagnostic_mi_lytic_agent.csv` (recounted by the planner).
- **[OBS-INCART]** INCART checks of all 75 headers, `files-patients-diagnoses.txt` and `record-descriptions.txt`: `incart_summary.md`, `incart_headers.csv` (checked by the planner).
- **[OBS-CPSC]**, **[OBS-CPSCX]**, **[OBS-GEORGIA]** Counts from a sample of one folder (`g1`, 999 headers) for each dataset: `challenge_<dataset>_summary.md`, `challenge_<dataset>_dx_counts.csv`, `challenge_<dataset>_headers.csv`, `challenge_<dataset>_comment_keys.csv`, where `<dataset>` is `cpsc_2018`, `cpsc_extra` or `georgia` (recounted by the planner).
- **[OBS-DOWNLOAD]** `download_manifest.csv`: what was downloaded, from where, and its checksum.
- All checked facts: `verified_facts.md`.